

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 190/360 = 0.52$

$H^*_- = G25B_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G25B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 59 -50 -9 51 190

$HIC^*_{-,Ma}$: G25B_100_100_



$rgbic^*_{-,Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-113030-L0 QE850-7N

TUB-test chart QE85; hue code: $H^*_- = G25B_-$

Test chart according to DIN 33872, 3D=1, de=1, cmk^*


input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = G25B_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9
Ye,Ma	82.9	-3.5	87.8	87.9
Ge,Ma	52.4	-67.1	21.5	70.5
Ce,Ma	56.6	-39.7	-29.9	49.8
Be,Ma	37.9	1.3	-45.4	45.4
Me,Ma	34.8	49.2	-30.0	57.7
Ne,Ma	17.7	0.0	0.0	0.0
We,Ma	95.4	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 54 -53 -9 53 189$
 $HIC^*_{e, Ma}: G25B_{100_{100}_e}$
 $rgbic^*_{e, Ma}: 0.0 1.0 0.46 1.0 1.0$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9
R25Y_100_100_e	51.5	54.2	47.2	71.9
R50Y_100_100_e	60.3	35.6	59.0	68.9
R75Y_100_100_e	70.4	17.0	72.2	74.1
Y00G_100_100_e	82.9	-3.5	87.8	87.9
Y25G_100_100_e	76.9	-25.5	75.9	80.1
Y50G_100_100_e	65.8	-41.4	54.4	68.3
Y75G_100_100_e	56.9	-56.3	38.1	68.0
G00B_100_100_e	52.4	-67.1	21.5	70.5
G25B_100_100_e	54.6	-53.2	-9.0	53.9
G50B_100_100_e	56.6	-39.7	-29.9	49.8
G75B_100_100_e	52.7	-21.1	-44.1	48.9
B00R_100_100_e	37.9	1.3	-45.4	45.4
B25R_100_100_e	26.7	26.6	-45.8	52.9
B50R_100_100_e	34.8	49.2	-30.0	57.7
B75R_100_100_e	47.3	71.5	-9.9	72.1

triangle lightness T^*
%Gamut $u^*_{rel} = 92$
%Regularity $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$




see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)
TUB material: code=rh4ta



TUB-test chart QE85; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



see similar files: <http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE85/QE85L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta





TUB-test chart QE85; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmykn6* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-113330-L0 QE850-73

TUB-test chart QE85; hue code: $H^*_e=G25B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmyk^*$




input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1=113330-F0



TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



1-113430-L0 QE850-73

TUB-test chart QE85; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = G25B_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data



name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 54 -53 -9 53 189$
 $HIC^*_{e, Ma}: G25B_100_100_e$
 $rgbic^*_{e, Ma}: 0.0 1.0 0.46 1.0 1.0$
triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rh4ta

1-113530-L0 QE850-73

TUB-test chart QE85; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

J=Y_d Yellow
 $LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

L=G_d leaf-green
 $LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

C=C_d cyan-blue
 $LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

O=R_d orange-red
 $LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

M=M_d magenta-red
 $LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

V=B_d violet-blue
 $LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow
 $LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green
 $LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green
 $LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue
 $LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red
 $LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red
 $LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow
 $LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$


G_s green
 $LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green
 $LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s red
 $LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red
 $LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s blue
 $LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{3}$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{4}$$


$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{5}$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS; 3D-linearization
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rha4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*_{dex361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for 390 different color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy₆*, D65 for input or output; Six hue angles of the 60 degree standard colours RY₆CB₆: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RY₆CB₆: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RY₆CB₆: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.06 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



see similar files: <http://130.149.60.45/~farbmetrik/QE85/QE85.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmy₆* (CMYK)
TUB material: code=rh4ta


see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 18 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361Mi, LAB*_*_dds361Mi (x=LabCh), r_{gb}*_*_ds361Mi, LAB*_*_dsx361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_de361Mi, LAB*_*_dex361Mi (x=LabCh), r_{gb}*_*_dd361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi, r_{gb}*_*_ds361Mi



http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 13/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi	LAB* _{ddx361Mi} (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{de} 361Mi	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi							
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	185
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	56.0	-44.2	-23.0	50.1	207
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216

see similar files: <http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE85/QE85L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta

TUB-test chart QE85; hue code: H*_e=G25B_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmyk*_{de}




TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{ab}*_dd361M, LAB^{ab}*_ddx361Mi (x=LabCh), r_{gb}^{ab}*_ds361Mi, LAB^{ab}*_dsx361Mi (x=LabCh), r_{gb}^{ab}*_de361Mi, LAB^{ab}*_dex361Mi (x=LabCh), r_{gb}^{ab}*_dd361Mi, B_d, r_{gb}^{ab}*_ds361Mi, LAB^{ab}*_dsx361Mi (x=LabCh), r_{gb}^{ab}*_de361Mi, LAB^{ab}*_dex361Mi (x=LabCh), r_{gb}^{ab}*_dd361Mi, B_e, r_{gb}^{ab}*_ds361Mi, LAB^{ab}*_dsx361Mi (x=LabCh), r_{gb}^{ab}*_de361Mi, LAB^{ab}*_dex361Mi (x=LabCh), r_{gb}^{ab}*_dd361Mi, B_e.



see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794
371	360	352	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645
376	366	358	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38
386	379	373	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359
387	380	374	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337
387	381	375	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315
388	382	376	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293
388	383	377	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271
389	384	378	1.0	0.0	0.1	47.4	64.3	36.3	73.9	389	1.0	0.0	0.249
390	385	379	1.0	0.0	0.083	47.4	64.3	37.1	74.2	390	1.0	0.0	0.222
390	386	381	1.0	0.0	0.066	47.4	64.2	37.9	74.6	390	1.0	0.0	0.195
391	387	382	1.0	0.0	0.049	47.4	64.1	38.7	74.9	391	1.0	0.0	0.169
391	388	383	1.0	0.0	0.033	47.3	64.0	39.5	75.3	391	1.0	0.0	0.142
392	389	384	1.0	0.0	0.016	47.3	63.9	40.3	75.6	392	1.0	0.0	0.114
392	390	385	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392	1.0	0.0	0.084

see similar files: http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE85/QE85L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta



ref	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabC*File	cmyk*sep*File	cmyp*File	hsa*File	rgb*File	LabC*File	delta
0/648	R00Y_100_100de	1.0	1.0	0.5	1.0	0.0	0.0	0.0	0.789	0.0	0.0	0.0
1/657	R13Y_100_100de	0.0	1.0	0.5	37	0.0	0.0	0.0	0.992	1.0	0.0	0.0
2/666	R25Y_100_100de	0.0	1.0	0.5	37	0.0	0.0	0.0	0.992	1.0	0.0	0.0
3/675	R35Y_100_100de	0.0	1.0	0.5	44	0.0	0.0	0.0	0.866	1.0	0.0	0.0
4/684	R50Y_100_100de	0.0	1.0	0.5	52	0.0	0.0	0.0	0.749	1.0	0.0	0.0
5/693	R63Y_100_100de	0.0	1.0	0.5	60	0.0	0.0	0.0	0.649	1.0	0.0	0.0
6/702	R75Y_100_100de	0.0	1.0	0.5	68	0.0	0.0	0.0	0.542	1.0	0.0	0.0
7/711	R88Y_100_100de	0.0	1.0	0.5	83	0.0	0.0	0.0	0.435	1.0	0.0	0.0
8/720	Y00G_100_100de	1.0	1.0	0.0	90	0.0	0.0	0.0	0.159	1.0	0.0	0.0
9/639	Y13G_100_100de	0.875	1.0	0.0	90	0.0	0.0	0.0	0.159	1.0	0.0	0.0
10/558	Y25G_100_100de	0.75	1.0	0.0	94	0.0	0.0	0.0	0.129	1.0	0.0	0.0
11/477	Y38G_100_100de	0.625	1.0	0.0	104	0.0	0.0	0.0	0.381	0.0	0.0	0.0
12/396	Y50G_100_100de	0.5	1.0	0.0	112	0.0	0.0	0.0	0.129	1.0	0.0	0.0
13/315	Y63G_100_100de	0.375	1.0	0.0	120	0.0	0.0	0.0	0.129	1.0	0.0	0.0
14/234	Y75G_100_100de	0.25	1.0	0.0	128	0.0	0.0	0.0	0.672	0.0	0.0	0.0
15/153	Y88G_100_100de	0.125	1.0	0.0	143	0.0	0.0	0.0	0.777	0.0	0.0	0.0
16/72	G00C_100_100de	0.0	1.0	0.0	150	0.0	0.0	0.0	0.985	0.0	0.0	0.0
17/73	G13C_100_100de	0.0	1.0	0.0	157	0.0	0.0	0.0	0.985	0.0	0.0	0.0
18/74	G25C_100_100de	0.0	1.0	0.0	164	0.0	0.0	0.0	0.788	1.0	0.0	0.0
19/75	G38C_100_100de	0.0	1.0	0.0	172	0.0	0.0	0.0	0.697	1.0	0.0	0.0
20/76	G50C_100_100de	0.0	1.0	0.0	180	0.0	0.0	0.0	0.61	1.0	0.0	0.0
21/77	G63C_100_100de	0.0	1.0	0.0	188	0.0	0.0	0.0	0.335	0.0	0.0	0.0
22/78	G75C_100_100de	0.0	1.0	0.0	196	0.0	0.0	0.0	0.463	0.0	0.0	0.0
23/79	G88C_100_100de	0.0	1.0	0.0	203	0.0	0.0	0.0	0.327	0.0	0.0	0.0
24/80	C00B_100_100de	0.0	1.0	0.0	210	0.0	0.0	0.0	0.264	0.0	0.0	0.0
25/71	C13B_100_100de	0.0	1.0	0.0	217	0.0	0.0	0.0	0.18	0.0	0.0	0.0
26/62	C25B_100_100de	0.0	1.0	0.0	224	0.0	0.0	0.0	0.09	0.0	0.0	0.0
27/53	C38B_100_100de	0.0	1.0	0.0	232	0.0	0.0	0.0	0.026	0.0	0.0	0.0
28/44	C50B_100_100de	0.0	1.0	0.0	240	0.0	0.0	0.0	0.216	0.0	0.0	0.0
29/35	C63B_100_100de	0.0	1.0	0.0	248	0.0	0.0	0.0	0.358	0.0	0.0	0.0
30/26	C75B_100_100de	0.0	1.0	0.0	256	0.0	0.0	0.0	0.453	0.0	0.0	0.0
31/17	C88B_100_100de	0.0	1.0	0.0	263	0.0	0.0	0.0	0.536	0.0	0.0	0.0
32/8	B00M_100_100de	0.0	1.0	0.0	270	0.0	0.0	0.0	0.623	0.0	0.0	0.0
33/89	B13M_100_100de	0.125	1.0	0.0	277	0.0	0.0	0.0	0.706	0.0	0.0	0.0
34/170	B25M_100_100de	0.25	1.0	0.0	284	0.0	0.0	0.0	0.796	0.0	0.0	0.0
35/251	B38M_100_100de	0.375	1.0	0.0	292	0.0	0.0	0.0	0.92	0.0	0.0	0.0
36/332	B50M_100_100de	0.5	1.0	0.0	300	0.045	0.0	0.0	0.954	0.0	0.0	0.0
37/413	B63M_100_100de	0.625	1.0	0.0	308	0.146	0.0	0.0	0.853	1.0	0.0	0.0
38/494	B75M_100_100de	0.75	1.0	0.0	316	0.273	0.0	0.0	0.725	1.0	0.0	0.0
39/575	B88M_100_100de	0.875	1.0	0.0	323	0.332	0.0	0.0	0.665	1.0	0.0	0.0
40/656	M00R_100_100de	1.0	0.0	0.5	330	0.0	0.0	0.0	0.59	1.0	0.0	0.0
41/655	M13R_100_100de	1.0	0.0	0.5	337	0.528	0.0	0.0	0.469	1.0	0.0	0.0
42/654	M25R_100_100de	1.0	0.0	0.5	344	0.661	0.0	0.0	0.338	1.0	0.0	0.0
43/653	M38R_100_100de	1.0	0.0	0.5	352	0.841	0.0	0.0	0.158	0.999	0.0	0.0
44/652	M50R_100_100de	1.0	0.0	0.5	360	0.948	0.0	0.0	0.051	1.0	0.0	0.0
45/651	M63R_100_100de	1.0	0.0	0.5	368	1.0	0.0	0.0	0.265	0.0	0.0	0.0
46/650	M75R_100_100de	1.0	0.0	0.5	376	1.0	0.0	0.0	0.358	0.0	0.0	0.0
47/649	M88R_100_100de	1.0	0.0	0.5	383	1.0	0.0	0.0	0.451	0.0	0.0	0.0
48/648	R00Y_100_100de	1.0	0.0	0.0	390	1.0	0.0	0.0	0.789	0.0	0.0	0.0
49/0	NV_000de	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	1.0	0.0	0.0
50/91	NV_012de	0.125	0.0	0.0	360	0.125	0.0	0.0	0.0	1.0	0.0	0.0
51/182	NV_025de	0.25	0.0	0.0	360	0.25	0.0	0.0	0.037	0.041	0.0	0.0
52/273	NV_038de	0.375	0.0	0.0	360	0.375	0.0	0.0	0.021	0.0	0.0	0.0
53/564	NV_050de	0.5	0.0	0.0	360	0.5	0.0	0.0	0.034	0.018	0.0	0.0
54/455	NV_063de	0.625	0.0	0.0	360	0.625	0.0	0.0	0.026	0.0	0.0	0.0
55/546	NV_075de	0.75	0.0	0.0	360	0.75	0.0	0.0	0.01	0.0	0.0	0.0
56/637	NV_088de	0.875	0.0	0.0	360	0.875	0.0	0.0	0.009	0.0	0.0	0.0
57/728	NV_100de	1.0	0.0	0.0	360	1.0	0.0	0.0	0.023	0.007	0.0	0.0

Mean color difference of this page:


input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmyk*de



http://130.149.60.45/~farbmetrik/QE85/QE85L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 20/33

Table with 80 rows and 15 columns: n/F, H/C*File, r/g/b*File, i/c/t*File, h/s*File, r/g/b*File, LabC/H*File, cmyk*sep,Rate, cmyk*sep,Rate, LabC/H*File, h/s*File, r/g/b*File, LabC/H*File, delta. Each row represents a color patch with its corresponding colorimetric and colorimetric difference data.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de



http://130.149.60.45/~farbmetrik/QE85/QE85LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 22/33

n	HC*File	rgb*File	icc*File	hsa*File	rgb*File	LabCM*File	cmyk*sep*File	rgb*File	hsa*File	LabCM*File	LabCM*File	LabCM*File
162	ROY_025_025de	0.25	0.25	0.25	0.052	25.1	17.9	0.629	0.525	0.771	47.6	64.9
163	ROY_025_025de	0.25	0.125	0.125	0.237	0.0	0.0	0.657	0.082	0.795	378	378
164	B5R_025_025de	0.25	0.25	0.25	25.1	17.9	0.629	0.525	0.771	47.6	64.9	71.9
165	B5R_025_025de	0.25	0.125	0.125	0.237	0.0	0.0	0.657	0.082	0.795	378	378
166	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
167	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
168	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
169	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
170	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
171	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
172	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
173	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
174	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
175	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
176	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
177	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
178	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
179	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
180	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
181	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
182	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
183	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
184	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
185	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
186	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
187	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
188	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
189	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
190	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
191	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
192	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
193	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
194	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
195	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
196	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
197	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
198	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
199	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
200	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
201	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
202	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
203	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
204	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
205	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
206	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
207	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
208	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
209	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
210	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
211	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
212	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
213	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
214	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
215	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
216	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
217	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
218	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
219	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
220	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
221	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
222	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
223	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
224	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
225	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
226	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
227	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
228	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
229	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
231	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
232	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
233	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
234	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
235	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
236	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
237	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
238	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
240	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
241	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
242	B5R_025_025de	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



delta


Mean color difference of this page:

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*de

QE85-7N; Page 22/33-F

TUB-test chart QE85; hue code: H*e=G25Be
colors and differences, ΔE*










http://130.149.60.45/~farbmetrik/QE85/QE85LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 23/33

Table with 15 columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabC*File, LabC*File, cmyk*sep, cmyk*sep, Hsa*File, rgb*File, LabC*File, LabC*File, delta. Rows 243-323.

Mean color difference of this page: 0.699 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147 0.147

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de





http://130.149.60.45/~farbmetrik/QE85/QE85LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 27/33

input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de


Table with 16 columns: n, H#C*File, H#M*File, H#B*File, LabCH*File, LabCM*File, LabCB*File, cmyk*sep, LabC*File, LabM*File, LabB*File, H#M*File, H#B*File, LabCH*File, LabCM*File, LabCB*File, delta. Rows list various color patches and their corresponding colorimetric values.

http://130.149.60.45/~farbmetrik/QE85/QE85LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE85/QE85LE30FP.DAT in file (F), page 28/33

Table with 13 columns: n, HHC*File, rpb*Rate, iCt*Rate, iRs*Rate, rpb*File, LabC*File, LabC*SepRate, cmyk*SepRate, iRs*File, rpb*File, LabC*File, LabC*SepRate, delta. It contains color calibration data for various color patches.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmyk*de

TUB-test chart QE85; hue code: H*e=G25Be colors and differences, ΔE*^a





n	HC*File	rgb_Rate	iefc_Rate	hsa_Rate	rgb*File	LabCM*File	cmyp*sep_Rate	hsa*File	rgb*File	LabCM*File
972	NW_0000de	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0
973	NW_0120de	0.125	0.125	0.125	0.0	17.7	0.0	360	1.0	1.0
974	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
975	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
976	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
977	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
978	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
979	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
980	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
981	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
982	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
983	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
984	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
985	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
986	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
987	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
988	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
989	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
990	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
991	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
992	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
993	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
994	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
995	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
996	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
997	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
998	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
999	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1000	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1001	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1002	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1003	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1004	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1005	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1006	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1007	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
1008	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1009	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1010	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1011	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1012	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1013	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1014	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1015	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1016	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
1017	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1018	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1019	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1020	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1021	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1022	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1023	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1024	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1025	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
1026	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1027	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1028	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1029	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1030	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1031	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1032	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1033	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1034	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
1035	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1036	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1037	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1038	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1039	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1040	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1041	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1042	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1043	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0
1044	NW_0000de	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0
1045	NW_0120de	0.125	0.125	0.125	0.0	27.4	0.0	360	1.0	1.0
1046	NW_0250de	0.25	0.25	0.25	0.0	37.1	0.0	360	1.0	1.0
1047	NW_0375de	0.375	0.375	0.375	0.0	46.8	0.0	360	1.0	1.0
1048	NW_0500de	0.5	0.5	0.5	0.0	56.5	0.0	360	1.0	1.0
1049	NW_0625de	0.625	0.625	0.625	0.0	66.3	0.0	360	1.0	1.0
1050	NW_0750de	0.75	0.75	0.75	0.0	76.0	0.0	360	1.0	1.0
1051	NW_0875de	0.875	0.875	0.875	0.0	85.7	0.0	360	1.0	1.0
1052	NW_1000de	1.0	1.0	1.0	0.0	95.4	0.0	360	1.0	1.0

Mean color difference of this page: delta

input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmyk*de

TUB-test chart QE85; hue code: H*_e=G25B_e
 colors and differences, ΔE*_*

QE850-7N; Page 32/33-F



n	HC*Fate	rgb*Fate	icT*Fate	hsa*Fate	rgb*Fate	LabC*Fate	cmyn*sep*Fate	cmyn*sep*Fate	hsa*Fate	rgb*Fate	LabC*Fate	LabC*Fate	delta
1053	NW_086de	0.866	0.866	0.866	0.866	85.0	0.007	0.007	360	1.0	1.0	95.4	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	90.2	0.005	0.005	360	1.0	1.0	95.4	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1056	NW_006de	0.066	0.066	0.066	0.066	6.6	0.0	0.0	360	1.0	1.0	95.4	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	6.6	0.139	0.139	360	1.0	1.0	95.4	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	13.3	0.0	0.0	360	1.0	1.0	95.4	0.0
1059	NW_026de	0.266	0.266	0.266	0.266	26.6	0.0	0.0	360	1.0	1.0	95.4	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	26.6	0.057	0.057	360	1.0	1.0	95.4	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	33.3	0.0	0.0	360	1.0	1.0	95.4	0.0
1062	NW_046de	0.466	0.466	0.466	0.466	46.6	0.016	0.016	360	1.0	1.0	95.4	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	46.6	0.019	0.019	360	1.0	1.0	95.4	0.0
1064	NW_053de	0.533	0.533	0.533	0.533	53.3	0.0	0.0	360	1.0	1.0	95.4	0.0
1065	NW_066de	0.666	0.666	0.666	0.666	66.6	0.006	0.006	360	1.0	1.0	95.4	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	66.6	0.006	0.006	360	1.0	1.0	95.4	0.0
1067	NW_073de	0.734	0.734	0.734	0.734	73.4	0.021	0.021	360	1.0	1.0	95.4	0.0
1068	NW_086de	0.866	0.866	0.866	0.866	86.6	0.0	0.0	360	1.0	1.0	95.4	0.0
1069	NW_086de	0.866	0.866	0.866	0.866	86.6	0.007	0.007	360	1.0	1.0	95.4	0.0
1070	NW_093de	0.933	0.933	0.933	0.933	93.3	0.024	0.024	360	1.0	1.0	95.4	0.0
1071	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1072	NW_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1073	ROY_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1074	ROY_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1075	GS0B_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1076	Y06C_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1077	B06M_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1078	B06M_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0
1079	B50R_100_100de	1.0	1.0	1.0	1.0	100.0	0.0	0.0	360	1.0	1.0	95.4	0.0

input: rgb/cmyk -> rgbd
 output: 3D-linearization to cmyk*de

TUB-test chart QE85; hue code: H*_e=G25B_e
 colors and differences, ΔE*_*