

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 190/360 = 0.52$

$H^*_- = G25B_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G25B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 59 -50 -9 51 190

$HIC^*_{-,Ma}$: G25B_100_100_

$rgbic^*_{-,Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-113031-L0 QE880-7N

TUB-test chart QE88; hue code: $H^*_- = G25B_-$

Test chart according to DIN 33872, 3D=1, de=1, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 53 -48 -8 49 189$

$HIC^*_e, Ma: G25B_{100_{100}_e}$

$rgbic^*_e, Ma:$

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113131-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113131-F0

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE88/QE88L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = G25B_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 53 -48 -8 49 189$

$HIC^*_e, Ma: G25B_100_100_e$



$rgbic^*_e, Ma:$

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



1-113231-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 53 -48 -8 49 189$



$HIC^*_{e, Ma}: G25B_100_100_e$

$rgbic^*_{e, Ma}: 0.0 1.0 0.5 1.0 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT> /.PS; 3D-linearization
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113331-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}: 53 -48 -8 49 189$

$HIC^*_{e,Ma}: G25B_100_100_e$



$rgbic^*_{e,Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT> /.PS; 3D-linearization
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113431-L0 QE880-73




TUB-test chart QE88; hue code: $H^*_e=G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113431-F0

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113531-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e=G25B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
 application for measurement of offset print output, separation cmy0* (CMY0) TUB material: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCMs; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCMd; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCMc; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 20 columns containing colorimetric data for various color separations (e.g., LAB*ddx64M, LAB*dsx361M) across 392 different color patches. Each row corresponds to a patch number and contains numerical values for different colorimetric parameters.




see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd64M}	LAB ^a _{dd64M (x=LabCh)}	rgb ^a _{dex361M}	LAB ^a _{dex361M}
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162
160.7	157.5	169.0	0.0 1.0 0.125 50.5	-62.8 21.9 66.5 160.7	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168
167.7	165.0	175.9	0.0 1.0 0.25 51.2	-58.9 12.7 60.3 167.7	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175
176.7	172.5	182.7	0.0 1.0 0.375 52.0	-54.5 3.1 54.6 176.7	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182
189.3	180.0	189.6	0.0 1.0 0.5 52.9	-48.6 -8.0 49.3 189.3	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189
203.2	187.5	196.4	0.0 1.0 0.625 54.0	-42.3 -18.1 46.1 203.2	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195
217.2	195.0	203.2	0.0 1.0 0.75 55.0	-36.0 -27.4 45.3 217.2	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203
228.3	202.5	210.1	0.0 1.0 0.875 55.8	-30.7 -34.5 46.2 228.3	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209
238.4	210.0	216.9	0.0 1.0 1.0 56.8	-25.5 -41.5 48.7 238.4	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216
242.9	217.5	223.8	0.0 0.875 1.0 54.1	-21.1 -41.3 46.4 242.9	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223
249.3	225.0	230.6	0.0 0.75 1.0 50.4	-15.5 -41.1 43.9 249.3	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230
256.9	232.5	237.5	0.0 0.625 1.0 46.5	-9.4 -40.8 41.9 256.9	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237
268.2	240.0	244.3	0.0 0.5 1.0 41.7	-1.2 -40.6 40.6 268.2	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244
278.6	247.5	251.2	0.0 0.375 1.0 37.3	6.1 -40.2 40.7 278.6	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250
289.6	255.0	258.0	0.0 0.25 1.0 32.8	14.3 -40.2 42.7 289.6	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258
299.0	262.5	264.8	0.0 0.125 1.0 28.6	22.4 -40.2 46.1 299.0	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264
306.2	270.0	271.7	0.0 0.0 1.0 25.0	29.5 -40.4 50.0 306.2	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271
314.7	277.5	278.8	0.125 0.0 1.0 27.9	36.0 -36.4 51.2 314.7	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278
322.1	285.0	285.9	0.25 0.0 1.0 28.8	41.9 -32.5 53.1 322.1	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285
333.3	292.5	293.0	0.375 0.0 1.0 32.7	51.8 -26.0 58.0 333.3	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292
340.5	300.0	300.1	0.5 0.0 1.0 35.6	58.6 -20.7 62.1 340.5	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300
347.9	307.5	307.2	0.625 0.0 1.0 38.1	65.4 -14.0 66.9 347.9	0.0 0.009 0.0 25.3 30.1 -40.1 50.2 306	0.0 0.009 0.0 25.3 30.1 -40.1 50.2 306
352.5	315.0	314.3	0.75 0.0 1.0 41.8	71.0 -9.2 71.6 352.5	0.0 0.12 0.0 27.8 35.8 -36.5 51.2 314	0.0 0.12 0.0 27.8 35.8 -36.5 51.2 314
356.1	322.5	321.4	0.875 0.0 1.0 44.2	75.2 -5.0 75.3 356.1	0.0 0.231 0.0 28.7 41.1 -33.2 52.9 321	0.0 0.231 0.0 28.7 41.1 -33.2 52.9 321
359.8	330.0	328.6	1.0 0.0 1.0 46.1	79.3 -0.2 79.3 359.8	0.0 0.322 0.0 31.1 47.8 -29.1 56.0 328	0.0 0.322 0.0 31.1 47.8 -29.1 56.0 328
363.0	337.5	335.7	1.0 0.0 0.875 45.9	78.2 4.1 78.3 363.0	0.0 0.408 0.0 33.5 53.7 -24.7 59.1 335	0.0 0.408 0.0 33.5 53.7 -24.7 59.1 335
366.4	345.0	342.8	1.0 0.0 0.75 45.9	77.1 8.6 77.6 366.4	0.0 0.539 0.0 36.4 60.8 -18.7 63.7 342	0.0 0.539 0.0 36.4 60.8 -18.7 63.7 342
371.1	352.5	349.9	1.0 0.0 0.625 46.0	75.6 14.8 77.0 371.1	0.0 0.667 0.0 39.3 67.4 -12.4 68.5 349	0.0 0.667 0.0 39.3 67.4 -12.4 68.5 349
375.9	360.0	357.0	1.0 0.0 0.5 45.9	74.2 21.1 77.1 375.9	0.0 0.736 0.0 41.4 70.5 -9.7 71.1 352	0.0 0.736 0.0 41.4 70.5 -9.7 71.1 352
381.2	367.5	364.1	1.0 0.0 0.375 45.8	72.9 28.3 78.3 381.2	0.0 0.81 0.0 46.1 79.3 -0.1 79.3 359	0.0 0.81 0.0 46.1 79.3 -0.1 79.3 359
385.6	375.0	371.2	1.0 0.0 0.25 45.6	72.1 34.6 80.0 385.6	0.0 0.687 46.0 76.5 11.8 77.4 368	0.0 0.687 46.0 76.5 11.8 77.4 368
389.3	382.5	378.3	1.0 0.0 0.125 45.5	71.4 40.1 81.9 389.3	0.0 0.485 45.9 74.1 22.0 77.3 376	0.0 0.485 45.9 74.1 22.0 77.3 376
392.3	390.0	385.4	1.0 0.0 0.0 45.4	70.9 44.8 83.9 392.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385



see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	R _c	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	1.0	1.0 0.0 0.096 45.5 71.4 41.2 82.4 30	1.0	1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	1.0	1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33	1.0	1.0 0.0 0.055 45.5 71.2 42.8 83.1 31	1.0	1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26	1.0	1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33	1.0	1.0 0.0 0.013 45.5 71.0 44.4 83.7 32	1.0	1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27	1.0	1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34	1.0	1.0 0.015 0.0 45.9 70.0 45.5 83.5 33	1.0	1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28	1.0	1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35	1.0	1.0 0.036 0.0 46.5 68.6 46.3 82.8 34	1.0	1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29	1.0	1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36	1.0	1.0 0.057 0.0 47.1 67.3 47.1 82.1 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31	1.0	1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36	1.0	1.0 0.079 0.0 47.6 65.9 47.9 81.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32	1.0	1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37	1.0	1.0 0.1 0.0 48.2 64.5 48.6 80.7 37	1.0	1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	1.0	1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38	1.0	1.0 0.121 0.0 48.8 63.1 49.3 80.1 38	1.0	1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34	1.0	1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39	1.0	1.0 0.137 0.0 49.4 61.8 50.1 79.6 39	1.0	1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35	1.0	1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41	1.0	1.0 0.151 0.0 49.9 60.6 50.9 79.1 40	1.0	1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36	1.0	1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42	1.0	1.0 0.166 0.0 50.5 59.4 51.6 78.7 41	1.0	1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37	1.0	1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43	1.0	1.0 0.18 0.0 51.0 58.1 52.3 78.2 42	1.0	1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38	1.0	1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44	1.0	1.0 0.194 0.0 51.6 56.9 53.0 77.8 43	1.0	1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39	1.0	1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45	1.0	1.0 0.209 0.0 52.1 55.6 53.7 77.3 44	1.0	1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41	1.0	1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46	1.0	1.0 0.223 0.0 52.7 54.4 54.4 76.9 45	1.0	1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	1.0	1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48	1.0	1.0 0.237 0.0 53.2 53.1 55.0 76.4 46	1.0	1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43	1.0	1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49	1.0	1.0 0.251 0.0 53.7 51.8 55.6 76.0 47	1.0	1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44	1.0	1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50	1.0	1.0 0.264 0.0 54.3 50.7 56.3 75.8 48	1.0	1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45	1.0	1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52	1.0	1.0 0.276 0.0 54.8 49.6 57.1 75.6 49	1.0	1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46	1.0	1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53	1.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 50	1.0	1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47	1.0	1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54	1.0	1.0 0.301 0.0 55.9 47.3 58.5 75.2 51	1.0	1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48	1.0	1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56	1.0	1.0 0.313 0.0 56.5 46.2 59.1 75.0 52	1.0	1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	1.0	1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57	1.0	1.0 0.326 0.0 57.0 45.0 59.8 74.8 53	1.0	1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51	1.0	1.0 0.383 0.0				
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59	1.0	1.0 0.338 0.0 57.6 43.9 60.4 74.6 54	1.0	1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52	1.0	1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60	1.0	1.0 0.35 0.0 58.1 42.7 61.0 74.4 55	1.0	1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53	1.0	1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61	1.0	1.0 0.363 0.0 58.6 41.5 61.5 74.2 56	1.0	1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54	1.0	1.0 0.433 0.0				
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63	1.0	1.0 0.375 0.0 59.2 40.3 62.1 74.0 57	1.0	1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55	1.0	1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64	1.0	1.0 0.387 0.0 59.8 39.3 62.8 74.1 58	1.0	1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56	1.0	1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65	1.0	1.0 0.4 0.0 60.3 38.2 63.5 74.1 59	1.0	1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57	1.0	1.0 0.483 0.0				
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67	1.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0	1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	1.0	1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68	1.0	1.0 0.424 0.0 61.4 36.0 64.9 74.2 61	1.0	1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0	1.0 0.517 0.0				
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70	1.0	1.0 0.436 0.0 62.0 34.9 65.6 74.3 62	1.0	1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61	1.0	1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71	1.0	1.0 0.449 0.0 62.6 33.7 66.2 74.3 63	1.0	1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62	1.0	1.0 0.55 0.0				
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73	1.0	1.0 0.461 0.0 63.1 32.6 66.9 74.4 64	1.0	1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63	1.0	1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74	1.0	1.0 0.473 0.0 63.7 31.5 67.5 74.4 65	1.0	1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64	1.0	1.0 0.583 0.0				
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76	1.0	1.0 0.486 0.0 64.2 30.3 68.0 74.5 66	1.0	1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65	1.0	1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77	1.0	1.0 0.498 0.0 64.8 29.1 68.6 74.5 67	1.0	1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	1.0	1.0 0.617 0.0				
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79	1.0	1.0 0.509 0.0 65.4 28.0 69.4 74.8 68	1.0	1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67	1.0	1.0 0.633 0.0				
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80	1.0	1.0 0.52 0.0 66.1 26.9 70.2 75.2 69	1.0	1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68	1.0	1.0 0.65 0.0				
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81	1.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0	1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0	1.0 0.667 0.0				
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82	1.0	1.0 0.542 0.0 67.3 24.7 71.8 75.9 71	1.0	1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71	1.0	1.0 0.683 0.0				
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83	1.0	1.0 0.553 0.0 67.9 23.6 72.6 76.3 72	1.0	1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72	1.0	1.0 0.7 0.0				
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84	1.0	1.0 0.564 0.0 68.6 22.4 73.3 76.6 73	1.0	1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73	1.0	1.0 0.717 0.0				
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85	1.0	1.0 0.574 0.0 69.2 21.2 74.0 77.0 74	1.0	1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74	1.0	1.0 0.733 0.0				
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0	1.0 0.585 0.0 69.8 20.0 74.7 77.4 75	1.0	1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	1.0	1.0 0.75 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGC_{BM}S: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGC_{BM}d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGC_{BM}: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	<i>rgb</i> * _{dd361M}			<i>LAB</i> * _{dx361Mi} (x=LabCh)			Y_d	<i>rgb</i> * _{ds361Mi}			<i>LAB</i> * _{dsx361Mi} (x=LabCh)			Y_s	<i>rgb</i> * _{dd361Mi}			<i>rgb</i> * _{de361Mi}			<i>LAB</i> * _{dex361Mi} (x=LabCh)			Y_e	<i>rgb</i> * _{dd361Mi}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0	1.0	0.604	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0	1.0	0.616	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0	1.0	0.63	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0	1.0	0.648	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0	1.0	0.667	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0	1.0	0.685	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0	1.0	0.74	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0	1.0	0.76	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0	1.0	0.784	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0	1.0	0.807	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0	1.0	0.831	0.0	81.5	0.0	88.1	88.1	90	1.0	0.967	0.0	1.0	0.854	0.0	82.6	-1.8	89.2	89.3	91	1.0	0.983	0.0	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	1.0	1.0	0.0	1.0	0.916	0.0	84.9	-5.5	92.0	92.2	93	0.983	1.0	0.0	1.0	0.953	0.0	86.2	-7.5	93.6	93.9	94	0.967	1.0	0.0	1.0	0.99	0.0	87.5	-9.6	95.1	95.6	95	0.95	1.0	0.0	1.0	0.933	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	1.0	0.967	0.0	86.7	-11.3	93.6	94.3	96	0.933	1.0	0.0	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	1.0	0.856	1.0	0.0	83.8	-14.4	88.4	89.6	98	0.917	1.0	0.0	1.0	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	1.0	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	1.0	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	1.0	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	1.0	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	1.0	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	1.0	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	1.0	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	1.0	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	1.0	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	1.0	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	1.0	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	1.0	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	1.0	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	1.0	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	1.0	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	1.0	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	1.0	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	1.0	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	1.0	0.467	1.0	0.0	69.3	-31.3	64.4	71.7	116	0.567	1.0	0.0	1.0	0.45	1.0	0.0	68.7	-32.2	63.3	71.0	117	0.55	1.0	0.0	1.0	0.433	1.0	0.0	68.0	-33.0	62.2	70.4	118	0.533	1.0	0.0	1.0	0.416	1.0	0.0	67.3	-33.7	61.1	69.8	119	0.517	1.0	0.0	1.0	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	1.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0



TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

TUB-test chart QE88; hue code: H_e*=G25B_e
48 step hue circles; *rgb*-*LabCh**tables


input: *rgb*/*cmyk* → *rgb*_{de}
output: 3D-linearization to *cmy0*_{de}

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dex361Mi} (x=LabCh)
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162
163	160	171	0.0	1.0	0.166	50.7	-61.6	18.7	64.4	163
164	161	172	0.0	1.0	0.183	50.8	-61.1	17.4	63.6	164
164	162	173	0.0	1.0	0.2	50.9	-60.6	16.2	62.7	164
165	163	174	0.0	1.0	0.216	51.0	-60.1	15.0	61.9	165
166	164	175	0.0	1.0	0.233	51.1	-59.5	13.9	61.1	166
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167
G_d	G_d	G_d	G_d	G_d	G_d	G_d	G_d	G_d	G_d	G_d
0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.0
0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017
0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033
0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05
0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067
0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083
0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1
0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117
0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133
0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15
0.0	1.0	0.107	50.5	-63.1	23.0	67.2	160	0.0	1.0	0.167
0.0	1.0	0.129	50.6	-62.6	21.6	66.3	161	0.0	1.0	0.183
0.0	1.0	0.147	50.7	-62.1	20.2	65.4	162	0.0	1.0	0.2
0.0	1.0	0.165	50.8	-61.6	18.9	64.5	163	0.0	1.0	0.217
0.0	1.0	0.183	50.9	-61.1	17.5	63.7	164	0.0	1.0	0.233
0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi} (x=LabCh)	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	LAB [*] _{dc361Mi}	rgb [*] _{dex361Mi} (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), C_d, r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), 210C_s, r_{gb}*_dd361Mi, LAB*_de361Mi, dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds, r_{gb}*_ds, r_{gb}*_de


see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4t4



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, B_d, B_s, B_e. Rows 289-340.



see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgbs, dd361M, LAB*, ddx361Mi (x=LabCh), rgs, ds361Mi, LAB*, dsx361Mi (x=LabCh), rge, de361Mi, LAB*, dex361Mi (x=LabCh), rgbe, dd361Mi, rge%dd, rge%ds, rge%de. Rows 366-392.

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Table with columns: nrf, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabCIE*File, LabCIE*File, cmy0*sep*File, rha*File, rha*File, LabCIE*File, LabCIE*File, delta. Rows include color patches like 0/648 R00Y_100_100de, 1/657 R13Y_100_100de, etc.

input: rgb/cmyk -> rbgde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25B_e colors and differences, ΔE*_*

TUB registration: 20130201-QE88/QE88LOFA.TXT /.PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE88/QE88LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FA.DAT in file (F), page 20/33

Table with 10 columns: n/F, HHC*F, rgb*Rate, iet*Rate, hsa*Rate, rrgb*Rate, LabC0*F, LabC0*F, LabC0*F, LabC0*F. Rows 0-80.

Mean color difference of this page:

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmy0*de

QE880-7N; Page 20/33-F

TUB-test chart QE88; hue code: H*e=G25Be colors and differences, ΔE*

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88L30FA.DAT in file (F), page 21/33

Table with 16 columns: n, H#C*File, rpb_Role, icr_File, hsa_Fate, rpb*File, LabC*File, cmy0*_sep_Fate, hsa_Fate, rpb*File, LabC*File, hsa_Fate, rpb*File, LabC*File, hsa_Fate, rpb*File, LabC*File. Rows 81-161.

delta

Mean color difference of this page: 0.895

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

QE880-TN; Page 21/33-F

TUB-test chart QE88; hue code: H*_e=G25B_e colors and differences, ΔE*_*

I-1132031-F0



TUB registration: 20130201-QE88/QE88LOFA.TXT /.PS
 application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE88/QE88LOFA.TXT /.PS; 3D-linearization
 F: 3D-linearization QE88/QE88LE30FA.DAT in file (F), page 22/33

n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCIE*File	cmyp*sep*File	hsa*File	rgb*File	LabCIE*File	delta
162	ROY0_025_025de	0.25	0.0	0.25	0.0	0.063	29.6	18.0	0.0	0.963	0.0
163	ROY0_025_025de	0.25	0.0	0.25	0.0	0.063	29.6	18.0	0.0	0.963	0.0
164	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
165	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
166	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
167	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
168	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
169	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
170	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
171	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
172	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
173	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
174	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
175	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
176	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
177	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
178	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
179	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
180	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
181	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
182	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
183	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
184	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
185	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
186	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
187	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
188	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
189	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
190	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
191	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
192	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
193	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
194	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
195	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
196	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
197	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
198	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
199	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
200	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
201	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
202	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
203	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
204	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
205	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
206	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
207	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
208	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
209	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
210	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
211	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
212	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
213	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
214	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
215	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
216	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
217	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
218	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
219	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
220	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
221	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
222	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
223	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
224	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
225	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
226	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
227	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
228	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
229	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
230	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
231	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
232	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
233	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
234	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
235	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
236	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
237	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
238	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
239	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
240	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
241	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0
242	B5R0_025_025de	0.25	0.0	0.25	0.0	0.25	28.6	17.0	0.0	0.735	0.0

input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25B_e
 colors and differences, ΔE*
 QE880-TN; Page 22/33-F



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
 technical information: <http://www.ps.bam.de/~130.149.60.45/~farbmetrik>



http://130.149.60.45/~farbmetrik/QE88/QE88LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FA.DAT in file (F), page 23/33

Table with 32 columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, cmy*sep*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, delta. Rows 243-323.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*e=G25Be colors and differences, ΔE*

I-1132231-F0

Table with 30 columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, cmy0*sep*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, delta. Rows include color patches like 324 R00Y_050_050, 325 R00Y_050_050, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25B_e colors and differences, ΔE*_*

Mean color difference of this page: delta

TUB registration: 20130201-QE88/QE88L0FA.TXT /.PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta






Table with 15 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabCM*File, LabCM*File, cmy0*sep,File, cmy0*sep,File, Hsa*File, rgb*File, LabCM*File, LabCM*File, delta. Rows 405-485.



see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88L30FA.DAT in file (F), page 25/33

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25Be colors and differences, AE*_*

I=1132431-F0

QE880-7N; Page 25/33-F

Mean color difference of this page: 216.9




Table with columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgpb*File, LabCIE*File, LabCIE*File, cmy0*sep,File, hsa*File, rgpb*File, LabCIE*File, LabCIE*File, delta. Rows contain color patches and their corresponding colorimetric data.

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*de

Mean color difference of this page: 0.178

QE880-TN; Page 27/33-F

TUB-test chart QE88; hue code: H*_e=G25Be colors and differences, ΔE*_a*



http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88L30FA.DAT in file (F), page 28/33

Table with columns: n, HHC*File, Rgb*File, iCr*File, iMg*File, iBs*File, rgp*File, LabC*File, cmy*sep,File, rcp*File, Hm*File, LabC*File, rcp*File, LabC*File, delta. Rows 648-728.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25Be colors and differences, ΔE*_a

QE880-7N; Page 28/33-F

I-1132731-F0

http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88L30FA.DAT in file (F), page 29/33

Table with 15 columns: n, H#C*File, rpb*File, icr*File, ihs*File, rpb*File, LabC*File, cmy0*sep,File, rpb*File, ihs*File, rpb*File, LabC*File, LabC*File, LabC*File, delta. It contains color calibration data for various color patches.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

Table with 16 columns: n, H#*C*F, F, Rgb_F, i_Ci_F, i_Ci_F, H#*_F, Rgb_F, LabC*F_F, LabC*F_F, LabC*F_F, H#*_F, Rgb_F, LabC*F_F, LabC*F_F, LabC*F_F. Rows represent different color patches and their corresponding colorimetric and registration data.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0* de

TUB-test chart QE88: hue code: H*_e=G25B_e colors and differences, ΔE*_*

http://130.149.60.45/~farbmetrik/QE88/QE88L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE88/QE88L30FA.DAT in file (F), page 33/33

Table with columns: n, HHC*File, rgb*File, icT*File, Hs_*File, rgb*File, Lab*File, LabC*File, cmyp*sep*File, cmyp*File, Hs_*File, rgb*File, Lab*File, LabC*File, delta. Rows include color patches like NW_086de, NW_093de, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25B_e colors and differences, ΔE*_*