

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 190/360 = 0.52$

$H^*_- = G25B_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = G25B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 59 -50 -9 51 190

$HIC^*_{-,Ma}$: G25B_100_100_



$rgbic^*_{-,Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-113031-L0 QE880-7N

TUB-test chart QE88; hue code: $H^*_- = G25B_-$
 Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
 output: no change




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$

Data for any device (d) or elementary (e) colour:
 HIC^*_e

hue text for the colours of this page:
 $H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):
 $LabCh^*_e, Ma: 53 -48 -8 49 189$

$HIC^*_e, Ma: G25B_{100_{100}_e}$



$rgbic^*_e, Ma:$

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FP.PDF / .PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113131-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = G25B_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 53 -48 -8 49 189$



$HIC^*_{e, Ma}: G25B_100_100_e$

$rgbic^*_{e, Ma}: 0.0 1.0 0.5 1.0 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FP.PDF / .PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113231-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 53 -48 -8 49 189$

$HIC^*_{e, Ma}: G25B_100_100_e$



$rgbic^*_{e, Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352




see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-113331-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G25B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 53 -48 -8 49 189$

$HIC^*_{e, Ma}: G25B_100_100_e$



$rgbic^*_{e, Ma}$:

0.0 1.0 0.5 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-113431-L0 QE880-73


TUB-test chart QE88; hue code: $H^*_e = G25B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

1-113431-F0

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113531-L0 QE880-73

TUB-test chart QE88; hue code: $H^*_e=G25B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FP.PDF / .PS
 application for measurement of offset print output, separation cmy0* (CMY0)
 TUB material: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^b, d_{361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}^c, d_{361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^d, d_{361M}, LAB*_{dex361M} (x=LabCh), r_{gb}^e, d_{361M}, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for 385 different color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	45.4 70.9 44.8 83.9 32.3
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	48.9 62.8 49.4 79.9 38.1
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	53.6 51.9 55.5 76.0 46.8
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	59.1 40.3 62.0 74.0 56.9
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	64.9 28.9 68.6 74.5 67.1
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	72.1 15.4 77.1 78.6 78.6
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	77.9 5.4 83.8 84.0 86.2
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83	83.4 -3.4 90.2 90.2 92.1
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92	87.8 -10.2 95.4 96.0 96.1
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100	84.3 -13.9 89.2 90.3 98.8
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109	80.7 -17.5 83.5 85.3 101.8
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117	75.3 -24.0 75.7 79.4 107.6
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127	70.6 -29.7 66.5 72.8 114.0
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135	65.7 -35.6 58.3 68.3 121.4
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144	58.4 -47.3 46.8 66.6 135.3
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152	54.7 -53.9 38.5 66.3 144.4
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162	50.0 -65.0 29.6 71.4 155.5
160.7	157.5	169.0	0.0 1.0 0.125 50.5	-62.8 21.9 66.5 160.7	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168	-62.8 21.9 66.5 160.7
167.7	165.0	175.9	0.0 1.0 0.25 51.2	-58.9 12.7 60.3 167.7	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175	-58.9 12.7 60.3 167.7
176.7	172.5	182.7	0.0 1.0 0.375 52.0	-54.5 3.1 54.6 176.7	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182	-54.5 3.1 54.6 176.7
189.3	180.0	189.6	0.0 1.0 0.5 52.9	-48.6 -8.0 49.3 189.3	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189	-48.6 -8.0 49.3 189.3
203.2	187.5	196.4	0.0 1.0 0.625 54.0	-42.3 -18.1 46.1 203.2	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195	-42.3 -18.1 46.1 203.2
217.2	195.0	203.2	0.0 1.0 0.75 55.0	-36.0 -27.4 45.3 217.2	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203	-36.0 -27.4 45.3 217.2
228.3	202.5	210.1	0.0 1.0 0.875 55.8	-30.7 -34.5 46.2 228.3	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209	-30.7 -34.5 46.2 228.3
238.4	210.0	216.9	0.0 1.0 1.0 56.8	-25.5 -41.5 48.7 238.4	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216	-25.5 -41.5 48.7 238.4
242.9	217.5	223.8	0.0 0.875 1.0 54.1	-21.1 -41.3 46.4 242.9	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223	-21.1 -41.3 46.4 242.9
249.3	225.0	230.6	0.0 0.75 1.0 50.4	-15.5 -41.1 43.9 249.3	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230	-15.5 -41.1 43.9 249.3
256.9	232.5	237.5	0.0 0.625 1.0 46.5	-9.4 -40.8 41.9 256.9	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237	-9.4 -40.8 41.9 256.9
268.2	240.0	244.3	0.0 0.5 1.0 41.7	-1.2 -40.6 40.6 268.2	0.847 1.0 53.3 -19.8 -41.3 45.9 244	-1.2 -40.6 40.6 268.2
278.6	247.5	251.2	0.0 0.375 1.0 37.3	6.1 -40.2 40.7 278.6	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250	6.1 -40.2 40.7 278.6
289.6	255.0	258.0	0.0 0.25 1.0 32.8	14.3 -40.2 42.7 289.6	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258	14.3 -40.2 42.7 289.6
299.0	262.5	264.8	0.0 0.125 1.0 28.6	22.4 -40.2 46.1 299.0	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264	22.4 -40.2 46.1 299.0
306.2	270.0	271.7	0.0 0.0 1.0 25.0	29.5 -40.4 50.0 306.2	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271	29.5 -40.4 50.0 306.2
314.7	277.5	278.8	0.125 0.0 1.0 27.9	36.0 -36.4 51.2 314.7	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278	36.0 -36.4 51.2 314.7
322.1	285.0	285.9	0.25 0.0 1.0 28.8	41.9 -32.5 53.1 322.1	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285	41.9 -32.5 53.1 322.1
333.3	292.5	293.0	0.375 0.0 1.0 32.7	51.8 -26.0 58.0 333.3	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292	51.8 -26.0 58.0 333.3
340.5	300.0	300.1	0.5 0.0 1.0 35.6	58.6 -20.7 62.1 340.5	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300	58.6 -20.7 62.1 340.5
347.9	307.5	307.2	0.625 0.0 1.0 38.1	65.4 -14.0 66.9 347.9	0.009 0.0 1.0 25.3 30.1 -40.1 50.2 306	65.4 -14.0 66.9 347.9
352.5	315.0	314.3	0.75 0.0 1.0 41.8	71.0 -9.2 71.6 352.5	0.12 0.0 1.0 27.8 35.8 -36.5 51.2 314	71.0 -9.2 71.6 352.5
356.1	322.5	321.4	0.875 0.0 1.0 44.2	75.2 -5.0 75.3 356.1	0.231 0.0 1.0 28.7 41.1 -33.2 52.9 321	75.2 -5.0 75.3 356.1
359.8	330.0	328.6	1.0 0.0 1.0 46.1	79.3 -0.2 79.3 359.8	0.322 0.0 1.0 31.1 47.8 -29.1 56.0 328	79.3 -0.2 79.3 359.8
363.0	337.5	335.7	1.0 0.0 0.875 45.9	78.2 4.1 78.3 363.0	0.408 0.0 1.0 33.5 53.7 -24.7 59.1 335	78.2 4.1 78.3 363.0
366.4	345.0	342.8	1.0 0.0 0.75 45.9	77.1 8.6 77.6 366.4	0.539 0.0 1.0 36.4 60.8 -18.7 63.7 342	77.1 8.6 77.6 366.4
371.1	352.5	349.9	1.0 0.0 0.625 46.0	75.6 14.8 77.0 371.1	0.667 0.0 1.0 39.3 67.4 -12.4 68.5 349	75.6 14.8 77.0 371.1
375.9	360.0	357.0	1.0 0.0 0.5 45.9	74.2 21.1 77.1 375.9	0.736 0.0 1.0 41.4 70.5 -9.7 71.1 352	74.2 21.1 77.1 375.9
381.2	367.5	364.1	1.0 0.0 0.375 45.8	72.9 28.3 78.3 381.2	0.81 0.0 1.0 46.1 79.3 -0.1 79.3 359	72.9 28.3 78.3 381.2
385.6	375.0	371.2	1.0 0.0 0.25 45.6	72.1 34.6 80.0 385.6	0.88 0.0 1.0 0.687 46.0 76.5 11.8 77.4 368	72.1 34.6 80.0 385.6
389.3	382.5	378.3	1.0 0.0 0.125 45.5	71.4 40.1 81.9 389.3	0.95 0.0 1.0 0.485 45.9 74.1 22.0 77.3 376	71.4 40.1 81.9 389.3
392.3	390.0	385.4	1.0 0.0 0.0 45.4	70.9 44.8 83.9 392.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385	70.9 44.8 83.9 392.3



see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] dd361M	LAB [*] ddx361Mi (x=LabCh)	R _d	rgb [*] ds361Mi	LAB [*] dsx361Mi (x=LabCh)	R _s	rgb [*] dd361Mi	LAB [*] de361Mi	LAB [*] dex361Mi (x=LabCh)	rgb [*] dd361Mi	R _e	rgb [*] dd361Mi	rgb [*] dd361Mi	rgb [*] ds361Mi	rgb [*] de361Mi
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	1.0	1.0 0.0 0.096	45.5 71.4 41.2 82.4 30	1.0	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2 34.4 80.0 25	1.0	1.0 0.0 0.0				
33	31	26	1.0 0.016	45.9 69.8 45.5 83.4 33	1.0	1.0 0.0 0.055	45.5 71.2 42.8 83.1 31	1.0	1.0 0.017	45.6 72.0 36.1 80.6 26	1.0	1.0 0.017					
33	32	27	1.0 0.033	46.3 68.8 46.1 82.8 33	1.0	1.0 0.0 0.013	45.5 71.0 44.4 83.7 32	1.0	1.0 0.033	45.6 71.8 37.7 81.1 27	1.0	1.0 0.033					
34	33	28	1.0 0.05	46.8 67.7 46.8 82.3 34	1.0	1.0 0.015	45.9 70.0 45.5 83.5 33	1.0	1.0 0.05	45.6 71.6 39.4 81.7 28	1.0	1.0 0.05					
35	34	29	1.0 0.066	47.3 66.6 47.4 81.8 35	1.0	1.0 0.036	46.5 68.6 46.3 82.8 34	1.0	1.0 0.067	45.5 71.4 41.1 82.4 29	1.0	1.0 0.067					
36	35	31	1.0 0.083	47.7 65.5 48.0 81.2 36	1.0	1.0 0.057	47.1 67.3 47.1 82.1 35	1.0	1.0 0.083	45.5 71.2 42.9 83.1 31	1.0	1.0 0.083					
36	36	32	1.0 0.1	48.2 64.4 48.5 80.7 36	1.0	1.0 0.079	47.6 65.9 47.9 81.4 36	1.0	1.0 0.1	45.5 71.0 44.6 83.8 32	1.0	1.0 0.1					
37	37	33	1.0 0.116	48.6 63.3 49.1 80.2 37	1.0	1.0 0.1	48.2 64.5 48.6 80.7 37	1.0	1.0 0.117	46.0 69.6 45.7 83.3 33	1.0	1.0 0.117					
38	38	34	1.0 0.133	49.2 62.1 49.8 79.6 38	1.0	1.0 0.121	48.8 63.1 49.3 80.1 38	1.0	1.0 0.133	46.7 68.1 46.6 82.5 34	1.0	1.0 0.133					
39	39	35	1.0 0.15	49.8 60.7 50.7 79.1 39	1.0	1.0 0.137	49.4 61.8 50.1 79.6 39	1.0	1.0 0.15	47.4 66.6 47.5 81.8 35	1.0	1.0 0.15					
41	40	36	1.0 0.166	50.5 59.2 51.6 78.6 41	1.0	1.0 0.151	49.9 60.6 50.9 79.1 40	1.0	1.0 0.167	48.0 65.0 48.3 81.0 36	1.0	1.0 0.167					
42	41	37	1.0 0.183	51.1 57.8 52.5 78.1 42	1.0	1.0 0.166	50.5 59.4 51.6 78.7 41	1.0	1.0 0.183	48.7 63.5 49.1 80.2 37	1.0	1.0 0.183					
43	42	38	1.0 0.2	51.7 56.3 53.3 77.5 43	1.0	1.0 0.18	51.0 58.1 52.3 78.2 42	1.0	1.0 0.2	49.3 62.0 49.9 79.6 38	1.0	1.0 0.2					
44	43	39	1.0 0.216	52.4 54.9 54.0 77.0 44	1.0	1.0 0.194	51.6 56.9 53.0 77.8 43	1.0	1.0 0.217	49.9 60.7 50.8 79.1 39	1.0	1.0 0.217					
45	44	41	1.0 0.233	53.0 53.4 54.8 76.5 45	1.0	1.0 0.209	52.1 55.6 53.7 77.3 44	1.0	1.0 0.233	50.5 59.3 51.7 78.6 41	1.0	1.0 0.233					
46	45	42	1.0 0.25	53.6 51.9 55.5 76.0 46	1.0	1.0 0.223	52.7 54.4 54.4 76.9 45	1.0	1.0 0.25	51.1 57.9 52.5 78.1 42	1.0	1.0 0.25					
48	46	43	1.0 0.266	54.4 50.4 56.5 75.7 48	1.0	1.0 0.237	53.2 53.1 55.0 76.4 46	1.0	1.0 0.267	51.7 56.5 53.2 77.6 43	1.0	1.0 0.267					
49	47	44	1.0 0.283	55.1 48.9 57.4 75.4 49	1.0	1.0 0.251	53.7 51.8 55.6 76.0 47	1.0	1.0 0.283	52.3 55.1 54.0 77.1 44	1.0	1.0 0.283					
50	48	45	1.0 0.3	55.8 47.4 58.4 75.2 50	1.0	1.0 0.264	54.3 50.7 56.3 75.8 48	1.0	1.0 0.3	52.9 53.7 54.7 76.6 45	1.0	1.0 0.3					
52	49	46	1.0 0.316	56.6 45.8 59.2 74.9 52	1.0	1.0 0.276	54.8 49.6 57.1 75.6 49	1.0	1.0 0.317	53.5 52.3 55.4 76.1 46	1.0	1.0 0.317					
53	50	47	1.0 0.333	57.3 44.2 60.1 74.6 53	1.0	1.0 0.288	55.4 48.5 57.8 75.4 50	1.0	1.0 0.333	54.2 51.0 56.2 75.9 47	1.0	1.0 0.333					
54	51	48	1.0 0.35	58.0 42.7 60.9 74.4 54	1.0	1.0 0.301	55.9 47.3 58.5 75.2 51	1.0	1.0 0.35	54.8 49.8 57.0 75.6 48	1.0	1.0 0.35					
56	52	49	1.0 0.366	58.8 41.1 61.7 74.1 56	1.0	1.0 0.313	56.5 46.2 59.1 75.0 52	1.0	1.0 0.367	55.4 48.5 57.8 75.4 49	1.0	1.0 0.367					
57	53	51	1.0 0.383	59.5 39.5 62.5 74.0 57	1.0	1.0 0.326	57.0 45.0 59.8 74.8 53	1.0	1.0 0.383	56.0 47.2 58.5 75.2 51	1.0	1.0 0.383					
59	54	52	1.0 0.4	60.3 38.1 63.5 74.1 59	1.0	1.0 0.338	57.6 43.9 60.4 74.6 54	1.0	1.0 0.4	56.6 45.9 59.3 75.0 52	1.0	1.0 0.4					
60	55	53	1.0 0.416	61.0 36.6 64.5 74.1 60	1.0	1.0 0.35	58.1 42.7 61.0 74.4 55	1.0	1.0 0.417	57.2 44.6 60.0 74.8 53	1.0	1.0 0.417					
61	56	54	1.0 0.433	61.8 35.1 65.4 74.2 61	1.0	1.0 0.363	58.6 41.5 61.5 74.2 56	1.0	1.0 0.433	57.8 43.3 60.6 74.5 54	1.0	1.0 0.433					
63	57	55	1.0 0.45	62.6 33.6 66.2 74.3 63	1.0	1.0 0.375	59.2 40.3 62.1 74.0 57	1.0	1.0 0.45	58.4 42.0 61.3 74.3 55	1.0	1.0 0.45					
64	58	56	1.0 0.466	63.3 32.0 67.1 74.4 64	1.0	1.0 0.387	59.8 39.3 62.8 74.1 58	1.0	1.0 0.467	59.0 40.7 61.9 74.1 56	1.0	1.0 0.467					
65	59	57	1.0 0.483	64.1 30.5 67.9 74.4 65	1.0	1.0 0.4	60.3 38.2 63.5 74.1 59	1.0	1.0 0.483	59.6 39.5 62.7 74.1 57	1.0	1.0 0.483					
67	60	58	1.0 0.5	64.9 28.9 68.6 74.5 67	1.0	1.0 0.412	60.9 37.1 64.2 74.2 60	1.0	1.0 0.5	60.3 38.3 63.5 74.1 58	1.0	1.0 0.5					
68	61	60	1.0 0.516	65.8 27.2 69.9 75.0 68	1.0	1.0 0.424	61.4 36.0 64.9 74.2 61	1.0	1.0 0.517	60.9 37.1 64.2 74.2 60	1.0	1.0 0.517					
70	62	61	1.0 0.533	66.8 25.5 71.1 75.6 70	1.0	1.0 0.436	62.0 34.9 65.6 74.3 62	1.0	1.0 0.533	61.5 35.8 65.0 74.2 61	1.0	1.0 0.533					
71	63	62	1.0 0.55	67.7 23.8 72.3 76.1 71	1.0	1.0 0.449	62.6 33.7 66.2 74.3 63	1.0	1.0 0.55	62.1 34.6 65.7 74.3 62	1.0	1.0 0.55					
73	64	63	1.0 0.566	68.7 22.0 73.5 76.7 73	1.0	1.0 0.461	63.1 32.6 66.9 74.4 64	1.0	1.0 0.567	62.8 33.3 66.4 74.3 63	1.0	1.0 0.567					
74	65	64	1.0 0.583	69.7 20.2 74.6 77.3 74	1.0	1.0 0.473	63.7 31.5 67.5 74.4 65	1.0	1.0 0.583	63.4 32.1 67.1 74.4 64	1.0	1.0 0.583					
76	66	65	1.0 0.6	70.6 18.3 75.6 77.8 76	1.0	1.0 0.486	64.2 30.3 68.0 74.5 66	1.0	1.0 0.6	64.0 30.8 67.8 74.5 65	1.0	1.0 0.6					
77	67	66	1.0 0.616	71.6 16.4 76.6 78.4 77	1.0	1.0 0.498	64.8 29.1 68.6 74.5 67	1.0	1.0 0.617	64.6 29.5 68.4 74.5 66	1.0	1.0 0.617					
79	68	67	1.0 0.633	72.5 14.8 77.6 79.0 79	1.0	1.0 0.509	65.4 28.0 69.4 74.8 68	1.0	1.0 0.633	65.3 28.2 69.2 74.8 67	1.0	1.0 0.633					
80	69	68	1.0 0.65	73.2 13.6 78.5 79.7 80	1.0	1.0 0.52	66.1 26.9 70.2 75.2 69	1.0	1.0 0.65	66.0 27.0 70.1 75.2 68	1.0	1.0 0.65					
81	70	70	1.0 0.666	74.0 12.3 79.5 80.4 81	1.0	1.0 0.531	66.7 25.8 71.0 75.6 70	1.0	1.0 0.667	66.7 25.8 71.0 75.6 70	1.0	1.0 0.667					
82	71	71	1.0 0.683	74.8 11.0 80.4 81.1 82	1.0	1.0 0.542	67.3 24.7 71.8 75.9 71	1.0	1.0 0.683	67.4 24.6 71.9 76.0 71	1.0	1.0 0.683					
83	72	72	1.0 0.7	75.6 9.6 81.3 81.9 83	1.0	1.0 0.553	67.9 23.6 72.6 76.3 72	1.0	1.0 0.7	68.1 23.3 72.8 76.4 72	1.0	1.0 0.7					
84	73	73	1.0 0.716	76.3 8.3 82.2 82.6 84	1.0	1.0 0.564	68.6 22.4 73.3 76.6 73	1.0	1.0 0.717	68.8 22.0 73.6 76.8 73	1.0	1.0 0.717					
85	74	74	1.0 0.733	77.1 6.9 83.0 83.3 85	1.0	1.0 0.574	69.2 21.2 74.0 77.0 74	1.0	1.0 0.733	69.5 20.6 74.4 77.2 74	1.0	1.0 0.733					
86	75	75	1.0 0.75	77.9 5.4 83.8 84.0 86	1.0	1.0 0.585	69.8 20.0 74.7 77.4 75	1.0	1.0 0.75	70.2 19.3 75.2 77.6 75	1.0	1.0 0.75					

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4t4

1-113931-L0 QE880-73 LAB*ta0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 10/33


TUB-test chart QE88; hue code: H_e*=G25B_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmy0*_{de}



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 14 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi, Y_d, Y_s, Y_e. Rows 86-114.



see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

1-1131031-L0 QE880-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 11/33

TUB-test chart QE88; hue code: H_e=G25B_e
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_{de}
output: 3D-linearization to cmy0*_{de}



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dc361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{dd361Mi}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 25 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 238-289.

1-1131331-L0 QE880-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 14/33

TUB-test chart QE88; hue code: H*_e=G25B_e
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_de
output: 3D-linearization to cmy0*_de

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta


Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 289-340.

Table with columns: r_{gb}*_dd, r_{gb}*_ds, r_{gb}*_de. Rows 289-340.

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta





TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separation cmy0* (CMY0)

http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 18/33

Table with columns: nrf, HHC*File, rcp_0, icr_0, Hs_0, rcp_0, LabC0*File, cmy0*_sep, rcp_0, Hs_0, LabC0*File, rcp_0, Hs_0, LabC0*File, delta. Rows list various color patches and their corresponding values.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de

Mean color difference of this page:

see similar files: http://130.149.60.45/~farbmetrik/QE88/QE88.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE880-7N; Page 18/33-F

TUB-test chart QE88; hue code: H*_e=G25B_e
colors and differences, ΔE*_*

http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 20/33

Table with 10 columns: #, H#C*File, rgb*File, iet*File, H#s*File, rrgb*File, LabC0*File, cmy0*sep,File, LabC0*File, LabC0*File. Rows 1-80 contain color calibration data for various color patches.

Mean color difference of this page: delta


input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*e=G25Be colors and differences, ΔE*^{*}

http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*File, rpb_Role, icr_File, hsa_File, rpb*File, LabC*File, LabC*File, cmy0*sep_Role, hsa*File, rpb*File, LabC*File, LabC*File, delta. Rows 81-161.

Mean color difference of this page: 0.895
input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de



http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 22/33

Table with columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabC*File, LabC*File, cmy0*File, Hsa*File, rgb*File, LabC*File, LabC*File, delta. Rows 162-242.

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de





Table with columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, cmy0*sep*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, delta. Rows include color patches like R00Y, R00M, B00R, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE88; hue code: H*_e=G25B_e colors and differences, ΔE*_*

QE880-7N; Page 24/33-F



I-1132331-F0




http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 25/33



Table with 15 columns: n, HHC*File, rgb_E, icr_E, Hsa_E, rgp_E, LabCM*File, LabCM*File, cmy0*_sep_E, LabCM*File, Hsa_E, rgp_E, LabCM*File, LabCM*File, delta. Rows 405-485.

Mean color difference of this page: 216.9
input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*de



Main data table with columns: n, HHC*File, rgb*File, icf*File, Hsa*File, Lrgb*File, LabCIE*File, LabCIE*File, cmy0*sepFile, LabCIE*File, Hsa*File, Lrgb*File, LabCIE*File, LabCIE*File, delta





TUB registration: 20130201-QE88/QE88L0FP.PDF /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmy0* (CMY0)

<http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF> /PS; 3D-linearization
 F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 28/33

n	HC*File	rgb*File	LabC*File	LabCH*File	cmY*sep.Edge	rgb*File	LabCH*File	cmY*sep.Edge	delta
648	R00Y_100_1000e	1.0	0.0	45.6	0.0	1.0	0.0	0.0	800
649	R38Y_100_1000e	1.0	0.5	45.6	0.0	1.0	0.0	0.0	72.2
650	R26Y_100_1000e	1.0	0.5	45.8	0.0	1.0	0.0	0.0	45.6
651	R13Y_100_1000e	1.0	0.5	45.8	0.0	1.0	0.0	0.0	45.8
652	R00Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
653	B68R_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
654	B61R_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
655	B55R_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
656	B50R_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
657	R11Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
658	R00Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
659	R36Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
660	R23Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
661	R08Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
662	B70R_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
663	B63R_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
664	B56R_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
665	B50R_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
666	R23Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
667	R13Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
668	R00Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
669	R33Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
670	R18Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
671	R00Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
672	B63R_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
673	B56R_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
674	B50R_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
675	R36Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
676	R26Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
677	R15Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
678	R00Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
679	R31Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
680	R19Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
681	B69R_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
682	B62R_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
683	B55R_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
684	R50Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
685	R41Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
686	R34Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
687	R18Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
688	R00Y_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
689	R26Y_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
690	B61R_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
691	B54R_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
692	R63Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
693	R38Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
694	R26Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
695	R38Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
696	R23Y_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
697	R00Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
698	R18Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
699	B63R_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
700	B56R_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
701	R26Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
702	R16Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
703	R00Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
704	R38Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
705	R26Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
706	R18Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
707	R00Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
708	R31Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
709	R00Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
710	B50R_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
711	R88Y_100_1000e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
712	R85Y_100_0875e	1.0	0.875	46.0	0.0	1.0	0.0	0.0	46.0
713	R82Y_100_0750e	1.0	0.75	46.0	0.0	1.0	0.0	0.0	46.0
714	R81Y_100_0625e	1.0	0.625	46.0	0.0	1.0	0.0	0.0	46.0
715	R80Y_100_0500e	1.0	0.5	46.0	0.0	1.0	0.0	0.0	46.0
716	R80Y_100_0375e	1.0	0.375	46.0	0.0	1.0	0.0	0.0	46.0
717	R80Y_100_0250e	1.0	0.25	46.0	0.0	1.0	0.0	0.0	46.0
718	R80Y_100_0125e	1.0	0.125	46.0	0.0	1.0	0.0	0.0	46.0
719	R80Y_100_0075e	1.0	0.075	46.0	0.0	1.0	0.0	0.0	46.0
720	R80Y_100_0045e	1.0	0.045	46.0	0.0	1.0	0.0	0.0	46.0
721	R80Y_100_0025e	1.0	0.025	46.0	0.0	1.0	0.0	0.0	46.0
722	R80Y_100_0015e	1.0	0.015	46.0	0.0	1.0	0.0	0.0	46.0
723	R80Y_100_00075e	1.0	0.0075	46.0	0.0	1.0	0.0	0.0	46.0
724	R80Y_100_000375e	1.0	0.00375	46.0	0.0	1.0	0.0	0.0	46.0
725	R80Y_100_000225e	1.0	0.00225	46.0	0.0	1.0	0.0	0.0	46.0
726	R80Y_100_000150e	1.0	0.0015	46.0	0.0	1.0	0.0	0.0	46.0
727	R80Y_100_000075e	1.0	0.00075	46.0	0.0	1.0	0.0	0.0	46.0
728	NW_1000e	1.0	1.0	95.6	0.0	1.0	1.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmy0*de


QE880-7N; Page 28/33-F

see similar files: <http://130.149.60.45/~farbmetrik/QE88/QE88.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 29/33

Table with 15 columns: n, H#C*File, rpb*File, icr*File, H#s*File, rpb*File, LabC*File, cmy0*sep,File, rpb*File, H#s*File, LabC*File, cmy0*sep,File, rpb*File, H#s*File, LabC*File. Rows include color names like NV_1000e, G50B_100.025e, etc.

Mean color difference of this page: delta. input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de



http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 30/33






Table with columns: n, H#C*File, H#s*File, rgb*File, LabC*File, LabCH*File, cmy*sep, H#s*File, rgb*File, LabC*File, LabCH*File, delta. Rows include color patches like NV, BOOR, YOGC, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de



http://130.149.60.45/~farbmetrik/QE88/QE88LOFP.PDF /.PS; 3D-linearization
 F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 31/33



n	HC*File	rgb*File	LabC*File	LabM*File	LabY*File	LabK*File	cmyp*sep.Fac	cmym*sep.Fac	cmyc*sep.Fac	cmk*sep.Fac	delta
891	NW_100.00e	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0
892	NW_100.0125e	1.0	0.875	1.0	0.956	1.0	0.0	0.0	0.0	0.0	0.0
893	B50R_100.0250e	1.0	0.75	1.0	0.875	1.0	0.0	0.0	0.0	0.0	0.0
894	B50R_100.0375e	1.0	0.625	1.0	0.75	1.0	0.0	0.0	0.0	0.0	0.0
895	B50R_100.0500e	1.0	0.5	1.0	0.625	1.0	0.0	0.0	0.0	0.0	0.0
896	B50R_100.0625e	1.0	0.375	1.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0
897	B50R_100.0750e	1.0	0.25	1.0	0.375	1.0	0.0	0.0	0.0	0.0	0.0
898	B50R_100.0875e	1.0	0.125	1.0	0.25	1.0	0.0	0.0	0.0	0.0	0.0
899	B50R_100.1000e	1.0	0.0	1.0	0.125	1.0	0.0	0.0	0.0	0.0	0.0
900	NW_087.00e	0.875	1.0	0.875	1.0	0.893	0.0	0.0	0.0	0.0	0.0
901	NW_087.0125e	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0
902	B50R_087.0250e	0.875	0.75	0.875	0.75	0.875	0.0	0.0	0.0	0.0	0.0
903	B50R_087.0375e	0.875	0.625	0.875	0.625	0.875	0.0	0.0	0.0	0.0	0.0
904	B50R_087.0500e	0.875	0.5	0.875	0.5	0.875	0.0	0.0	0.0	0.0	0.0
905	B50R_087.0625e	0.875	0.375	0.875	0.375	0.875	0.0	0.0	0.0	0.0	0.0
906	B50R_087.0750e	0.875	0.25	0.875	0.25	0.875	0.0	0.0	0.0	0.0	0.0
907	B50R_087.0875e	0.875	0.125	0.875	0.125	0.875	0.0	0.0	0.0	0.0	0.0
908	B50R_087.1000e	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.0	0.0	0.0
909	GOB_100.0250e	0.75	1.0	0.75	1.0	0.787	0.0	0.0	0.0	0.0	0.0
910	GOB_100.0375e	0.75	0.875	0.75	0.875	0.787	0.0	0.0	0.0	0.0	0.0
911	GOB_100.0500e	0.75	0.75	0.75	0.75	0.787	0.0	0.0	0.0	0.0	0.0
912	GOB_100.0625e	0.75	0.625	0.75	0.625	0.787	0.0	0.0	0.0	0.0	0.0
913	GOB_100.0750e	0.75	0.5	0.75	0.5	0.787	0.0	0.0	0.0	0.0	0.0
914	GOB_100.0875e	0.75	0.375	0.75	0.375	0.787	0.0	0.0	0.0	0.0	0.0
915	GOB_100.1000e	0.75	0.25	0.75	0.25	0.787	0.0	0.0	0.0	0.0	0.0
916	GOB_100.0250e	0.75	0.125	0.75	0.125	0.787	0.0	0.0	0.0	0.0	0.0
917	GOB_100.0375e	0.75	0.0	0.75	0.0	0.787	0.0	0.0	0.0	0.0	0.0
918	GOB_100.0500e	0.625	1.0	0.625	1.0	0.681	0.0	0.0	0.0	0.0	0.0
919	GOB_100.0625e	0.625	0.875	0.625	0.875	0.681	0.0	0.0	0.0	0.0	0.0
920	GOB_100.0750e	0.625	0.75	0.625	0.75	0.681	0.0	0.0	0.0	0.0	0.0
921	GOB_100.0875e	0.625	0.625	0.625	0.625	0.681	0.0	0.0	0.0	0.0	0.0
922	GOB_100.1000e	0.625	0.5	0.625	0.5	0.681	0.0	0.0	0.0	0.0	0.0
923	B50R_062.0125e	0.625	0.5	0.625	0.5	0.625	0.0	0.0	0.0	0.0	0.0
924	B50R_062.0250e	0.625	0.375	0.625	0.375	0.625	0.0	0.0	0.0	0.0	0.0
925	B50R_062.0375e	0.625	0.25	0.625	0.25	0.625	0.0	0.0	0.0	0.0	0.0
926	B50R_062.0500e	0.625	0.125	0.625	0.125	0.625	0.0	0.0	0.0	0.0	0.0
927	B50R_062.0625e	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.0	0.0	0.0
928	GOB_087.0250e	0.5	1.0	0.5	1.0	0.575	0.0	0.0	0.0	0.0	0.0
929	GOB_087.0375e	0.5	0.875	0.5	0.875	0.575	0.0	0.0	0.0	0.0	0.0
930	GOB_087.0500e	0.5	0.75	0.5	0.75	0.575	0.0	0.0	0.0	0.0	0.0
931	GOB_087.0625e	0.5	0.625	0.5	0.625	0.575	0.0	0.0	0.0	0.0	0.0
932	GOB_087.0750e	0.5	0.5	0.5	0.5	0.575	0.0	0.0	0.0	0.0	0.0
933	GOB_087.0875e	0.5	0.375	0.5	0.375	0.575	0.0	0.0	0.0	0.0	0.0
934	GOB_087.1000e	0.5	0.25	0.5	0.25	0.575	0.0	0.0	0.0	0.0	0.0
935	B50R_050.0125e	0.5	1.0	0.5	1.0	0.445	0.0	0.0	0.0	0.0	0.0
936	B50R_050.0250e	0.5	0.875	0.5	0.875	0.445	0.0	0.0	0.0	0.0	0.0
937	B50R_050.0375e	0.5	0.75	0.5	0.75	0.445	0.0	0.0	0.0	0.0	0.0
938	B50R_050.0500e	0.5	0.625	0.5	0.625	0.445	0.0	0.0	0.0	0.0	0.0
939	B50R_050.0625e	0.5	0.5	0.5	0.5	0.445	0.0	0.0	0.0	0.0	0.0
940	B50R_050.0750e	0.5	0.375	0.5	0.375	0.445	0.0	0.0	0.0	0.0	0.0
941	B50R_050.0875e	0.5	0.25	0.5	0.25	0.445	0.0	0.0	0.0	0.0	0.0
942	B50R_050.1000e	0.5	0.125	0.5	0.125	0.445	0.0	0.0	0.0	0.0	0.0
943	GOB_100.0250e	0.375	1.0	0.375	1.0	0.375	0.0	0.0	0.0	0.0	0.0
944	GOB_100.0375e	0.375	0.875	0.375	0.875	0.375	0.0	0.0	0.0	0.0	0.0
945	GOB_100.0500e	0.375	0.75	0.375	0.75	0.375	0.0	0.0	0.0	0.0	0.0
946	GOB_100.0625e	0.375	0.625	0.375	0.625	0.375	0.0	0.0	0.0	0.0	0.0
947	GOB_100.0750e	0.375	0.5	0.375	0.5	0.375	0.0	0.0	0.0	0.0	0.0
948	GOB_100.0875e	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0
949	GOB_100.1000e	0.375	0.25	0.375	0.25	0.375	0.0	0.0	0.0	0.0	0.0
950	NW_025.00e	0.25	1.0	0.25	1.0	0.25	0.0	0.0	0.0	0.0	0.0
951	NW_025.0125e	0.25	0.875	0.25	0.875	0.25	0.0	0.0	0.0	0.0	0.0
952	B50R_025.0250e	0.25	0.75	0.25	0.75	0.25	0.0	0.0	0.0	0.0	0.0
953	B50R_025.0375e	0.25	0.625	0.25	0.625	0.25	0.0	0.0	0.0	0.0	0.0
954	B50R_025.0500e	0.25	0.5	0.25	0.5	0.25	0.0	0.0	0.0	0.0	0.0
955	B50R_025.0625e	0.25	0.375	0.25	0.375	0.25	0.0	0.0	0.0	0.0	0.0
956	B50R_025.0750e	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0
957	B50R_025.0875e	0.25	0.125	0.25	0.125	0.25	0.0	0.0	0.0	0.0	0.0
958	B50R_025.1000e	0.25	0.0	0.25	0.0	0.25	0.0	0.0	0.0	0.0	0.0
959	GOB_025.0125e	0.125	1.0	0.125	1.0	0.125	0.0	0.0	0.0	0.0	0.0
960	GOB_025.0250e	0.125	0.875	0.125	0.875	0.125	0.0	0.0	0.0	0.0	0.0
961	GOB_025.0375e	0.125	0.75	0.125	0.75	0.125	0.0	0.0	0.0	0.0	0.0
962	GOB_025.0500e	0.125	0.625	0.125	0.625	0.125	0.0	0.0	0.0	0.0	0.0
963	GOB_025.0625e	0.125	0.5	0.125	0.5	0.125	0.0	0.0	0.0	0.0	0.0
964	GOB_025.0750e	0.125	0.375	0.125	0.375	0.125	0.0	0.0	0.0	0.0	0.0
965	GOB_025.0875e	0.125	0.25	0.125	0.25	0.125	0.0	0.0	0.0	0.0	0.0
966	GOB_025.1000e	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0
967	GOB_050.0125e	0.375	1.0	0.375	1.0	0.375	0.0	0.0	0.0	0.0	0.0
968	GOB_050.0250e	0.375	0.875	0.375	0.875	0.375	0.0	0.0	0.0	0.0	0.0
969	GOB_050.0375e	0.375	0.75	0.375	0.75	0.375	0.0	0.0	0.0	0.0	0.0
970	GOB_050.0500e	0.375	0.625	0.375	0.625	0.375	0.0	0.0	0.0	0.0	0.0
971	GOB_050.0625e	0.375	0.5	0.375	0.5	0.375	0.0	0.0	0.0	0.0	0.0
972	GOB_050.0750e	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0
973	GOB_050.0875e	0.375	0.25	0.375	0.25	0.375	0.0	0.0	0.0	0.0	0.0
974	GOB_050.1000e	0.375	0.125	0.375	0.125	0.375	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:



input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmy0*de

I-113303-I-F0

TUB-test chart QE88; hue code: H*=G25Be
 colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/QE88/QE88L0FP.PDF /.PS; 3D-linearization
 F: 3D-linearization QE88/QE88LE30FP.DAT in file (F), page 33/33



n	HC*File	rgb*File	icr*File	Isc*File	rgb*File	LabCP*File	cmyp*_sep*File	0.099	0.0	Isc*File	rgb*File	LabCP*File	0.0	0.0
1053	NW_086de	0.866	0.866	0.866	0.866	86.0	0.173	0.108	0.099	0.0	0.0	95.6	0.0	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	90.8	0.09	0.054	0.05	0.0	1.0	95.6	0.0	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	95.6	1.0	1.0	1.0	0.0	1.0	95.6	0.0	0.0
1056	NW_100de	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1057	NW_100de	0.066	0.066	0.066	0.066	29.0	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	33.8	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1059	NW_020de	0.2	0.2	0.2	0.2	38.6	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	43.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	48.1	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1062	NW_040de	0.4	0.4	0.4	0.4	52.8	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1064	NW_053de	0.533	0.533	0.533	0.533	62.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1065	NW_060de	0.6	0.6	0.6	0.6	67.1	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	71.8	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1067	NW_073de	0.734	0.734	0.734	0.734	76.6	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1068	NW_080de	0.8	0.8	0.8	0.8	81.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1069	NW_086de	0.866	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1070	NW_093de	0.933	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1071	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1072	NW_100de	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1073	ROY_100_100de	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1074	ROY_100_100de	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1075	GS0B_100_100de	0.0	0.0	0.0	0.0	25.4	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1076	Y00G_100_100de	0.0	0.0	0.0	0.0	34.4	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1077	B00C_100_100de	0.0	0.0	0.0	0.0	45.3	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1078	B00R_100_100de	0.0	0.0	0.0	0.0	55.0	0.0	0.0	0.0	0.0	1.0	95.6	0.0	0.0
1079	B50R_100_100de	0.0	0.0	0.0	0.0	83.6	0.0	0.121	1.0	0.0	1.0	95.6	0.0	0.0
		0.0	0.0	0.0	0.0	80.2	0.0	0.539	0.047	0.0	0.0	95.6	0.0	0.0
		0.0	0.0	0.0	0.0	92.1	0.0	0.677	0.999	0.0	0.0	95.6	0.0	0.0
		1.0	1.0	1.0	1.0	31.1	0.321	0.0	0.0	0.0	1.0	95.6	0.0	0.0
						47.7						31.1		
						80.0						45.6		
						216.9						72.2		
						25.4						34.4		
						45.3						55.0		
						55.0						83.6		
						80.2						90.4		
						92.1						92.1		
						95.2						95.2		
						55.9						55.9		

Mean color difference of this page:
 delta

input: *rgb/cmyk* -> *rgbde*
 output: 3D-linearization to *cmy0*de*

TUB-test chart QE88; hue code: H*_e=G25B_e
 colors and differences, ΔE*_a*