

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_$


Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$

codice di tonalità per i colori questa pagina:

$H^*_ = Y00G_$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:



1.0 1.0 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma
 $u^*_{rel} = 92$
 %Regularità
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: http://130.149.60.45/~farbmetrik/QI31/QI31.HTM
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
 la domanda per la misura di stampa di display


TUB materiale: code=rh4ta

Immettere y uscita: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_d = Y00G_d$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_d
codice di tonalità per i colori questa pagina:
 $H^*_d = Y00G_d$
triangolo chiarezza T^*



TLS00a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	50.4	76.9	64.5	100.4	40
Y _{d, Ma}	92.6	-20.7	90.7	93.0	102
G _{d, Ma}	83.6	-82.7	79.8	115.0	136
C _{d, Ma}	86.8	-46.1	-13.5	48.1	196
B _{d, Ma}	30.3	76.0	-103.5	128.5	306
M _{d, Ma}	57.2	94.3	-58.4	110.9	328
N _{d, Ma}	0.0	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 92 -20 90 93 102$

$HIC^*_d, Ma: Y00G_100_100_d$



$rgbic^*_d, Ma:$

1.0 1.0 0.0 1.0 1.0

triangolo chiarezza T^*

TLS00a; dati atti CIELAB (a)



H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2






vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$
 $rgb^*_d, LCH^*_d, LAB^*_d$
 $h_{ab,s}, rgb^*_s$

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$$s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$$h_{ab,e}$$

$$e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$


$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 $h_{ab}, h_{ab,d}$
 rgb^*_{de}

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd64M, LAB^{*}ddx64M (x=LabCh), r_{gb}^{*}ddx361M, LAB^{*}ddx361M (x=LabCh), r_{gb}^{*}dsx361M, LAB^{*}dsx361M (x=LabCh), r_{gb}^{*}dex361M, LAB^{*}dex361M. Rows list color data for various hue angles and device colors.



vedere dei file simili: http://130.149.60.45/~farbmetrik/QI31/QI31.HTM
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik


TUB iscrizione: 20130201-QI31/QI31L0FA.TXT / PS
la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rh4ta




Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	0.0 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	0.0 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	0.0 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	0.0 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	0.0 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	0.0 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	0.0 50.9 78.3 37.3 86.7 385



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta




4-103430-L0 QI310-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

grafico TUB-QI31; codice di tinte: H*d=Y00Gd
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgb_{dd}
uscita: 3D-linearizzazione a rgb*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 5/29





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd} 361M	LAB [*] _{ddx361Mi} (x=LabCh)	R _d	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi} (x=LabCh)	R _s	rgb [*] _{dd} 361Mi	LAB [*] _{de361Mi}	RGB [*] _{dex361Mi} (x=LabCh)	R _e	rgb [*] _{dd} 361Mi	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0	1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0					
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0					
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0					
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0					
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0					
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0					
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0					
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0					
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0					
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0					
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0					
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0					
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0					
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0					
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0					
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0					
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0					
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0					
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0					
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0					
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0					
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0					
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0					
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0					
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0					
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0					
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0					
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0					
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0					
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0					
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0					
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0					
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0					
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0					
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0					
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0					
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0					
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0					
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0					
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0					
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0					
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0					
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0					
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0					
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0					


vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.75 0.0	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75	1.0 0.75 0.0	1.0 0.75 0.0			
84	76	76	1.0 0.766 0.0	78.2 7.8 80.6 81.0 84	1.0 0.677 0.0	73.1 19.3 77.4 79.8 76	1.0 0.767 0.0	1.0 0.685 0.0	73.5 18.3 77.7 79.9 76	1.0 0.767 0.0	1.0 0.767 0.0			
85	77	77	1.0 0.783 0.0	79.2 5.8 81.4 81.7 85	1.0 0.688 0.0	73.7 18.0 77.8 79.9 77	1.0 0.783 0.0	1.0 0.696 0.0	74.2 16.9 78.2 80.0 77	1.0 0.783 0.0	1.0 0.783 0.0			
87	78	78	1.0 0.8 0.0	80.2 3.8 82.2 82.3 87	1.0 0.698 0.0	74.3 16.6 78.2 80.0 78	1.0 0.8 0.0	1.0 0.708 0.0	74.8 15.3 78.6 80.1 78	1.0 0.8 0.0	1.0 0.8 0.0			
88	79	80	1.0 0.816 0.0	81.2 1.7 82.9 83.0 88	1.0 0.708 0.0	74.9 15.3 78.6 80.1 79	1.0 0.817 0.0	1.0 0.72 0.0	75.5 13.8 78.9 80.1 80	1.0 0.817 0.0	1.0 0.817 0.0			
90	80	81	1.0 0.833 0.0	82.2 -0.3 83.6 83.6 90	1.0 0.719 0.0	75.5 13.9 78.9 80.1 80	1.0 0.833 0.0	1.0 0.731 0.0	76.2 12.3 79.3 80.2 81	1.0 0.833 0.0	1.0 0.833 0.0			
91	81	82	1.0 0.85 0.0	83.3 -2.5 84.2 84.3 91	1.0 0.729 0.0	76.1 12.6 79.2 80.2 81	1.0 0.85 0.0	1.0 0.743 0.0	76.8 10.8 79.6 80.3 82	1.0 0.85 0.0	1.0 0.85 0.0			
93	82	83	1.0 0.866 0.0	84.3 -4.6 84.8 84.9 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.867 0.0	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83	1.0 0.867 0.0	1.0 0.867 0.0			
94	83	84	1.0 0.883 0.0	85.3 -6.7 85.5 85.8 94	1.0 0.75 0.0	77.3 9.8 79.8 80.4 83	1.0 0.883 0.0	1.0 0.768 0.0	78.3 7.8 80.7 81.1 84	1.0 0.883 0.0	1.0 0.883 0.0			
95	84	85	1.0 0.9 0.0	86.3 -8.5 86.4 86.8 95	1.0 0.762 0.0	78.0 8.5 80.4 80.9 84	1.0 0.9 0.0	1.0 0.78 0.0	79.1 6.2 81.4 81.6 85	1.0 0.9 0.0	1.0 0.9 0.0			
96	85	86	1.0 0.916 0.0	87.4 -10.5 87.2 87.8 96	1.0 0.773 0.0	78.7 7.1 81.0 81.3 85	1.0 0.917 0.0	1.0 0.793 0.0	79.9 4.7 82.0 82.1 86	1.0 0.917 0.0	1.0 0.917 0.0			
98	86	87	1.0 0.933 0.0	88.4 -12.4 88.0 88.9 98	1.0 0.785 0.0	79.3 5.7 81.6 81.8 86	1.0 0.933 0.0	1.0 0.806 0.0	80.6 3.1 82.5 82.6 87	1.0 0.933 0.0	1.0 0.933 0.0			
99	87	88	1.0 0.95 0.0	89.5 -14.4 88.7 89.9 99	1.0 0.796 0.0	80.0 4.3 82.1 82.2 87	1.0 0.95 0.0	1.0 0.819 0.0	81.4 1.5 83.1 83.1 88	1.0 0.95 0.0	1.0 0.95 0.0			
100	88	90	1.0 0.966 0.0	90.5 -16.5 89.4 91.0 100	1.0 0.808 0.0	80.7 2.9 82.6 82.7 88	1.0 0.967 0.0	1.0 0.831 0.0	82.2 0.0 83.6 83.6 90	1.0 0.967 0.0	1.0 0.967 0.0			
101	89	91	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	1.0 0.819 0.0	81.4 1.5 83.1 83.1 89	1.0 0.983 0.0	1.0 0.844 0.0	83.0 -1.7 84.1 84.1 91	1.0 0.983 0.0	1.0 0.983 0.0			
102	90	92	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102	Y _d 1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	Y _s 1.0 1.0 0.0	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92	Y _e 1.0 1.0 0.0	1.0 1.0 0.0			
103	91	93	0.983 1.0 0.0	92.3 -22.3 90.5 93.2 103	1.0 0.842 0.0	82.8 -1.4 84.0 84.0 91	0.983 1.0 0.0	1.0 0.87 0.0	84.5 -5.1 84.9 85.1 93	0.983 1.0 0.0	0.983 1.0 0.0			
104	92	94	0.966 1.0 0.0	92.0 -24.0 90.2 93.3 104	1.0 0.853 0.0	83.5 -2.8 84.4 84.4 92	0.967 1.0 0.0	1.0 0.886 0.0	85.5 -6.9 85.7 85.9 94	0.967 1.0 0.0	0.967 1.0 0.0			
105	93	95	0.95 1.0 0.0	91.7 -25.6 89.9 93.5 105	1.0 0.865 0.0	84.2 -4.3 84.8 84.9 93	0.95 1.0 0.0	1.0 0.902 0.0	86.5 -8.7 86.5 87.0 95	0.95 1.0 0.0	0.95 1.0 0.0			
106	94	96	0.933 1.0 0.0	91.4 -27.3 89.5 93.6 106	1.0 0.877 0.0	84.9 -5.9 85.2 85.4 94	0.933 1.0 0.0	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 96	0.933 1.0 0.0	0.933 1.0 0.0			
108	95	98	0.916 1.0 0.0	91.1 -28.9 89.1 93.7 108	1.0 0.891 0.0	85.8 -7.4 85.9 86.3 95	0.917 1.0 0.0	1.0 0.934 0.0	88.5 -12.5 88.1 89.0 98	0.917 1.0 0.0	0.917 1.0 0.0			
109	96	99	0.9 1.0 0.0	90.8 -30.6 88.7 93.9 109	1.0 0.904 0.0	86.7 -9.0 86.6 87.1 96	0.9 1.0 0.0	1.0 0.951 0.0	89.6 -14.4 88.8 90.0 99	0.9 1.0 0.0	0.9 1.0 0.0			
110	97	100	0.883 1.0 0.0	90.5 -32.2 88.3 94.0 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	0.883 1.0 0.0	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100	0.883 1.0 0.0	0.883 1.0 0.0			
111	98	101	0.866 1.0 0.0	90.3 -33.8 88.0 94.3 111	1.0 0.932 0.0	88.4 -12.3 88.0 88.9 98	0.867 1.0 0.0	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	0.867 1.0 0.0	0.867 1.0 0.0			
111	99	102	0.85 1.0 0.0	90.0 -35.4 87.7 94.6 111	1.0 0.946 0.0	89.3 -13.9 88.6 89.7 99	0.85 1.0 0.0	1.0 0.999 0.0	92.6 -20.5 90.7 93.0 102	0.85 1.0 0.0	0.85 1.0 0.0			
112	100	103	0.833 1.0 0.0	89.8 -37.0 87.5 95.0 112	1.0 0.96 0.0	90.2 -15.6 89.2 90.6 100	0.833 1.0 0.0	0.982 1.0 0.0	92.3 -22.4 90.5 93.2 103	0.833 1.0 0.0	0.833 1.0 0.0			
113	101	105	0.816 1.0 0.0	89.5 -38.6 87.2 95.4 113	1.0 0.974 0.0	91.0 -17.4 89.8 91.5 101	0.817 1.0 0.0	0.963 1.0 0.0	92.0 -24.3 90.2 93.4 105	0.817 1.0 0.0	0.817 1.0 0.0			
114	102	106	0.8 1.0 0.0	89.3 -40.1 86.9 95.7 114	1.0 0.988 0.0	91.9 -19.1 90.3 92.3 102	0.8 1.0 0.0	0.944 1.0 0.0	91.7 -26.1 89.8 93.6 106	0.8 1.0 0.0	0.8 1.0 0.0			
115	103	107	0.783 1.0 0.0	89.0 -41.7 86.6 96.1 115	0.998 1.0 0.0	92.6 -20.8 90.7 93.1 103	0.783 1.0 0.0	0.926 1.0 0.0	91.3 -28.0 89.4 93.7 107	0.783 1.0 0.0	0.783 1.0 0.0			
116	104	108	0.766 1.0 0.0	88.7 -43.3 86.2 96.5 116	0.981 1.0 0.0	92.3 -22.5 90.5 93.2 104	0.767 1.0 0.0	0.907 1.0 0.0	91.0 -29.9 89.0 93.9 108	0.767 1.0 0.0	0.767 1.0 0.0			
117	105	109	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.75 1.0 0.0	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109	0.75 1.0 0.0	0.75 1.0 0.0			
118	106	110	0.733 1.0 0.0	88.3 -46.3 85.6 97.4 118	0.949 1.0 0.0	91.8 -25.7 89.9 93.5 106	0.733 1.0 0.0	0.868 1.0 0.0	90.3 -33.6 88.0 94.3 110	0.733 1.0 0.0	0.733 1.0 0.0			
119	107	112	0.716 1.0 0.0	88.1 -47.8 85.4 97.9 119	0.933 1.0 0.0	91.5 -27.3 89.6 93.6 107	0.717 1.0 0.0	0.848 1.0 0.0	90.0 -35.6 87.8 94.7 112	0.717 1.0 0.0	0.717 1.0 0.0			
120	108	113	0.7 1.0 0.0	87.9 -49.2 85.2 98.4 120	0.917 1.0 0.0	91.2 -28.9 89.2 93.8 108	0.7 1.0 0.0	0.827 1.0 0.0	89.7 -37.5 87.4 95.2 113	0.7 1.0 0.0	0.7 1.0 0.0			
120	109	114	0.683 1.0 0.0	87.6 -50.7 84.9 98.9 120	0.901 1.0 0.0	90.9 -30.5 88.8 93.9 109	0.683 1.0 0.0	0.806 1.0 0.0	89.4 -39.5 87.1 95.7 114	0.683 1.0 0.0	0.683 1.0 0.0			
121	110	115	0.666 1.0 0.0	87.4 -52.1 84.7 99.4 121	0.884 1.0 0.0	90.6 -32.1 88.4 94.1 110	0.667 1.0 0.0	0.786 1.0 0.0	89.1 -41.5 86.7 96.1 115	0.667 1.0 0.0	0.667 1.0 0.0			
122	111	116	0.65 1.0 0.0	87.2 -53.6 84.4 100.0 122	0.868 1.0 0.0	90.3 -33.7 88.0 94.3 111	0.65 1.0 0.0	0.765 1.0 0.0	88.8 -43.4 86.2 96.6 116	0.65 1.0 0.0	0.65 1.0 0.0			
123	112	117	0.633 1.0 0.0	87.0 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.633 1.0 0.0	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117	0.633 1.0 0.0	0.633 1.0 0.0			
123	113	119	0.616 1.0 0.0	86.8 -56.4 83.8 101.0 123	0.832 1.0 0.0	89.8 -37.1 87.5 95.1 113	0.617 1.0 0.0	0.719 1.0 0.0	88.2 -47.5 85.5 97.9 119	0.617 1.0 0.0	0.617 1.0 0.0			
124	114	120	0.6 1.0 0.0	86.7 -57.6 83.7 101.6 124	0.814 1.0 0.0	89.5 -38.7 87.2 95.5 114	0.6 1.0 0.0	0.695 1.0 0.0	87.8 -49.6 85.2 98.6 120	0.6 1.0 0.0	0.6 1.0 0.0			
125	115	121	0.583 1.0 0.0	86.5 -58.9 83.5 102.2 125	0.797 1.0 0.0	89.3 -40.4 86.9 95.9 115	0.583 1.0 0.0	0.67 1.0 0.0	87.5 -51.7 84.8 99.4 121	0.583 1.0 0.0	0.583 1.0 0.0			
125	116	122	0.566 1.0 0.0	86.3 -60.1 83.3 102.8 125	0.779 1.0 0.0	89.0 -42.1 86.5 96.3 116	0.567 1.0 0.0	0.646 1.0 0.0	87.2 -53.9 84.4 100.1 122	0.567 1.0 0.0	0.567 1.0 0.0			
126	117	123	0.55 1.0 0.0	86.2 -61.4 83.1 103.3 126	0.761 1.0 0.0	88.7 -43.8 86.1 96.6 117	0.55 1.0 0.0	0.621 1.0 0.0	86.9 -56.0 83.9 100.9 123	0.55 1.0 0.0	0.55 1.0 0.0			
127	118	124	0.533 1.0 0.0	86.0 -62.7 82.9 103.9 127	0.742 1.0 0.0	88.4 -45.5 85.8 97.1 118	0.533 1.0 0.0	0.59 1.0 0.0	86.6 -58.3 83.6 102.0 124	0.533 1.0 0.0	0.533 1.0 0.0			
127	119	126	0.516 1.0 0.0	85.8 -63.9 82.6 104.5 127	0.721 1.0 0.0	88.2 -47.3 85.5 97.8 119	0.517 1.0 0.0	0.56 1.0 0.0	86.3 -60.6 83.3 103.1 126	0.517 1.0 0.0	0.517 1.0 0.0			
128	120	127	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.5 1.0 0.0	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127	0.5 1.0 0.0	0.5 1.0 0.0			



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta

4-103630-L0 QI310-72 LAB*ta0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

uscita: sRGB standard device; no separation, D65, pagina 7/29

grafico TUB-QI31; codice di tinte: H*_d=Y00G_d
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgb_{dd}
uscita: 3D-linearizzazione a rgb*_{dd}




Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] dd361M	LAB [*] ddx361Mi (x=LabCh)	rgb [*] ds361Mi	LAB [*] dsx361Mi (x=LabCh)	rgb [*] dd361Mi	LAB [*] de361Mi	rgb [*] dex361Mi (x=LabCh)	rgb [*] dd361Mi	LAB [*] dd361Mi	rgb [*] dd361Mi	LAB [*] dd361Mi	rgb [*] dd361Mi	LAB [*] dd361Mi																				
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6							



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dd361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}																								
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	C _s	0.0	1.0	1.0	0.0	0.885	1.0	79.1	-34.2	-25.7	42.9	216	C _c	0.0	1.0	1.0			
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211		0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217		0.0	0.983	1.0			
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212		0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218		0.0	0.967	1.0			
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213		0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219		0.0	0.95	1.0			
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214		0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220		0.0	0.933	1.0			
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215		0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221		0.0	0.917	1.0			
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216		0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222		0.0	0.9	1.0			
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217		0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223		0.0	0.883	1.0			
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218		0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224		0.0	0.867	1.0			
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219		0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225		0.0	0.85	1.0			
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220		0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226		0.0	0.833	1.0			
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221		0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.817	1.0			
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222		0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227		0.0	0.8	1.0			
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223		0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228		0.0	0.783	1.0			
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224		0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229		0.0	0.767	1.0			
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225		0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230		0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226		0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231		0.0	0.733	1.0			
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232		0.0	0.717	1.0			
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228		0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233		0.0	0.7	1.0			
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229		0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234		0.0	0.683	1.0			
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230		0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235		0.0	0.667	1.0			
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231		0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236		0.0	0.65	1.0			
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232		0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237		0.0	0.633	1.0			
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233		0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237		0.0	0.617	1.0			
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234		0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238		0.0	0.6	1.0			
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235		0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239		0.0	0.583	1.0			
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236		0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240		0.0	0.567	1.0			
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237		0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241		0.0	0.55	1.0			
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238		0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242		0.0	0.533	1.0			
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239		0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243		0.0	0.517	1.0			
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240		0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244		0.0	0.5	1.0			
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241		0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245		0.0	0.483	1.0			
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242		0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246		0.0	0.467	1.0			
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243		0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247		0.0	0.45	1.0			
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244		0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248		0.0	0.433	1.0			
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245		0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248		0.0	0.417	1.0			
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292		0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246		0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249		0.0	0.4	1.0			
294	247</																																					

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{de361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}																			
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25	1.0	
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0	
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.216	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.216	1.0	
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0	
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0	
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.166	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.166	1.0	
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0	
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0	
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.116	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.116	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.116	1.0	
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0	
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0	
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.066	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.066	1.0	
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.049	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.049	1.0	
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0	
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.016	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.016	1.0	
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0	
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.016	0.0	59.7	1.0	-55.7	55.9	271	0.0	0.016	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.0	0.016	0.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033	0.0	59.1	2.0	-56.8	56.9	272	0.0	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.0	0.033	0.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05	0.0	58.5	3.0	-57.8	58.0	273	0.0	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.0	0.05	0.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.066	0.0	58.0	4.1	-58.8	59.0	274	0.0	0.066	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.0	0.066	0.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083	0.0	57.4	5.2	-59.8	60.1	275	0.0	0.083	0.0	1.0	0.0	0.57	1.0	56.6	7.0	-61.2	61.7	276	0.0	0.083	0.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1	0.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0	
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.116	0.0	56.3	7.6	-61.7	62.2	277	0.116	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.116	0.0	1.0	
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133	0.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0	
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15	0.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0	
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.166	0.0	54.6	11.4	-64.3	65.4	280	0.166	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.166	0.0	1.0	
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183	0.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0	
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2	0.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0	
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.216	0.0	52.9	15.4	-66.7	68.6	283	0.216	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.216	0.0	1.0	
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233	0.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0	
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25	0.0	51.8	18.3	-68.2	70.7	285	0.25	0.0	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0	1.0	
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.266	0.0	51.0	20.0	-69.7	72.6	286	0.266	0.0	1.0	0.0	0.476	1.0	50.3	21.6	-71.0	74.3	286	0.266	0.0	1.0	
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283	0.0	50.2	21.8	-71.2	74.5	287	0.283	0.0	1.0	0.0	0.464	1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0	1.0	
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3	0.0	49.4	23.6	-72.6	76.4	288	0.3	0.0	1.0	0.0	0.452	1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0	1.0	
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.316	0.0	48.6	25.5	-74.0	78.3	289	0.316	0.0	1.0	0.0	0.44	1.0	48.0	26.9	-75.0	79.8	289	0.316	0.0	1.0	
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333	0.0	47.8	27.4	-75.3	80.2	290	0.333	0.0	1.0	0.0	0.428	1.0	47.2	28.8	-76.8	81.6	290	0.333	0.0	1.0	
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35	0.0	47.0	29.4	-76.6	82.1	291	0.35	0.0	1.0	0.0	0.416	1.0	46.5	30.7	-77.4	83.4	291	0.35	0.0	1.0	
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.0	0.366	0.0	46.2	31.5	-77.8	84.1	292	0.366	0.0	1.0	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292	0.366	0.0	1.0	
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383	0.0	45.4	33.6	-79.0	86.0	293	0.383	0.0	1.0	0.0	0.392	1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0	1.0	
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.0	0.4	0.0	44.6	35.7	-80.2	87.9	294	0.4	0.0	1.0	0.0	0.38	1.0	44.2	36.8	-80.7	88.8	294	0.4	0.0	1.	

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;


Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}																					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	304	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.2	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.6	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85														

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;



Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /.PS
la domanda per la misura di stampa di display, nessuna separazione
TUB materiale: code=rh4ta



nif	HC*Fid	rgb_Fid	icc_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	LabCH**Fid	DP**Fid	hsa**Fid	rgb**Fid	LabCH**Fid	LabCH***Fid	DP**Fid	hsa**Fid	rgb**Fid	LabCH***Fid	LabCH****Fid					
0/668	ROY_100_100ad	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	0.0	0.0	0.0	389	0.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	
1/668	R25Y_100_100ad	0.0	1.0	0.5	0.0	53.7	67.6	65.8	94.4	0.0	0.0	0.0	44.2	0.2	1.0	0.233	0.0	53.7	67.6	65.8	94.4	40.0
2/684	ROY_100_100ad	1.0	0.5	0.0	0.0	63.6	41.3	71.0	82.2	0.0	0.0	0.0	59.7	0.0	0.5	0.0	0.0	63.6	41.3	71.0	82.2	59.7
3/702	R75Y_100_100ad	1.0	0.5	0.0	0.0	78.2	78.0	80.6	81.0	0.0	0.0	0.0	84.4	0.2	7.9	0.0	0.766	0.0	78.2	78.0	80.6	81.0
4/720	YOY_100_100ad	1.0	0.0	0.0	0.0	92.6	-20.7	90.7	93.5	0.0	0.0	0.0	102.8	0.0	1.0	0.0	0.0	92.6	-20.7	90.7	93.5	102.8
5/558	Y25C_100_100ad	0.75	1.0	0.0	0.0	88.7	-43.3	86.2	96.4	0.0	0.0	0.0	116.6	0.1	0.0	0.0	0.0	88.7	-43.3	86.2	96.4	116.6
6/396	Y50C_100_100ad	0.5	1.0	0.0	0.0	85.7	-65.2	82.4	105.1	0.0	0.0	0.0	128.3	0.1	0.0	0.0	0.0	85.7	-65.2	82.4	105.1	128.3
7/234	Y75C_100_100ad	0.25	1.0	0.0	0.0	84.0	-78.7	80.4	112.5	0.0	0.0	0.0	134.3	0.0	0.0	0.0	0.0	84.0	-78.7	80.4	112.5	134.3
8/72	COOB_100_100ad	0.0	1.0	0.0	0.0	83.6	-82.7	79.8	115.0	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	83.6	-82.7	79.8	115.0	136.0
9/72	COOB_100_100ad	0.0	1.0	0.0	0.0	83.6	-82.7	79.8	115.0	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	83.6	-82.7	79.8	115.0	136.0
10/76	G25B_100_100ad	0.0	1.0	0.5	0.0	84.3	-73.6	44.9	148.6	0.0	0.0	0.0	148.6	0.2	1.0	0.501	0.0	84.3	-73.6	44.9	148.6	148.6
11/440	G50B_100_100ad	0.0	1.0	0.5	0.0	86.8	-46.1	-13.5	48.1	0.0	0.0	0.0	196.3	0.0	0.0	0.0	0.0	86.8	-46.1	-13.5	48.1	196.3
12/840	G75B_100_100ad	0.0	1.0	0.5	0.0	11.7	18.3	-68.1	70.7	0.0	0.0	0.0	284.8	0.3	24.0	0.0	0.0	11.7	18.3	-68.1	70.7	284.8
13/8	BOOM_100_100ad	0.0	1.0	0.5	0.0	30.3	76.0	-103.5	128.5	0.0	0.0	0.0	306.2	0.0	0.0	0.0	0.0	30.3	76.0	-103.5	128.5	306.2
14/332	B25R_100_100ad	0.5	1.0	0.0	0.0	38.5	79.8	-89.7	120.0	0.0	0.0	0.0	311.7	0.1	0.0	0.0	0.0	38.5	79.8	-89.7	120.0	311.7
15/652	B50R_100_100ad	1.0	0.0	0.0	0.0	57.2	94.3	-58.4	110.9	0.0	0.0	0.0	328.2	0.0	0.0	0.0	0.0	57.2	94.3	-58.4	110.9	328.2
16/652	B75R_100_100ad	1.0	0.0	0.0	0.0	57.2	94.3	-58.4	110.9	0.0	0.0	0.0	328.2	0.0	0.0	0.0	0.0	57.2	94.3	-58.4	110.9	328.2
17/648	ROY_100_100ad	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
18/688	ROY_100_050ad	1.0	0.5	0.0	0.5	72.9	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	72.9	38.4	32.2	50.2	40.0
19/706	ROY_100_050ad	1.0	0.5	0.0	0.5	72.9	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	72.9	38.4	32.2	50.2	40.0
20/724	Y30C_100_050ad	0.75	1.0	0.5	0.0	94.0	-10.3	45.3	46.5	0.0	0.0	0.0	102.8	0.0	0.0	0.0	0.0	94.0	-10.3	45.3	46.5	102.8
21/562	Y30C_100_050ad	0.75	1.0	0.5	0.0	90.5	-32.6	41.2	52.5	0.0	0.0	0.0	128.3	0.0	0.0	0.0	0.0	90.5	-32.6	41.2	52.5	128.3
22/400	G50B_100_050ad	0.5	1.0	0.0	0.5	89.5	-41.3	39.9	57.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	89.5	-41.3	39.9	57.5	136.0
23/400	G50B_100_050ad	0.5	1.0	0.0	0.5	92.8	-33.0	41.2	52.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	92.8	-33.0	41.2	52.5	136.0
24/562	BOOR_100_050ad	0.5	1.0	0.0	0.5	62.8	38.0	-51.7	39.2	0.0	0.0	0.0	55.4	0.0	0.0	0.0	0.0	62.8	38.0	-51.7	39.2	55.4
25/692	B50R_100_050ad	1.0	0.5	0.0	0.5	72.9	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	72.9	38.4	32.2	50.2	40.0
26/688	ROY_100_050ad	1.0	0.5	0.0	0.5	72.9	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	72.9	38.4	32.2	50.2	40.0
27/506	ROY_075_050ad	0.75	0.25	0.5	0.5	49.0	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	49.0	38.4	32.2	50.2	40.0
28/524	ROY_075_050ad	0.75	0.25	0.5	0.5	55.6	20.6	35.5	41.1	0.0	0.0	0.0	59.7	0.0	0.0	0.0	0.0	55.6	20.6	35.5	41.1	59.7
29/542	YOY_075_050ad	0.75	0.25	0.5	0.5	70.1	-10.3	45.3	46.5	0.0	0.0	0.0	102.8	0.0	0.0	0.0	0.0	70.1	-10.3	45.3	46.5	102.8
30/380	YOY_075_050ad	0.5	0.75	0.25	0.5	66.7	-32.6	41.2	52.5	0.0	0.0	0.0	128.3	0.0	0.0	0.0	0.0	66.7	-32.6	41.2	52.5	128.3
31/218	GOB_075_050ad	0.25	0.75	0.25	0.5	65.6	-41.3	39.9	57.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	65.6	-41.3	39.9	57.5	136.0
32/222	G50B_075_050ad	0.25	0.75	0.25	0.5	67.2	-23.0	41.2	52.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	67.2	-23.0	41.2	52.5	136.0
33/186	BOOR_075_050ad	0.25	0.25	0.75	0.5	39.0	38.0	-51.7	39.2	0.0	0.0	0.0	55.4	0.0	0.0	0.0	0.0	39.0	38.0	-51.7	39.2	55.4
34/510	B50R_075_050ad	0.75	0.25	0.75	0.5	52.5	47.1	-29.2	55.4	0.0	0.0	0.0	328.2	0.0	0.0	0.0	0.0	52.5	47.1	-29.2	55.4	328.2
35/506	ROY_075_050ad	0.75	0.25	0.5	0.5	49.0	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	49.0	38.4	32.2	50.2	40.0
36/324	ROY_050_050ad	0.5	0.0	0.5	0.5	25.2	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	25.2	38.4	32.2	50.2	40.0
37/342	ROY_050_050ad	0.5	0.25	0.5	0.5	31.8	20.6	35.5	41.1	0.0	0.0	0.0	59.7	0.0	0.0	0.0	0.0	31.8	20.6	35.5	41.1	59.7
38/360	YOY_050_050ad	0.5	0.5	0.5	0.5	46.3	-10.3	45.3	46.5	0.0	0.0	0.0	102.8	0.0	0.0	0.0	0.0	46.3	-10.3	45.3	46.5	102.8
39/198	YOY_050_050ad	0.25	0.5	0.5	0.5	42.8	-32.6	41.2	52.5	0.0	0.0	0.0	128.3	0.0	0.0	0.0	0.0	42.8	-32.6	41.2	52.5	128.3
40/36	GOB_050_050ad	0.0	0.5	0.5	0.5	41.8	-41.3	39.9	57.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	41.8	-41.3	39.9	57.5	136.0
41/40	G50B_050_050ad	0.0	0.5	0.5	0.5	43.4	-23.0	41.2	52.5	0.0	0.0	0.0	136.0	0.0	0.0	0.0	0.0	43.4	-23.0	41.2	52.5	136.0
42/4	BOOR_050_050ad	0.0	0.5	0.5	0.5	15.1	38.0	-51.7	39.2	0.0	0.0	0.0	55.4	0.0	0.0	0.0	0.0	15.1	38.0	-51.7	39.2	55.4
43/328	B50R_050_050ad	0.5	0.0	0.5	0.5	28.6	47.1	-29.2	55.4	0.0	0.0	0.0	328.2	0.0	0.0	0.0	0.0	28.6	47.1	-29.2	55.4	328.2
44/324	ROY_050_050ad	0.5	0.0	0.5	0.5	25.2	38.4	32.2	50.2	0.0	0.0	0.0	40.0	0.0	0.0	0.0	0.0	25.2	38.4	32.2	50.2	40.0
45/0	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015ad	0.125	0.125	0.125	0.125	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	0.0	0.0	0.0	0.0
47/182	NW_025ad	0.25	0.25	0.25	0.25	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.8	0.0	0.0	0.0	0.0
48/274	NW_035ad	0.375	0.375	0.375	0.375	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0
49/364	NW_050ad	0.5	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.7	0.0	0.0	0.0	0.0
50/455	NW_065ad	0.625	0.625	0.625	0.625	59.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.6	0.0	0.0	0.0	0.0
51/546	NW_080ad	0.75	0.75	0.75	0.75	71.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.5	0.0	0.0	0.0	0.0
52/638	NW_085ad	0.875	0.875	0.875	0.875	83.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.4	0.0	0.0	0.0	0.0
53/728	NW_100ad	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0

delta E** = 0.8

immettere: *rgb/cmyk* -> *rgbdd*
uscita: 3D-linearizzazione a *rgb**dd*

grafico TUB-QI31; codice di tinte: H*d=Y00Gd
colori e la differenza, ΔE**

QI31-7IN_1529-F

4-1031430-F0

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /PS la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rha4ta

Table with 16 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb_Fid, LabCh*Fid, LabCh*Fid, rpb_Fid, DP*Fid, hsa_Fid, rpb_Fid, LabCh*Fid, LabCh*Fid, rpb_Fid, LabCh*Fid, LabCh*Fid. Rows 81-161.

vedere dei file simili: http://130.149.60.45/~farbmetrik/QI31/QI31L0FA.TXT /PS; 3D-linearizzazione F: 3D-linearizzazione QI31/QI31L0FA.DAT nel file (F), pagina 17/29

immettere: rgb/cmyk -> rgbd uscita: 3D-linearizzazione a rgb*dd

grafico TUB-QI31; codice di tinte: H*d=Y00Gd colori e la differenza, AE*
QI31-7N, 1729-F

4-1031630-F0

TUB iscrizione: 20130201-QI31/QI31LOFA.TXT /PS la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rha4ta

Table with 24 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb_Fid, LabCh*Fid, LabCh*Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid, rpb_Fid. Rows 162-242.

vedere dei file simili: http://130.149.60.45/~farbmetrik/QI31/QI31LOFA.TXT /PS; 3D-linearizzazione F: 3D-linearizzazione QI31/QI31LOFA.DAT nel file (F), pagina 18/29

Q13110S

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /PS
la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rha4ta

n	HC*Fid	rgb*Fid	ier*Fid	hsa*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	DP*Fid	DP*Fid	DP*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	rgb*Fid		
324	ROY0_050_050	0.5	0.0	0.25	0.0	25.2	38.4	32.2	50.2	39.2	33.3	51.4	40.3	1.3	389	1.0	0.0	50.4	76.9	100.4	40.0
325	ROY0_050_050	0.5	0.0	0.25	0.0	25.4	39.0	32.6	44.1	39.8	34.0	51.8	40.7	1.3	397	1.0	0.0	50.8	77.8	101.2	40.8
326	ROY0_050_050	0.5	0.0	0.25	0.0	26.0	40.5	34.2	46.2	41.2	35.2	52.6	41.9	1.3	405	1.0	0.0	51.6	79.2	102.6	41.6
327	B61R_050_050	0.5	0.0	0.383	0.5	27.2	43.6	37.1	49.2	44.1	36.5	54.2	43.0	1.3	413	1.0	0.0	52.4	80.6	104.0	42.4
328	B50R_050_050	0.5	0.0	0.5	0.0	28.6	47.1	39.2	55.4	47.3	38.8	56.8	44.9	1.3	421	1.0	0.0	53.2	82.0	105.4	43.2
329	B40R_062_062	0.5	0.0	0.625	0.312	31.9	55.1	44.2	70.6	52.5	41.1	60.2	47.1	1.3	429	1.0	0.0	54.0	83.4	106.8	44.0
330	B34R_075_075	0.5	0.0	0.875	0.437	35.1	61.1	49.4	86.6	63.8	46.3	68.4	51.1	1.3	437	1.0	0.0	54.8	84.8	108.2	44.8
331	B28R_087_087	0.5	0.0	1.0	0.5	36.5	66.1	54.4	105.2	71.9	50.4	74.4	56.1	1.3	445	1.0	0.0	55.6	86.2	109.6	45.6
332	B22R_100_100	0.5	0.0	1.0	1.0	37.9	70.6	58.9	120.0	81.6	53.3	78.4	60.1	1.3	453	1.0	0.0	56.4	87.6	111.0	46.4
333	B16R_100_050	0.5	0.0	0.5	0.0	38.3	73.8	61.2	131.6	86.6	56.2	83.6	63.1	1.3	461	1.0	0.0	57.2	89.0	112.4	47.2
334	ROY0_050_037	0.5	0.125	0.125	0.5	0.116	0.2	36.8	33.8	32.9	37.2	44.2	39.4	1.0	469	1.0	0.0	58.0	90.4	113.8	48.0
335	ROY0_050_037	0.5	0.125	0.25	0.5	0.124	0.24	38.0	29.8	30.2	37.6	40.6	39.4	1.0	477	1.0	0.0	58.8	91.8	115.2	48.8
336	ROY0_050_037	0.5	0.125	0.375	0.5	0.124	0.381	32.0	28.6	31.8	32.6	37.9	33.2	1.0	485	1.0	0.0	59.6	93.2	116.6	49.6
337	B6KR_050_037	0.5	0.125	0.375	0.5	0.124	0.381	32.0	28.6	31.8	32.6	37.9	33.2	1.0	493	1.0	0.0	60.4	94.6	118.0	50.4
338	B6KR_050_037	0.5	0.125	0.375	0.5	0.124	0.381	32.0	28.6	31.8	32.6	37.9	33.2	1.0	501	1.0	0.0	61.2	96.0	119.4	51.2
339	B38R_062_050	0.5	0.125	0.625	0.312	0.508	0.125	62.5	35.8	43.7	33.0	51.4	42.1	1.3	509	1.0	0.0	62.0	97.4	120.8	52.0
340	B38R_062_050	0.5	0.125	0.625	0.312	0.511	0.125	62.5	35.8	43.7	33.0	51.4	42.1	1.3	517	1.0	0.0	62.8	98.8	122.2	52.8
341	B20R_100_087	0.5	0.125	1.0	0.5	0.125	0.875	40.8	59.8	67.8	40.6	60.2	47.1	1.3	525	1.0	0.0	63.6	100.2	123.6	53.6
342	ROY0_050_050	0.5	0.25	0.0	0.5	0.25	0.0	31.8	20.0	20.0	31.8	20.0	20.0	1.0	533	1.0	0.0	64.4	101.6	125.0	54.4
343	ROY0_050_050	0.5	0.25	0.125	0.5	0.243	0.124	33.0	22.7	23.2	33.9	24.4	21.1	1.0	541	1.0	0.0	65.2	103.0	126.4	55.2
344	ROY0_050_050	0.5	0.25	0.375	0.5	0.249	0.249	36.4	20.2	1.0	20.3	26.0	25.5	1.0	549	1.0	0.0	66.0	104.4	127.8	56.0
345	ROY0_050_050	0.5	0.25	0.375	0.5	0.249	0.375	36.8	20.2	1.0	20.3	26.0	25.5	1.0	557	1.0	0.0	66.8	105.8	129.2	56.8
346	B34R_062_050	0.5	0.25	0.625	0.312	0.506	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	565	1.0	0.0	67.6	107.2	130.6	57.6
347	B34R_062_050	0.5	0.25	0.625	0.312	0.511	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	573	1.0	0.0	68.4	108.6	132.0	58.4
348	B34R_062_050	0.5	0.25	0.625	0.312	0.511	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	581	1.0	0.0	69.2	110.0	133.4	59.2
349	B18R_100_075	0.5	0.25	0.875	0.437	0.489	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	589	1.0	0.0	70.0	111.4	134.8	60.0
350	B18R_100_075	0.5	0.25	0.875	0.437	0.489	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	597	1.0	0.0	70.8	112.8	136.2	60.8
351	B18R_100_075	0.5	0.25	0.875	0.437	0.489	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	605	1.0	0.0	71.6	114.2	137.6	61.6
352	B6Y0_050_037	0.5	0.375	0.125	0.5	0.383	0.1	39.4	30.1	29.9	49.5	38.4	31.6	1.3	613	1.0	0.0	72.4	115.6	139.0	62.4
353	ROY0_050_037	0.5	0.375	0.125	0.5	0.375	0.249	39.7	10.0	17.7	20.0	17.7	20.0	1.0	621	1.0	0.0	73.2	117.0	140.4	63.2
354	ROY0_050_037	0.5	0.375	0.25	0.5	0.375	0.375	42.0	9.6	8.0	12.5	13.8	13.8	1.0	629	1.0	0.0	74.0	118.4	141.8	64.0
355	B50R_050_012	0.5	0.375	0.375	0.5	0.375	0.5	42.9	11.7	7.3	13.8	13.8	13.8	1.0	637	1.0	0.0	74.8	119.8	143.2	64.8
356	B25R_062_050	0.5	0.375	0.625	0.312	0.506	0.25	62.5	40.6	31.5	32.2	43.3	31.6	1.3	645	1.0	0.0	75.6	121.2	144.6	65.6
357	B18R_087_050	0.5	0.375	0.75	0.375	0.562	0.284	40.9	37.5	38.3	50.0	63.1	30.7	1.3	653	1.0	0.0	76.4	122.6	146.0	66.4
358	B18R_087_050	0.5	0.375	0.75	0.375	0.562	0.284	40.9	37.5	38.3	50.0	63.1	30.7	1.3	661	1.0	0.0	77.2	124.0	147.4	67.2
359	YO0R_100_062	0.5	0.375	1.0	0.5	0.625	0.687	28.1	0.0	0.0	0.0	0.0	0.0	1.0	669	1.0	0.0	78.0	125.4	148.8	68.0
360	YO0R_100_062	0.5	0.375	1.0	0.5	0.625	0.687	28.1	0.0	0.0	0.0	0.0	0.0	1.0	677	1.0	0.0	78.8	126.8	150.2	68.8
361	YO0R_050_037	0.5	0.5	0.25	0.5	0.5	0.5	45.3	46.5	10.3	45.3	46.5	10.3	1.3	685	1.0	0.0	79.6	128.2	151.6	69.6
362	YO0R_050_037	0.5	0.5	0.25	0.5	0.5	0.5	45.3	46.5	10.3	45.3	46.5	10.3	1.3	693	1.0	0.0	80.4	129.6	153.0	70.4
363	NYW_050	0.5	0.5	0.375	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0	0.0	1.0	701	1.0	0.0	81.2	131.0	154.4	71.2
364	NYW_050	0.5	0.5	0.375	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0	0.0	1.0	709	1.0	0.0	82.0	132.4	155.8	72.0
365	BO0R_062_012	0.5	0.625	0.125	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	717	1.0	0.0	82.8	133.8	157.2	72.8
366	BO0R_075_025	0.5	0.625	0.125	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	725	1.0	0.0	83.6	135.2	158.6	73.6
367	BO0R_087_037	0.5	0.625	0.125	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	733	1.0	0.0	84.4	136.6	160.0	74.4
368	BO0R_100_050	0.5	0.625	0.125	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	741	1.0	0.0	85.2	138.0	161.4	75.2
369	Y18G_062_062	0.5	0.625	0.25	0.562	0.284	0.491	37.5	48.5	29.0	48.5	29.0	48.5	1.3	749	1.0	0.0	86.0	139.4	162.8	76.0
370	Y23G_062_050	0.5	0.625	0.375	0.437	0.508	0.625	0.25	56.7	19.0	31.8	31.8	31.8	1.3	757	1.0	0.0	86.8	140.8	164.2	76.8
371	Y31G_062_037	0.5	0.625	0.375	0.437	0.508	0.625	0.25	56.7	19.0	31.8	31.8	31.8	1.3	765	1.0	0.0	87.6	142.2	165.6	77.6
372	Y30G_062_050	0.5	0.625	0.375	0.437	0.508	0.625	0.25	56.7	19.0	31.8	31.8	31.8	1.3	773	1.0	0.0	88.4	143.6	167.0	78.4
373	G50B_062_012	0.5	0.625	0.625	0.312	0.510	0.508	0.625	0.25	56.7	19.0	31.8	31.8	1.3	781	1.0	0.0	89.2	145.0	168.4	79.2
374	G50B_062_012	0.5	0.625	0.625	0.312	0.510	0.508	0.625	0.25	56.7	19.0	31.8	31.8	1.3	789	1.0	0.0	90.0	146.4	169.8	80.0
375	G50B_062_012	0.5	0.625	0.625	0.312	0.510	0.508	0.625	0.25	56.7	19.0	31.8	31.8	1.3	797	1.0	0.0	90.8	147.8	171.2	80.8
376	G48B_087_037	0.5	0.625	0.75	0.375	0.687	0.251	0.5	62.5	51.5	9.5	12.9	16.0	1.0	805	1.0	0.0	91.6	149.2	172.6	81.6
377	G48B_087_037	0.5	0.625	0.75	0.375	0.687	0.251	0.5	62.5	51.5	9.5	12.9	16.0	1.0	813	1.0	0.0	92.4	150.6	174.0	82.4
378	Y31G_075_050	0.5	0.75	0.375	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	821	1.0	0.0	93.2	152.0	175.4	83.2
379	Y30G_075_062	0.5	0.75	0.375	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	829	1.0	0.0	94.0	153.4	176.8	84.0
380	Y30G_075_062	0.5	0.75	0.375	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0	837	1.0	0.0	94.8	154.8	178.2	84.8
381	Y30G_075_062	0.5	0.75	0.375	0.562	0.270	0.5	62.5	51.5	9.5	12.9	16.0	16.0	1.0							

Q13110S

TUB iscrizione: 20130201-QI31/QI31L0FA.TXT /PS
 la domanda per la misura di stampa di display, nessuna separazione

TUB materiale: code=rha4ta

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	LabCH**Fid	rgb**Fid	LabCH**Fid	DP**Fid hsa,Lab	rgb**Fid	LabCH**Fid
972	NW_0000ad	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_0120ad	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
974	NW_0250ad	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
975	NW_0375ad	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
976	NW_0500ad	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
977	NW_0625ad	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
978	NW_0750ad	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
979	NW_0875ad	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
980	NW_1000ad	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
981	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_0120ad	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
983	NW_0250ad	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
984	NW_0375ad	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
985	NW_0500ad	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
986	NW_0625ad	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
987	NW_0750ad	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
988	NW_0875ad	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
989	NW_1000ad	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
990	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_0120ad	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
992	NW_0250ad	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
993	NW_0375ad	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
994	NW_0500ad	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
995	NW_0625ad	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
996	NW_0750ad	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
997	NW_0875ad	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
998	NW_1000ad	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
999	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_0120ad	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1001	NW_0250ad	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1002	NW_0375ad	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1003	NW_0500ad	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1004	NW_0625ad	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1005	NW_0750ad	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1006	NW_0875ad	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1007	NW_1000ad	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1008	NW_0000ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1009	NW_0000ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1010	NW_0120ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1011	NW_0250ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1012	NW_0375ad	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1013	NW_0500ad	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1014	NW_0625ad	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1015	NW_0750ad	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1016	NW_0875ad	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1017	NW_1000ad	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1018	NW_0000ad	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1019	NW_0120ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1020	NW_0250ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1021	NW_0375ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1022	NW_0500ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1023	NW_0625ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1024	NW_0750ad	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1025	NW_0875ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1026	NW_1000ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1027	NW_0000ad	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1028	NW_0120ad	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1029	NW_0250ad	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1030	NW_0375ad	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1031	NW_0500ad	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1032	NW_0625ad	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1033	NW_0750ad	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1034	NW_0875ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1035	NW_1000ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1036	NW_0000ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1037	NW_0120ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1038	NW_0250ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1039	NW_0375ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1040	NW_0500ad	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1041	NW_0625ad	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1042	NW_0750ad	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1043	NW_0875ad	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1044	NW_1000ad	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1045	NW_0000ad	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1046	NW_0120ad	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1047	NW_0250ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1048	NW_0375ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1049	NW_0500ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1050	NW_0625ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1051	NW_0750ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1052	NW_0875ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333

Q1310-7N, 2829-F

grafico TUB-QI31; codice di tinte: H*d=Y00Gd
 colori e la differenza, ΔE*

immettere: rgb/cmyk -> rgbdd
 uscita: 3D-linearizzazione a rgb*dd

delta E** = 0.3

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI31/QI31L0FA.TXT>
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

