

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_{-} = Y25G_{-}$


Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_{-}

fargetonetekst for fargene på denne siden:

$H^*_{-} = Y25G_{-}$

trekantslyshet T^*



ORS18a; adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$: 83 -18 79 81 102

$HIC^*_{-,Ma}$: Y25G_100_100_

$rgbic^*_{-,Ma}$:



0.76 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang
 $u^*_{rel} = 92$
%Regularitet
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data

H^*_{-}	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT> /.PS
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS
anvendelse for måling av offsettrykk output

TUB-material: code=rh4ta


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for ethvert apparat (d) eller elementærfarge (e):
 HIC^*_d

fargetonetekst for fargene på denne siden:
 $H^*_d = Y25G_d$

trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d,Ma}$: 81 -17 84 86 101

$HIC^*_{d,Ma}$: Y25G_100_100d

$rgbic^*_{d,Ma}$:



0.76 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang
 $u^*_{rel} = 92$
%Regularitet
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15




se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT> / .PS
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-QN47/QN47L0FA.TXT / .PS
anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)

TUB-material: code=rh4ta

TUB-prøveplansje QN47; farbetoneplan: $H^*_d = Y25G_d$
prøveplansje infølge DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearisering til $cmy0^*_{dd}$




Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_d
 fargetonetekst for fargene på denne siden:
 $H^*_d = Y25G_d$
 trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d, Ma}$: 81 -17 84 86 101

$HIC^*_{d, Ma}$: Y25G_100_100d

$rgbic^*_{d, Ma}$:



0.76 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang
 $u^*_{rel} = 92$
 %Regularitet
 $g^*_{H, rel} = 57$
 $g^*_{C, rel} = 58$

ORS20a; adapterte (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT> / .PS
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-QN47/QN47L0FA.TXT / .PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)


TUB-material: code=rh4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$

Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_d
 fargetonetekst for fargene på denne siden:
 $H^*_d = Y25G_d$
 trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_d, Ma$: 81 -17 84 86 101

HIC^*_d, Ma : Y25G_100_100d

$rgbic^*_d, Ma$:



0.76 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang
 $u^*_{rel} = 92$
 %Regularitet
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT> / .PS
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-QN47/QN47L0FA.TXT / .PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)

TUB-material: code=rh4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 101/360 = 0.28$

$H^*_d = Y25G_d$


Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_d

fargetonetekst for fargene på denne siden:

$H^*_d = Y25G_d$

trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d, Ma}$: 81 -17 84 86 101

$HIC^*_{d, Ma}$: Y25G_100_100d

$rgbic^*_{d, Ma}$:

0.76 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$


ORS20a; adapterte (a) CIELAB data					
H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT> / .PS
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>


TUB registrering: 20150701-QN47/QN47L0FA.TXT / .PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)

TUB-material: code=rh4ta



TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS TUB-material: code=rh4ta
anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)

se lignende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



5-103531-L0 QN470-72

TUB-prøveplansje QN47; farbetoneplan: $H^*_d=Y25G_d$
prøveplansje infølge DIN 33872, 3D=1, $de=0$, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearisering til $cmy0^*_{dd}$

5=103531=F0




Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

J=Y_d
 LCH*_d = 87.8 96.0 96.1
 LAB*_d = 87.8 -10.2 95.4
 rgb*_d = 1.0 1.0 0.0

L=G_d
 LCH*_d = 50.0 71.4 155.5
 LAB*_d = 50.0 -65.0 29.6
 rgb*_d = 0.0 1.0 0.0

C=C_d
 LCH*_d = 56.8 48.7 238.4
 LAB*_d = 56.8 -25.5 -41.5
 rgb*_d = 0.0 1.0 1.0



O=R_d
 LCH*_d = 45.4 83.9 32.3
 LAB*_d = 45.4 70.9 44.8
 rgb*_d = 1.0 0.0 0.0


M=M_d
 LCH*_d = 46.1 79.3 359.8
 LAB*_d = 46.1 79.3 -0.2
 rgb*_d = 1.0 0.0 1.0

V=B_d
 LCH*_d = 25.0 50.0 306.2
 LAB*_d = 25.0 29.5 -40.4
 rgb*_d = 0.0 0.0 1.0

Y_e
 LCH*_e = 83.6 90.4 92.3
 LAB*_e = 83.6 -3.6 90.4
 rgb*_{de} = 1.0 0.878 0.0

G_e
 LCH*_e = 50.6 65.2 162.2
 LAB*_e = 50.6 -62.1 19.9
 rgb*_{de} = 0.0 1.0 0.151

C_e
 LCH*_e = 55.0 45.3 216.9
 LAB*_e = 55.0 -36.2 -27.2
 rgb*_{de} = 0.0 1.0 0.747



R_e
 LCH*_e = 45.6 80.0 25.4
 LAB*_e = 45.6 72.2 34.4
 rgb*_{de} = 1.0 0.0 0.254


M_e
 LCH*_e = 31.1 55.9 328.6
 LAB*_e = 31.1 47.7 -29.1
 rgb*_{de} = 0.321 0.0 1.0

B_e
 LCH*_e = 40.2 40.6 271.7
 LAB*_e = 40.2 1.2 -40.6
 rgb*_{de} = 0.0 0.458 1.0

Y_s
 LCH*_s = 81.4 87.9 90.0
 LAB*_s = 81.4 0.0 87.9
 rgb*_{ds} = 1.0 0.828 0.0

G_s
 LCH*_s = 52.3 68.9 150.0
 LAB*_s = 52.3 -59.6 34.4
 rgb*_{ds} = 0.062 1.0 0.0

C_s
 LCH*_s = 54.5 45.7 210.0
 LAB*_s = 54.5 -39.6 -22.8
 rgb*_{ds} = 0.0 1.0 0.685



R_s
 LCH*_s = 45.5 82.4 30.0
 LAB*_s = 45.5 71.3 41.2
 rgb*_{ds} = 1.0 0.0 0.096

M_s
 LCH*_s = 31.6 56.5 330.0
 LAB*_s = 31.6 49.0 -28.2
 rgb*_{ds} = 0.337 0.0 1.0

B_s
 LCH*_s = 40.9 40.6 270.0
 LAB*_s = 40.9 0.0 -40.6
 rgb*_{ds} = 0.0 0.479 1.0

(a*_d b*_d), (a*_s b*_s), (a*_e b*_e)

rgb*_e LCH*_s LAB*_s

h_{ab,s} rgb*_s

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

h_{ab,s}

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

h_{ab,e}

$$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

h_{ab,d}

rgb*_d

se liggende filer: http://130.149.60.45/~farbmetrik/QN47/QN47.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)


TUB-material: code=rh4ta

Data til maksimumsfanger M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dxx361M	LAB* dxx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M																								
32.3	30.0	25.4	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25								
38.1	37.5	33.8	1.0	0.125	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33							
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.0	0.183	0.0	51.1	57.9	52.5	78.1	42							
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.0	0.288	0.0	55.4	48.5	57.8	75.4	49							
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67	1.0	0.0	0.398	0.0	60.3	38.3	63.5	74.1	58							
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.0	0.494	0.0	64.6	29.5	68.4	74.5	66							
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.0	0.592	0.0	70.2	19.3	75.2	77.6	75							
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.0	0.703	0.0	75.8	9.4	81.5	82.0	83							
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.0	0.879	0.0	83.6	-3.6	90.4	90.5	92							
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100					
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109					
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117					
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127					
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135					
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144					
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152					
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	0.0	1.0	0.0	0.151	50.7	-62.0	19.9	65.2	162				
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	34.5	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
183.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	183.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.5	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.3	-40.3	46.7	300
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.867	0.0	1.0	44.1	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	1.0	0.0	1.0	46.1	79.3	-0.1	79.3	359	0.337	0.0	1.0	31.6	49.0											

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0	0.0	0.0	0.0
38.1	37.5	33.8	1.0	0.125	0.0	0.0
46.8	45.0	42.1	1.0	0.25	0.0	0.0
56.9	52.5	50.5	1.0	0.375	0.0	0.0
67.1	60.0	58.8	1.0	0.5	0.0	0.0
78.6	67.5	67.2	1.0	0.625	0.0	0.0
86.2	75.0	75.6	1.0	0.75	0.0	0.0
92.1	82.5	83.9	1.0	0.875	0.0	0.0
96.1	90.0	92.3	1.0	1.0	0.0	0.0
98.8	97.5	101.0	0.875	1.0	0.0	0.0
101.8	105.0	109.7	0.75	1.0	0.0	0.0
107.6	112.5	118.5	0.625	1.0	0.0	0.0
114.0	120.0	127.2	0.5	1.0	0.0	0.0
121.4	127.5	136.0	0.375	1.0	0.0	0.0
135.3	135.0	144.7	0.25	1.0	0.0	0.0
144.4	142.5	153.4	0.125	1.0	0.0	0.0
155.5	150.0	162.2	0.0	1.0	0.0	0.0
160.7	157.5	169.0	0.0	1.0	0.125	50.5
167.7	165.0	175.9	0.0	1.0	0.25	51.2
176.7	172.5	182.7	0.0	1.0	0.375	52.0
189.3	180.0	189.6	0.0	1.0	0.5	52.9
203.2	187.5	196.4	0.0	1.0	0.625	54.0
217.2	195.0	203.2	0.0	1.0	0.75	55.0
228.3	202.5	210.1	0.0	1.0	0.875	55.8
238.4	210.0	216.9	0.0	1.0	1.0	56.8
242.9	217.5	223.8	0.0	0.875	1.0	54.1
249.3	225.0	230.6	0.0	0.75	1.0	50.4
256.9	232.5	237.5	0.0	0.625	1.0	46.5
268.2	240.0	244.3	0.0	0.5	1.0	41.7
278.6	247.5	251.2	0.0	0.375	1.0	37.3
289.6	255.0	258.0	0.0	0.25	1.0	32.8
299.0	262.5	264.8	0.0	0.125	1.0	28.6
306.2	270.0	271.7	0.0	0.0	1.0	25.0
314.7	277.5	278.8	0.125	0.0	1.0	27.9
322.1	285.0	285.9	0.25	0.0	1.0	28.8
333.3	292.5	293.0	0.375	0.0	1.0	32.7
340.5	300.0	300.1	0.5	0.0	1.0	35.6
347.9	307.5	307.2	0.625	0.0	1.0	38.1
352.5	315.0	314.3	0.75	0.0	1.0	41.8
356.1	322.5	321.4	0.875	0.0	1.0	44.2
359.8	330.0	328.6	1.0	0.0	1.0	46.1
363.0	337.5	335.7	1.0	0.0	0.875	45.9
366.4	345.0	342.8	1.0	0.0	0.75	45.9
371.1	352.5	349.9	1.0	0.0	0.625	46.0
375.9	360.0	357.0	1.0	0.0	0.5	45.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8
385.6	375.0	371.2	1.0	0.0	0.25	45.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5
392.3	390.0	385.4	1.0	0.0	0.0	45.4



se lignende filer: http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM_c; h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,c}	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	1.0 0.0 0.0	45.5 71.4 41.2 82.4 30	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0			
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33	1.0 0.0 0.055	45.5 71.2 42.8 83.1 31	1.0 0.0 0.017	1.0 0.0 0.218	45.6 72.0 36.1 80.6 26	1.0 0.0 0.017			
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33	1.0 0.0 0.013	45.5 71.0 44.4 83.7 32	1.0 0.0 0.033	1.0 0.0 0.18	45.6 71.8 37.7 81.1 27	1.0 0.0 0.033			
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34	1.0 0.0 0.015	45.9 70.0 45.5 83.5 33	1.0 0.0 0.05	1.0 0.0 0.142	45.6 71.6 39.4 81.7 28	1.0 0.0 0.05			
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35	1.0 0.0 0.036	46.5 68.6 46.3 82.8 34	1.0 0.0 0.067	1.0 0.0 0.099	45.5 71.4 41.1 82.4 29	1.0 0.0 0.067			
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36	1.0 0.0 0.057	47.1 67.3 47.1 82.1 35	1.0 0.0 0.083	1.0 0.0 0.053	45.5 71.2 42.9 83.1 31	1.0 0.0 0.083			
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36	1.0 0.0 0.079	47.6 65.9 47.9 81.4 36	1.0 0.1 0.1	1.0 0.0 0.006	45.5 71.0 44.6 83.8 32	1.0 0.1 0.1			
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37	1.0 0.1 0.1	48.2 64.5 48.6 80.7 37	1.0 0.117	1.0 0.0 0.021	46.0 69.6 45.7 83.3 33	1.0 0.117			
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38	1.0 0.1 0.121	48.8 63.1 49.3 80.1 38	1.0 0.133	1.0 0.0 0.044	46.7 68.1 46.6 82.5 34	1.0 0.133			
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39	1.0 0.1 0.137	49.4 61.8 50.1 79.6 39	1.0 0.15	1.0 0.0 0.068	47.4 66.6 47.5 81.8 35	1.0 0.15			
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41	1.0 0.1 0.151	49.9 60.6 50.9 79.1 40	1.0 0.167	1.0 0.0 0.092	48.0 65.0 48.3 81.0 36	1.0 0.167			
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42	1.0 0.1 0.166	50.5 59.4 51.6 78.7 41	1.0 0.183	1.0 0.116	48.7 63.5 49.1 80.2 37	1.0 0.183			
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43	1.0 0.1 0.18	51.0 58.1 52.3 78.2 42	1.0 0.2	1.0 0.135	49.3 62.0 49.9 79.6 38	1.0 0.2			
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44	1.0 0.1 0.194	51.6 56.9 53.0 77.8 43	1.0 0.217	1.0 0.151	49.9 60.7 50.8 79.1 39	1.0 0.217			
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45	1.0 0.2 0.209	52.1 55.6 53.7 77.3 44	1.0 0.233	1.0 0.167	50.5 59.3 51.7 78.6 41	1.0 0.233			
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46	1.0 0.2 0.223	52.7 54.4 54.4 76.9 45	1.0 0.25	1.0 0.183	51.1 57.9 52.5 78.1 42	1.0 0.25			
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48	1.0 0.2 0.237	53.2 53.1 55.0 76.4 46	1.0 0.267	1.0 0.198	51.7 56.5 53.2 77.6 43	1.0 0.267			
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49	1.0 0.2 0.251	53.7 51.8 55.6 76.0 47	1.0 0.283	1.0 0.214	52.3 55.1 54.0 77.1 44	1.0 0.283			
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50	1.0 0.2 0.264	54.3 50.7 56.3 75.8 48	1.0 0.3	1.0 0.23	52.9 53.7 54.7 76.6 45	1.0 0.3			
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52	1.0 0.2 0.276	54.8 49.6 57.1 75.6 49	1.0 0.317	1.0 0.246	53.5 52.3 55.4 76.1 46	1.0 0.317			
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53	1.0 0.2 0.288	55.4 48.5 57.8 75.4 50	1.0 0.333	1.0 0.261	54.2 51.0 56.2 75.9 47	1.0 0.333			
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54	1.0 0.3 0.301	55.9 47.3 58.5 75.2 51	1.0 0.35	1.0 0.274	54.8 49.8 57.0 75.6 48	1.0 0.35			
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56	1.0 0.3 0.313	56.5 46.2 59.1 75.0 52	1.0 0.367	1.0 0.288	55.4 48.5 57.8 75.4 49	1.0 0.367			
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57	1.0 0.3 0.326	57.0 45.0 59.8 74.8 53	1.0 0.383	1.0 0.302	56.0 47.2 58.5 75.2 51	1.0 0.383			
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59	1.0 0.3 0.338	57.6 43.9 60.4 74.6 54	1.0 0.4	1.0 0.316	56.6 45.9 59.3 75.0 52	1.0 0.4			
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60	1.0 0.3 0.35	58.1 42.7 61.0 74.4 55	1.0 0.417	1.0 0.33	57.2 44.6 60.0 74.8 53	1.0 0.417			
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61	1.0 0.3 0.363	58.6 41.5 61.5 74.2 56	1.0 0.433	1.0 0.343	57.8 43.3 60.6 74.5 54	1.0 0.433			
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63	1.0 0.3 0.375	59.2 40.3 62.1 74.0 57	1.0 0.45	1.0 0.357	58.4 42.0 61.3 74.3 55	1.0 0.45			
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64	1.0 0.3 0.387	59.8 39.3 62.8 74.1 58	1.0 0.467	1.0 0.371	59.0 40.7 61.9 74.1 56	1.0 0.467			
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65	1.0 0.4 0.4	60.3 38.2 63.5 74.1 59	1.0 0.483	1.0 0.385	59.6 39.5 62.7 74.1 57	1.0 0.483			
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67	1.0 0.4 0.412	60.9 37.1 64.2 74.2 60	1.0 0.5	1.0 0.398	60.3 38.3 63.5 74.1 58	1.0 0.5			
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68	1.0 0.4 0.424	61.4 36.0 64.9 74.2 61	1.0 0.517	1.0 0.412	60.9 37.1 64.2 74.2 60	1.0 0.517			
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70	1.0 0.4 0.436	62.0 34.9 65.6 74.3 62	1.0 0.533	1.0 0.426	61.5 35.8 65.0 74.2 61	1.0 0.533			
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71	1.0 0.4 0.449	62.6 33.7 66.2 74.3 63	1.0 0.55	1.0 0.439	62.1 34.6 65.7 74.3 62	1.0 0.55			
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73	1.0 0.4 0.461	63.1 32.6 66.9 74.4 64	1.0 0.567	1.0 0.453	62.8 33.3 66.4 74.3 63	1.0 0.567			
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74	1.0 0.4 0.473	63.7 31.5 67.5 74.4 65	1.0 0.583	1.0 0.467	63.4 32.1 67.1 74.4 64	1.0 0.583			
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76	1.0 0.4 0.486	64.2 30.3 68.0 74.5 66	1.0 0.6	1.0 0.48	64.0 30.8 67.8 74.5 65	1.0 0.6			
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77	1.0 0.4 0.498	64.8 29.1 68.6 74.5 67	1.0 0.617	1.0 0.494	64.6 29.5 68.4 74.5 66	1.0 0.617			
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79	1.0 0.4 0.509	65.4 28.0 69.4 74.8 68	1.0 0.633	1.0 0.507	65.3 28.2 69.2 74.8 67	1.0 0.633			
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80	1.0 0.4 0.52	66.1 26.9 70.2 75.2 69	1.0 0.65	1.0 0.519	66.0 27.0 70.1 75.2 68	1.0 0.65			
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81	1.0 0.4 0.531	66.7 25.8 71.0 75.6 70	1.0 0.667	1.0 0.531	66.7 25.8 71.0 75.6 70	1.0 0.667			
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82	1.0 0.4 0.542	67.3 24.7 71.8 75.9 71	1.0 0.683	1.0 0.543	67.4 24.6 71.9 76.0 71	1.0 0.683			
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83	1.0 0.4 0.553	67.9 23.6 72.6 76.3 72	1.0 0.7	1.0 0.555	68.1 23.3 72.8 76.4 72	1.0 0.7			
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84	1.0 0.4 0.564	68.6 22.4 73.3 76.6 73	1.0 0.717	1.0 0.568	68.8 22.0 73.6 76.8 73	1.0 0.717			
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85	1.0 0.4 0.574	69.2 21.2 74.0 77.0 74	1.0 0.733	1.0 0.58	69.5 20.6 74.4 77.2 74	1.0 0.733			
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.4 0.585	69.8 20.0 74.7 77.4 75	1.0 0.75	1.0 0.592	70.2 19.3 75.2 77.6 75	1.0 0.75			

5-103931-L0 QN470-72 LAB*la, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

output: Offset standard print; separation cmy0*, D65, side 10/33

TUB-prøveplansje QN47; farbetoneplan: H*d=Y25Gd
 48-trinns fargetonesirkel; rgb-LabCh*tabeller

input: rgb/cmyk -> rgb_{dd}
 output: 3D-linearisering til cmy0*_{dd}

se liggende filer: http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-QN47/QN47L0FA.TXT / .PS
 anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCMB_S; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCMB_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCMB_c; h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.592 0.0
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7 84.8 87	1.0 0.596 0.0	70.5 18.8 75.4 77.7 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.604 0.0
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6 85.7 87	1.0 0.607 0.0	71.1 17.6 76.1 78.1 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.616 0.0
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5 86.5 88	1.0 0.618 0.0	71.7 16.3 76.7 78.5 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.63 0.0
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3 87.3 89	1.0 0.631 0.0	72.4 15.1 77.5 78.9 79	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.648 0.0
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2 88.2 90	1.0 0.647 0.0	73.2 13.8 78.4 79.6 80	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.667 0.0
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0 89.0 91	1.0 0.664 0.0	73.9 12.6 79.4 80.4 81	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.685 0.0
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8 89.8 91	1.0 0.68 0.0	74.7 11.3 80.3 81.1 82	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.703 0.0
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5 90.6 92	1.0 0.697 0.0	75.5 10.0 81.2 81.8 83	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.721 0.0
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3 91.4 92	1.0 0.713 0.0	76.2 8.6 82.0 82.5 84	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.74 0.0
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0 92.2 93	1.0 0.729 0.0	77.0 7.2 82.9 83.2 85	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.76 0.0
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7 92.9 94	1.0 0.746 0.0	77.7 5.9 83.7 83.9 86	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.784 0.0
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4 93.7 94	1.0 0.766 0.0	78.6 4.4 84.7 84.8 87	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.807 0.0
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1 94.5 95	1.0 0.787 0.0	79.6 3.0 85.8 85.9 88	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.831 0.0
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8 95.2 95	1.0 0.808 0.0	80.5 1.5 86.9 86.9 89	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.854 0.0
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4 95.0 96	1.0 0.829 0.0	81.4 0.0 88.0 88.0 90	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	1.0 0.879 0.0
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6 95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0 89.0 91	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	1.0 0.916 0.0
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8 94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0 90.1 92	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	1.0 0.953 0.0
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0 93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4 91.5 93	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	1.0 0.99 0.0
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2 93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7 93.0 94	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.961 1.0 0.0
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3 92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1 94.4 95	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.907 1.0 0.0
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5 91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4 95.9 96	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.856 1.0 0.0
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7 90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5 94.2 97	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.807 1.0 0.0
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9 90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2 92.1 98	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.759 1.0 0.0
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1 89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0 90.1 99	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.729 1.0 0.0
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4 88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1 88.5 100	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.704 1.0 0.0
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6 88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2 86.8 101	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.679 1.0 0.0
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8 87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4 85.2 102	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.654 1.0 0.0
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1 86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0 84.2 103	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.628 1.0 0.0
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3 86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7 83.2 104	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.605 1.0 0.0
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4 82.2 105	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.583 1.0 0.0
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5 84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0 81.1 106	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.56 1.0 0.0
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5 83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6 80.1 107	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.538 1.0 0.0
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5 83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2 79.1 108	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.515 1.0 0.0
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4 82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8 78.1 109	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.494 1.0 0.0
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4 81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4 77.0 110	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.474 1.0 0.0
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3 80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0 76.0 111	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.454 1.0 0.0
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2 79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5 75.0 112	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.434 1.0 0.0
108	113	119	0.616 1.0 0.0	75.0 -24.4 75.1 79.0 108	0.521 1.0 0.0	71.4 -28.8 68.1 74.0 113	0.617 1.0 0.0	0.414 1.0 0.0	67.3 -33.8 60.9 69.7 119	0.617 1.0 0.0	0.414 1.0 0.0	67.3 -33.8 60.9 69.7 119	0.617 1.0 0.0	0.414 1.0 0.0
108	114	120	0.6 1.0 0.0	74.3 -25.3 73.9 78.1 108	0.501 1.0 0.0	70.7 -29.6 66.6 72.9 114	0.6 1.0 0.0	0.394 1.0 0.0	66.5 -34.7 59.6 69.0 120	0.6 1.0 0.0	0.394 1.0 0.0	66.5 -34.7 59.6 69.0 120	0.6 1.0 0.0	0.394 1.0 0.0
109	115	121	0.583 1.0 0.0	73.7 -26.1 72.7 77.2 109	0.484 1.0 0.0	70.0 -30.4 65.5 72.3 115	0.583 1.0 0.0	0.375 1.0 0.0	65.7 -35.5 58.3 68.3 121	0.583 1.0 0.0	0.375 1.0 0.0	65.7 -35.5 58.3 68.3 121	0.583 1.0 0.0	0.375 1.0 0.0
110	116	122	0.566 1.0 0.0	73.1 -26.9 71.4 76.3 110	0.467 1.0 0.0	69.3 -31.3 64.4 71.7 116	0.567 1.0 0.0	0.364 1.0 0.0	65.1 -36.6 57.4 68.2 122	0.567 1.0 0.0	0.364 1.0 0.0	65.1 -36.6 57.4 68.2 122	0.567 1.0 0.0	0.364 1.0 0.0
111	117	123	0.55 1.0 0.0	72.4 -27.6 70.2 75.5 111	0.45 1.0 0.0	68								

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCMB_S; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCMB_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCMB_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dc361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.8	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

5-1031231-L0 QN470-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

output: Offset standard print; separation cmy0*, D65, side 13/33

TUB-prøveplansje QN47; farbetoneplan: H*_d=Y25G_d
48-trinns fargetonesirkel; rgb-LabCh*tabeller

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearisering til cmy0*_{dd}

se lignende filer: http://130.149.60.45/~farbmetrik/QN47/QN47.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik


TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS
anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)
TUB-material: code=rhata4

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM_c; h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																																				
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C _s	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C _c	0.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239	0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211	0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0		
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239	0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212	0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0	0.0	1.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0		
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240	0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213	0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0		
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240	0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214	0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0		
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241	0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215	0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0	0.0	1.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0		
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0	0.0	1.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0		
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0		
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243	0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218	0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0	0.0	1.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0		
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244	0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219	0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0		
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245	0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220	0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0						
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245	0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221	0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0	0.0	1.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0		
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246	0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222	0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0						
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247	0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223	0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0						
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248	0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224	0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0						
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0						
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250	0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226	0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.717	1.0						
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0						
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252	0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228	0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0						
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253	0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229	0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0						
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254	0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230	0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0						
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255	0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231	0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0						
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0						
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257	0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233	0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0					
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259	0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234	0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0				
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260	0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235	0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0				
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262	0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236	0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0				
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263	0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237	0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0				
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238	0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0				
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266	0.0	1.0	0.																																				

Data til maksimumsfargen M in fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCMB_S; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCMB_C; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCMB_C; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
289	255	258	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289	0.0 0.657 1.0	47.5 -10.9 -40.9 42.5 255	0.0 0.25 1.0	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258	
290	256	258	0.0 0.233 1.0	32.2 15.3 -40.3 43.1 290	0.0 0.641 1.0	47.0 -10.1 -40.9 42.2 256	0.0 0.233 1.0	0.0 0.603 1.0	45.7 -7.9 -40.9 41.7 258	
292	257	259	0.0 0.216 1.0	31.7 16.4 -40.3 43.6 292	0.0 0.624 1.0	46.5 -9.3 -40.8 42.0 257	0.0 0.217 1.0	0.0 0.593 1.0	45.3 -7.2 -40.9 41.6 259	
293	258	260	0.0 0.2 1.0	31.1 17.5 -40.4 44.0 293	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258	0.0 0.2 1.0	0.0 0.583 1.0	44.9 -6.6 -40.9 41.5 260	
294	259	261	0.0 0.183 1.0	30.6 18.5 -40.4 44.5 294	0.0 0.602 1.0	45.7 -7.9 -40.9 41.7 259	0.0 0.183 1.0	0.0 0.573 1.0	44.5 -5.9 -40.9 41.4 261	
295	260	262	0.0 0.166 1.0	30.0 19.6 -40.4 44.9 295	0.0 0.591 1.0	45.3 -7.1 -40.9 41.6 260	0.0 0.167 1.0	0.0 0.562 1.0	44.1 -5.2 -40.9 41.3 262	
297	261	263	0.0 0.15 1.0	29.5 20.7 -40.4 45.4 297	0.0 0.58 1.0	44.8 -6.4 -40.9 41.5 261	0.0 0.15 1.0	0.0 0.552 1.0	43.7 -4.5 -40.9 41.2 263	
298	262	264	0.0 0.133 1.0	28.9 21.8 -40.3 45.8 298	0.0 0.569 1.0	44.4 -5.7 -40.9 41.4 262	0.0 0.133 1.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264	
299	263	265	0.0 0.116 1.0	28.4 22.8 -40.3 46.3 299	0.0 0.558 1.0	44.0 -4.9 -40.9 41.3 263	0.0 0.117 1.0	0.0 0.532 1.0	43.0 -3.2 -40.8 41.0 265	
300	264	266	0.0 0.1 1.0	27.9 23.8 -40.4 46.9 300	0.0 0.547 1.0	43.5 -4.2 -40.8 41.2 264	0.0 0.1 1.0	0.0 0.522 1.0	42.6 -2.6 -40.7 40.9 266	
301	265	267	0.0 0.083 1.0	27.4 24.7 -40.4 47.4 301	0.0 0.536 1.0	43.1 -3.5 -40.8 41.1 265	0.0 0.083 1.0	0.0 0.512 1.0	42.2 -1.9 -40.7 40.8 267	
302	266	268	0.0 0.066 1.0	26.9 25.7 -40.4 47.9 302	0.0 0.525 1.0	42.7 -2.8 -40.7 40.9 266	0.0 0.067 1.0	0.0 0.502 1.0	41.8 -1.3 -40.6 40.7 268	
303	267	269	0.0 0.049 1.0	26.5 26.6 -40.5 48.4 303	0.0 0.514 1.0	42.3 -2.0 -40.7 40.8 267	0.0 0.05 1.0	0.0 0.491 1.0	41.4 -0.6 -40.6 40.7 269	
304	268	269	0.0 0.033 1.0	26.0 27.6 -40.4 49.0 304	0.0 0.503 1.0	41.8 -1.3 -40.6 40.7 268	0.0 0.033 1.0	0.0 0.48 1.0	41.0 0.0 -40.6 40.7 269	
305	269	270	0.0 0.016 1.0	25.5 28.6 -40.4 49.5 305	0.0 0.491 1.0	41.4 -0.6 -40.6 40.7 269	0.0 0.017 1.0	0.0 0.469 1.0	40.6 0.6 -40.6 40.7 270	
306	270	271	0.0 0.0 1.0	25.0 29.5 -40.4 50.0 306	B _d 0.0 0.479 1.0	41.0 0.0 -40.6 40.7 270	B _s 0.0 0.0 1.0	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271	B _e 0.0 0.0 1.0
307	271	272	0.016 0.0 1.0	25.4 30.4 -39.9 50.2 307	0.0 0.467 1.0	40.6 0.7 -40.6 40.7 271	0.017 0.0 1.0	0.0 0.447 1.0	39.9 1.9 -40.5 40.7 272	0.017 0.0 1.0
308	272	273	0.033 0.0 1.0	25.8 31.3 -39.4 50.4 308	0.0 0.455 1.0	40.2 1.4 -40.6 40.7 272	0.033 0.0 1.0	0.0 0.435 1.0	39.5 2.6 -40.5 40.7 273	0.033 0.0 1.0
309	273	274	0.05 0.0 1.0	26.2 32.2 -38.9 50.5 309	0.0 0.443 1.0	39.7 2.1 -40.5 40.7 273	0.05 0.0 1.0	0.0 0.424 1.0	39.1 3.3 -40.5 40.7 274	0.05 0.0 1.0
310	274	275	0.066 0.0 1.0	26.5 33.1 -38.4 50.7 310	0.0 0.431 1.0	39.3 2.8 -40.5 40.7 274	0.067 0.0 1.0	0.0 0.413 1.0	38.7 3.9 -40.4 40.7 275	0.067 0.0 1.0
311	275	276	0.083 0.0 1.0	26.9 33.9 -37.8 50.8 311	0.0 0.419 1.0	38.9 3.5 -40.4 40.7 275	0.083 0.0 1.0	0.0 0.401 1.0	38.3 4.6 -40.3 40.7 276	0.083 0.0 1.0
313	276	277	0.1 0.0 1.0	27.3 34.8 -37.3 51.0 313	0.0 0.407 1.0	38.5 4.3 -40.4 40.7 276	0.1 0.0 1.0	0.0 0.39 1.0	37.9 5.3 -40.3 40.7 277	0.1 0.0 1.0
314	277	278	0.116 0.0 1.0	27.7 35.6 -36.7 51.1 314	0.0 0.395 1.0	38.1 5.0 -40.3 40.7 277	0.117 0.0 1.0	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278	0.117 0.0 1.0
315	278	279	0.133 0.0 1.0	27.9 36.4 -36.2 51.3 315	0.0 0.383 1.0	37.6 5.7 -40.2 40.7 278	0.133 0.0 1.0	0.0 0.367 1.0	37.1 6.6 -40.2 40.8 279	0.133 0.0 1.0
316	279	280	0.15 0.0 1.0	28.1 37.2 -35.7 51.6 316	0.0 0.371 1.0	37.2 6.4 -40.2 40.8 279	0.15 0.0 1.0	0.0 0.357 1.0	36.7 7.3 -40.2 41.0 280	0.15 0.0 1.0
317	280	281	0.166 0.0 1.0	28.2 38.0 -35.2 51.9 317	0.0 0.36 1.0	36.8 7.1 -40.2 41.0 280	0.167 0.0 1.0	0.0 0.346 1.0	36.3 8.0 -40.3 41.2 281	0.167 0.0 1.0
318	281	282	0.183 0.0 1.0	28.3 38.8 -34.7 52.1 318	0.0 0.348 1.0	36.4 7.8 -40.3 41.1 281	0.183 0.0 1.0	0.0 0.335 1.0	35.9 8.7 -40.3 41.3 282	0.183 0.0 1.0
319	282	283	0.2 0.0 1.0	28.5 39.6 -34.2 52.4 319	0.0 0.337 1.0	36.0 8.6 -40.3 41.3 282	0.2 0.0 1.0	0.0 0.324 1.0	35.5 9.4 -40.3 41.5 283	0.2 0.0 1.0
320	283	284	0.216 0.0 1.0	28.6 40.4 -33.7 52.6 320	0.0 0.326 1.0	35.6 9.3 -40.3 41.5 283	0.217 0.0 1.0	0.0 0.313 1.0	35.1 10.1 -40.3 41.7 284	0.217 0.0 1.0
321	284	285	0.233 0.0 1.0	28.7 41.2 -33.1 52.9 321	0.0 0.314 1.0	35.2 10.1 -40.3 41.7 284	0.233 0.0 1.0	0.0 0.303 1.0	34.8 10.8 -40.3 41.9 285	0.233 0.0 1.0
322	285	285	0.25 0.0 1.0	28.8 41.9 -32.5 53.1 322	0.0 0.303 1.0	34.8 10.8 -40.3 41.9 285	0.25 0.0 1.0	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285	0.25 0.0 1.0
323	286	286	0.266 0.0 1.0	29.4 43.3 -31.8 53.8 323	0.0 0.291 1.0	34.3 11.6 -40.3 42.0 286	0.267 0.0 1.0	0.0 0.281 1.0	34.0 12.3 -40.3 42.2 286	0.267 0.0 1.0
325	287	287	0.283 0.0 1.0	29.9 44.7 -31.1 54.4 325	0.0 0.28 1.0	33.9 12.3 -40.3 42.2 287	0.283 0.0 1.0	0.0 0.27 1.0	33.6 13.0 -40.2 42.4 287	0.283 0.0 1.0
326	288	288	0.3 0.0 1.0	30.4 46.0 -30.3 55.1 326	0.0 0.269 1.0	33.5 13.1 -40.2 42.4 288	0.3 0.0 1.0	0.0 0.26 1.0	33.2 13.7 -40.2 42.5 288	0.3 0.0 1.0
328	289	289	0.316 0.0 1.0	30.9 47.3 -29.4 55.7 328	0.0 0.257 1.0	33.1 13.9 -40.2 42.6 289	0.317 0.0 1.0	0.0 0.249 1.0	32.8 14.4 -40.1 42.7 289	0.317 0.0 1.0
329	290	290	0.333 0.0 1.0	31.4 48.6 -28.5 56.4 329	0.0 0.245 1.0	32.7 14.6 -40.1 42.8 290	0.333 0.0 1.0	0.0 0.236 1.0	32.4 15.2 -40.2 43.1 290	0.333 0.0 1.0
331	291	291	0.35 0.0 1.0	32.0 49.9 -27.5 57.0 331	0.0 0.232 1.0	32.2 15.5 -40.2 43.2 291	0.35 0.0 1.0	0.0 0.223 1.0	32.0 16.0 -40.3 43.4 291	0.35 0.0 1.0
332	292	292	0.366 0.0 1.0	32.5 51.2 -26.5 57.7 332	0.0 0.219 1.0	31.8 16.3 -40.3 43.6 292	0.367 0.0 1.0	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292	0.367 0.0 1.0
333	293	293	0.383 0.0 1.0	32.9 52.3 -25.7 58.3 333	0.0 0.205 1.0	31.4 17.2 -40.3 43.9 293	0.383 0.0 1.0	0.0 0.198 1.0	31.1 17.6 -40.3 44.1 293	0.383 0.0 1.0
334	294	294	0.4 0.0 1.0	33.3 53.2 -25.0 58.8 334	0.0 0.192 1.0	30.9 18.0 -40.3 44.3 294	0.4 0.0 1.0	0.0 0.186 1.0	30.7 18.4 -40.4 44.5 294	0.4 0.0 1.0
335	295	295	0.416 0.0 1.0	33.7 54.1 -24.4 59.4 335	0.0 0.179 1.0	30.5 18.9 -40.4 44.6 295	0.417 0.0 1.0	0.0 0.173 1.0	30.3 19.2 -40.4 44.8 295	0.417 0.0 1.0
336	296	296	0.433 0.0 1.0	34.0 55.0 -23.7 59.9 336	0.0 0.166 1.0	30.0 19.7 -40.3 45.0 296	0.433 0.0 1.0	0.0 0.161 1.0	29.9 20.1 -40.3 45.1 296	0.433 0.0 1.0
337	297	297	0.45 0.0 1.0	34.4 55.9 -23.0 60.5 337	0.0 0.152 1.0	29.6 20.6 -40.3 45.4 297	0.45 0.0 1.0	0.0 0.148 1.0	29.4 20.9 -40.3 45.5 297	0.45 0.0 1.0
338	298	298	0.466 0.0 1.0	34.8 56.8 -22.2 61.0 338	0.0 0.139 1.0	29.1 21.5 -40.3 45.7 298	0.467 0.0 1.0	0.0 0.136 1.0	29.0 21.7 -40.3 45.8 298	0.467 0.0 1.0
339	299	299	0.483 0.0 1.0	35.2 57.7 -21.5 61.6 339	0.0 0.126 1.0	28.7 22.3 -40.2 46.1 299	0.483 0.0 1.0	0.0 0.122 1.0	28.6 22.6 -40.2 46.2 299	0.483 0.0 1.0
340	300	300	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300	0.5 0.0 1.0



se liggende filer: <http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-QN47/QN47L0FA.TXT /.PS
anvendelse for måling av offsettrykk output, separasjon cmy0* (CMY0)
TUB-material: code=rh4ta

Data til maksimalfargen M i fargemetrisk system Offset standard print; separation cmy0*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}																					
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6	78.1	364	0.491	0.0	1.0	35.4	58.1	-21.1	61.9	340	1.													

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 18/33

nrf	HC*Fid	rgp_Fid	icr_Fid	hs_Fid	rgp*Fid	LabC*Fid	cmyp*_sep_Fid	cmyp*_Fid	rgb*Fid	hs_Mat	LabC*Mat	rgb*Mat	LabC*Mat
0/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0	0.0	0.0
1/657	R13Y_100_100ad	0.0	0.125	1.0	0.0	48.6	63.3	49.1	80.2	37.7	0.0	0.0	0.0
2/666	R25Y_100_100ad	0.0	0.25	1.0	0.0	53.0	53.4	54.8	76.5	45.7	0.0	0.0	0.0
3/675	R38Y_100_100ad	0.0	0.375	1.0	0.0	58.8	41.1	61.7	74.1	56.3	0.0	0.0	0.0
4/684	R50Y_100_100ad	0.0	0.5	1.0	0.0	64.5	28.9	68.6	74.5	67.1	0.0	0.0	0.0
5/693	R63Y_100_100ad	0.0	0.625	1.0	0.0	72.5	14.8	77.6	79.0	79.1	0.0	0.0	0.0
6/702	R75Y_100_100ad	0.0	0.75	1.0	0.0	83.7	4.3	84.7	84.8	87.4	0.0	0.0	0.0
7/711	R88Y_100_100ad	0.0	0.875	1.0	0.0	88.3	-3.8	90.5	92.4	92.4	0.0	0.0	0.0
8/720	Y00G_100_100ad	1.0	0.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0	0.0	0.0
9/639	Y13G_100_100ad	0.875	1.0	0.0	0.0	84.5	-13.6	89.7	90.7	98.6	0.0	0.0	0.0
10/558	Y25G_100_100ad	0.75	1.0	0.0	0.0	81.2	-17.0	84.3	86.0	101.4	0.0	0.0	0.0
11/477	Y38G_100_100ad	0.625	1.0	0.0	0.0	76.6	-23.6	76.2	79.8	107.2	0.0	0.0	0.0
12/396	Y50G_100_100ad	0.5	1.0	0.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.0	0.0	0.0
13/315	Y63G_100_100ad	0.375	1.0	0.0	0.0	65.2	-36.4	57.6	68.2	122.3	0.0	0.0	0.0
14/234	Y75G_100_100ad	0.25	1.0	0.0	0.0	57.9	-48.3	45.8	66.5	136.5	0.0	0.0	0.0
15/153	Y88G_100_100ad	0.125	1.0	0.0	0.0	54.4	-54.7	38.0	66.6	145.1	0.0	0.0	0.0
16/72	G00C_100_100ad	0.0	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	0.0	0.0
17/73	G13C_100_100ad	0.0	0.125	1.0	0.0	50.5	-62.9	22.4	66.8	160.4	0.0	0.0	0.0
18/74	G25C_100_100ad	0.0	0.25	1.0	0.0	51.1	-59.5	13.9	61.1	166.8	0.0	0.0	0.0
19/75	G38C_100_100ad	0.0	0.375	1.0	0.0	52.9	-54.9	3.7	55.0	176.1	0.0	0.0	0.0
20/76	G50C_100_100ad	0.0	0.5	1.0	0.0	54.1	-48.0	49.3	49.3	189.3	0.0	0.0	0.0
21/77	G63C_100_100ad	0.0	0.625	1.0	0.0	55.1	-42.0	18.8	46.0	204.1	0.0	0.0	0.0
22/78	G75C_100_100ad	0.0	0.75	1.0	0.0	55.1	-35.4	-28.4	45.4	218.7	0.0	0.0	0.0
23/79	G88C_100_100ad	0.0	0.875	1.0	0.0	55.9	-30.4	-35.0	46.3	229.0	0.0	0.0	0.0
24/70	C00B_100_100ad	0.0	0.0	1.0	0.0	56.8	-25.5	-41.5	46.7	238.4	0.0	0.0	0.0
25/71	C13B_100_100ad	0.0	0.125	1.0	0.0	54.3	-21.4	-41.4	46.6	242.6	0.0	0.0	0.0
26/62	C25B_100_100ad	0.0	0.25	1.0	0.0	50.9	-16.2	-44.2	44.2	248.4	0.0	0.0	0.0
27/63	C38B_100_100ad	0.0	0.375	1.0	0.0	46.8	-9.8	-40.9	42.1	256.4	0.0	0.0	0.0
28/44	C50B_100_100ad	0.0	0.5	1.0	0.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.0	0.0
29/35	C63B_100_100ad	0.0	0.375	1.0	0.0	37.0	6.6	-40.2	40.8	279.3	0.0	0.0	0.0
30/26	C75B_100_100ad	0.0	0.25	1.0	0.0	32.2	15.3	-40.3	43.1	290.8	0.0	0.0	0.0
31/17	C88B_100_100ad	0.0	0.125	1.0	0.0	28.4	22.8	-40.3	46.3	299.5	0.0	0.0	0.0
32/8	B00M_100_100ad	0.0	0.0	1.0	0.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	0.0
33/89	B13M_100_100ad	0.125	0.0	1.0	0.0	27.7	35.6	-36.7	51.1	314.1	0.0	0.0	0.0
34/170	B25M_100_100ad	0.25	0.0	1.0	0.0	28.7	41.2	-33.1	52.9	321.1	0.0	0.0	0.0
35/251	B38M_100_100ad	0.375	0.0	1.0	0.0	32.5	51.2	-26.5	57.7	332.6	0.0	0.0	0.0
36/332	B50M_100_100ad	0.5	0.0	1.0	0.0	35.6	58.6	-20.7	62.1	340.5	0.0	0.0	0.0
37/413	B63M_100_100ad	0.625	0.0	1.0	0.0	38.3	65.8	-13.7	67.2	348.2	0.0	0.0	0.0
38/494	B75M_100_100ad	0.75	0.0	1.0	0.0	42.1	71.6	-8.7	72.1	353.0	0.0	0.0	0.0
39/575	B88M_100_100ad	0.875	0.0	1.0	0.0	44.3	75.4	-4.7	75.6	356.3	0.0	0.0	0.0
40/656	M00R_100_100ad	1.0	0.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8	0.0	0.0	0.0
41/655	M13R_100_100ad	1.0	0.0	0.875	1.0	45.9	78.3	3.8	78.4	2.8	0.0	0.0	0.0
42/654	M25R_100_100ad	1.0	0.0	0.75	1.0	45.9	77.3	8.0	77.7	5.9	0.0	0.0	0.0
43/653	M38R_100_100ad	1.0	0.0	0.625	1.0	46.0	75.7	14.4	77.1	10.8	0.0	0.0	0.0
44/652	M50R_100_100ad	1.0	0.0	0.5	1.0	45.9	74.2	21.1	77.1	15.9	0.0	0.0	0.0
45/651	M63R_100_100ad	1.0	0.0	0.375	1.0	45.8	72.9	28.7	78.4	21.5	0.0	0.0	0.0
46/650	M75R_100_100ad	1.0	0.0	0.25	1.0	45.6	72.1	35.3	80.3	26.1	0.0	0.0	0.0
47/649	M88R_100_100ad	1.0	0.0	0.125	1.0	45.5	71.4	40.4	82.1	29.5	0.0	0.0	0.0
48/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0	0.0	0.0
49/0	NV_000ad	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013ad	0.125	0.125	0.0	0.0	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NV_025ad	0.25	0.25	0.0	0.0	22.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NV_038ad	0.375	0.375	0.0	0.0	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/364	NV_050ad	0.5	0.5	0.0	0.0	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063ad	0.625	0.625	0.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075ad	0.75	0.75	0.0	0.0	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088ad	0.875	0.875	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100ad	1.0	1.0	1.0	1.0	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

delta

input: rgb/cmyk -> rgbd
 output: 3D-linearisering til cmy0*dd

TUB-prøveplansje QN47; farbetoneplan: H*d=Y25Gd
 farger og fargeavstander, ΔE*_{uv}

QN470-7N_1833-F

5-1031731-F0

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 22/33

n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC0*Fid	cmyp*sep_Fid	Lab	Hsa*Fid	rgb*Fid	LabC0*Fid	delta
162	ROY_025_0250ad	0.25	0.0	0.25	0.25	0.0	0.764	0.927	389	1.0	0.0	0.0
163	ROY_025_0250ad	0.25	0.0	0.125	0.25	0.0	0.772	0.922	360	1.0	0.0	0.0
164	B50R_025_0250ad	0.25	0.0	0.125	0.25	0.0	0.784	0.927	360	1.0	0.0	0.0
165	B34R_037_0370ad	0.25	0.0	0.375	0.187	0.31	0.256	0.747	311	0.683	0.0	0.0
166	B25K_050_0500ad	0.25	0.0	0.5	0.25	0.0	0.299	0.959	311	0.683	0.0	0.0
167	B19K_062_0620ad	0.25	0.0	0.625	0.312	0.93	0.239	0.976	292	0.383	0.0	0.0
168	B15K_075_0750ad	0.25	0.0	0.75	0.375	0.87	0.237	0.985	288	0.316	0.0	0.0
169	B13K_087_0870ad	0.25	0.0	0.875	0.437	0.86	0.233	0.992	284	0.266	0.0	0.0
170	B11R_100_1000ad	0.25	0.0	1.0	0.5	0.84	0.233	1.0	282	0.233	0.0	0.0
171	R50Y_025_0250ad	0.25	0.125	0.0	0.25	0.125	0.753	0.771	59	0.0	0.5	0.0
172	B50R_025_0120ad	0.25	0.125	0.125	0.187	0.30	0.25	0.753	330	1.0	0.0	0.0
173	B50R_025_0120ad	0.25	0.125	0.25	0.187	0.30	0.25	0.753	330	1.0	0.0	0.0
174	B25K_037_0370ad	0.25	0.125	0.375	0.25	0.25	0.241	0.743	288	0.316	0.0	0.0
175	B15K_037_0370ad	0.25	0.125	0.5	0.375	0.312	0.241	0.743	288	0.316	0.0	0.0
176	B10R_062_0500ad	0.25	0.125	0.625	0.437	0.84	0.239	0.992	279	0.183	0.0	0.0
177	B09R_075_0500ad	0.25	0.125	0.75	0.5	0.79	0.237	1.012	277	0.15	0.0	0.0
178	B08R_087_0500ad	0.25	0.125	0.875	0.5	0.79	0.237	1.012	277	0.15	0.0	0.0
179	B06R_100_0870ad	0.25	0.125	1.0	0.875	0.562	0.241	1.012	277	0.15	0.0	0.0
180	Y06G_025_0250ad	0.25	0.25	0.0	0.25	0.125	0.759	0.621	89	1.0	0.0	0.0
181	Y06G_025_0250ad	0.25	0.25	0.125	0.187	0.9	0.25	0.621	89	1.0	0.0	0.0
182	NW_0250ad	0.25	0.25	0.25	0.25	0.25	0.25	0.621	360	1.0	0.0	0.0
183	B08R_037_0120ad	0.25	0.375	0.125	0.312	0.70	0.249	0.734	270	0.0	0.0	0.0
184	B08R_037_0120ad	0.25	0.375	0.25	0.312	0.70	0.249	0.734	270	0.0	0.0	0.0
185	B08R_062_0370ad	0.25	0.375	0.5	0.375	0.70	0.249	0.734	270	0.0	0.0	0.0
186	B08R_062_0370ad	0.25	0.375	0.625	0.437	0.84	0.241	0.734	270	0.0	0.0	0.0
187	B08R_062_0370ad	0.25	0.375	0.75	0.5	0.79	0.241	0.734	270	0.0	0.0	0.0
188	B08R_100_0750ad	0.25	0.375	1.0	0.875	0.62	0.241	0.734	270	0.0	0.0	0.0
189	Y10G_037_0370ad	0.25	0.375	0.375	0.187	1.09	0.256	0.706	108	0.683	1.0	0.0
190	Y10G_037_0370ad	0.25	0.375	0.5	0.25	1.09	0.256	0.706	108	0.683	1.0	0.0
191	G08B_037_0120ad	0.25	0.375	0.125	0.312	1.50	0.249	0.735	149	0.0	0.0	0.0
192	G08B_037_0120ad	0.25	0.375	0.25	0.312	1.50	0.249	0.735	149	0.0	0.0	0.0
193	G75B_050_0250ad	0.25	0.375	0.5	0.5	0.437	0.249	0.735	210	0.0	0.0	0.0
194	G84B_062_0370ad	0.25	0.375	0.625	0.437	2.51	0.249	0.735	251	0.0	0.0	0.0
195	G88B_075_0500ad	0.25	0.375	0.75	0.5	2.56	0.25	0.735	256	0.0	0.0	0.0
196	G88B_075_0500ad	0.25	0.375	0.875	0.5	2.56	0.25	0.735	256	0.0	0.0	0.0
197	Y90G_100_0750ad	0.25	0.375	1.0	1.0	0.75	0.25	0.625	261	0.0	0.0	0.0
198	Y90G_100_0750ad	0.25	0.375	0.5	0.25	1.50	0.25	0.625	261	0.0	0.0	0.0
199	G08B_050_0370ad	0.25	0.5	0.125	0.375	0.312	0.243	0.5	131	0.16	0.0	0.0
200	G08B_050_0370ad	0.25	0.5	0.25	0.375	0.312	0.243	0.5	131	0.16	0.0	0.0
201	G25B_050_0250ad	0.25	0.5	0.375	0.5	0.25	0.249	0.5	150	0.0	0.0	0.0
202	G50B_050_0250ad	0.25	0.5	0.5	0.5	0.25	0.249	0.5	180	0.0	0.0	0.0
203	G62B_062_0370ad	0.25	0.5	0.625	0.437	2.29	0.249	0.5	228	0.0	0.0	0.0
204	G65B_062_0370ad	0.25	0.5	0.75	0.5	2.40	0.25	0.5	247	0.0	0.0	0.0
205	G84B_087_0620ad	0.25	0.5	0.875	0.625	2.47	0.25	0.489	247	0.0	0.0	0.0
206	G84B_100_0750ad	0.25	0.5	1.0	0.75	0.625	0.25	0.489	247	0.0	0.0	0.0
207	Y61G_062_0620ad	0.25	0.625	0.125	0.375	1.36	0.241	0.625	127	0.333	1.0	0.0
208	Y16G_062_0500ad	0.25	0.625	0.25	0.375	1.36	0.241	0.625	127	0.333	1.0	0.0
209	G08B_062_0370ad	0.25	0.625	0.375	0.437	1.69	0.25	0.625	169	0.0	0.0	0.0
210	G15B_062_0370ad	0.25	0.625	0.5	0.5	1.77	0.25	0.625	177	0.0	0.0	0.0
211	G34B_062_0370ad	0.25	0.625	0.625	0.437	1.91	0.25	0.625	191	0.0	0.0	0.0
212	G08B_062_0370ad	0.25	0.625	0.75	0.5	2.24	0.25	0.625	224	0.0	0.0	0.0
213	G61B_075_0500ad	0.25	0.625	0.875	0.5	2.24	0.25	0.625	224	0.0	0.0	0.0
214	G08B_087_0620ad	0.25	0.625	1.0	0.75	0.625	0.241	0.625	240	0.0	0.0	0.0
215	Y86G_075_0750ad	0.25	0.75	0.0	0.75	0.625	0.241	0.625	240	0.0	0.0	0.0
216	Y86G_075_0750ad	0.25	0.75	0.125	0.625	0.437	0.237	0.75	131	0.333	1.0	0.0
217	Y86G_075_0620ad	0.25	0.75	0.25	0.625	0.437	0.237	0.75	131	0.333	1.0	0.0
218	G11B_075_0620ad	0.25	0.75	0.375	0.625	0.437	0.237	0.75	131	0.333	1.0	0.0
219	G15B_075_0620ad	0.25	0.75	0.5	0.625	0.437	0.237	0.75	131	0.333	1.0	0.0
220	G38B_075_0500ad	0.25	0.75	0.625	0.5	1.86	0.25	0.75	186	0.0	0.0	0.0
221	G38B_075_0500ad	0.25	0.75	0.75	0.5	1.86	0.25	0.75	186	0.0	0.0	0.0
222	G50B_075_0500ad	0.25	0.75	0.875	0.5	2.10	0.25	0.75	210	0.0	0.0	0.0
223	G50B_087_0620ad	0.25	0.75	1.0	0.75	0.625	0.241	0.625	210	0.0	0.0	0.0
224	G65B_100_0750ad	0.25	0.75	1.0	1.0	0.75	0.241	0.625	210	0.0	0.0	0.0
225	Y85G_087_0500ad	0.25	0.875	0.125	0.625	0.562	0.241	0.625	134	0.233	1.0	0.0
226	Y85G_087_0500ad	0.25	0.875	0.25	0.625	0.562	0.241	0.625	134	0.233	1.0	0.0
227	G08B_087_0620ad	0.25	0.875	0.375	0.5	1.40	0.237	0.625	140	0.0	0.0	0.0
228	G08B_087_0620ad	0.25	0.875	0.5	0.5	1.40	0.237	0.625	140	0.0	0.0	0.0
229	G19B_087_0620ad	0.25	0.875	0.625	0.562	1.73	0.25	0.625	173	0.0	0.0	0.0
230	G40B_087_0620ad	0.25	0.875	0.75	0.625	1.99	0.25	0.625	199	0.0	0.0	0.0
231	G40B_087_0620ad	0.25	0.875	0.875	0.625	1.99	0.25	0.625	199	0.0	0.0	0.0
232	G57B_100_0750ad	0.25	0.875	1.0	0.75	0.625	0.241	0.625	210	0.0	0.0	0.0
233	G57B_100_0750ad	0.25	0.875	1.0	1.0	0.75	0.241	0.625	210	0.0	0.0	0.0
234	Y16G_100_0870ad	0.25	1.0	0.125	0.875	0.562	0.241	0.625	142	0.0	0.0	0.0
235	Y16G_100_0870ad	0.25	1.0	0.25	0.875	0.562	0.241	0.625	142	0.0	0.0	0.0
236	G07B_100_0750ad	0.25	1.0	0.375	1.0	0.75	0.241	0.625	159	0.0	0.0	0.0
237	G07B_100_0750ad	0.25	1.0	0.5	1.0	0.75	0.241	0.625	159	0.0	0.0	0.0
238	G25B_100_0750ad	0.25	1.0	0.625	1.0	0.75	0.241	0.625	180	0.0	0.0	0.0
239	G25B_100_0750ad	0.25	1.0	0.75	1.0	0.75	0.241	0.625	180	0.0	0.0	0.0
240	G42B_100_0750ad	0.25	1.0	0.875	1.0	0.75	0.241	0.625	191	0.0	0.0	0.0
241	G42B_100_0750ad	0.25	1.0	1.0	0.875	1.0	0.241	0.625	191	0.0	0.0	0.0
242	G50B_100_0750ad	0.25	1.0	1.0	1.0	0.75	0.241	0.625	210	0.0	0.0	0.0

input: rgb/cmyk -> rgbd
 output: 3D-linearisering til cmy0*dd

TUB-prøveplanse QN47; farbetoneplan: H*d=Y25Gd
 farger og fargeavstander, ΔE*
 QN470-7N, 22.33-F

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 23/33

n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	LabC*Fid	cmyk*sep_Fid	cmyp*sep_Fid	LabC*Fid	Han*Fid	rgb*Fid	LabC*Fid	delta
243	ROY3_037_037Ad	0.375 0.0	0.375 0.375 0.187	390	0.375 0.0	32.3 26.6	16.8	0.67	0.922	1.0	389	1.0 0.0	45.4	83.9
244	ROY3_037_037Ad	0.375 0.0	0.375 0.375 0.187	371	0.375 0.0	32.3 27.2	11.7	0.67	0.921	0.0	371	1.0 0.0	45.7	70.9
245	B6SK_037_037Ad	0.375 0.0	0.375 0.375 0.187	349	0.375 0.0	32.3 28.6	4.4	0.678	0.921	0.0	348	1.0 0.0	46.1	79.3
246	B6SK_037_037Ad	0.375 0.0	0.375 0.375 0.187	330	0.375 0.0	32.3 29.7	0.0	0.678	0.921	0.0	330	1.0 0.0	46.1	79.3
247	B3RK_050_050Ad	0.375 0.0	0.5 0.5 0.25	316	0.383 0.0	35.2 35.8	-4.3	0.651	0.969	0.5	317	1.0 0.0	47.1	87.7
248	B3RK_050_050Ad	0.375 0.0	0.625 0.625 0.312	307	0.383 0.0	35.2 40.6	-9.0	0.651	0.969	0.402	307	1.0 0.0	47.1	87.7
249	B2SK_075_075Ad	0.375 0.0	0.75 0.75 0.375	295	0.364 0.0	37.5 47.4	-21.3	0.635	0.979	0.0	294	1.0 0.0	45.6	58.6
250	B2SK_075_075Ad	0.375 0.0	0.875 0.875 0.437	295	0.364 0.0	37.5 47.4	-21.3	0.635	0.979	0.0	294	1.0 0.0	45.6	58.6
251	B1RK_100_100Ad	0.375 0.0	1.0 1.0 0.5	292	0.366 0.0	37.5 51.2	-26.2	0.662	0.999	0.0	291	1.0 0.0	45.6	58.6
252	B1RK_100_100Ad	0.375 0.0	0.375 0.375 0.187	49	0.375 0.118	36.4 17.1	22.2	0.662	0.999	0.0	48	1.0 0.0	45.6	58.6
253	ROY3_037_037Ad	0.375 0.25	0.375 0.25 0.25	390	0.375 0.124	38.6 18.8	0.0	0.666	0.765	0.0	389	1.0 0.0	45.4	70.9
254	ROY3_037_037Ad	0.375 0.25	0.375 0.25 0.25	390	0.375 0.124	38.6 18.8	5.2	0.666	0.765	0.0	389	1.0 0.0	45.4	70.9
255	B5RK_037_037Ad	0.375 0.125	0.375 0.125 0.375	311	0.381 0.124	39.0 25.5	-4.4	0.638	0.79	0.0	311	1.0 0.0	46.1	79.3
256	B5RK_037_037Ad	0.375 0.125	0.375 0.125 0.375	311	0.381 0.124	39.0 25.5	-4.4	0.638	0.79	0.0	311	1.0 0.0	46.1	79.3
257	B2SK_062_062Ad	0.375 0.125	0.625 0.625 0.312	303	0.364 0.125	38.8 29.3	-10.3	0.629	0.808	0.0	302	1.0 0.0	45.6	58.6
258	B2SK_062_062Ad	0.375 0.125	0.75 0.75 0.375	293	0.364 0.125	38.8 29.3	-10.3	0.629	0.808	0.0	292	1.0 0.0	45.6	58.6
259	B1RK_087_087Ad	0.375 0.125	0.875 0.875 0.437	286	0.362 0.125	37.6 35.5	-22.0	0.639	0.856	0.0	284	1.0 0.0	45.4	70.9
260	B1RK_087_087Ad	0.375 0.125	1.0 1.0 0.5	286	0.358 0.125	37.6 37.7	-27.8	0.639	0.856	0.0	284	1.0 0.0	45.4	70.9
261	R6Y3_037_037Ad	0.375 0.25	0.375 0.375 0.187	71	0.375 0.256	40.0 43.2	4.1	0.65	0.648	0.0	71	1.0 0.0	47.8	81.1
262	R6Y3_037_037Ad	0.375 0.25	0.375 0.375 0.187	71	0.375 0.256	40.0 43.2	4.1	0.65	0.648	0.0	71	1.0 0.0	47.8	81.1
263	ROY3_037_037Ad	0.375 0.25	0.375 0.125 0.312	390	0.375 0.249	44.8 8.8	5.6	0.649	0.62	0.0	389	1.0 0.0	46.4	79.3
264	ROY3_037_037Ad	0.375 0.25	0.375 0.125 0.312	390	0.375 0.249	44.8 8.8	9.9	0.649	0.62	0.0	389	1.0 0.0	46.4	79.3
265	B2SK_062_062Ad	0.375 0.25	0.625 0.375 0.437	289	0.375 0.249	44.8 14.6	-5.1	0.644	0.645	0.0	288	1.0 0.0	45.6	58.6
266	B2SK_062_062Ad	0.375 0.25	0.625 0.375 0.437	289	0.368 0.25	44.6 17.7	-11.0	0.644	0.645	0.0	288	1.0 0.0	45.6	58.6
267	B1RK_075_075Ad	0.375 0.25	0.75 0.75 0.375	284	0.366 0.25	44.3 20.6	-16.5	0.647	0.676	0.0	283	1.0 0.0	45.2	70.9
268	B1RK_075_075Ad	0.375 0.25	0.875 0.875 0.437	279	0.362 0.25	44.6 27.6	-26.8	0.647	0.676	0.0	278	1.0 0.0	45.2	70.9
269	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
270	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
271	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
272	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
273	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
274	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
275	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
276	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
277	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
278	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
279	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
280	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
281	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
282	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
283	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
284	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
285	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
286	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
287	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
288	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
289	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
290	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
291	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
292	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
293	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
294	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
295	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
296	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
297	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
298	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
299	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
300	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
301	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
302	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
303	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
304	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
305	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
306	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
307	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
308	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
309	Y0G3_037_037Ad	0.375 0.375	0.375 0.375 0.187	90	0.362 0.375	48.1 35.8	36.0	0.637	0.676	0.0	89	1.0 0.0	47.8	81.1
310														

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 25/33

n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgbb_Fid	LabCM*Fid	cmyp*Sep_Fid	cmyp*Fid	cmyp*Sep_Fid	cmyp*Fid	hsa_Mid	rgbb_Mid	LabCM*Mid	delta												
405	R00Y_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.0	0.0	37.5	44.3	28.0	52.4	0.0	0.0	0.444	0.936	1.0	0.0	45.4	70.9	44.8	83.9	81.0	27.5			
406	R00Y_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.114	0.625 0.0	37.6	44.9	23.4	50.6	0.0	0.0	0.445	0.94	0.9	0.0	0.183	45.5	71.8	37.5	81.0	27.5			
407	R00Y_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.239	0.625 0.0	37.7	45.6	17.4	48.8	0.0	0.0	0.444	0.937	0.755	0.0	0.383	45.8	70.8	27.8	82.7	20.8			
408	R00Y_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.385	0.625 0.0	37.8	46.2	9.5	48.1	0.0	0.0	0.444	0.937	0.606	0.0	0.0	0.616	46.0	75.5	15.2	71.1	11.4		
409	B59K_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.51	0.625 0.0	37.9	48.6	3.9	48.7	0.0	0.0	0.451	0.942	0.507	0.0	0.0	0.816	46.0	77.7	6.2	79.0	4.6		
410	B59K_062_062Ad	0.625 0.0	0.625 0.625	0.312	0.625 0.0	0.625	0.625 0.0	37.9	49.5	-0.1	49.5	0.0	0.0	0.456	0.941	0.425	0.0	0.0	0.0	46.1	79.3	-0.2	79.3	359.8		
411	B42K_075_075Ad	0.625 0.0	0.775 0.775	0.375	0.637 0.0	0.875	0.637 0.0	38.2	55.7	-4.4	55.9	0.0	0.0	0.409	0.955	0.283	0.0	0.0	0.0	43.7	74.3	-5.9	74.0	351.9		
412	B42K_075_075Ad	0.625 0.0	0.775 0.775	0.375	0.637 0.0	0.875	0.637 0.0	38.2	55.7	-4.4	55.9	0.0	0.0	0.409	0.955	0.283	0.0	0.0	0.0	43.7	74.3	-5.9	74.0	351.9		
413	B31R_100_100Ad	0.625 0.0	1.0 1.0	0.5	0.633 0.0	1.0	0.633 0.0	38.1	65.8	-13.7	67.2	0.0	0.0	0.368	0.999	0.0	0.0	0.0	0.183	0.0	51.1	57.8	52.5	348.2		
414	B31R_100_100Ad	0.625 0.0	1.0 1.0	0.5	0.633 0.0	1.0	0.633 0.0	38.1	65.8	-13.7	67.2	0.0	0.0	0.368	0.999	0.0	0.0	0.0	0.183	0.0	51.1	57.8	52.5	348.2		
415	R00Y_062_050Ad	0.625 0.125	0.625 0.5	0.375	0.625 0.125	0.125	0.625 0.125	43.8	35.4	22.4	41.9	0.0	0.0	0.413	0.779	0.639	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3		
416	R00Y_062_050Ad	0.625 0.125	0.625 0.5	0.375	0.625 0.125	0.241	0.625 0.125	43.9	36.0	17.6	40.1	0.0	0.0	0.418	0.79	0.551	0.0	0.0	0.0	45.9	74.2	21.1	77.1	15.9		
417	R00Y_062_050Ad	0.625 0.125	0.625 0.5	0.375	0.625 0.125	0.375	0.625 0.125	44.0	37.1	10.5	38.8	0.0	0.0	0.424	0.792	0.424	0.0	0.0	0.0	45.9	74.2	21.1	77.1	15.9		
418	B61R_062_050Ad	0.625 0.125	0.625 0.5	0.375	0.625 0.125	0.508	0.625 0.125	44.0	38.6	0.0	38.8	0.0	0.0	0.43	0.798	0.342	0.0	0.0	0.0	45.9	74.2	21.1	77.1	15.9		
419	B61R_062_050Ad	0.625 0.125	0.625 0.5	0.375	0.625 0.125	0.625	0.625 0.125	44.1	39.6	-0.1	39.6	0.0	0.0	0.433	0.801	0.275	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8		
420	B40K_075_062Ad	0.625 0.125	0.775 0.775	0.625 0.375	0.633 0.125	0.625	0.633 0.125	44.1	45.8	-0.4	46.0	0.0	0.0	0.389	0.819	0.355	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8		
421	B40K_075_062Ad	0.625 0.125	0.775 0.775	0.625 0.375	0.633 0.125	0.625	0.633 0.125	44.1	45.8	-0.4	46.0	0.0	0.0	0.389	0.819	0.355	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8		
422	B39K_100_087Ad	0.625 0.125	1.0 1.0	0.875 0.562	0.625 0.125	1.0	0.625 0.125	44.5	55.3	-14.3	57.1	0.0	0.0	0.354	0.858	0.0	0.0	0.0	0.383	0.0	39.8	68.1	-11.9	69.1	350.0	
423	B39K_100_087Ad	0.625 0.125	1.0 1.0	0.875 0.562	0.625 0.125	1.0	0.625 0.125	44.5	55.3	-14.3	57.1	0.0	0.0	0.354	0.858	0.0	0.0	0.0	0.383	0.0	39.8	68.1	-11.9	69.1	350.0	
424	R23Y_062_062Ad	0.625 0.25	0.625 0.125	0.312 0.44	0.625 0.25	0.125	0.625 0.25	47.6	26.7	38.2	45.7	0.0	0.0	0.414	0.691	0.772	0.0	0.0	0.0	0.233	0.0	59.5	62.5	34.5	44.4	
425	R23Y_062_062Ad	0.625 0.25	0.625 0.125	0.312 0.44	0.625 0.25	0.25	0.625 0.25	47.6	26.7	38.2	45.7	0.0	0.0	0.414	0.691	0.772	0.0	0.0	0.0	0.233	0.0	59.5	62.5	34.5	44.4	
426	R18Y_062_037Ad	0.625 0.25	0.375 0.375	0.437 0.312	0.625 0.25	0.375	0.625 0.25	50.1	26.6	16.8	31.4	0.0	0.0	0.396	0.655	0.375	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	
427	B63K_062_037Ad	0.625 0.25	0.625 0.375	0.437 0.312	0.625 0.25	0.508	0.625 0.25	50.2	27.2	11.7	29.6	0.0	0.0	0.402	0.657	0.306	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	
428	B63K_062_037Ad	0.625 0.25	0.625 0.375	0.437 0.312	0.625 0.25	0.625	0.625 0.25	50.3	29.7	4.4	29.0	0.0	0.0	0.411	0.663	0.403	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
429	B38K_075_050Ad	0.625 0.25	0.775 0.775	0.625 0.375	0.633 0.25	0.625	0.633 0.25	51.0	35.8	-4.3	36.0	0.0	0.0	0.372	0.795	0.238	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
430	B38K_075_050Ad	0.625 0.25	0.775 0.775	0.625 0.375	0.633 0.25	0.625	0.633 0.25	51.0	35.8	-4.3	36.0	0.0	0.0	0.372	0.795	0.238	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
431	B38K_100_075Ad	0.625 0.25	1.0 1.0	0.975 0.62	0.625 0.25	1.0	0.625 0.25	50.6	43.6	-15.5	46.0	0.0	0.0	0.338	0.738	0.340	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
432	B61Y_062_062Ad	0.625 0.375	0.625 0.375	0.5	0.625 0.375	0.0	0.625 0.375	53.9	10.2	47.9	49.0	0.0	0.0	0.418	0.989	0.0	0.0	0.0	0.0	0.616	0.0	64.9	28.9	68.6	74.5	67.1
433	B61Y_062_062Ad	0.625 0.375	0.625 0.375	0.5	0.625 0.375	0.125	0.625 0.375	53.5	14.4	34.3	37.2	0.0	0.0	0.418	0.989	0.0	0.0	0.0	0.0	0.616	0.0	64.9	28.9	68.6	74.5	67.1
434	R31Y_062_037Ad	0.625 0.375	0.625 0.375	0.5	0.625 0.375	0.25	0.625 0.375	54.2	17.1	22.2	28.1	0.0	0.0	0.418	0.989	0.0	0.0	0.0	0.0	0.616	0.0	64.9	28.9	68.6	74.5	67.1
435	R31Y_062_037Ad	0.625 0.375	0.625 0.375	0.5	0.625 0.375	0.375	0.625 0.375	54.3	17.7	11.2	20.9	0.0	0.0	0.418	0.989	0.0	0.0	0.0	0.0	0.616	0.0	64.9	28.9	68.6	74.5	67.1
436	R00Y_062_025Ad	0.625 0.375	0.625 0.25	0.5	0.625 0.375	0.5	0.625 0.375	56.4	18.5	5.2	19.2	0.0	0.0	0.404	0.944	0.522	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	
437	B59K_062_025Ad	0.625 0.375	0.625 0.25	0.5	0.625 0.375	0.625	0.625 0.375	56.5	19.8	0.0	19.8	0.0	0.0	0.411	0.953	0.307	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
438	B59K_062_025Ad	0.625 0.375	0.625 0.25	0.5	0.625 0.375	0.625	0.625 0.375	56.5	19.8	0.0	19.8	0.0	0.0	0.411	0.953	0.307	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
439	B34K_075_037Ad	0.625 0.375	0.775 0.775	0.625 0.375	0.633 0.375	0.625	0.633 0.375	56.7	29.3	-10.3	31.0	0.0	0.0	0.367	0.589	0.099	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
440	B34K_075_037Ad	0.625 0.375	0.775 0.775	0.625 0.375	0.633 0.375	0.625	0.633 0.375	56.7	29.3	-10.3	31.0	0.0	0.0	0.367	0.589	0.099	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
441	R81Y_062_062Ad	0.625 0.5	0.625 0.5	0.375 0.76	0.625 0.5	0.0	0.625 0.5	59.7	0.5	54.6	54.6	0.0	0.0	0.404	0.994	0.981	0.0	0.0	0.0	0.816	0.0	80.8	87.3	89.4		
442	R81Y_062_062Ad	0.625 0.5	0.625 0.5	0.375 0.76	0.625 0.5	0.125	0.625 0.5	59.7	0.5	54.6	54.6	0.0	0.0	0.404	0.994	0.981	0.0	0.0	0.0	0.816	0.0	80.8	87.3	89.4		
443	R63Y_062_057Ad	0.625 0.5	0.625 0.375	0.437 0.312	0.625 0.5	0.375	0.625 0.5	61.1	4.1	42.3	42.4	0.0	0.0	0.392	0.938	0.812	0.0	0.0	0.0	0.683	0.0	74.8	4.3	84.7	84.8	87.1
444	R63Y_062_057Ad	0.625 0.5	0.625 0.375	0.437 0.312	0.625 0.5	0.375	0.625 0.5	61.1	4.1	42.3	42.4	0.0	0.0	0.392	0.938	0.812	0.0	0.0	0.0	0.683	0.0	74.8	4.3	84.7	84.8	87.1
445	R00Y_062_025Ad	0.625 0.5	0.625 0.25	0.5	0.625 0.5	0.625	0.625 0.5	62.6	8.8	5.6	10.4	0.0	0.0	0.415	0.932	0.502	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	
446	B59K_062_025Ad	0.625 0.5	0.625 0.25	0.5	0.625 0.5	0.625	0.625 0.5	62.6	8.8	5.6	10.4	0.0	0.0	0.415	0.932	0.502	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	
447	B25K_075_025Ad	0.625 0.5	0.775 0.775	0.625 0.375	0.633 0.5	0.625	0.633 0.5	62.6	8.8	5.6	10.4	0.0	0.0	0.399	0.407	0.351	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
448	B25K_075_025Ad	0.625 0.5	0.775 0.775	0.625 0.375	0.633 0.5	0.625	0.633 0.5	62.6	8.8	5.6	10.4	0.0	0.0	0.399	0.407	0.351	0.0	0.0	0.0	0.0	46.1	73.3	-0.2	73.3	359.8	
449	B18R_100_050Ad	0.625 0.5	1.0 1.0	0.5 0.75	0.616 0.5	1.0	0.616 0.5	62.4	17.7	-11.0	20.9	0.0	0.0	0.445	0.091	0.186	0.0	0.0	0.0	0.0						

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 26/33

n	HC*Fid	rgb_Fid	ier_Fid	hsa_Fid	rgb*Fid	LabC0*Fid	cmyp*Sep.Fid	cmyp*Fid	LabC0*Fid	hsa*Fid	rgb*Fid	LabC0*Fid
486	ROY0_075_0750ad	0.75	0.0	0.75	0.75	0.0	0.0	40.2	53.2	33.6	62.9	32.3
487	R35Y_075_0750ad	0.75	0.0	0.12	0.75	0.0	0.112	40.2	53.2	29.2	61.1	28.5
488	R18Y_075_0750ad	0.75	0.0	0.25	0.75	0.0	0.237	40.4	54.5	23.4	59.3	23.2
489	ROY0_075_0750ad	0.75	0.0	0.375	0.75	0.0	0.375	40.5	55.6	15.8	57.8	15.9
490	B6SK_075_0750ad	0.75	0.0	0.5	0.75	0.0	0.512	40.5	57.3	8.9	58.0	8.7
491	B57K_075_0750ad	0.75	0.0	0.625	0.75	0.0	0.637	40.5	58.5	3.7	58.6	3.7
492	B30K_075_0750ad	0.75	0.0	0.75	0.75	0.0	0.75	40.6	59.4	-0.1	59.4	359.8
493	B48K_087_0870ad	0.75	0.0	0.875	0.875	0.0	0.875	41.0	71.6	-8.7	72.1	353.0
494	B38L_100_1000ad	0.75	0.0	1.0	1.0	0.5	1.0	42.1	43.1	38.0	59.3	39.9
495	R15Y_075_0750ad	0.75	0.125	0.0	0.75	0.112	0.0	42.4	45.5	38.0	59.3	39.9
496	ROY0_075_0620ad	0.75	0.125	0.125	0.75	0.125	0.125	42.5	44.3	28.0	52.4	32.3
497	R31Y_075_0620ad	0.75	0.125	0.25	0.75	0.125	0.25	42.5	44.3	23.4	50.6	27.0
498	R11Y_075_0620ad	0.75	0.125	0.375	0.75	0.125	0.375	42.5	46.6	17.4	48.8	20.8
499	B69K_075_0620ad	0.75	0.125	0.5	0.75	0.125	0.5	42.5	46.6	11.4	48.1	11.4
500	B59K_075_0620ad	0.75	0.125	0.625	0.75	0.125	0.625	42.5	48.2	4.6	48.7	4.6
501	B59K_075_0620ad	0.75	0.125	0.75	0.75	0.125	0.75	42.5	48.2	4.6	48.7	4.6
502	B42K_087_0750ad	0.75	0.125	0.875	0.875	0.125	0.875	42.5	48.2	4.6	48.7	4.6
503	B36K_100_0870ad	0.75	0.125	1.0	1.0	0.875	0.562	32.1	0.766	0.125	47.8	55.7
504	R31Y_075_0750ad	0.75	0.25	0.0	0.75	0.237	0.0	48.1	61.1	-8.7	62.1	351.9
505	R18Y_075_0620ad	0.75	0.25	0.125	0.75	0.237	0.125	48.5	34.3	44.4	56.2	42.2
506	ROY0_075_0500ad	0.75	0.25	0.25	0.75	0.25	0.25	52.7	35.4	22.4	41.9	32.3
507	R26Y_075_0500ad	0.75	0.25	0.375	0.75	0.25	0.375	52.8	36.0	17.6	40.1	26.1
508	ROY0_075_0500ad	0.75	0.25	0.5	0.75	0.25	0.5	52.9	37.1	10.5	38.5	15.9
509	B01K_075_0500ad	0.75	0.25	0.625	0.75	0.25	0.625	52.9	38.6	4.0	38.8	5.9
510	B30K_075_0500ad	0.75	0.25	0.75	0.75	0.25	0.75	53.0	38.6	-0.1	39.6	399.8
511	B38L_100_0750ad	0.75	0.25	0.875	0.875	0.25	0.875	53.0	44.6	38.0	46.8	34.0
512	B38L_100_0750ad	0.75	0.25	1.0	1.0	0.75	0.625	53.7	51.0	-8.7	51.9	620.0
513	R38Y_075_0750ad	0.75	0.375	0.0	0.75	0.375	0.0	54.7	21.0	51.5	65.9	67.1
514	R38Y_075_0620ad	0.75	0.375	0.125	0.75	0.364	0.125	55.2	24.7	39.1	46.2	57.6
515	R23Y_075_0500ad	0.75	0.375	0.25	0.75	0.366	0.25	56.5	26.7	27.4	38.2	45.7
516	R18Y_075_0500ad	0.75	0.375	0.375	0.75	0.375	0.375	59.0	26.6	16.8	31.4	32.3
517	R18Y_075_0370ad	0.75	0.375	0.5	0.75	0.375	0.5	59.1	27.2	11.7	29.6	23.2
518	B69K_075_0370ad	0.75	0.375	0.625	0.75	0.375	0.625	59.1	28.6	4.4	29.0	8.9
519	B59K_075_0370ad	0.75	0.375	0.75	0.75	0.375	0.75	59.2	29.7	35.8	30.0	359.8
520	B38L_100_0620ad	0.75	0.375	1.0	1.0	0.625	0.625	59.5	40.6	-9.0	41.6	347.4
521	R68Y_075_0750ad	0.75	0.5	0.0	0.75	0.512	0.0	62.2	8.2	60.3	60.8	8.1
522	R68Y_075_0620ad	0.75	0.5	0.125	0.75	0.512	0.125	62.2	10.4	47.9	47.8	10.4
523	R50Y_075_0620ad	0.75	0.5	0.25	0.75	0.512	0.25	62.4	14.4	34.3	37.2	67.1
524	R31Y_075_0570ad	0.75	0.5	0.375	0.75	0.493	0.375	61.1	17.1	22.2	28.1	22.2
525	ROY0_075_0520ad	0.75	0.5	0.5	0.75	0.5	0.5	65.2	17.1	11.2	20.9	32.3
526	ROY0_075_0520ad	0.75	0.5	0.625	0.75	0.5	0.625	65.2	18.5	5.2	19.2	15.9
527	B59K_075_0520ad	0.75	0.5	0.75	0.75	0.5	0.75	65.4	19.8	0.0	19.8	359.8
528	B38L_100_0520ad	0.75	0.5	0.875	0.875	0.5	0.875	65.4	25.3	-4.4	25.9	340.5
529	B38L_100_0500ad	0.75	0.5	1.0	1.0	0.5	0.75	65.6	29.3	-10.3	31.0	340.5
530	R88Y_075_0750ad	0.75	0.625	0.0	0.75	0.637	0.0	67.8	-1.1	66.7	66.7	91.0
531	R88Y_075_0620ad	0.75	0.625	0.125	0.75	0.637	0.125	68.6	5.4	54.6	54.6	89.4
532	R11Y_075_0620ad	0.75	0.625	0.25	0.75	0.633	0.25	69.3	2.1	42.3	42.4	82.1
533	R76Y_075_0500ad	0.75	0.625	0.375	0.75	0.631	0.375	70.0	4.1	30.1	30.4	82.1
534	R68Y_075_0500ad	0.75	0.625	0.5	0.75	0.625	0.5	70.1	7.2	17.1	18.6	67.1
535	ROY0_075_0500ad	0.75	0.625	0.625	0.75	0.625	0.625	71.5	8.8	5.6	10.4	32.3
536	ROY0_075_0500ad	0.75	0.625	0.75	0.75	0.625	0.75	71.6	9.4	-5.1	15.5	340.5
537	B59K_075_0500ad	0.75	0.625	1.0	1.0	0.625	0.625	71.7	14.6	-11.0	20.9	328.1
538	B13K_100_0500ad	0.75	0.625	1.0	1.0	0.375	0.812	28.9	0.0	0.0	0.0	0.0
539	Y06G_075_0750ad	0.75	0.75	0.0	0.75	0.75	0.0	71.9	-7.6	71.6	72.0	96.1
540	Y06G_075_0620ad	0.75	0.75	0.125	0.75	0.75	0.125	72.9	-6.3	39.6	68.0	96.1
541	Y06G_075_0500ad	0.75	0.75	0.25	0.75	0.75	0.25	73.8	-3.8	35.6	68.0	96.1
542	Y06G_075_0500ad	0.75	0.75	0.375	0.75	0.75	0.375	75.8	-3.8	35.6	68.0	96.1
543	Y06G_075_0500ad	0.75	0.75	0.5	0.75	0.75	0.5	75.8	-2.8	23.8	24.0	96.1
544	Y06G_075_0500ad	0.75	0.75	0.625	0.75	0.75	0.625	76.8	-1.2	11.9	12.0	96.1
545	Y06G_100_0750ad	0.75	0.75	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.0
546	Y06G_100_0750ad	0.75	0.75	0.875	0.75	0.75	0.875	77.8	0.0	0.0	0.0	0.0
547	B08K_087_0120ad	0.75	0.75	1.0	1.0	0.875	0.875	77.8	3.6	-5.0	6.2	306.2
548	B08K_100_0870ad	0.75	0.75	1.0	1.0	0.75	0.75	77.8	7.3	-10.1	12.5	306.2
549	Y13G_087_0750ad	0.75	0.875	0.0	0.875	0.875	0.0	77.8	-12.3	77.8	78.7	99.4
550	Y13G_087_0620ad	0.75	0.875	0.125	0.875	0.875	0.125	77.7	-11.0	66.1	67.0	99.4
551	Y18G_087_0620ad	0.75	0.875	0.25	0.875	0.875	0.25	78.6	-9.7	54.1	55.0	104.4
552	Y23G_087_0500ad	0.75	0.875	0.375	0.875	0.875	0.375	79.5	-7.9	42.8	43.0	104.4
553	Y31G_087_0500ad	0.75	0.875	0.5	0.875	0.875	0.5	80.0	-7.9	29.1	30.8	104.4
554	Y50G_087_0250ad	0.75	0.875	0.625	0.875	0.875	0.625	80.4	-7.4	16.6	18.2	114.0
555	G00B_087_0120ad	0.75	0.875	0.75	0.875	0.875	0.75	81.0	-8.1	3.1	8.9	155.5
556	G00B_087_0120ad	0.75	0.875	0.875	0.875	0.875	0.875	81.8	-3.1	-5.1	6.0	238.4
557	G75B_100_0250ad	0.75	0.875	1.0	1.0	0.75	0.75	82.1	-1.0	10.1	10.1	268.2
558	Y23G_100_1000ad	0.75	0.875	1.0	1.0	0.5	1.0	84.3	86.0	101.4	102.6	235.0
559	Y26G_100_0870ad	0.75	0.875	1.0	1.0	0.125	1.0	81.9	-17.0	72.2	74.0	102.6
560	Y31G_100_0750ad	0.75	0.875	1.0	1.0	0.25	1.0	82.3	-15.8	59.6	61.6	108.0
561	Y38G_100_0620ad	0.75	0.875	1.0	1.0	0.375	1.0	82.7	-15.3	46.9	49.4	108.0
562	Y50G_100_0500ad	0.75	0.875	1.0	1.0	0.5	1.0	83.1	-14.5	33.2	36.4	114.0
563	Y68G_100_0370ad	0.75	0.875	1.0	1.0	0.625	1.0	83.1	-14.5	19.9	25.3	127.8
564	G00B_100_0250ad	0.75	0.875	1.0	1.0	0.75	1.0	84.2	-16.2	7.4	17.8	155.5
565	G25B_100_0250ad	0.75	0.875	1.0	1.0	0.25	0.875	84.9	-12.1	12.3	18.9	332.0
566	G50B_100_0250ad	0.75	0.875	1.0	1.0	0.25	0.875	85.9	-6.3	-10.3	12.1	238.4

input: rgb/cmyk -> rgbd
 output: 3D-linearisering til cmy0*dd

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 30/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp* _{sep} Fid	cmyp* _{sep} Fid	delta	hsa_Mid	rgb*Mid	LabC*Mid	cmyp* _{sep} Mid	cmyp* _{sep} Mid	delta
810	NW_1000	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	360	1.0	1.0	0.0	0.0	0.0
811	BOOR_100_012ad	0.875	0.875	1.0	0.875	0.875	0.14	0.131	0.01	270	0.0	1.0	0.0	0.0	95.6
812	BOOR_100_025ad	0.75	0.75	1.0	0.75	0.75	0.14	0.232	0.007	270	0.0	1.0	0.0	0.0	25.0
813	BOOR_100_037ad	0.625	0.625	1.0	0.625	0.625	0.36	0.33	0.00	270	0.0	1.0	0.0	0.0	25.0
814	BOOR_100_050ad	0.5	0.5	1.0	0.5	0.5	0.493	0.447	0.003	270	0.0	1.0	0.0	0.0	25.0
815	BOOR_100_062ad	0.375	0.375	1.0	0.375	0.375	0.62	0.55	0.00	270	0.0	1.0	0.0	0.0	25.0
816	BOOR_100_075ad	0.25	0.25	1.0	0.25	0.25	0.711	0.661	0.00	270	0.0	1.0	0.0	0.0	25.0
817	BOOR_100_087ad	0.125	0.125	1.0	0.125	0.125	0.852	0.826	0.002	270	0.0	1.0	0.0	0.0	25.0
818	BOOR_100_100ad	0.0	0.0	1.0	0.0	0.0	0.999	1.0	0.00	89	1.0	1.0	0.0	0.0	95.6
819	YOGC_100_012ad	0.875	0.875	1.0	0.875	0.875	0.162	0.153	0.00	360	1.0	1.0	0.0	0.0	0.0
820	BOOR_087_012ad	0.875	0.875	0.875	0.875	0.875	0.162	0.153	0.00	360	1.0	1.0	0.0	0.0	0.0
821	BOOR_087_025ad	0.75	0.75	0.875	0.75	0.75	0.309	0.282	0.00	270	0.0	1.0	0.0	0.0	25.0
822	BOOR_087_037ad	0.625	0.625	0.875	0.625	0.625	0.434	0.404	0.00	270	0.0	1.0	0.0	0.0	25.0
823	BOOR_087_050ad	0.5	0.5	0.875	0.5	0.5	0.534	0.504	0.00	270	0.0	1.0	0.0	0.0	25.0
824	BOOR_087_062ad	0.375	0.375	0.875	0.375	0.375	0.628	0.628	0.00	270	0.0	1.0	0.0	0.0	25.0
825	BOOR_087_075ad	0.25	0.25	0.875	0.25	0.25	0.714	0.652	0.00	270	0.0	1.0	0.0	0.0	25.0
826	BOOR_087_087ad	0.125	0.125	0.875	0.125	0.125	0.852	0.819	0.00	270	0.0	1.0	0.0	0.0	25.0
827	BOOR_087_100ad	0.0	0.0	0.875	0.0	0.0	0.999	1.0	0.00	89	1.0	1.0	0.0	0.0	95.6
828	YOGC_100_025ad	0.875	0.875	1.0	0.875	0.875	0.135	0.122	0.00	360	1.0	1.0	0.0	0.0	0.0
829	BOOR_075_012ad	0.875	0.875	1.0	0.875	0.875	0.181	0.177	0.00	360	1.0	1.0	0.0	0.0	0.0
830	BOOR_075_025ad	0.75	0.75	1.0	0.75	0.75	0.299	0.285	0.00	270	0.0	1.0	0.0	0.0	25.0
831	BOOR_075_037ad	0.625	0.625	1.0	0.625	0.625	0.419	0.398	0.00	270	0.0	1.0	0.0	0.0	25.0
832	BOOR_075_050ad	0.5	0.5	1.0	0.5	0.5	0.516	0.52	0.00	270	0.0	1.0	0.0	0.0	25.0
833	BOOR_075_062ad	0.375	0.375	1.0	0.375	0.375	0.642	0.642	0.00	270	0.0	1.0	0.0	0.0	25.0
834	BOOR_075_075ad	0.25	0.25	1.0	0.25	0.25	0.716	0.642	0.00	270	0.0	1.0	0.0	0.0	25.0
835	BOOR_075_087ad	0.125	0.125	1.0	0.125	0.125	0.884	0.884	0.00	270	0.0	1.0	0.0	0.0	25.0
836	BOOR_075_100ad	0.0	0.0	1.0	0.0	0.0	0.999	1.0	0.00	89	1.0	1.0	0.0	0.0	95.6
837	YOGC_100_037ad	0.875	0.875	1.0	0.875	0.875	0.122	0.122	0.00	360	1.0	1.0	0.0	0.0	0.0
838	YOGC_087_012ad	0.875	0.875	0.875	0.875	0.875	0.122	0.122	0.00	360	1.0	1.0	0.0	0.0	0.0
839	YOGC_075_012ad	0.75	0.75	0.875	0.75	0.75	0.281	0.281	0.00	270	0.0	1.0	0.0	0.0	25.0
840	YOGC_075_025ad	0.625	0.625	0.875	0.625	0.625	0.419	0.419	0.00	270	0.0	1.0	0.0	0.0	25.0
841	BOOR_062_012ad	0.625	0.625	1.0	0.625	0.625	0.26	0.26	0.00	360	1.0	1.0	0.0	0.0	0.0
842	BOOR_062_025ad	0.5	0.5	1.0	0.5	0.5	0.362	0.362	0.00	270	0.0	1.0	0.0	0.0	25.0
843	BOOR_062_037ad	0.375	0.375	1.0	0.375	0.375	0.505	0.505	0.00	270	0.0	1.0	0.0	0.0	25.0
844	BOOR_062_050ad	0.25	0.25	1.0	0.25	0.25	0.627	0.627	0.00	270	0.0	1.0	0.0	0.0	25.0
845	BOOR_062_062ad	0.125	0.125	1.0	0.125	0.125	0.807	0.807	0.00	270	0.0	1.0	0.0	0.0	25.0
846	YOGC_100_050ad	1.0	1.0	1.0	1.0	1.0	0.354	0.354	0.00	360	1.0	1.0	0.0	0.0	0.0
847	YOGC_087_037ad	0.875	0.875	1.0	0.875	0.875	0.027	0.027	0.00	89	1.0	1.0	0.0	0.0	95.6
848	YOGC_075_025ad	0.75	0.75	1.0	0.75	0.75	0.113	0.113	0.00	360	1.0	1.0	0.0	0.0	0.0
849	YOGC_062_012ad	0.625	0.625	1.0	0.625	0.625	0.269	0.269	0.00	270	0.0	1.0	0.0	0.0	25.0
850	NW_050ad	0.5	0.5	1.0	0.5	0.5	0.397	0.397	0.00	360	1.0	1.0	0.0	0.0	0.0
851	BOOR_050_012ad	0.375	0.375	1.0	0.375	0.375	0.54	0.54	0.00	270	0.0	1.0	0.0	0.0	25.0
852	BOOR_050_025ad	0.25	0.25	1.0	0.25	0.25	0.645	0.645	0.00	270	0.0	1.0	0.0	0.0	25.0
853	BOOR_050_037ad	0.125	0.125	1.0	0.125	0.125	0.799	0.799	0.00	270	0.0	1.0	0.0	0.0	25.0
854	BOOR_050_050ad	0.0	0.0	1.0	0.0	0.0	0.861	0.861	0.00	270	0.0	1.0	0.0	0.0	25.0
855	YOGC_100_062ad	1.0	1.0	1.0	1.0	1.0	0.459	0.459	0.00	360	1.0	1.0	0.0	0.0	0.0
856	YOGC_087_050ad	0.875	0.875	1.0	0.875	0.875	0.024	0.024	0.00	89	1.0	1.0	0.0	0.0	95.6
857	YOGC_075_037ad	0.75	0.75	1.0	0.75	0.75	0.109	0.109	0.00	360	1.0	1.0	0.0	0.0	0.0
858	YOGC_062_025ad	0.625	0.625	1.0	0.625	0.625	0.267	0.267	0.00	270	0.0	1.0	0.0	0.0	25.0
859	NW_037ad	0.375	0.375	1.0	0.375	0.375	0.522	0.522	0.00	360	1.0	1.0	0.0	0.0	0.0
860	BOOR_037_012ad	0.375	0.375	1.0	0.375	0.375	0.473	0.473	0.00	360	1.0	1.0	0.0	0.0	0.0
861	BOOR_037_025ad	0.25	0.25	1.0	0.25	0.25	0.632	0.632	0.00	270	0.0	1.0	0.0	0.0	25.0
862	BOOR_037_037ad	0.125	0.125	1.0	0.125	0.125	0.792	0.792	0.00	270	0.0	1.0	0.0	0.0	25.0
863	BOOR_037_050ad	0.0	0.0	1.0	0.0	0.0	0.98	0.98	0.00	270	0.0	1.0	0.0	0.0	25.0
864	YOGC_100_075ad	1.0	1.0	1.0	1.0	1.0	0.02	0.02	0.00	360	1.0	1.0	0.0	0.0	0.0
865	YOGC_087_062ad	0.875	0.875	1.0	0.875	0.875	0.117	0.117	0.00	360	1.0	1.0	0.0	0.0	0.0
866	YOGC_075_050ad	0.75	0.75	1.0	0.75	0.75	0.234	0.234	0.00	360	1.0	1.0	0.0	0.0	0.0
867	YOGC_062_037ad	0.625	0.625	1.0	0.625	0.625	0.383	0.383	0.00	270	0.0	1.0	0.0	0.0	25.0
868	YOGC_050_025ad	0.5	0.5	1.0	0.5	0.5	0.446	0.446	0.00	270	0.0	1.0	0.0	0.0	25.0
869	YOGC_037_012ad	0.375	0.375	1.0	0.375	0.375	0.643	0.643	0.00	270	0.0	1.0	0.0	0.0	25.0
870	NW_025ad	0.25	0.25	1.0	0.25	0.25	0.743	0.743	0.00	360	1.0	1.0	0.0	0.0	0.0
871	BOOR_025_012ad	0.125	0.125	1.0	0.125	0.125	0.884	0.884	0.00	270	0.0	1.0	0.0	0.0	25.0
872	YOGC_100_087ad	1.0	1.0	1.0	1.0	1.0	0.02	0.02	0.00	360	1.0	1.0	0.0	0.0	0.0
873	YOGC_087_050ad	0.875	0.875	1.0	0.875	0.875	0.129	0.129	0.00	360	1.0	1.0	0.0	0.0	0.0
874	YOGC_075_062ad	0.75	0.75	1.0	0.75	0.75	0.274	0.274	0.00	360	1.0	1.0	0.0	0.0	0.0
875	YOGC_062_050ad	0.625	0.625	1.0	0.625	0.625	0.391	0.391	0.00	270	0.0	1.0	0.0	0.0	25.0
876	YOGC_050_037ad	0.5	0.5	1.0	0.5	0.5	0.516	0.516	0.00	270	0.0	1.0	0.0	0.0	25.0
877	YOGC_050_050ad	0.375	0.375	1.0	0.375	0.375	0.637	0.637	0.00	270	0.0	1.0	0.0	0.0	25.0
878	YOGC_037_025ad	0.375	0.375	1.0	0.375	0.375	0.732	0.732	0.00	270	0.0	1.0	0.0	0.0	25.0
879	YOGC_025_012ad	0.125	0.125	1.0	0.125	0.125	0.885	0.885	0.00	270	0.0	1.0	0.0	0.0	25.0
880	NW_012ad	0.0	0.0	1.0	0.0	0.0	0.986	0.986	0.00	270	0.0	1.0	0.0	0.0	25.0
881	BOOR_012_012ad	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.00	360	1.0	1.0	0.0	0.0	0.0
882	YOGC_100_100ad	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.00	360	1.0	1.0	0.0	0.0	0.0
883	YOGC_087_087ad	0.875	0.875	1.0	0.875	0.875	0.148	0.148	0.00	360	1.0	1.0	0.0	0.0	0.0
884	YOGC_075_075ad	0.75	0.75	1.0	0.75	0.75	0.285	0.285	0.00	360	1.0	1.0	0.0	0.0	0.0
885	YOGC_062_062ad	0.625	0.625	1.0	0.625	0.625	0.401	0.401	0.00	270	0.0	1.0	0.0	0.0	25.0
886	YOGC_050_050ad	0.5	0.5	1.0	0.5	0.5	0.524	0.524	0.00	270	0.0	1.0	0.0	0.0	25.0
887	YOGC_037_037ad	0.375	0.375	1.0	0.375	0.375	0.643	0.643	0.00	270	0.0	1.0	0.0	0.0	25.0
888	YOGC_025_025ad	0.25	0.25	1.0	0.25	0.25	0.729	0.729	0.00	270	0.0				

http://130.149.60.45/~farbmetrik/QN47/QN47L0FA.TXT / .PS; 3D-linearisering
 F: 3D-linearisering QN47/QN47L30FA.DAT i fil (F), side 31/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp* _{sep} Fid	cmyp* _{sep} Fid	delta	rgb*Mid	LabC*Mid	0.0
891	NW_1000	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	1.0	1.0	0.0
892	NW_0875	1.0	0.875	1.0	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
893	NW_0750	1.0	0.75	1.0	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
894	NW_0625	1.0	0.625	1.0	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
895	NW_0500	1.0	0.5	1.0	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
896	NW_0375	1.0	0.375	1.0	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
897	NW_0250	1.0	0.25	1.0	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
898	NW_0125	1.0	0.125	1.0	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
899	NW_0000	1.0	0.0	1.0	0.0	95.6	0.0	0.0	0.0	1.0	1.0	0.0
900	NW_0875	0.875	1.0	0.875	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
901	NW_0750	0.875	0.875	0.875	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
902	NW_0625	0.875	0.75	0.875	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
903	NW_0500	0.875	0.625	0.875	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
904	NW_0375	0.875	0.5	0.875	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
905	NW_0250	0.875	0.375	0.875	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
906	NW_0125	0.875	0.25	0.875	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
907	NW_0000	0.875	0.125	0.875	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
908	NW_0875	0.75	1.0	0.75	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
909	NW_0750	0.75	0.875	0.75	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
910	NW_0625	0.75	0.75	0.75	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
911	NW_0500	0.75	0.625	0.75	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
912	NW_0375	0.75	0.5	0.75	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
913	NW_0250	0.75	0.375	0.75	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
914	NW_0125	0.75	0.25	0.75	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
915	NW_0000	0.75	0.125	0.75	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
916	NW_0875	0.625	1.0	0.625	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
917	NW_0750	0.625	0.875	0.625	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
918	NW_0625	0.625	0.75	0.625	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
919	NW_0500	0.625	0.625	0.625	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
920	NW_0375	0.625	0.5	0.625	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
921	NW_0250	0.625	0.375	0.625	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
922	NW_0125	0.625	0.25	0.625	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
923	NW_0000	0.625	0.125	0.625	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
924	NW_0875	0.5	1.0	0.5	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
925	NW_0750	0.5	0.875	0.5	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
926	NW_0625	0.5	0.75	0.5	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
927	NW_0500	0.5	0.625	0.5	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
928	NW_0375	0.5	0.5	0.5	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
929	NW_0250	0.5	0.375	0.5	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
930	NW_0125	0.5	0.25	0.5	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
931	NW_0000	0.5	0.125	0.5	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
932	NW_0875	0.4375	1.0	0.4375	0.4375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
933	NW_0750	0.4375	0.875	0.4375	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
934	NW_0625	0.4375	0.75	0.4375	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
935	NW_0500	0.4375	0.625	0.4375	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
936	NW_0375	0.4375	0.5	0.4375	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
937	NW_0250	0.4375	0.375	0.4375	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
938	NW_0125	0.4375	0.25	0.4375	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
939	NW_0000	0.4375	0.125	0.4375	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
940	NW_0875	0.375	1.0	0.375	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
941	NW_0750	0.375	0.875	0.375	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
942	NW_0625	0.375	0.75	0.375	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
943	NW_0500	0.375	0.625	0.375	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
944	NW_0375	0.375	0.5	0.375	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
945	NW_0250	0.375	0.375	0.375	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
946	NW_0125	0.375	0.25	0.375	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
947	NW_0000	0.375	0.125	0.375	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
948	NW_0875	0.3125	1.0	0.3125	0.3125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
949	NW_0750	0.3125	0.875	0.3125	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
950	NW_0625	0.3125	0.75	0.3125	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
951	NW_0500	0.3125	0.625	0.3125	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
952	NW_0375	0.3125	0.5	0.3125	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
953	NW_0250	0.3125	0.375	0.3125	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
954	NW_0125	0.3125	0.25	0.3125	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
955	NW_0000	0.3125	0.125	0.3125	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
956	NW_0875	0.25	1.0	0.25	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
957	NW_0750	0.25	0.875	0.25	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
958	NW_0625	0.25	0.75	0.25	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
959	NW_0500	0.25	0.625	0.25	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
960	NW_0375	0.25	0.5	0.25	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
961	NW_0250	0.25	0.375	0.25	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
962	NW_0125	0.25	0.25	0.25	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
963	NW_0000	0.25	0.125	0.25	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0
964	NW_0875	0.1875	1.0	0.1875	0.1875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
965	NW_0750	0.1875	0.875	0.1875	0.875	95.6	0.0	0.0	0.0	1.0	1.0	0.0
966	NW_0625	0.1875	0.75	0.1875	0.75	95.6	0.0	0.0	0.0	1.0	1.0	0.0
967	NW_0500	0.1875	0.625	0.1875	0.625	95.6	0.0	0.0	0.0	1.0	1.0	0.0
968	NW_0375	0.1875	0.5	0.1875	0.5	95.6	0.0	0.0	0.0	1.0	1.0	0.0
969	NW_0250	0.1875	0.375	0.1875	0.375	95.6	0.0	0.0	0.0	1.0	1.0	0.0
970	NW_0125	0.1875	0.25	0.1875	0.25	95.6	0.0	0.0	0.0	1.0	1.0	0.0
971	NW_0000	0.1875	0.125	0.1875	0.125	95.6	0.0	0.0	0.0	1.0	1.0	0.0

input: rgb/cmyk -> rgbd
 output: 3D-linearisering til cmy0*dd

TUB-prøveplanse QN47; farbetoneplan: H*d=Y25Gd
 farger og fargeavstander, ΔE*_{ab}

