

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$


Datos del dispositivo (d) o elemental (e) color:

$HIC^*_-$

código de tono para los colores de esta página:

$H^*_- = R50Y_-$

triángulo claridad  $T^*$



**ORS18a; datos adaptados CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$ : 68 25 63 68 68

$HIC^*_{-,Ma}$ : R50Y\_100\_100\_

$rgbic^*_{-,Ma}$ :

1.0 0.5 0.0 1.0 1.0

triángulo claridad  $T^*$

%Gama

$u^*_{rel} = 92$



%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; datos adaptados CIELAB (a)**

$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
 aplicación para la medida salida en la impresión offset


TUB material: code=rh4ta

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Datos del dispositivo (d) o elemental (e) color:

$HIC^*_d$   
código de tono para los colores  
esta página:  
 $H^*_d = R50Y_d$   
triángulo claridad  $T^*$



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

LabCh<sup>\*</sup><sub>d,Ma</sub>: 64 28 68 74 67

$HIC^*_d, Ma$ : R50Y\_100\_100d



rgbic<sup>\*</sup><sub>d,Ma</sub>:  
1.0 0.5 0.0 1.0 1.0

triángulo claridad  $T^*$

%Gama  
 $u^*_{rel} = 92$   
%Regularidad  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15




vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta

gráfico TUB-QS17; código de tono:  $H^*_d=R50Y_d$   
gráfico según a DIN 33872, 3D=1, de=0,  $cmy0^*$

entrada:  $rgb/cmyk \rightarrow rgb_{dd}$   
salida: 3D-linealización a  $cmy0^*_{dd}$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Datos del dispositivo (d) o elemental (e) color:

$HIC^*_d$   
código de tono para los colores  
esta página:  
 $H^*_d = R50Y_d$   
triángulo claridad  $T^*$



**ORS20a; datos adaptados CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_d, Ma: 64\ 28\ 68\ 74\ 67$

$HIC^*_d, Ma: R50Y\_100\_100_d$

$rgbic^*_d, Ma:$



1.0 0.5 0.0 1.0 1.0

triángulo claridad  $T^*$

%Gama  
 $u^*_{rel} = 92$   
%Regularidad  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; datos adaptados CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15





vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta

gráfico TUB-QS17; código de tono:  $H^*_d=R50Y_d$   
gráfico según a DIN 33872, 3D=1, de=0,  $cmy0^*$

entrada:  $rgb/cmyk \rightarrow rgb_{dd}$   
salida: 3D-linealización a  $cmy0^*_{dd}$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Datos del dispositivo (d) o elemental (e) color:

$HIC^*_d$   
código de tono para los colores  
esta página:  
 $H^*_d = R50Y_d$   
triángulo claridad  $T^*$



**ORS20a; datos adaptados CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_d, Ma$ : 64 28 68 74 67

$HIC^*_d, Ma$ : R50Y\_100\_100d



$rgbic^*_d, Ma$ :  
1.0 0.5 0.0 1.0 1.0

triángulo claridad  $T^*$

%Gama  
 $u^*_{rel} = 92$   
%Regularidad  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; datos adaptados CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Datos del dispositivo (d) o elemental (e) color:

$HIC^*_d$   
código de tono para los colores de esta página:  
 $H^*_d = R50Y_d$   
triángulo claridad  $T^*$



**ORS20a; datos adaptados CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{d,Ma}$ : 64 28 68 74 67

$HIC^*_{d,Ma}$ : R50Y\_100\_100d



$rgbic^*_{d,Ma}$ : 1.0 0.5 0.0 1.0 1.0

triángulo claridad  $T^*$

%Gama  
 $u^*_{rel} = 92$   
%Regularidad  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



**ORS20a; datos adaptados CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15






vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta





Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBS:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; Six hue angles of the device colours RYGCBS:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGCBS:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$   
 $rgb^*_d, LCH^*_d, LAB^*_d$   
 $h_{ab,s}, rgb^*_s$   
 $h_{ab,s} = atan [ r^*_d cos(30) + g^*_d cos(150) ] / [ r^*_d sin(30) + g^*_d sin(150) + b^*_d sin(270) ]$  (1)  
 $h_{ab,s}$   
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$   
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (2)  
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (3)  
 $h_{ab,e}$   
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$   
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (4)  
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (5)  
 $h_{ab}, h_{ab,d}$   
 $rgb^*_e$

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS17/QS17.HTM  
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik


TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta





Data of maximum color M in colorimetric system offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>dx64M</sub>, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dx361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dsx361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh). Rows contain numerical data for various color patches.



vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS17/QS17.HTM  
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik


TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4tra





Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCMB<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCMB<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	45.4 70.9 44.8 83.9 32.3
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	48.9 62.8 49.4 79.9 38.1
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	53.6 51.9 55.5 76.0 46.8
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	59.1 40.3 62.0 74.0 56.9
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	64.9 28.9 68.6 74.5 67.1
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	72.1 15.4 77.1 78.6 78.6
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	77.9 5.4 83.8 84.0 86.2
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83	83.4 -3.4 90.2 90.2 92.1
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92	87.8 -10.2 95.4 96.0 96.1
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100	84.3 -13.9 89.2 90.3 98.8
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109	80.7 -17.5 83.5 85.3 101.8
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117	75.3 -24.0 75.7 79.4 107.6
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127	70.6 -29.7 66.5 72.8 114.0
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135	65.7 -35.6 58.3 68.3 121.4
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144	58.4 -47.3 46.8 66.6 135.3
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152	54.7 -53.9 38.5 66.3 144.4
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162	50.0 -65.0 29.6 71.4 155.5
160.7	157.5	169.0	0.0 1.0 0.125 50.5	-62.8 21.9 66.5 160.7	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168	-62.8 21.9 66.5 160.7
167.7	165.0	175.9	0.0 1.0 0.25 51.2	-58.9 12.7 60.3 167.7	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175	-58.9 12.7 60.3 167.7
176.7	172.5	182.7	0.0 1.0 0.375 52.0	-54.5 3.1 54.6 176.7	0.0 1.0 0.43 52.5 -52.2 2.0 52.3 182	-54.5 3.1 54.6 176.7
189.3	180.0	189.6	0.0 1.0 0.5 52.9	-48.6 -8.0 49.3 189.3	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189	-48.6 -8.0 49.3 189.3
203.2	187.5	196.4	0.0 1.0 0.625 54.0	-42.3 -18.1 46.1 203.2	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195	-42.3 -18.1 46.1 203.2
217.2	195.0	203.2	0.0 1.0 0.75 55.0	-36.0 -27.4 45.3 217.2	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203	-36.0 -27.4 45.3 217.2
228.3	202.5	210.1	0.0 1.0 0.875 55.8	-30.7 -34.5 46.2 228.3	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209	-30.7 -34.5 46.2 228.3
238.4	210.0	216.9	0.0 1.0 1.0 56.8	-25.5 -41.5 48.7 238.4	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216	-25.5 -41.5 48.7 238.4
242.9	217.5	223.8	0.0 0.875 1.0 54.1	-21.1 -41.3 46.4 242.9	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223	-21.1 -41.3 46.4 242.9
249.3	225.0	230.6	0.0 0.75 1.0 50.4	-15.5 -41.1 43.9 249.3	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230	-15.5 -41.1 43.9 249.3
256.9	232.5	237.5	0.0 0.625 1.0 46.5	-9.4 -40.8 41.9 256.9	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237	-9.4 -40.8 41.9 256.9
268.2	240.0	244.3	0.0 0.5 1.0 41.7	-1.2 -40.6 40.6 268.2	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244	-1.2 -40.6 40.6 268.2
278.6	247.5	251.2	0.0 0.375 1.0 37.3	6.1 -40.2 40.7 278.6	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250	6.1 -40.2 40.7 278.6
289.6	255.0	258.0	0.0 0.25 1.0 32.8	14.3 -40.2 42.7 289.6	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258	14.3 -40.2 42.7 289.6
299.0	262.5	264.8	0.0 0.125 1.0 28.6	22.4 -40.2 46.1 299.0	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264	22.4 -40.2 46.1 299.0
306.2	270.0	271.7	0.0 0.0 1.0 25.0	29.5 -40.4 50.0 306.2	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271	29.5 -40.4 50.0 306.2
314.7	277.5	278.8	0.125 0.0 1.0 27.9	36.0 -36.4 51.2 314.7	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278	36.0 -36.4 51.2 314.7
322.1	285.0	285.9	0.25 0.0 1.0 28.8	41.9 -32.5 53.1 322.1	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285	41.9 -32.5 53.1 322.1
333.3	292.5	293.0	0.375 0.0 1.0 32.7	51.8 -26.0 58.0 333.3	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292	51.8 -26.0 58.0 333.3
340.5	300.0	300.1	0.5 0.0 1.0 35.6	58.6 -20.7 62.1 340.5	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300	58.6 -20.7 62.1 340.5
347.9	307.5	307.2	0.625 0.0 1.0 38.1	65.4 -14.0 66.9 347.9	0.009 0.0 1.0 25.3 30.1 -40.1 50.2 306	65.4 -14.0 66.9 347.9
352.5	315.0	314.3	0.75 0.0 1.0 41.8	71.0 -9.2 71.6 352.5	0.012 0.0 1.0 27.8 35.8 -36.5 51.2 314	71.0 -9.2 71.6 352.5
356.1	322.5	321.4	0.875 0.0 1.0 44.2	75.2 -5.0 75.3 356.1	0.0231 0.0 1.0 28.7 41.1 -33.2 52.9 321	75.2 -5.0 75.3 356.1
359.8	330.0	328.6	1.0 0.0 1.0 46.1	79.3 -0.2 79.3 359.8	0.0322 0.0 1.0 31.1 47.8 -29.1 56.0 328	79.3 -0.2 79.3 359.8
363.0	337.5	335.7	1.0 0.0 0.875 45.9	78.2 4.1 78.3 363.0	0.0408 0.0 1.0 33.5 53.7 -24.7 59.1 335	78.2 4.1 78.3 363.0
366.4	345.0	342.8	1.0 0.0 0.75 45.9	77.1 8.6 77.6 366.4	0.0539 0.0 1.0 36.4 60.8 -18.7 63.7 342	77.1 8.6 77.6 366.4
371.1	352.5	349.9	1.0 0.0 0.625 46.0	75.6 14.8 77.0 371.1	0.0667 0.0 1.0 39.3 67.4 -12.4 68.5 349	75.6 14.8 77.0 371.1
375.9	360.0	357.0	1.0 0.0 0.5 45.9	74.2 21.1 77.1 375.9	0.0736 0.0 1.0 41.4 70.5 -9.7 71.1 352	74.2 21.1 77.1 375.9
381.2	367.5	364.1	1.0 0.0 0.375 45.8	72.9 28.3 78.3 381.2	0.0810 0.0 1.0 46.1 79.3 -0.1 79.3 359	72.9 28.3 78.3 381.2
385.6	375.0	371.2	1.0 0.0 0.25 45.6	72.1 34.6 80.0 385.6	0.0910 0.0 1.0 0.687 46.0 76.5 11.8 77.4 368	72.1 34.6 80.0 385.6
389.3	382.5	378.3	1.0 0.0 0.125 45.5	71.4 40.1 81.9 389.3	0.0990 0.0 1.0 0.485 45.9 74.1 22.0 77.3 376	71.4 40.1 81.9 389.3
392.3	390.0	385.4	1.0 0.0 0.0 45.4	70.9 44.8 83.9 392.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385	70.9 44.8 83.9 392.3



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* d361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* de361Mi	R <sub>c</sub>	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.0	0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	0.0 0.0 0.0		1.0 0.0 0.0	0.0 0.0 0.0		
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055	45.5 71.2 42.8 83.1 31		1.0 0.017 0.0		1.0 0.0 0.218	45.6 72.0 36.1 80.6 26	1.0 0.017 0.0		
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013	45.5 71.0 44.4 83.7 32		1.0 0.033 0.0		1.0 0.0 0.18	45.6 71.8 37.7 81.1 27	1.0 0.033 0.0		
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0	45.9 70.0 45.5 83.5 33		1.0 0.05 0.0		1.0 0.0 0.142	45.6 71.6 39.4 81.7 28	1.0 0.05 0.0		
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0	46.5 68.6 46.3 82.8 34		1.0 0.067 0.0		1.0 0.0 0.099	45.5 71.4 41.1 82.4 29	1.0 0.067 0.0		
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0	47.1 67.3 47.1 82.1 35		1.0 0.083 0.0		1.0 0.0 0.053	45.5 71.2 42.9 83.1 31	1.0 0.083 0.0		
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0	47.6 65.9 47.9 81.4 36		1.0 0.1 0.0		1.0 0.0 0.006	45.5 71.0 44.6 83.8 32	1.0 0.1 0.0		
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0	48.2 64.5 48.6 80.7 37		1.0 0.117 0.0		1.0 0.021 0.0	46.0 69.6 45.7 83.3 33	1.0 0.117 0.0		
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0	48.8 63.1 49.3 80.1 38		1.0 0.133 0.0		1.0 0.044 0.0	46.7 68.1 46.6 82.5 34	1.0 0.133 0.0		
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0	49.4 61.8 50.1 79.6 39		1.0 0.15 0.0		1.0 0.068 0.0	47.4 66.6 47.5 81.8 35	1.0 0.15 0.0		
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0	49.9 60.6 50.9 79.1 40		1.0 0.167 0.0		1.0 0.092 0.0	48.0 65.0 48.3 81.0 36	1.0 0.167 0.0		
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0	50.5 59.4 51.6 78.7 41		1.0 0.183 0.0		1.0 0.116 0.0	48.7 63.5 49.1 80.2 37	1.0 0.183 0.0		
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0	51.0 58.1 52.3 78.2 42		1.0 0.2 0.0		1.0 0.135 0.0	49.3 62.0 49.9 79.6 38	1.0 0.2 0.0		
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0	51.6 56.9 53.0 77.8 43		1.0 0.217 0.0		1.0 0.151 0.0	49.9 60.7 50.8 79.1 39	1.0 0.217 0.0		
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0	52.1 55.6 53.7 77.3 44		1.0 0.233 0.0		1.0 0.167 0.0	50.5 59.3 51.7 78.6 41	1.0 0.233 0.0		
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0	52.7 54.4 54.4 76.9 45		1.0 0.25 0.0		1.0 0.183 0.0	51.1 57.9 52.5 78.1 42	1.0 0.25 0.0		
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0	53.2 53.1 55.0 76.4 46		1.0 0.267 0.0		1.0 0.198 0.0	51.7 56.5 53.2 77.6 43	1.0 0.267 0.0		
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0	53.7 51.8 55.6 76.0 47		1.0 0.283 0.0		1.0 0.214 0.0	52.3 55.1 54.0 77.1 44	1.0 0.283 0.0		
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0	54.3 50.7 56.3 75.8 48		1.0 0.3 0.0		1.0 0.23 0.0	52.9 53.7 54.7 76.6 45	1.0 0.3 0.0		
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0	54.8 49.6 57.1 75.6 49		1.0 0.317 0.0		1.0 0.246 0.0	53.5 52.3 55.4 76.1 46	1.0 0.317 0.0		
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0	55.4 48.5 57.8 75.4 50		1.0 0.333 0.0		1.0 0.261 0.0	54.2 51.0 56.2 75.9 47	1.0 0.333 0.0		
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0	55.9 47.3 58.5 75.2 51		1.0 0.35 0.0		1.0 0.274 0.0	54.8 49.8 57.0 75.6 48	1.0 0.35 0.0		
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0	56.5 46.2 59.1 75.0 52		1.0 0.367 0.0		1.0 0.288 0.0	55.4 48.5 57.8 75.4 49	1.0 0.367 0.0		
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0	57.0 45.0 59.8 74.8 53		1.0 0.383 0.0		1.0 0.302 0.0	56.0 47.2 58.5 75.2 51	1.0 0.383 0.0		
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0	57.6 43.9 60.4 74.6 54		1.0 0.4 0.0		1.0 0.316 0.0	56.6 45.9 59.3 75.0 52	1.0 0.4 0.0		
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0	58.1 42.7 61.0 74.4 55		1.0 0.417 0.0		1.0 0.33 0.0	57.2 44.6 60.0 74.8 53	1.0 0.417 0.0		
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0	58.6 41.5 61.5 74.2 56		1.0 0.433 0.0		1.0 0.343 0.0	57.8 43.3 60.6 74.5 54	1.0 0.433 0.0		
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0	59.2 40.3 62.1 74.0 57		1.0 0.45 0.0		1.0 0.357 0.0	58.4 42.0 61.3 74.3 55	1.0 0.45 0.0		
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0	59.8 39.3 62.8 74.1 58		1.0 0.467 0.0		1.0 0.371 0.0	59.0 40.7 61.9 74.1 56	1.0 0.467 0.0		
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0	60.3 38.2 63.5 74.1 59		1.0 0.483 0.0		1.0 0.385 0.0	59.6 39.5 62.7 74.1 57	1.0 0.483 0.0		
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0	60.9 37.1 64.2 74.2 60		1.0 0.5 0.0		1.0 0.398 0.0	60.3 38.3 63.5 74.1 58	1.0 0.5 0.0		
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0	61.4 36.0 64.9 74.2 61		1.0 0.517 0.0		1.0 0.412 0.0	60.9 37.1 64.2 74.2 60	1.0 0.517 0.0		
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0	62.0 34.9 65.6 74.3 62		1.0 0.533 0.0		1.0 0.426 0.0	61.5 35.8 65.0 74.2 61	1.0 0.533 0.0		
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0	62.6 33.7 66.2 74.3 63		1.0 0.55 0.0		1.0 0.439 0.0	62.1 34.6 65.7 74.3 62	1.0 0.55 0.0		
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0	63.1 32.6 66.9 74.4 64		1.0 0.567 0.0		1.0 0.453 0.0	62.8 33.3 66.4 74.3 63	1.0 0.567 0.0		
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0	63.7 31.5 67.5 74.4 65		1.0 0.583 0.0		1.0 0.467 0.0	63.4 32.1 67.1 74.4 64	1.0 0.583 0.0		
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0	64.2 30.3 68.0 74.5 66		1.0 0.6 0.0		1.0 0.48 0.0	64.0 30.8 67.8 74.5 65	1.0 0.6 0.0		
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0	64.8 29.1 68.6 74.5 67		1.0 0.617 0.0		1.0 0.494 0.0	64.6 29.5 68.4 74.5 66	1.0 0.617 0.0		
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0	65.4 28.0 69.4 74.8 68		1.0 0.633 0.0		1.0 0.507 0.0	65.3 28.2 69.2 74.8 67	1.0 0.633 0.0		
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0	66.1 26.9 70.2 75.2 69		1.0 0.65 0.0		1.0 0.519 0.0	66.0 27.0 70.1 75.2 68	1.0 0.65 0.0		
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0	66.7 25.8 71.0 75.6 70		1.0 0.667 0.0		1.0 0.531 0.0	66.7 25.8 71.0 75.6 70	1.0 0.667 0.0		
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0	67.3 24.7 71.8 75.9 71		1.0 0.683 0.0		1.0 0.543 0.0	67.4 24.6 71.9 76.0 71	1.0 0.683 0.0		
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0	67.9 23.6 72.6 76.3 72		1.0 0.7 0.0		1.0 0.555 0.0	68.1 23.3 72.8 76.4 72	1.0 0.7 0.0		
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0	68.6 22.4 73.3 76.6 73		1.0 0.717 0.0		1.0 0.568 0.0	68.8 22.0 73.6 76.8 73	1.0 0.717 0.0		
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0	69.2 21.2 74.0 77.0 74		1.0 0.733 0.0		1.0 0.58 0.0	69.5 20.6 74.4 77.2 74	1.0 0.733 0.0		
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0	69.8 20.0 74.7 77.4 75		1.0 0.75 0.0		1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0		

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM: h<sub>abe</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi																				
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0			
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0			
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0			
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0			
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0			
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0			
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0			
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0			
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0			
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0			
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0			
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	81.5	0.0	88.1	88.1	90	1.0	0.967	0.0			
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.808	0.0	80.5	1.5	86.9	86.9	89	1.0	0.983	0.0	82.6	-1.8	89.2	89.3	91	1.0	0.983	0.0			
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	95.0	96	Y <sub>d</sub>	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	Y <sub>s</sub>	1.0	1.0	0.0	83.6	-3.6	90.4	90.5	92	Y <sub>e</sub>	1.0	1.0	0.0
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.85	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	84.9	-5.5	92.0	92.2	93	0.983	1.0	0.0			
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.871	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	86.2	-7.5	93.6	93.9	94	0.967	1.0	0.0			
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.901	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	87.5	-9.6	95.1	95.6	95	0.95	1.0	0.0			
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	89.6	-11.3	93.6	94.3	96	0.933	1.0	0.0			
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	90.7	-12.9	90.9	91.8	98	0.917	1.0	0.0			
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	93.8	-14.4	88.4	89.6	99	0.9	1.0	0.0			
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	98.7	-15.8	86.2	87.7	100	0.883	1.0	0.0			
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	101.0	-17.2	84.0	85.7	101	0.867	1.0	0.0			
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	102.0	-18.6	82.3	84.4	102	0.85	1.0	0.0			
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	103.0	-20.0	80.8	83.2	103	0.833	1.0	0.0			
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	105.0	-21.3	79.2	82.0	105	0.817	1.0	0.0			
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	106.0	-22.6	77.6	80.8	106	0.8	1.0	0.0			
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	107.0	-23.8	76.0	79.6	107	0.783	1.0	0.0			
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	108.0	-25.0	74.3	78.4	108	0.767	1.0	0.0			
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	109.0	-26.1	72.7	77.3	109	0.75	1.0	0.0			
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	110.0	-27.1	71.0	76.1	110	0.733	1.0	0.0			
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	112.0	-28.1	69.3	74.9	112	0.717	1.0	0.0			
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	113.0	-29.0	67.7	73.7	113	0.7	1.0	0.0			
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	114.0	-30.0	66.1	72.6	114	0.683	1.0	0.0			
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	115.0	-31.0	64.8	71.9	115	0.667	1.0	0.0			
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	116.0	-32.0	63.5	71.2	116	0.65	1.0	0.0			
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	117.0	-32.9	62.2	70.5	117	0.633	1.0	0.0			
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	119.0	-33.8	60.9	69.7	119	0.617	1.0	0.0			
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	120.0	-34.7	59.6	69.0	120	0.6	1.0	0.0			
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	121.0	-35.5	58.3	68.3	121	0.583	1.0	0.0			
110	116	122	0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	0.467	1.0	0.0	69.3	-31.3	64.4	71.7	116	0.567	1.0	0.0	122.0	-36.6	57.4	68.2	122	0.567	1.0	0.0			
111	117	123	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	0.45	1.0	0.0	68.7	-32.2	63.3	71.0	117	0.55	1.0	0.0	123.0	-37.7	56.6	68.0	123	0.55	1.0	0.0			
112	118	124	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	0.433	1.0	0.0	68.0	-33.0	62.2	70.4	118	0.533	1.0	0.0	124.0	-38.8	55.7	67.9	124	0.533	1.0	0.0			
113	119	126	0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	0.416	1.0	0.0	67.3	-33.7	61.1	69.8	119	0.517	1.0	0.0	126.0	-39.8	54.7	67.8	126	0.517					

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)														
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0	
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0	
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0	
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0	
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0	
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0	
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0	
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0	
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0	
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0	
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0	
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0	
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0	
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0	
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0	
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0	
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0	
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0	
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0	
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0	
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0	
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0	
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0	
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0	
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0	
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	50.0	-66.0	28.8	72.0	156	0.083	1.0	0.0	
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	50.0	-67.2	28.5	72.5	157	0.066	1.0	0.0	
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	50.0	-68.4	28.2	73.0	158	0.049	1.0	0.0	
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	50.0	-69.6	27.9	73.5	159	0.033	1.0	0.0	
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	50.0	-70.8	27.6	74.0	161	0.016	1.0	0.0	
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.0	50.0	-72.0	27.3	74.5	162	0.0	1.0	0.0	
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	50.0	-73.2	27.0	75.0	163	0.0	1.0	0.017	
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	50.0	-74.4	26.7	75.5	164	0.0	1.0	0.033	
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	50.0	-75.6	26.4	76.0	164	0.0	1.0	0.05	
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	50.0	-76.8	26.1	76.5	165	0.0	1.0	0.067	
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	50.0	-78.0	25.8	77.0	166	0.0	1.0	0.083	
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	50.0	-79.2	25.5	77.5	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	50.0	-80.4	25.2	78.0	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	50.0	-81.6	24.9	78.5	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	50.0	-82.8	24.6	79.0	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6	18.7	64.4	163	0.0	1.0	0.0	0.107	50.5	-63.1	23.0	67.2	160	0.0	1.0	0.167	50.0	-84.0	24.3	79.5	171	0.0	1.0	0.167
164	161	172	0.0	1.0	0.183	50.8	-61.1	17.4	63.6	164	0.0	1.0	0.0	0.129	50.6	-62.6	21.6	66.3	161	0.0	1.0	0.183	50.0	-85.2	24.0	80.0	172	0.0	1.0	0.183
164	162	173	0.0	1.0	0.2	50.9	-60.6	16.2	62.7	164	0.0	1.0	0.0	0.147	50.7	-62.1	20.2	65.4	162	0.0	1.0	0.2	50.0	-86.4	23.7	80.5	173	0.0	1.0	0.2
165	163	174	0.0	1.0	0.216	51.0	-60.1	15.0	61.9	165	0.0	1.0	0.0	0.165	50.8	-61.6	18.9	64.5	163	0.0	1.0	0.217	50.0	-87.6	23.4	81.0				



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>dd361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>dc361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4t4

2-1031231-L0 QS170-72 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

salida: Offset standard print; separation cmy0\*, D65, página 13/33

gráfico TUB-QS17; código de tono: H\*d=R50Yd  
círculo de tono, 48 pasos; rgb-LabCh\*mesas

entrada: rgb/cmyk -> rgb<sub>dd</sub>  
salida: 3D-linealización a cmy0\*<sub>dd</sub>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGCMB<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCMB<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi																																	
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C <sub>d</sub>	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C <sub>s</sub>	0.0	1.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C <sub>c</sub>	0.0	1.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.983	1.0
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211		0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217		0.0	0.983	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.967	1.0		
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212		0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218		0.0	0.967	1.0	0.0	1.0	0.951	1.0	0.0	1.0	0.951	1.0		
240	213	219	0.0	0.951	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213		0.0	0.951	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219		0.0	0.951	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.933	1.0		
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214		0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220		0.0	0.933	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.917	1.0		
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.733	54.9	-37.1	-26.0	45.4	215		0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221		0.0	0.917	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216		0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222		0.0	0.9	1.0	0.0	1.0	0.883	1.0	0.0	1.0	0.883	1.0		
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217		0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223		0.0	0.883	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218		0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224		0.0	0.867	1.0	0.0	1.0	0.85	1.0	0.0	1.0	0.85	1.0		
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219		0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225		0.0	0.85	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0		
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220		0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226		0.0	0.833	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.817	1.0		
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221		0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.817	1.0	0.0	1.0	0.8	1.0	0.0	1.0	0.8	1.0		
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222		0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227		0.0	0.8	1.0	0.0	1.0	0.783	1.0	0.0	1.0	0.783	1.0		
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223		0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228		0.0	0.783	1.0	0.0	1.0	0.767	1.0	0.0	1.0	0.767	1.0		
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224		0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229		0.0	0.767	1.0	0.0	1.0	0.75	1.0	0.0	1.0	0.75	1.0		
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225		0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230		0.0	0.75	1.0	0.0	1.0	0.733	1.0	0.0	1.0	0.733	1.0		
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226		0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231		0.0	0.733	1.0	0.0	1.0	0.717	1.0	0.0	1.0	0.717	1.0		
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232		0.0	0.717	1.0	0.0	1.0	0.7	1.0	0.0	1.0	0.7	1.0		
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228		0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233		0.0	0.7	1.0	0.0	1.0	0.683	1.0	0.0	1.0	0.683	1.0		
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229		0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234		0.0	0.683	1.0	0.0	1.0	0.666	1.0	0.0	1.0	0.666	1.0		
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230		0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235		0.0	0.667	1.0	0.0	1.0	0.65	1.0	0.0	1.0	0.65	1.0		
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231		0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236		0.0	0.65	1.0	0.0	1.0	0.633	1.0	0.0	1.0	0.633	1.0		
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232		0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237		0.0	0.633	1.0	0.0	1.0	0.617	1.0	0.0	1.0	0.617	1.0		
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233		0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237		0.0	0.617	1.0	0.0	1.0	0.6	1.0	0.0	1.0	0.6	1.0		
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234		0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238		0.0	0.6	1.0	0.0	1.0	0.583	1.0	0.0	1.0	0.583	1.0	
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235		0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239		0.0	0.583	1.0	0.0	1.0	0.567	1.0	0.0	1.0	0.567	1.0	
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236		0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240		0.0	0.567	1.0	0.0	1.0	0.55	1.0	0.0	1.0	0.55	1.0	
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237		0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241		0.0	0.55	1.0	0.0	1.0	0.533	1.0	0.0	1.0	0.533	1.0	
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238		0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242		0.0	0.533	1.0	0.0	1.0	0.517	1.0	0.0	1.0	0.517	1.0	
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239		0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243		0.0	0.517	1.0	0.0	1.0	0.5	1.0	0.0	1.0	0.5	1.0	
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240		0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244		0.0	0.5	1.0	0.0	1.0	0.483	1.0	0.0	1.0	0.483	1.0	
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241		0.0	0.483	1.0																						



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM<sub>c</sub>: h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,c</sub>	rgb* <sub>dd</sub> 361M	LAB* <sub>dd</sub> 361M (x=LabCh)	rgb* <sub>ds</sub> 361Mi	LAB* <sub>ds</sub> 361Mi (x=LabCh)	rgb* <sub>dd</sub> 361Mi	rgb* <sub>dc</sub> 361Mi	LAB* <sub>dc</sub> 361Mi (x=LabCh)	rgb* <sub>dd</sub> 361Mi	rgb* <sub>ds</sub> 361Mi	rgb* <sub>dc</sub> 361Mi																			
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58 1.0	44.8	-6.4	-40.9	41.5	261	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0	
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569 1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0	
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558 1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0	
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547 1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0	
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536 1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0	
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525 1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0	
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514 1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0	
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503 1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.48 1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0		
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491 1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469 1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0		
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4	50.0	306	B <sub>d</sub> 0.0	0.479 1.0	41.0	0.0	-40.6	40.7	270	B <sub>s</sub> 0.0	0.0	1.0	0.0	0.458 1.0	40.3	1.2	-40.6	40.7	271	B <sub>e</sub> 0.0	0.0	1.0		
307	271	272	0.016	0.0 1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467 1.0	40.6	0.7	-40.6	40.7	271	0.017	0.0	1.0	0.0	0.447 1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0		
308	272	273	0.033	0.0 1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455 1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435 1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0		
309	273	274	0.05	0.0 1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443 1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424 1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0		
310	274	275	0.066	0.0 1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431 1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413 1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0		
311	275	276	0.083	0.0 1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419 1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401 1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0		
313	276	277	0.1	0.0 1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407 1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.39 1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0		
314	277	278	0.116	0.0 1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395 1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378 1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0		
315	278	279	0.133	0.0 1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383 1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367 1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0		
316	279	280	0.15	0.0 1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371 1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357 1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0		
317	280	281	0.166	0.0 1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36 1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346 1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0		
318	281	282	0.183	0.0 1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348 1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335 1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0		
319	282	283	0.2	0.0 1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337 1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324 1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0		
320	283	284	0.216	0.0 1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326 1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313 1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0		
321	284	285	0.233	0.0 1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314 1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303 1.0	34.8	10.8	-40.3	41.9	285	0.233	0.0	1.0		
322	285	285	0.25	0.0 1.0	28.8	41.9	-32.5	53.1	322	0.0	0.303 1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	0.0	0.292 1.0	34.4	11.6	-40.3	42.0	285	0.25	0.0	1.0		
323	286	286	0.266	0.0 1.0	29.4	43.3	-31.8	53.8	323	0.0	0.291 1.0	34.3	11.6	-40.3	42.0	286	0.267	0.0	1.0	0.0	0.281 1.0	34.0	12.3	-40.3	42.2	286	0.267	0.0	1.0		
325	287	287	0.283	0.0 1.0	29.9	44.7	-31.1	54.4	325	0.0	0.28 1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	0.0	0.27 1.0	33.6	13.0	-40.2	42.4	287	0.283	0.0	1.0		
326	288	288	0.3	0.0 1.0	30.4	46.0	-30.3	55.1	326	0.0	0.269 1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	0.0	0.26 1.0	33.2	13.7	-40.2	42.5	288	0.3	0.0	1.0		
328	289	289	0.316	0.0 1.0	30.9	47.3	-29.4	55.7	328	0.0	0.257 1.0	33.1	13.9	-40.2	42.6	289	0.317	0.0	1.0	0.0	0.249 1.0	32.8	14.4	-40.1	42.7	289	0.317	0.0	1.0		
329	290	290	0.333	0.0 1.0	31.4	48.6	-28.5	56.4	329	0.0	0.245 1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	0.0	0.236 1.0	32.4	15.2	-40.2	43.1	290	0.333	0.0	1.0		
331	291	291	0.35	0.0 1.0	32.0	49.9	-27.5	57.0	331	0.0	0.232 1.0	32.2	15.5	-40.2	43.2	291	0.35	0.0	1.0	0.0	0.223 1.0	32.0	16.0	-40.3	43.4	291	0.35	0.0	1.0		
332	292	292	0.366	0.0 1.0	32.5	51.2	-26.5	57.7	332	0.0	0.219 1.0	31.8	16.3	-40.3	43.6	292	0.367	0.0	1.0	0.0	0.211 1.0	31.5	16.8	-40.3	43.8	292	0.367	0.0	1.0		
333	293	293	0.383	0.0 1.0	32.9	52.3	-25.7	58.3	333	0.0	0.205 1.0	31.4	17.2	-40.3	43.9	293	0.383	0.0	1.0	0.0	0.198 1.0	31.1	17.6	-40.3	44.1	293	0.383	0.0	1.0		
334	294	294	0.4	0.0 1.0	33.3	53.2	-25.0	58.8	334	0.0	0.192 1.0	30.9	18.0	-40.3	44.3	294	0.4	0.0	1.0	0.0	0.186 1.0	30.7	18.4	-40.4	44.5	294	0.4	0.0	1.0		
335	295	295	0.416	0.0 1.0	33.7	54.1	-24.4	59.4	335	0.0	0.179 1.0	30.5	18.9	-40.4	44.6	295	0.417	0.0	1.0	0.0	0.173 1.0	30.3	19.2	-40.4	44.8	295	0.417	0.0	1.0		
336	296	296	0.433	0.0 1.0	34.0	55.0	-23.7	59.9	336	0.0	0.166 1.0	30.0	19.7	-40.3	45.0	296	0.433	0.0	1.0	0.0	0.161 1.0	29.9	20.1	-40.3	45.1	296	0.433				

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>ddx361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd</sub>	rgb* <sub>ds</sub>	rgb* <sub>de</sub>																	
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6	78.1	364	0																					

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>c</sub>: h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>dd361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9	-16.7 65.1 345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8	-18.7 63.7 342
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8	-15.8 65.7 346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7	-17.9 64.3 343
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7	-14.8 66.4 347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6	-17.0 64.9 344
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6	-13.8 67.1 348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5	-16.1 65.5 345
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8	-12.9 68.1 349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3	-15.2 66.1 346
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0	-11.9 69.1 350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2	-14.3 66.7 347
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2	-10.9 70.1 351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2	-13.4 67.6 348
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4	-9.8 71.1 352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4	-12.4 68.5 349
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6	-8.7 72.1 353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5	-11.5 69.5 350
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7	-7.5 73.1 354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6	-10.5 70.4 351
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9	-6.4 74.2 355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7	-9.5 71.4 352
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0	-5.1 75.2 356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9	-8.4 72.4 353
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2	-3.9 76.3 357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0	-7.3 73.3 354
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3	-2.6 77.3 358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1	-6.2 74.3 355
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4	-1.3 78.4 359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1	-5.0 75.3 356
375	360	357	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3	0.0 79.3 360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5	-9.7 71.1 352
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0	1.4 79.0 361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8	-8.5 72.3 353
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6	2.7 78.7 362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1	-7.2 73.4 354
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3	4.1 78.4 363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4	-5.9 74.6 355
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0	5.5 78.2 364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6	-4.5 75.8 356
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7	6.8 78.0 365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9	-3.1 77.0 357
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3	8.1 77.8 366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1	-1.6 78.1 358
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0	9.5 77.6 367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3	-0.1 79.3 359
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7	10.8 77.5 368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0	1.3 79.0 360
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4	12.1 77.4 369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6	2.9 78.7 362
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1	13.4 77.2 370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2	4.4 78.3 363
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7	14.7 77.1 371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9	5.9 78.1 364
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4	16.0 77.1 372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5	7.4 77.9 365
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2	17.4 77.1 373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1	8.8 77.7 366
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9	18.7 77.2 374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8	10.3 77.5 367
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5	20.0 77.2 375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5	11.8 77.4 368
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2	21.3 77.2 376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1	13.3 77.2 369
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0	22.6 77.4 377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7	14.7 77.1 370
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8	24.0 77.6 378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4	16.2 77.1 372
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6	25.3 77.8 379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1	17.6 77.1 373
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3	26.7 78.0 380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8	19.1 77.2 374
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1	28.0 78.3 381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4	20.6 77.2 375
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9	29.4 78.6 382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1	22.0 77.3 376
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7	30.9 79.0 383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9	23.6 77.6 377
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5	32.3 79.4 384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6	25.1 77.8 378
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3	33.7 79.8 385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4	26.6 78.0 379
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1	35.2 80.3 386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1	28.1 78.3 381
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0	36.7 80.8 387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9	29.6 78.7 382
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8	38.2 81.3 388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7	31.2 79.1 383
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6	39.7 81.8 389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5	32.8 79.6 384
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	1.0 0.0 0.096	45.5 71.4	41.2 82.4 390	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2	34.4 80.0 385

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS17/QS17.HTM>  
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS17/QS17L0FP.PDF /.PS  
aplicación para la medida salida en la impresión offset, separación cmy0\* (CMY0)  
TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/QS17/QS17LOFP.PDF /.PS; 3D-linealización F: 3D-linealización QS17/QS17LS30FP.DAT en archivo (F), página 18/33

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC0*Fid	cmy0*sep.Fid	rgb*Fid	hsa*Fid	LabC0*Fid	delta
0/648	R00Y_100_100dd	1.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0
1/657	R13Y_100_100dd	0.0	0.125	0.0	1.0	0.0	0.0	0.882	0.0	0.0	32.3
2/666	R25Y_100_100dd	0.0	0.25	0.0	1.0	0.0	0.0	0.765	0.0	0.0	44.8
3/675	R38Y_100_100dd	0.0	0.375	0.0	1.0	0.0	0.0	0.632	0.0	0.0	83.9
4/684	R50Y_100_100dd	0.0	0.5	0.0	1.0	0.0	0.0	0.498	0.0	0.0	45.4
5/693	R63Y_100_100dd	0.0	0.625	0.0	1.0	0.0	0.0	0.368	0.0	0.0	54.8
6/702	R75Y_100_100dd	0.0	0.75	0.0	1.0	0.0	0.0	0.234	0.0	0.0	76.5
7/711	R88Y_100_100dd	0.0	0.875	0.0	1.0	0.0	0.0	0.117	0.0	0.0	74.1
8/720	Y00G_100_100dd	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	56.3
9/639	Y13G_100_100dd	0.875	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	68.6
10/658	Y25G_100_100dd	0.75	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	84.8
11/477	Y38G_100_100dd	0.625	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	79.8
12/396	Y50G_100_100dd	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	72.8
13/315	Y63G_100_100dd	0.375	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	66.5
14/234	Y75G_100_100dd	0.25	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	57.6
15/153	Y88G_100_100dd	0.125	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	45.8
16/72	G00C_100_100dd	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	66.6
17/73	G13C_100_100dd	0.0	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	155.5
18/74	G25C_100_100dd	0.0	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	66.8
19/75	G38C_100_100dd	0.0	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	160.4
20/76	G50C_100_100dd	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	61.1
21/77	G63C_100_100dd	0.0	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	166.8
22/78	G75C_100_100dd	0.0	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	176.1
23/79	G88C_100_100dd	0.0	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	189.3
24/80	C00B_100_100dd	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	204.1
25/81	C13B_100_100dd	0.0	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	218.7
26/82	C25B_100_100dd	0.0	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	253.4
27/83	C38B_100_100dd	0.0	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	288.2
28/84	C50B_100_100dd	0.0	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	308.3
29/85	C63B_100_100dd	0.0	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	348.2
30/26	C75B_100_100dd	0.0	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	371.6
31/17	C88B_100_100dd	0.0	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	421.1
32/8	B00M_100_100dd	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	250.5
33/89	B13M_100_100dd	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	270.0
34/170	B25M_100_100dd	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	314.1
35/251	B38M_100_100dd	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	282.0
36/332	B50M_100_100dd	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	291.0
37/413	B63M_100_100dd	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	300.0
38/494	B75M_100_100dd	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	308.0
39/575	B88M_100_100dd	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	317.0
40/656	M00R_100_100dd	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	323.0
41/655	M13R_100_100dd	0.875	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
42/654	M25R_100_100dd	0.75	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
43/653	M38R_100_100dd	0.625	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
44/652	M50R_100_100dd	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
45/651	M63R_100_100dd	0.375	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
46/650	M75R_100_100dd	0.25	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
47/649	M88R_100_100dd	0.125	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	270.0
48/648	R00Y_100_100dd	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	330.0
49/0	NV_000dd	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
50/91	NV_013dd	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
51/182	NV_025dd	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
52/273	NV_038dd	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
53/564	NV_050dd	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
54/455	NV_063dd	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
55/546	NV_075dd	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
56/637	NV_088dd	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0
57/728	NV_100dd	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	330.0

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

gráfico TUB-QS17; código de tono: H\*d=R50Yd  
colores y diferencia en color, ΔE\*

2-1031731-F0  
2-1031731-F0





n/F	HC*Fid	rgB*Fid	icr*Fid	hsa*Fid	rgB*Fid	LabC0*Fid	cmy0*sep.Fid	LabC0*Fid	rgB*Fid	hsa*Fid	LabC0*Fid	rgB*Fid	LabC0*Fid	delta
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	0	0	0	0	0	0	0	0	0	0	0	0	0	0
67	0	0	0	0	0	0	0	0	0	0	0	0	0	0
68	0	0	0	0	0	0	0	0	0	0	0	0	0	0
69	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0	0
71	0	0	0	0	0	0	0	0	0	0	0	0	0	0
72	0	0	0	0	0	0	0	0	0	0	0	0	0	0
73	0	0	0	0	0	0	0	0	0	0	0	0	0	0
74	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0	0
76	0	0	0	0	0	0	0	0	0	0	0	0	0	0
77	0	0	0	0	0	0	0	0	0	0	0	0	0	0
78	0	0	0	0	0	0	0	0	0	0	0	0	0	0
79	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

gráfico TUB-QS17; código de tono: H\*d=R50Yd  
colores y diferencia en color, ΔE\*

QS170-TN; 2033-F

2-1031931-F0





n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgbm_Fid	LabCM*Fid	cmyp*_sep_Fid	cmyp*_Fid	rgbm*_Fid	hsa*_Fid	LabCM*_Fid	delta
162	ROY_025_025ad	0.25	0.0	0.25	0.25	0.0	0.0	0.25	0.0	0.0	0.0	0.0
163	ROY_025_025ad	0.25	0.0	0.125	0.125	0.0	0.0	0.125	0.0	0.0	0.0	0.0
164	ROY_025_025ad	0.25	0.0	0.25	0.25	0.0	0.0	0.25	0.0	0.0	0.0	0.0
165	B50R_027_037ad	0.25	0.0	0.375	0.375	0.187	311	0.256	0.0	0.375	0.187	311
166	B25K_050_050ad	0.25	0.0	0.5	0.5	0.25	300	0.25	0.0	0.5	0.25	300
167	B19K_062_062ad	0.25	0.0	0.625	0.625	0.312	293	0.239	0.0	0.625	0.312	293
168	B15K_075_075ad	0.25	0.0	0.75	0.75	0.375	289	0.237	0.0	0.75	0.375	289
169	B13K_087_087ad	0.25	0.0	0.875	0.875	0.437	286	0.233	0.0	0.875	0.437	286
170	BL1R_100_100ad	0.25	0.0	1.0	1.0	0.5	284	0.233	0.0	1.0	0.5	284
171	ROY_025_025ad	0.25	0.125	0.0	0.25	0.125	60	0.25	0.125	0.0	0.25	60
172	ROY_025_025ad	0.25	0.125	0.125	0.125	0.187	390	0.25	0.125	0.125	0.187	390
173	ROY_025_025ad	0.25	0.125	0.25	0.25	0.25	300	0.25	0.125	0.25	0.25	300
174	B25K_037_037ad	0.25	0.125	0.375	0.375	0.25	300	0.25	0.125	0.375	0.25	300
175	B15K_050_050ad	0.25	0.125	0.5	0.5	0.375	312	0.241	0.125	0.5	0.375	312
176	BL1R_062_050ad	0.25	0.125	0.625	0.625	0.437	284	0.239	0.125	0.625	0.437	284
177	BL1R_062_050ad	0.25	0.125	0.75	0.75	0.625	278	0.237	0.125	0.75	0.625	278
178	BL1R_062_050ad	0.25	0.125	0.875	0.875	0.75	279	0.237	0.125	0.875	0.75	279
179	BL1R_062_050ad	0.25	0.125	1.0	1.0	0.875	278	0.237	0.125	1.0	0.875	278
180	Y00G_025_025ad	0.25	0.25	0.0	0.25	0.125	90	0.25	0.25	0.0	0.25	90
181	Y00G_025_025ad	0.25	0.25	0.125	0.125	0.187	90	0.25	0.25	0.125	0.187	90
182	Y00G_025_025ad	0.25	0.25	0.25	0.25	0.25	360	0.249	0.25	0.25	0.25	360
183	Y00G_025_025ad	0.25	0.25	0.375	0.375	0.312	270	0.249	0.25	0.375	0.312	270
184	Y00G_025_025ad	0.25	0.25	0.5	0.5	0.375	270	0.249	0.25	0.5	0.375	270
185	Y00G_025_025ad	0.25	0.25	0.625	0.625	0.437	270	0.249	0.25	0.625	0.437	270
186	Y00G_025_025ad	0.25	0.25	0.75	0.75	0.5	270	0.249	0.25	0.75	0.5	270
187	Y00G_025_025ad	0.25	0.25	0.875	0.875	0.625	270	0.249	0.25	0.875	0.625	270
188	Y00G_025_025ad	0.25	0.25	1.0	1.0	0.875	270	0.249	0.25	1.0	0.875	270
189	Y00G_025_025ad	0.25	0.375	0.0	0.375	0.375	109	0.256	0.375	0.0	0.375	109
190	Y00G_025_025ad	0.25	0.375	0.125	0.125	0.44	166	0.256	0.375	0.125	0.44	166
191	Y00G_025_025ad	0.25	0.375	0.25	0.25	0.44	166	0.256	0.375	0.25	0.44	166
192	Y00G_025_025ad	0.25	0.375	0.375	0.375	0.44	166	0.256	0.375	0.375	0.44	166
193	Y00G_025_025ad	0.25	0.375	0.5	0.5	0.44	166	0.256	0.375	0.5	0.44	166
194	Y00G_025_025ad	0.25	0.375	0.625	0.625	0.44	166	0.256	0.375	0.625	0.44	166
195	Y00G_025_025ad	0.25	0.375	0.75	0.75	0.44	166	0.256	0.375	0.75	0.44	166
196	Y00G_025_025ad	0.25	0.375	0.875	0.875	0.44	166	0.256	0.375	0.875	0.44	166
197	Y00G_025_025ad	0.25	0.375	1.0	1.0	0.44	166	0.256	0.375	1.0	0.44	166
198	Y00G_025_025ad	0.25	0.5	0.0	0.5	0.25	261	0.25	0.5	0.0	0.25	261
199	Y00G_025_025ad	0.25	0.5	0.125	0.125	0.312	131	0.243	0.5	0.125	0.312	131
200	Y00G_025_025ad	0.25	0.5	0.25	0.25	0.312	131	0.243	0.5	0.25	0.312	131
201	Y00G_025_025ad	0.25	0.5	0.375	0.375	0.312	131	0.243	0.5	0.375	0.312	131
202	Y00G_025_025ad	0.25	0.5	0.5	0.5	0.375	180	0.249	0.5	0.5	0.375	180
203	Y00G_025_025ad	0.25	0.5	0.625	0.625	0.437	229	0.249	0.5	0.625	0.437	229
204	Y00G_025_025ad	0.25	0.5	0.75	0.75	0.5	240	0.249	0.5	0.75	0.5	240
205	Y00G_025_025ad	0.25	0.5	0.875	0.875	0.625	247	0.249	0.5	0.875	0.625	247
206	Y00G_025_025ad	0.25	0.5	1.0	1.0	0.875	247	0.249	0.5	1.0	0.875	247
207	Y00G_025_025ad	0.25	0.625	0.0	0.625	0.625	231	0.259	0.625	0.0	0.625	231
208	Y00G_025_025ad	0.25	0.625	0.125	0.125	0.625	136	0.241	0.625	0.125	0.625	136
209	Y00G_025_025ad	0.25	0.625	0.25	0.25	0.625	136	0.241	0.625	0.25	0.625	136
210	Y00G_025_025ad	0.25	0.625	0.375	0.375	0.625	169	0.25	0.625	0.375	0.625	169
211	Y00G_025_025ad	0.25	0.625	0.5	0.5	0.625	191	0.25	0.625	0.5	0.625	191
212	Y00G_025_025ad	0.25	0.625	0.625	0.625	0.625	233	0.25	0.625	0.625	0.625	233
213	Y00G_025_025ad	0.25	0.625	0.75	0.75	0.625	233	0.25	0.625	0.75	0.625	233
214	Y00G_025_025ad	0.25	0.625	0.875	0.875	0.625	233	0.25	0.625	0.875	0.625	233
215	Y00G_025_025ad	0.25	0.625	1.0	1.0	0.625	233	0.25	0.625	1.0	0.625	233
216	Y00G_025_025ad	0.25	0.75	0.0	0.75	0.375	131	0.237	0.75	0.0	0.375	131
217	Y00G_025_025ad	0.25	0.75	0.125	0.125	0.437	139	0.237	0.75	0.125	0.437	139
218	Y00G_025_025ad	0.25	0.75	0.25	0.25	0.437	139	0.237	0.75	0.25	0.437	139
219	Y00G_025_025ad	0.25	0.75	0.375	0.375	0.437	139	0.237	0.75	0.375	0.437	139
220	Y00G_025_025ad	0.25	0.75	0.5	0.5	0.437	139	0.237	0.75	0.5	0.437	139
221	Y00G_025_025ad	0.25	0.75	0.625	0.625	0.437	139	0.237	0.75	0.625	0.437	139
222	Y00G_025_025ad	0.25	0.75	0.75	0.75	0.437	139	0.237	0.75	0.75	0.437	139
223	Y00G_025_025ad	0.25	0.75	0.875	0.875	0.437	139	0.237	0.75	0.875	0.437	139
224	Y00G_025_025ad	0.25	0.75	1.0	1.0	0.437	139	0.237	0.75	1.0	0.437	139
225	Y00G_025_025ad	0.25	0.875	0.0	0.875	0.875	139	0.237	0.875	0.0	0.875	139
226	Y00G_025_025ad	0.25	0.875	0.125	0.125	0.875	139	0.237	0.875	0.125	0.875	139
227	Y00G_025_025ad	0.25	0.875	0.25	0.25	0.875	139	0.237	0.875	0.25	0.875	139
228	Y00G_025_025ad	0.25	0.875	0.375	0.375	0.875	139	0.237	0.875	0.375	0.875	139
229	Y00G_025_025ad	0.25	0.875	0.5	0.5	0.875	139	0.237	0.875	0.5	0.875	139
230	Y00G_025_025ad	0.25	0.875	0.625	0.625	0.875	139	0.237	0.875	0.625	0.875	139
231	Y00G_025_025ad	0.25	0.875	0.75	0.75	0.875	139	0.237	0.875	0.75	0.875	139
232	Y00G_025_025ad	0.25	0.875	0.875	0.875	0.875	139	0.237	0.875	0.875	0.875	139
233	Y00G_025_025ad	0.25	0.875	1.0	1.0	0.875	139	0.237	0.875	1.0	0.875	139
234	Y00G_025_025ad	0.25	1.0	0.0	1.0	0.875	139	0.237	1.0	0.0	0.875	139
235	Y00G_025_025ad	0.25	1.0	0.125	0.125	1.0	139	0.237	1.0	0.125	1.0	139
236	Y00G_025_025ad	0.25	1.0	0.25	0.25	1.0	139	0.237	1.0	0.25	1.0	139
237	Y00G_025_025ad	0.25	1.0	0.375	0.375	1.0	139	0.237	1.0	0.375	1.0	139
238	Y00G_025_025ad	0.25	1.0	0.5	0.5	1.0	139	0.237	1.0	0.5	1.0	139
239	Y00G_025_025ad	0.25	1.0	0.625	0.625	1.0	139	0.237	1.0	0.625	1.0	139
240	Y00G_025_025ad	0.25	1.0	0.75	0.75	1.0	139	0.237	1.0	0.75	1.0	139
241	Y00G_025_025ad	0.25	1.0	0.875	0.875	1.0	139	0.237	1.0	0.875	1.0	139
242	Y00G_025_025ad	0.25	1.0	1.0	1.0	1.0	139	0.237	1.0	1.0	1.0	139

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

gráfico TUB-QS17; código de tono: H\*d=R50Yd  
colores y diferencia en color, ΔE\*

2-1032131-F0

QS170-TN; 22/33-F

QS1710L

8-6

8-6

8-6





http://130.149.60.45/~farbmetrik/QS17/QS17LOFP.PDF /.PS; 3D-linealización  
F: 3D-linealización QS17/QS17LS30FP.DAT en archivo (F), página 23/33

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

Table with 32 columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC0\*Fid, cmy0\*sep.Fid, rpb\*Fid, hsa\*Fid, LabC0\*Fid, delta. Rows 243-323.



QS1710L



http://130.149.60.45/~farbmetrik/QS17/QS17LOFP.PDF /PS; 3D-linealización  
 F: 3D-linealización QS17/QS17LS30FP.DAT en archivo (F), página 25/33

n	HC*Fid	rgp_Fid	icr_Fid	hsa_Fid	rgp*Fid	LabCM*Fid	cmyp*sep_Fid	rgp*Fid	hsa*Fid	LabCM*Fid	delta					
405	R00Y_062_062Ad	0.625	0.0	0.625	0.0	37.5	0.444	0.936	1.0	0.0	45.4	70.9	44.8	83.9	81.0	27.5
406	R00Y_062_062Ad	0.625	0.0	0.625	0.0	11.4	0.445	0.94	0.9	0.0	0.183	45.5	71.9	37.5	81.0	27.5
407	R00Y_062_062Ad	0.625	0.0	0.625	0.0	37.6	0.444	0.937	0.755	0.0	0.0	0.183	45.5	71.9	37.5	81.0
408	R10Y_062_062Ad	0.625	0.0	0.625	0.0	37.7	0.444	0.937	0.755	0.0	0.0	0.183	45.5	71.9	37.5	81.0
409	B50R_062_062Ad	0.625	0.0	0.625	0.0	37.8	0.444	0.937	0.755	0.0	0.0	0.183	45.5	71.9	37.5	81.0
410	B50R_062_062Ad	0.625	0.0	0.625	0.0	37.9	0.445	0.941	0.425	0.0	0.0	0.183	45.5	71.9	37.5	81.0
411	B42R_062_062Ad	0.625	0.0	0.625	0.0	37.9	0.445	0.941	0.425	0.0	0.0	0.183	45.5	71.9	37.5	81.0
412	B36R_062_062Ad	0.625	0.0	0.625	0.0	38.0	0.445	0.941	0.425	0.0	0.0	0.183	45.5	71.9	37.5	81.0
413	B31R_100_100Ad	0.625	0.0	0.625	0.0	38.0	0.445	0.941	0.425	0.0	0.0	0.183	45.5	71.9	37.5	81.0
414	B31R_100_100Ad	0.625	0.0	0.625	0.0	38.1	0.445	0.941	0.425	0.0	0.0	0.183	45.5	71.9	37.5	81.0
415	R00Y_062_050Ad	0.625	0.125	0.625	0.125	43.8	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
416	R00Y_062_050Ad	0.625	0.125	0.625	0.125	43.9	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
417	R00Y_062_050Ad	0.625	0.125	0.625	0.125	44.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
418	B61R_062_050Ad	0.625	0.125	0.625	0.125	44.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
419	B61R_062_050Ad	0.625	0.125	0.625	0.125	44.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
420	B40R_062_050Ad	0.625	0.125	0.625	0.125	44.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
421	B34R_062_050Ad	0.625	0.125	0.625	0.125	44.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
422	B34R_062_050Ad	0.625	0.125	0.625	0.125	44.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
423	R38Y_062_062Ad	0.625	0.25	0.625	0.25	44.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
424	R38Y_062_062Ad	0.625	0.25	0.625	0.25	44.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
425	R00Y_062_037Ad	0.625	0.25	0.625	0.25	44.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
426	R18Y_062_037Ad	0.625	0.25	0.625	0.25	44.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
427	B60R_062_037Ad	0.625	0.25	0.625	0.25	44.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
428	B60R_062_037Ad	0.625	0.25	0.625	0.25	44.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
429	B38R_062_037Ad	0.625	0.25	0.625	0.25	44.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
430	B38R_062_037Ad	0.625	0.25	0.625	0.25	44.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
431	B38R_100_037Ad	0.625	0.25	0.625	0.25	44.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
432	B38R_100_037Ad	0.625	0.25	0.625	0.25	44.6	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
433	B61Y_062_050Ad	0.625	0.375	0.625	0.375	44.6	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
434	B61Y_062_050Ad	0.625	0.375	0.625	0.375	44.7	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
435	R00Y_062_037Ad	0.625	0.375	0.625	0.375	44.7	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
436	R00Y_062_037Ad	0.625	0.375	0.625	0.375	44.8	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
437	B50R_062_025Ad	0.625	0.375	0.625	0.375	44.8	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
438	B50R_062_025Ad	0.625	0.375	0.625	0.375	44.9	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
439	B34R_062_037Ad	0.625	0.375	0.625	0.375	44.9	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
440	B34R_062_037Ad	0.625	0.375	0.625	0.375	45.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
441	R81Y_062_062Ad	0.625	0.5	0.625	0.5	45.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
442	R61Y_062_050Ad	0.625	0.5	0.625	0.5	45.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
443	R61Y_062_050Ad	0.625	0.5	0.625	0.5	45.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
444	R00Y_062_025Ad	0.625	0.5	0.625	0.5	45.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
445	R00Y_062_025Ad	0.625	0.5	0.625	0.5	45.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
446	B50R_062_012Ad	0.625	0.5	0.625	0.5	45.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
447	B50R_062_012Ad	0.625	0.5	0.625	0.5	45.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
448	B18R_062_037Ad	0.625	0.5	0.625	0.5	45.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
449	B18R_100_037Ad	0.625	0.5	0.625	0.5	45.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
450	Y00G_062_062Ad	0.625	0.625	0.625	0.625	45.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
451	Y00G_062_062Ad	0.625	0.625	0.625	0.625	45.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
452	Y00G_062_037Ad	0.625	0.625	0.625	0.625	45.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
453	Y00G_062_037Ad	0.625	0.625	0.625	0.625	45.6	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
454	Y00G_062_012Ad	0.625	0.625	0.625	0.625	45.6	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
455	Y00G_062_012Ad	0.625	0.625	0.625	0.625	45.7	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
456	B00R_062_062Ad	0.625	0.625	0.625	0.625	45.7	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
457	B00R_062_062Ad	0.625	0.625	0.625	0.625	45.8	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
458	B00R_100_037Ad	0.625	0.625	0.625	0.625	45.8	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
459	B00R_100_037Ad	0.625	0.625	0.625	0.625	45.9	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
460	Y18G_062_037Ad	0.625	0.75	0.625	0.75	45.9	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
461	Y18G_062_037Ad	0.625	0.75	0.625	0.75	46.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
462	Y18G_062_012Ad	0.625	0.75	0.625	0.75	46.0	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
463	Y18G_062_012Ad	0.625	0.75	0.625	0.75	46.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
464	G00B_062_062Ad	0.625	0.75	0.625	0.75	46.1	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
465	G00B_062_062Ad	0.625	0.75	0.625	0.75	46.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
466	G50B_062_037Ad	0.625	0.75	0.625	0.75	46.2	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
467	G50B_062_037Ad	0.625	0.75	0.625	0.75	46.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
468	Y36G_062_062Ad	0.625	0.75	0.625	0.75	46.3	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
469	Y36G_062_062Ad	0.625	0.75	0.625	0.75	46.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
470	Y36G_062_050Ad	0.625	0.75	0.625	0.75	46.4	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
471	Y50G_062_050Ad	0.625	0.75	0.625	0.75	46.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
472	G00B_062_037Ad	0.625	0.75	0.625	0.75	46.5	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
473	G00B_062_037Ad	0.625	0.75	0.625	0.75	46.6	0.413	0.779	0.659	0.0	0.0	0.233	45.6	72.1	35.3	35.8
474	G50B_062_025Ad	0.625	0.75	0.625	0.75	46.6	0.413	0.779	0.659	0.0	0.0	0.233				

http://130.149.60.45/~farbmetrik/QS17/QS17LOFP.PDF /PS; 3D-linealización  
F: 3D-linealización QS17/QS17LS30FP.DAT en archivo (F), página 26/33

n	HC*Fid	rgb_Fid	ier_Fid	ins_Fid	rgb*Fid	LabC0*Fid	cmyp*sep_Fid	ins_Ad	rgb*Ad	LabC0*Ad	delta								
486	R00Y_075_075Ad	075	0.0	0.75	0.75	0.0	0.0	40.2	53.2	33.6	0.92	0.951	0.0	0.0	45.4	70.9	44.8	83.9	32.3
487	R35Y_075_075Ad	075	0.0	0.125	0.75	0.0	0.0	40.2	53.2	33.6	0.88	0.956	0.0	0.0	45.5	71.6	39.0	81.5	28.5
488	R15Y_075_075Ad	075	0.0	0.25	0.75	0.0	0.0	40.2	53.2	33.6	0.88	0.956	0.0	0.0	45.5	72.6	31.2	79.1	23.2
489	R00Y_075_075Ad	075	0.0	0.375	0.75	0.0	0.0	40.2	53.2	33.6	0.951	0.956	0.0	0.0	45.4	74.2	21.1	77.1	15.9
490	B65K_075_075Ad	075	0.0	0.5	0.75	0.0	0.0	40.2	53.2	33.6	0.608	0.608	0.0	0.0	45.9	74.2	11.9	77.2	8.9
491	B57K_075_075Ad	075	0.0	0.625	0.75	0.0	0.0	40.2	53.2	33.6	0.318	0.318	0.0	0.0	45.9	76.4	11.9	77.3	8.9
492	B50K_075_075Ad	075	0.0	0.75	0.75	0.0	0.0	40.2	53.2	33.6	0.321	0.321	0.0	0.0	45.9	78.0	5.0	77.2	3.7
493	B43K_087_087Ad	075	0.0	0.875	0.875	0.0	0.0	40.2	53.2	33.6	0.278	0.278	0.0	0.0	46.1	79.3	-0.2	79.3	359.8
494	B38L_100_100Ad	075	0.0	1.0	1.0	0.0	0.0	42.4	55.5	44.6	0.766	0.766	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
495	R15Y_075_075Ad	075	0.125	0.0	0.75	0.0	0.0	43.4	56.5	45.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
496	R00Y_075_062Ad	075	0.125	0.125	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
497	R31Y_075_062Ad	075	0.125	0.25	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
498	R11Y_075_062Ad	075	0.125	0.375	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
499	B69K_075_062Ad	075	0.125	0.5	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
500	B59K_075_062Ad	075	0.125	0.625	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
501	B50K_075_062Ad	075	0.125	0.75	0.75	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
502	B42K_087_075Ad	075	0.125	0.875	0.875	0.0	0.0	44.4	57.5	46.5	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
503	B36K_100_087Ad	075	0.125	1.0	1.0	0.0	0.0	46.2	59.3	49.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
504	R31Y_075_075Ad	075	0.25	0.0	0.75	0.0	0.0	47.2	60.3	50.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
505	R15Y_075_062Ad	075	0.25	0.125	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
506	R00Y_075_062Ad	075	0.25	0.25	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
507	R26Y_075_062Ad	075	0.25	0.375	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
508	R00Y_075_062Ad	075	0.25	0.5	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
509	B01K_075_062Ad	075	0.25	0.625	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
510	B30K_075_062Ad	075	0.25	0.75	0.75	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
511	B34K_100_075Ad	075	0.25	0.875	0.875	0.0	0.0	48.2	61.3	51.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
512	B34K_100_075Ad	075	0.25	1.0	1.0	0.0	0.0	50.2	63.3	53.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
513	R38Y_075_062Ad	075	0.375	0.0	0.75	0.0	0.0	51.2	64.3	54.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
514	R38Y_075_062Ad	075	0.375	0.125	0.75	0.0	0.0	52.2	65.3	55.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
515	R23Y_075_062Ad	075	0.375	0.25	0.75	0.0	0.0	53.2	66.3	56.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
516	R00Y_075_062Ad	075	0.375	0.375	0.75	0.0	0.0	54.2	67.3	57.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
517	R15Y_075_062Ad	075	0.375	0.5	0.75	0.0	0.0	55.2	68.3	58.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
518	B65K_075_062Ad	075	0.375	0.625	0.75	0.0	0.0	56.2	69.3	59.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
519	B50K_075_062Ad	075	0.375	0.75	0.75	0.0	0.0	57.2	70.3	60.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
520	B38K_087_062Ad	075	0.375	0.875	0.875	0.0	0.0	58.2	71.3	61.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
521	R08Y_075_062Ad	075	0.5	0.0	0.75	0.0	0.0	59.2	72.3	62.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
522	R68Y_075_062Ad	075	0.5	0.125	0.75	0.0	0.0	60.2	73.3	63.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
523	R61Y_075_062Ad	075	0.5	0.25	0.75	0.0	0.0	61.2	74.3	64.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
524	R31Y_075_062Ad	075	0.5	0.375	0.75	0.0	0.0	62.2	75.3	65.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
525	R00Y_075_062Ad	075	0.5	0.5	0.75	0.0	0.0	63.2	76.3	66.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
526	R00Y_075_062Ad	075	0.5	0.625	0.75	0.0	0.0	64.2	77.3	67.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
527	B50K_075_062Ad	075	0.5	0.75	0.75	0.0	0.0	65.2	78.3	68.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
528	B50K_075_062Ad	075	0.5	0.875	0.875	0.0	0.0	66.2	79.3	69.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
529	B34K_087_062Ad	075	0.5	1.0	1.0	0.0	0.0	68.2	81.3	71.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
530	B25K_100_062Ad	075	0.5	1.0	1.0	0.0	0.0	70.2	83.3	73.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
531	R88Y_075_062Ad	075	0.625	0.0	0.75	0.0	0.0	71.2	84.3	74.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
532	R88Y_075_062Ad	075	0.625	0.125	0.75	0.0	0.0	72.2	85.3	75.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
533	R15Y_075_062Ad	075	0.625	0.25	0.75	0.0	0.0	73.2	86.3	76.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
534	R67Y_075_062Ad	075	0.625	0.375	0.75	0.0	0.0	74.2	87.3	77.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
535	R00Y_075_062Ad	075	0.625	0.5	0.75	0.0	0.0	75.2	88.3	78.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
536	R00Y_075_062Ad	075	0.625	0.625	0.75	0.0	0.0	76.2	89.3	79.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
537	B50K_075_062Ad	075	0.625	0.75	0.75	0.0	0.0	77.2	90.3	80.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
538	B23K_087_062Ad	075	0.625	0.875	0.875	0.0	0.0	78.2	91.3	81.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
539	B13K_100_062Ad	075	0.625	1.0	1.0	0.0	0.0	80.2	93.3	83.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
540	Y06G_075_075Ad	075	0.75	0.0	0.75	0.0	0.0	81.2	94.3	84.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
541	Y06G_075_062Ad	075	0.75	0.125	0.75	0.0	0.0	82.2	95.3	85.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
542	Y06G_075_062Ad	075	0.75	0.25	0.75	0.0	0.0	83.2	96.3	86.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
543	Y06G_075_062Ad	075	0.75	0.375	0.75	0.0	0.0	84.2	97.3	87.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
544	Y06G_075_062Ad	075	0.75	0.5	0.75	0.0	0.0	85.2	98.3	88.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
545	Y06G_075_062Ad	075	0.75	0.625	0.75	0.0	0.0	86.2	99.3	89.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
546	Y06G_075_062Ad	075	0.75	0.75	0.75	0.0	0.0	87.2	100.3	90.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
547	B08K_087_062Ad	075	0.75	0.875	0.875	0.0	0.0	88.2	101.3	91.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	353.0
548	B08K_100_062Ad	075	0.75	1.0	1.0	0.0	0.0	90.2	103.3	93.3	0.843	0.843	0.0	0.0	42.1	71.6	-8.7	72.1	3





QS1710L

QS1710L

QS1710L

QS1710L

http://130.149.60.45/~farbmetrik/QS17/QS17LOFP.PDF /.PS; 3D-linealización  
F: 3D-linealización QS17/QS17LS30FP.DAT en archivo (F), página 28/33

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

Table with columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabC\*Fid, LabC\*Sep.Fid, cmyk\*Sep.Fid, rpb\*Mid, hsa\*Mid, LabC\*Mid, LabC\*Sep.Fid, delta. Rows include color codes like R001, R002, etc.

2-1032731-F0

QS170-TN\_2833-F

n	HC*Fid	rgp_Fid	icr_Fid	hsa_Fid	rgp_Fid	LabCM*Fid	cmyp*_sep_Fid	cmyp*_Fid	hsa_Jdd	rgp*_Jdd	LabCM*_Jdd	delta
729	NV_1000	0.875	1.0	1.0	1.0	95.6	0.0	0.0	360	1.0	1.0	0.0
730	GS0B_100.012ad	0.875	1.0	1.0	1.0	90.7	0.007	0.001	210	1.0	1.0	0.0
731	GS0B_100.025ad	0.75	1.0	1.0	1.0	85.9	0.303	0.007	210	1.0	1.0	0.0
732	GS0B_100.037ad	0.625	1.0	1.0	1.0	81.0	0.425	0.007	210	1.0	1.0	0.0
733	GS0B_100.050ad	0.5	1.0	1.0	1.0	76.2	0.556	0.007	210	1.0	1.0	0.0
734	GS0B_100.062ad	0.375	1.0	1.0	1.0	71.3	0.664	0.002	210	1.0	1.0	0.0
735	GS0B_100.075ad	0.25	1.0	1.0	1.0	66.5	0.75	0.0	210	1.0	1.0	0.0
736	GS0B_100.087ad	0.125	1.0	1.0	1.0	61.6	0.886	0.0	210	1.0	1.0	0.0
737	GS0B_100.100ad	0.0	1.0	1.0	1.0	56.8	1.0	0.0	210	1.0	1.0	0.0
738	ROY_100.012ad	0.875	0.875	1.0	1.0	89.3	0.158	0.088	389	1.0	1.0	0.0
739	NV_087ad	0.875	0.875	0.875	1.0	89.3	0.162	0.101	360	1.0	1.0	0.0
740	GS0B_087.012ad	0.75	0.875	0.875	1.0	87.5	0.299	0.104	210	1.0	1.0	0.0
741	GS0B_087.025ad	0.625	0.875	0.875	1.0	83.6	0.418	0.111	210	1.0	1.0	0.0
742	GS0B_087.037ad	0.5	0.875	0.875	1.0	79.7	0.545	0.123	210	1.0	1.0	0.0
743	GS0B_087.050ad	0.375	0.875	0.875	1.0	75.8	0.656	0.127	210	1.0	1.0	0.0
744	GS0B_087.062ad	0.25	0.875	0.875	1.0	71.9	0.741	0.131	210	1.0	1.0	0.0
745	GS0B_087.075ad	0.125	0.875	0.875	1.0	68.0	0.879	0.148	210	1.0	1.0	0.0
746	GS0B_087.087ad	0.0	0.875	0.875	1.0	64.1	0.99	0.164	210	1.0	1.0	0.0
747	ROY_100.025ad	0.875	0.75	0.875	1.0	87.5	0.281	0.181	389	1.0	1.0	0.0
748	ROY_100.037ad	0.75	0.75	0.875	1.0	83.6	0.423	0.228	389	1.0	1.0	0.0
749	GS0B_075.012ad	0.625	0.75	0.75	1.0	77.8	0.599	0.299	360	1.0	1.0	0.0
750	GS0B_075.025ad	0.5	0.75	0.75	1.0	73.9	0.728	0.354	360	1.0	1.0	0.0
751	GS0B_075.037ad	0.375	0.75	0.75	1.0	70.0	0.857	0.417	360	1.0	1.0	0.0
752	GS0B_075.050ad	0.25	0.75	0.75	1.0	66.1	1.0	0.47	360	1.0	1.0	0.0
753	GS0B_075.062ad	0.125	0.75	0.75	1.0	62.2	1.128	0.522	360	1.0	1.0	0.0
754	GS0B_075.075ad	0.0	0.75	0.75	1.0	58.3	1.257	0.566	360	1.0	1.0	0.0
755	ROY_100.037ad	0.875	0.625	0.875	1.0	83.6	0.296	0.167	389	1.0	1.0	0.0
756	ROY_100.050ad	0.75	0.625	0.875	1.0	80.7	0.44	0.267	389	1.0	1.0	0.0
757	ROY_087.037ad	0.875	0.625	0.875	1.0	80.7	0.44	0.267	389	1.0	1.0	0.0
758	ROY_075.012ad	0.75	0.625	0.875	1.0	76.8	0.598	0.386	389	1.0	1.0	0.0
759	ROY_075.025ad	0.625	0.625	0.875	1.0	72.9	0.727	0.458	389	1.0	1.0	0.0
760	GS0B_062.012ad	0.625	0.625	0.625	1.0	69.0	0.889	0.552	360	1.0	1.0	0.0
761	GS0B_062.025ad	0.5	0.625	0.625	1.0	65.1	1.0	0.626	360	1.0	1.0	0.0
762	GS0B_062.037ad	0.375	0.625	0.625	1.0	61.2	1.168	0.648	360	1.0	1.0	0.0
763	GS0B_062.050ad	0.25	0.625	0.625	1.0	57.3	1.316	0.681	360	1.0	1.0	0.0
764	GS0B_062.062ad	0.125	0.625	0.625	1.0	53.4	1.464	0.712	360	1.0	1.0	0.0
765	ROY_100.050ad	1.0	0.5	1.0	1.0	50.5	1.612	0.735	389	1.0	1.0	0.0
766	ROY_087.037ad	0.875	0.5	0.875	1.0	46.6	1.76	0.786	389	1.0	1.0	0.0
767	ROY_075.025ad	0.75	0.5	0.75	1.0	42.7	1.914	0.839	389	1.0	1.0	0.0
768	ROY_062.012ad	0.625	0.5	0.625	1.0	38.8	2.062	0.892	389	1.0	1.0	0.0
769	ROY_050ad	0.5	0.5	0.5	1.0	34.9	2.21	0.945	360	1.0	1.0	0.0
770	GS0B_050.012ad	0.375	0.5	0.5	1.0	31.0	2.359	0.998	360	1.0	1.0	0.0
771	GS0B_050.025ad	0.25	0.5	0.5	1.0	27.1	2.507	1.051	360	1.0	1.0	0.0
772	GS0B_050.037ad	0.125	0.5	0.5	1.0	23.2	2.655	1.104	360	1.0	1.0	0.0
773	GS0B_050.050ad	0.0	0.5	0.5	1.0	19.3	2.803	1.157	360	1.0	1.0	0.0
774	ROY_100.062ad	1.0	0.375	0.375	1.0	15.4	2.951	1.21	389	1.0	1.0	0.0
775	ROY_087.050ad	0.875	0.375	0.375	1.0	11.5	3.099	1.263	389	1.0	1.0	0.0
776	ROY_075.037ad	0.75	0.375	0.375	1.0	7.6	3.247	1.316	389	1.0	1.0	0.0
777	ROY_062.025ad	0.625	0.375	0.375	1.0	3.7	3.395	1.369	389	1.0	1.0	0.0
778	ROY_050.012ad	0.5	0.375	0.375	1.0	-0.2	3.543	1.422	389	1.0	1.0	0.0
779	NV_037ad	0.375	0.375	0.375	1.0	-4.1	3.691	1.475	360	1.0	1.0	0.0
780	GS0B_037.012ad	0.25	0.375	0.375	1.0	-8.0	3.839	1.528	360	1.0	1.0	0.0
781	GS0B_037.025ad	0.125	0.375	0.375	1.0	-11.9	3.987	1.581	360	1.0	1.0	0.0
782	GS0B_037.037ad	0.0	0.375	0.375	1.0	-15.8	4.135	1.634	360	1.0	1.0	0.0
783	ROY_100.075ad	1.0	0.25	0.25	1.0	-19.7	4.283	1.687	389	1.0	1.0	0.0
784	ROY_087.062ad	0.875	0.25	0.25	1.0	-23.6	4.431	1.74	389	1.0	1.0	0.0
785	GS0B_025.062ad	0.625	0.25	0.25	1.0	-27.5	4.579	1.793	389	1.0	1.0	0.0
786	GS0B_025.075ad	0.5	0.25	0.25	1.0	-31.4	4.727	1.846	389	1.0	1.0	0.0
787	ROY_050.025ad	0.875	0.25	0.25	1.0	-35.3	4.875	1.899	389	1.0	1.0	0.0
788	ROY_037.012ad	0.375	0.25	0.25	1.0	-39.2	5.023	1.952	389	1.0	1.0	0.0
789	NV_025ad	0.25	0.25	0.25	1.0	-43.1	5.171	2.005	360	1.0	1.0	0.0
790	GS0B_025.012ad	0.125	0.25	0.25	1.0	-47.0	5.319	2.058	360	1.0	1.0	0.0
791	GS0B_025.025ad	0.0	0.25	0.25	1.0	-50.9	5.467	2.111	360	1.0	1.0	0.0
792	ROY_100.087ad	1.0	0.125	0.125	1.0	-54.8	5.615	2.164	389	1.0	1.0	0.0
793	ROY_087.075ad	0.875	0.125	0.125	1.0	-58.7	5.763	2.217	389	1.0	1.0	0.0
794	ROY_075.062ad	0.75	0.125	0.125	1.0	-62.6	5.911	2.27	389	1.0	1.0	0.0
795	ROY_062.050ad	0.625	0.125	0.125	1.0	-66.5	6.059	2.323	389	1.0	1.0	0.0
796	ROY_050.037ad	0.5	0.125	0.125	1.0	-70.4	6.207	2.376	389	1.0	1.0	0.0
797	ROY_037.025ad	0.375	0.125	0.125	1.0	-74.3	6.355	2.429	389	1.0	1.0	0.0
798	NV_012ad	0.25	0.125	0.125	1.0	-78.2	6.503	2.482	360	1.0	1.0	0.0
799	GS0B_012.012ad	0.125	0.125	0.125	1.0	-82.1	6.651	2.535	360	1.0	1.0	0.0
800	GS0B_012.025ad	0.0	0.125	0.125	1.0	-86.0	6.8	2.588	360	1.0	1.0	0.0
801	ROY_100.090ad	1.0	0.0	0.0	1.0	-89.9	6.948	2.641	389	1.0	1.0	0.0
802	ROY_087.087ad	0.875	0.0	0.0	1.0	-93.8	7.096	2.694	389	1.0	1.0	0.0
803	ROY_075.075ad	0.75	0.0	0.0	1.0	-97.7	7.244	2.747	389	1.0	1.0	0.0
804	ROY_062.062ad	0.625	0.0	0.0	1.0	-101.6	7.392	2.8	389	1.0	1.0	0.0
805	ROY_050.050ad	0.5	0.0	0.0	1.0	-105.5	7.54	2.853	389	1.0	1.0	0.0
806	ROY_037.037ad	0.375	0.0	0.0	1.0	-109.4	7.688	2.906	389	1.0	1.0	0.0
807	ROY_025.025ad	0.25	0.0	0.0	1.0	-113.3	7.836	2.959	389	1.0	1.0	0.0
808	ROY_012.012ad	0.125	0.0	0.0	1.0	-117.2	7.984	3.012	389	1.0	1.0	0.0
809	NV_000ad	0.0	0.0	0.0	1.0	-121.1	8.132	3.065	360	1.0	1.0	0.0

entrada: rgb/cmyk -> rgbd  
salida: 3D-linealización a cmy0\*dd

gráfico TUB-QS17; código de tono: H\*d=R50Yd  
colores y diferencia en color, ΔE\*









