

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Datos del dispositivo (d) o elemental (e) color:

$HIC^*_ -$

código de tono para los colores esta página:

$H^*_ = Y00G_ -$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6
Y ₋ ,Ma	90.3	-10.2	91.7	92.3
G ₋ ,Ma	50.9	-62.8	34.9	71.9
C ₋ ,Ma	58.6	-30.3	-45.0	54.2
B ₋ ,Ma	25.7	31.0	-44.4	54.2
M ₋ ,Ma	48.1	75.2	-8.3	75.7
N ₋ ,Ma	18.0	0.0	0.0	0.0
W ₋ ,Ma	95.4	0.0	0.0	0.0
R ₋ ,CIE	39.9	58.7	27.9	65.0
Y ₋ ,CIE	81.2	-2.8	71.5	71.6
G ₋ ,CIE	52.2	-42.4	13.6	44.5
B ₋ ,CIE	30.5	1.4	-46.4	46.4

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triángulo claridad T^*

%Gama

$u^*_{rel} = 92$



%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

$H^*_ -$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
 aplicación para la medida de display output


TUB material: code=rh4ta

Entrada i salida: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores
esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



TLS00a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e, Ma}$: 83 -3 84 84 92

$HIC^*_{e, Ma}$: Y00G_100_100_e

$rgbic^*_{e, Ma}$:



1.0 0.85 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 158$
%Regularidad
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$

TLS00a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352





vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32L0FA.TXT> /PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación

TUB material: code=rh4ta

gráfico TUB-QS32; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=1, de=1, $sRGB^*$

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a rgb^*_{de}



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
 $LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$
 $LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$
 $LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$
 $LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$
 $LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$
 $LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_s
 $LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_ds = 1.0 \ 0.83 \ 0.0$

G_s
 $LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_ds = 0.0 \ 1.0 \ 0.523$

C_s
 $LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_ds = 0.0 \ 0.927 \ 1.0$

B_s
 $LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_ds = 0.0 \ 0.623 \ 1.0$

R_s
 $LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.202$

M_s
 $LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.962$

Y_e
 $LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_de = 1.0 \ 0.856 \ 0.0$

G_e
 $LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_de = 0.0 \ 1.0 \ 0.706$

C_e
 $LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_de = 0.0 \ 0.89 \ 1.0$

B_e
 $LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_de = 0.0 \ 0.609 \ 1.0$

R_e
 $LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_de = 1.0 \ 0.0 \ 0.263$

M_e
 $LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_de = 1.0 \ 0.0 \ 0.991$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d, LCH^*_d, LAB^*_d$

h_{ab}, rgb^*_d

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab}, h_{ab,d}$

rgb^*_de

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
 aplicación para la medida de display output, ninguna separación

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;



Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a_{dd}, r_{gb}^a_{ds}, r_{gb}^a_{de}, LAB*_{ddx64M} (x=LabCh), LAB*_{ddx361M} (x=LabCh), LAB*_{dsx361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh), LAB*_{dex361M} (x=LabCh). Rows contain numerical data for various color points.




vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS32/QS32.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	1.0 0.0	0.41 84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0	0.573 84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0	0.706 85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0	0.778 85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0	0.847 85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0	0.9 86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0	0.952 86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0	0.997 86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 0.963 1.0	84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 0.929 1.0	81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	0.0 0.146 0.0	31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	0.0 0.992 57.2	94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	0.0 0.856 55.4	89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0	0.735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0	0.65 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0	0.618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0	0.533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	1.0 0.0	0.441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0	0.361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0	0.263 50.9 78.3 37.3 86.7 385



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0				
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0				
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0				
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0				
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0				
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0				
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0				
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0				
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0				
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0				
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0				
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0				
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0				
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0				
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0				
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0				
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0				
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0				
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0				
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0				
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0				
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0				
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0				
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0				
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0				
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0				
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0				
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0				
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0				
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0				
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0				
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0				
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0				
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0				
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0				
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0				
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0				
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0				
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0				
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0				
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0				
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0				

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{de} * dd361M	LAB ^{de} * dxx361Mi (x=LabCh)	rgb ^{ds} * ds361Mi	LAB ^{ds} * dsx361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)																	
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0			
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0			
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0			
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0			
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0			
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0			
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0			
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0			
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0			
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0			
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0			
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0			
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0			
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	Y _d	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	Y _s	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	Y _e	1.0	1.0	0.0
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0			
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0			
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0			
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0			
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0			
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0			
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0			
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0			
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0			
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0		
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0		
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0		
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0		
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0		
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0		
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0		
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0		
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	1.0	0.827	1.0	0.0	89.7	-37.5	87.4	95.2	113	0.7	1.0	0.0		
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	1.0	0.806	1.0	0.0	89.4	-39.5	87.1	95.7	114	0.683	1.0	0.0		
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	1.0	0.786	1.0	0.0	89.1	-41.5	86.7	96.1	115	0.667	1.0	0.0		
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	1.0	0.765	1.0	0.0	88.8	-43.4	86.2	96.6	116	0.65	1.0	0.0		
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	0.633	1.0	0.0		
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	1.0	0.719	1.0	0.0	88.2	-47.5	85.5	97.9	119	0.617	1.0	0.0		
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.															

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}																	
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0					
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0					
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0					
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0					
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0					
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0					
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0					
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0					
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0				
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0				
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0				
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0				
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0				
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0				
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0				
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0				
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0				
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.0	0.778	85.5	-									

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}																				
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	C _s	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211		0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212		0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213		0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214		0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215		0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216		0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217		0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218		0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219		0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220		0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221		0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222		0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223		0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224		0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225		0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226		0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228		0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229		0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230		0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231		0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232		0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233		0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234		0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235		0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236		0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237		0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238		0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239		0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240		0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241		0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242		0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243		0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244		0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245		0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248	0.0	0.417	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292		0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246		0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249	0.0	0.4	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294		0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247		0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	0.0	0.383	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295		0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248		0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4	-43.8	46.2	251	0.0	0.367	1.0
296	249	252	0.0	0.35	1.0	4																												

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}													
301	255	258	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25 1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25 1.0	0.0	0.25 1.0	0.0	0.69 1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25 1.0
301	256	258	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233 1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233 1.0	0.0	0.233 1.0	0.0	0.685 1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233 1.0
302	257	259	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216 1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.216 1.0	0.0	0.216 1.0	0.0	0.68 1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.216 1.0
302	258	260	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2 1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2 1.0	0.0	0.2 1.0	0.0	0.675 1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2 1.0
303	259	261	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183 1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183 1.0	0.0	0.183 1.0	0.0	0.67 1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183 1.0
303	260	262	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166 1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.166 1.0	0.0	0.166 1.0	0.0	0.665 1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.166 1.0
304	261	263	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15 1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15 1.0	0.0	0.15 1.0	0.0	0.66 1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15 1.0
304	262	264	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133 1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133 1.0	0.0	0.133 1.0	0.0	0.655 1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133 1.0
304	263	265	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304	0.0	0.116 1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.116 1.0	0.0	0.116 1.0	0.0	0.65 1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.116 1.0
305	264	266	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1 1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1 1.0	0.0	0.1 1.0	0.0	0.645 1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1 1.0
305	265	267	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083 1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083 1.0	0.0	0.083 1.0	0.0	0.64 1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083 1.0
305	266	268	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066 1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.066 1.0	0.0	0.066 1.0	0.0	0.635 1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.066 1.0
305	267	269	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049 1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.049 1.0	0.0	0.049 1.0	0.0	0.63 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.049 1.0
305	268	269	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033 1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033 1.0	0.0	0.033 1.0	0.0	0.624 1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033 1.0
306	269	270	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.016 1.0	0.0	0.016 1.0	0.0	0.617 1.0	59.8	0.8	-55.6	55.7	270	0.0	0.016 1.0
306	270	271	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0 1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0 1.0	0.0	0.0 1.0	0.0	0.609 1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0 1.0
306	271	272	0.016	0.0 1.0	30.4	76.0	-103.4	128.4	306	0.0	0.016 1.0	59.7	1.0	-55.7	55.9	271	0.0	0.016 1.0	0.0	0.016 1.0	0.0	0.602 1.0	58.7	2.7	-57.5	57.6	272	0.0	0.016 1.0
306	272	273	0.033	0.0 1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033 1.0	59.1	2.0	-56.8	56.9	272	0.0	0.033 1.0	0.0	0.033 1.0	0.0	0.594 1.0	58.2	3.7	-58.4	58.6	273	0.033	0.0 1.0
306	273	274	0.05	0.0 1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05 1.0	58.5	3.0	-57.8	58.0	273	0.0	0.05 1.0	0.0	0.05 1.0	0.0	0.586 1.0	57.7	4.8	-59.4	59.7	274	0.05	0.0 1.0
306	274	275	0.066	0.0 1.0	30.7	76.1	-103.0	128.1	306	0.0	0.066 1.0	58.0	4.1	-58.8	59.0	274	0.0	0.066 1.0	0.0	0.066 1.0	0.0	0.578 1.0	57.1	5.8	-60.3	60.7	275	0.066	0.0 1.0
306	275	276	0.083	0.0 1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083 1.0	57.4	5.2	-59.8	60.1	275	0.0	0.083 1.0	0.0	0.083 1.0	0.0	0.57 1.0	56.6	7.0	-61.2	61.7	276	0.083	0.0 1.0
306	276	277	0.1	0.0 1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1 1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0 1.0	0.0	0.1 1.0	0.0	0.563 1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0 1.0
306	277	278	0.116	0.0 1.0	30.9	76.2	-102.5	127.8	306	0.0	0.116 1.0	56.3	7.6	-61.7	62.2	277	0.116	0.0 1.0	0.0	0.116 1.0	0.0	0.555 1.0	55.5	9.3	-62.9	63.7	278	0.116	0.0 1.0
306	278	279	0.133	0.0 1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133 1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0 1.0	0.0	0.133 1.0	0.0	0.547 1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0 1.0
306	279	280	0.15	0.0 1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15 1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0 1.0	0.0	0.15 1.0	0.0	0.539 1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0 1.0
306	280	281	0.166	0.0 1.0	31.5	76.4	-101.6	127.1	306	0.0	0.166 1.0	54.6	11.4	-64.3	65.4	280	0.166	0.0 1.0	0.0	0.166 1.0	0.0	0.531 1.0	53.9	13.0	-65.3	66.7	281	0.166	0.0 1.0
307	281	282	0.183	0.0 1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183 1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0 1.0	0.0	0.183 1.0	0.0	0.524 1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0 1.0
307	282	283	0.2	0.0 1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2 1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0 1.0	0.0	0.2 1.0	0.0	0.516 1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0 1.0
307	283	284	0.216	0.0 1.0	32.1	76.6	-100.5	126.4	307	0.0	0.216 1.0	52.9	15.4	-66.7	68.6	283	0.216	0.0 1.0	0.0	0.216 1.0	0.0	0.508 1.0	52.3	16.9	-67.5	69.7	284	0.216	0.0 1.0
307	284	285	0.233	0.0 1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233 1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0 1.0	0.0	0.233 1.0	0.0	0.5 1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0 1.0
307	285	285	0.25	0.0 1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25 1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0 1.0	0.0	0.25 1.0	0.0	0.488 1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0 1.0
307	286	286	0.266	0.0 1.0	32.9	77.0	-99.2	125.6	307	0.0	0.266 1.0	51.0	20.0	-69.7	72.6	286	0.266	0.0 1.0	0.0	0.266 1.0	0.0	0.476 1.0	50.3	21.6	-71.0	74.3	286	0.266	0.0 1.0
308	287	287	0.283	0.0 1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283 1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0 1.0	0.0	0.283 1.0	0.0	0.464 1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0 1.0
308	288	288	0.3	0.0 1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3 1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0 1.0	0.0	0.3 1.0	0.0	0.452 1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0 1.0
308	289	289	0.316	0.0 1.0	33.9	77.4	-97.5	124.5	308	0.0	0.316 1.0	48.6	25.5	-74.0	78.3	289	0.316	0.0 1.0	0.0	0.316 1.0	0.0	0.44 1.0	48.0	26.9	-75.0	79.8	289	0.316	0.0 1.0
308	290	290	0.333	0.0 1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333 1.0	47.8	27.4	-75.3	80.2	290	0.333	0.0 1.0	0.0	0.333 1.0	0.0	0.428 1.0	47.2	28.8	-76.2	81.6	290	0.333	0.0 1.0
308	291	291	0.35	0.0 1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35 1.0	47.0	29.4	-76.6	82.1	291	0.35	0.0 1.0	0.0	0.35 1.0	0.0	0.416 1.0	46.5	30.7	-77.4	83.4	291	0.35	0.0 1.0
309	292	292	0.366	0.0 1.0	34.9	77.9	-95.7	123.4	309	0.0	0.366 1.0	46.2	31.5	-77.8	84.1	292	0.366	0.0 1.0	0.0	0.366 1.0	0.0	0.404 1.0	45.7	32.7	-78.5	85.2	292	0.366	0.0 1.0
309	293	293	0.383	0.0 1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383 1.0	45.4	33.6	-79.0	86.0	293	0.383	0.0 1.0	0.0	0.383 1.0	0.0	0.392 1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0 1.0
309	294	294	0.4	0.0 1.0	35.8	78.3	-94.3	122.6	309	0.0	0.386 1.0	44.6	35.7	-80.2	87.9	294	0.4	0.0 1.0	0.0	0.38 1.0	0.0	0.38 1.0	44.2	36.8	-80.7				

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dd361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}																					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	304	0.567	0.0	1.0			
313	305	305	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	99.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0															

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4t4

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
 aplicación para la medida de display output, ninguna separación
 TUB material: code=rh4ta

n/ij	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde	
0/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375	
1/657	R13Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.0 0.156	50.6 77.6 50.9	92.9 33.2	1.0 0.0 0.157	50.6 77.3 51.2	92.8 33.5 0.4	381	
2/666	R25Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9 0.2	35	
3/675	R38Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.358 0.0	57.6 56.9 67.8	88.5 49.9	0.999 0.359 0.0	57.6 57.0 67.6	88.4 49.8 0.1	50	
4/684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9 0.1	59	
5/693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.589 0.0	68.2 30.2 74.2	80.1 67.8	1.0 0.588 0.0	68.1 30.4 73.7	79.8 67.5 0.4	65	
6/702	R75Y_100_100de	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.684 0.0	73.5 18.3 77.7	79.8 76.7	1.0 0.682 0.0	73.3 18.4 77.1	79.3 76.5 0.5	72	
7/711	R88Y_100_100de	1.0 0.875 0.0	1.0 1.0 0.5	83	1.0 0.767 0.0	78.3 7.7	80.7 81.0	84.5	1.0 0.766 0.0	78.2 7.7	80.4 80.8 84.4 0.2	77
8/720	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4	84.5 84.5	92.3	1.0 0.856 0.0	83.6 -3.4	84.2 84.3 92.3 0.2	82
9/639	Y13G_100_100de	0.875 1.0 0.0	1.0 1.0 0.5	97	1.0 0.966 0.0	90.5 -16.5	89.4 91.0	100.4	1.0 0.966 0.0	90.5 -16.7	89.1 90.7 100.6 0.3	88
10/558	Y25G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.906 1.0 0.0	91.0 -29.9	88.9 93.8	108.6	0.906 1.0 0.0	91.0 -30.0	88.7 93.6 108.6 0.2	94
11/477	Y38G_100_100de	0.625 1.0 0.0	1.0 1.0 0.5	112	0.743 1.0 0.0	88.4 -45.5	85.7 97.1	117.9	0.742 0.999 0.0	88.4 -45.6	85.7 97.0 118.0 0.1	104
12/396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.528 1.0 0.0	85.9 -63.0	82.8 104.1	127.2	0.53 0.999 0.0	85.9 -63.0	82.7 104.0 127.3 0.1	118
13/315	Y63G_100_100de	0.375 1.0 0.0	1.0 1.0 0.5	128	0.0 1.0 0.072	83.6 -82.4	77.9 113.4	136.5	0.005 1.0 0.072	83.6 -82.3	78.4 113.7 136.4 0.4	153
14/234	Y75G_100_100de	0.25 1.0 0.0	1.0 1.0 0.5	136	0.0 1.0 0.436	84.1 -76.0	51.4 91.8	145.9	0.0 1.0 0.439	84.1 -75.8	51.4 91.6 145.8 0.1	175
15/153	Y88G_100_100de	0.125 1.0 0.0	1.0 1.0 0.5	143	0.0 1.0 0.593	84.6 -70.0	34.0 77.9	154.0	0.0 1.0 0.594	84.6 -69.9	34.2 77.8 153.9 0.2	186
16/72	G00C_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6	20.7 67.9	162.2	0.0 1.0 0.707	85.1 -64.3	20.9 67.6 162.0 0.3	193
17/73	G13C_100_100de	0.0 1.0 0.125	1.0 1.0 0.5	157	0.0 1.0 0.778	85.5 -60.7	12.2 61.9	168.6	0.0 1.0 0.779	85.5 -60.3	12.3 61.5 168.4 0.3	197
18/74	G25C_100_100de	0.0 1.0 0.25	1.0 1.0 0.5	164	0.0 1.0 0.838	85.8 -57.1	4.9 57.3	175.0	0.0 1.0 0.841	85.8 -56.6	5.0 56.9 174.8 0.4	201
19/75	G38C_100_100de	0.0 1.0 0.375	1.0 1.0 0.5	172	0.0 1.0 0.899	86.2 -53.2	-2.1 53.3	182.3	0.0 1.0 0.901	86.2 -52.8	-2.0 52.8 182.2 0.4	204
20/76	G50C_100_100de	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.951	86.5 -49.9	-8.4 50.6	189.6	0.0 1.0 0.955	86.5 -49.2	-8.4 49.9 189.6 0.6	207
21/77	G63C_100_100de	0.0 1.0 0.625	1.0 1.0 0.5	188	0.0 0.997 1.0	86.6 -45.9	-13.9 47.9	196.9	0.0 0.997 1.0	86.6 -45.8	-13.8 47.9 196.8 0.1	210
22/78	G75C_100_100de	0.0 1.0 0.75	1.0 1.0 0.5	196	0.0 0.958 1.0	83.9 -42.0	-18.9 46.1	204.2	0.0 0.959 1.0	83.9 -41.8	-17.9 45.4 203.1 1.0	212
23/79	G88C_100_100de	0.0 1.0 0.875	1.0 1.0 0.5	203	0.0 0.924 1.0	81.4 -38.3	-22.6 44.5	210.5	0.0 0.925 1.0	81.5 -38.0	-21.5 43.7 209.5 1.1	213
24/80	C00B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2	-25.7 42.8	216.9	0.0 0.89 1.0	79.0 -34.1	-25.3 42.5 216.6 0.4	215
25/71	C13B_100_100de	0.0 0.875 1.0	1.0 1.0 0.5	217	0.0 0.858 1.0	76.8 -30.8	-29.1 42.4	223.3	0.0 0.859 1.0	76.8 -30.5	-28.7 41.9 223.2 0.5	217
26/62	C25B_100_100de	0.0 0.75 1.0	1.0 1.0 0.5	224	0.0 0.829 1.0	74.7 -27.7	-32.7 42.8	229.7	0.0 0.831 1.0	74.8 -27.1	-31.8 41.8 229.5 1.0	219
27/53	C38B_100_100de	0.0 0.625 1.0	1.0 1.0 0.5	232	0.0 0.796 1.0	72.4 -23.6	-36.4 43.4	237.0	0.0 0.797 1.0	72.5 -23.0	-35.4 42.3 236.9 1.0	221
28/44	C50B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.763 1.0	70.0 -19.0	-39.6 43.9	244.3	0.0 0.763 1.0	70.0 -18.7	-39.3 43.5 244.5 0.4	223
29/35	C63B_100_100de	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.725 1.0	67.4 -14.5	-43.8 46.2	251.6	0.0 0.726 1.0	67.4 -13.9	-43.3 45.5 252.1 0.7	225
30/26	C75B_100_100de	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.685 1.0	64.5 -9.4	-48.6 49.5	258.9	0.0 0.686 1.0	64.6 -8.7	-47.7 48.5 259.6 1.1	227
31/17	C88B_100_100de	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.649 1.0	62.0 -4.2	-52.3 52.5	265.3	0.0 0.65 1.0	62.0 -3.7	-51.8 51.9 265.9 0.7	230
32/8	B00M_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7	-56.6 56.6	271.7	0.0 0.609 1.0	59.2 2.0	-56.3 56.3 272.1 0.4	232
33/89	B13M_100_100de	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2	-63.0 63.6	278.3	0.0 0.557 1.0	55.6 9.6	-62.0 62.7 278.8 1.0	236
34/170	B25M_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3	-68.3 70.7	285.0	0.0 0.502 1.0	51.9 18.0	-68.0 70.4 284.8 0.3	239
35/251	B38M_100_100de	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7	-78.6 85.1	292.5	0.0 0.407 1.0	45.8 32.6	-78.0 84.5 292.7 0.6	246
36/332	B50M_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	307.1	0.0 0.272 1.0	38.2 52.8	-90.5 104.8 300.2 0.2	254
37/413	B63M_100_100de	0.625 0.0 1.0	1.0 1.0 0.5	308	0.263 0.0 1.0	32.8 76.9	-99.3 125.7	307.7	0.264 0.0 0.999	32.8 76.9	-99.4 125.7 307.7 0.0	284
38/494	B75M_100_100de	0.75 0.0 1.0	1.0 1.0 0.5	316	0.638 0.0 1.0	43.2 82.9	-119.1	315.3	0.637 0.0 1.0	43.1 82.8	-119.1 315.3 315.2 0.1	309
39/575	B88M_100_100de	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7	-69.4 112.6	321.9	0.837 0.0 1.0	50.6 88.6	-69.4 112.5 321.9 0.1	321
40/656	M00R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1	-57.4 110.3	328.6	1.0 0.0 0.991	57.1 94.0	-57.4 110.2 328.5 0.0	330
41/655	M13R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.855	55.4 89.9	-41.4 99.0	335.2	1.0 0.0 0.854	55.3 89.7	-41.4 98.8 335.1 0.2	337
42/654	M25R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.747	54.1 86.7	-28.3 91.2	341.8	1.0 0.0 0.746	54.1 86.6	-28.2 91.1 341.9 0.1	344
43/653	M38R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.65	53.2 84.5	-15.7 85.9	349.4	1.0 0.0 0.647	53.2 84.1	-15.6 85.6 349.4 0.3	350
44/652	M50R_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6	-11.6 84.4	352.0	1.0 0.0 0.616	52.9 83.4	-11.5 84.2 352.1 0.1	352
45/651	M63R_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.521	52.2 81.8	1.3 81.8	0.9	1.0 0.0 0.522	52.2 81.5	1.1 81.5 0.7 0.3	358
46/650	M75R_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.429	51.6 80.5	14.0 81.7	9.8	1.0 0.0 0.431	51.6 80.0	13.7 81.2 9.7 0.6	364
47/649	M88R_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.348	51.2 79.3	25.2 83.2	17.6	1.0 0.0 0.35	51.2 78.9	25.0 82.8 17.6 0.3	369
48/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375	
49/0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	
50/91	NW_013de	0.125 0.125 0.125	0.125 0.125 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360
51/182	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2 0.4	207.2 0.4	360
52/273	NW_038de	0.375 0.375 0.375	0.375 0.375 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5	205.6 0.5	360
53/364	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1 0.4	205.6 0.4	360
54/455	NW_063de	0.625 0.625 0.625	0.625 0.625 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3	206.3 0.3	360
55/546	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360
56/637	NW_088de	0.875 0.875 0.875	0.875 0.875 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.0 0.0	0.858 0.86 0.86			



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4t4


Table with columns: n/j, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, rgb*Fde, LabCh*Fde, DE*Fde hsiMde, rgb*Mde, LabCh*Mde. It contains a large grid of numerical data representing color and density measurements for various samples.

delta E* = 0.8



gráfico TUB-QS32; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE*^{*}

entrada: rgb/cmyk -> rgb_{de}
salida: 3D-linealización a rgb*_{de}



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32L0FA.TXT> / .PS
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT / .PS
 aplicación para la medida de display output, ninguna separación
 TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde	
81	R00Y_012_012a	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.032	6.3 9.7 4.6	10.8 25.4	0.146 0.043 0.037	5.3 11.5 4.6	12.4 21.9 2.0	375 1.0 0.0 0.263	50.9 78.3 37.3 86.7 25.4
82	B50R_012_012a	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.123	7.1 11.7 -7.1	13.7 328.6	0.137 0.052 0.133	6.1 14.1 -8.8	16.6 328.0 3.0	330 1.0 0.0 0.991	57.1 94.1 -57.4 110.3 328.6
83	B25R_025_025a	0.125 0.0 0.25	0.25 0.25 0.125	300	0.0 0.067 0.25	9.5 13.1 -22.6	262 300.1	0.093 0.083 0.24	8.6 14.1 -24.3	28.1 300.2 2.1	254 0.0 0.27 1.0	38.2 52.7 -90.7 104.9 300.1
84	B15R_037_037a	0.125 0.0 0.375	0.375 0.375 0.187	289	0.0 0.165 0.375	17.9 10.1 -28.1	299 289.7	0.101 0.173 0.354	17.7 9.4 -28.8	30.3 288.2 0.9	243 0.0 0.44 1.0	47.9 26.9 -75.0 79.7 289.7
85	B11R_050_050a	0.125 0.0 0.5	0.5 0.5 0.25	284	0.0 0.25 0.5	25.9 9.1 -34.1	35.3 285.0	0.129 0.25 0.473	25.9 9.1 -34.4	35.6 284.8 0.2	239 0.0 0.5 1.0	51.8 18.3 -68.3 70.7 285.0
86	B09R_062_062a	0.125 0.0 0.625	0.625 0.625 0.312	281	0.0 0.327 0.625	33.3 8.9 -41.3	42.3 282.1	0.101 0.324 0.597	33.2 8.1 -41.4	42.2 281.0 0.8	238 0.0 0.523 1.0	53.3 14.2 -66.1 67.7 282.1
87	B07R_075_075a	0.125 0.0 0.75	0.75 0.75 0.375	279	0.0 0.404 0.75	40.8 8.7 -48.4	49.2 280.2	0.071 0.401 0.728	40.8 8.0 -48.3	49.0 279.4 0.7	237 0.0 0.539 1.0	54.4 11.7 -64.6 65.6 280.2
88	B06R_087_087a	0.125 0.0 0.875	0.875 0.875 0.437	278	0.0 0.478 0.875	48.1 9.1 -55.8	56.5 279.3	0.0 0.478 0.875	48.1 9.1 -55.8	56.5 279.3 0.3	236 0.0 0.546 1.0	54.9 10.4 -63.8 64.6 279.3
89	B05R_100_100a	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2 -63.0	63.6 278.3	0.0 0.557 1.0	55.6 9.6 -62.0	62.7 278.8 1.0	236 0.0 0.554 1.0	55.5 9.2 -63.0 63.6 278.3
90	Y00G_012_012a	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.107 0.0	10.4 -0.4	10.5 10.5 92.3	0.139 0.115 0.038	10.1 -0.3	11.5 11.5 91.7	1.0 82 1.0 0.856 0.0	83.7 -3.4 84.5 84.5 92.3
91	NW_012a	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360 1.0 1.0 1.0	95.4 0.0 0.0 0.0 0.0
92	B00R_025_012a	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.125 0.25	19.3 0.2	-7.0 7.0 271.7	0.162 0.197 0.238	19.0 -0.7	-7.5 7.5 264.4 1.0	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
93	B00R_037_025a	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.277 0.375	26.7 0.6	-14.1 14.1 271.7	0.199 0.267 0.353	26.6 -0.3	-14.5 14.5 268.5 0.9	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
94	B00R_050_037a	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.353 0.5	34.1 0.6	-12.1 21.2 271.7	0.232 0.34 0.473	34.1 0.0	-21.5 21.5 270.2 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
95	B00R_062_050a	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.429 0.625	41.5 0.8	-28.3 28.3 271.7	0.261 0.416 0.597	41.5 0.2	-28.1 28.1 270.4 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
96	B00R_075_062a	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.505 0.75	48.9 1.0	-35.3 35.3 271.7	0.282 0.494 0.727	48.9 0.4	-35.1 35.1 270.7 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
97	B00R_087_075a	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.588 0.875	56.3 1.2	-42.4 42.4 271.7	0.294 0.573 0.863	56.2 0.9	-42.5 42.5 271.2 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
98	B00R_100_087a	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.658 1.0	63.7 1.5	-49.5 49.5 271.7	0.304 0.654 1.0	63.5 1.1	-49.3 49.3 271.4 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
99	Y50G_025_025a	0.125 0.25 0.0	0.25 0.25 0.125	120	0.132 0.25 0.0	21.4 -15.7	20.7 26.0 172.2	0.15 0.238 0.071	21.4 -16.8	21.9 27.6 127.4 1.6	118 0.528 1.0 0.0	85.9 -63.0 82.8 104.1 172.2
100	G00B_025_012a	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.213	22.5 -8.0	2.5 8.4 162.2	0.165 0.239 0.208	22.4 -9.1	2.3 9.4 165.6 1.0	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
101	G50B_025_012a	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.236 0.25	21.8 -4.2	-3.2 5.3 216.9	0.167 0.226 0.237	21.6 -5.1	-3.5 6.2 214.5 0.1	225 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
102	G75B_037_025a	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.315 0.375	29.4 -4.7	-9.9 10.9 244.3	0.199 0.301 0.352	29.3 -5.8	-10.2 11.7 240.2 0.1	213 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
103	G84B_050_037a	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.391 0.5	36.8 -4.7	-17.1 17.8 254.3	0.235 0.375 0.474	36.8 -5.1	-17.3 18.1 253.5 0.4	226 0.0 0.71 1.0	66.3 -12.7 -45.7 47.4 254.3
104	G88B_062_050a	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.467 0.625	44.2 -4.7	-24.3 24.7 258.9	0.256 0.453 0.598	44.2 -5.4	-24.1 24.7 257.3 0.6	227 0.0 0.685 1.0	64.5 -9.4 -48.6 49.5 258.9
105	G90B_075_062a	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.543 0.75	51.6 -4.5	-31.4 31.7 261.6	0.273 0.531 0.729	51.6 -5.1	-31.3 31.7 260.6 0.6	228 0.0 0.67 1.0	63.4 -7.3 -50.3 50.8 261.6
106	G92B_087_075a	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.619 0.875	59.0 -4.3	-28.5 38.7 263.2	0.287 0.61 0.864	58.8 -4.5	-38.7 38.9 263.3 0.2	229 0.0 0.659 1.0	62.7 -5.8 -51.3 51.7 263.2
107	G93B_100_087a	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.698 1.0	66.5 -4.4	-45.3 45.6 264.6	0.294 0.696 1.0	66.3 -4.9	-45.0 45.2 263.6 0.7	229 0.0 0.654 1.0	62.4 -5.0 -51.8 52.1 264.6
108	Y68G_037_037a	0.125 0.375 0.0	0.375 0.375 0.187	131	0.0 0.375 0.102	31.4 -30.0	25.1 39.1 140.0	0.125 0.354 0.133	31.5 -30.4	25.4 39.7 140.1 0.5	165 0.0 1.0 0.273	83.8 -80.1 67.0 104.4 140.0
109	G00B_037_025a	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.301	33.2 -16.1	5.1 16.9 162.2	0.203 0.354 0.289	33.1 -17.2	5.0 17.9 163.7 1.1	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
110	G25B_037_025a	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.362	33.5 -12.4	-2.1 12.6 189.6	0.208 0.353 0.341	33.5 -13.4	-2.3 13.6 189.7 1.0	207 0.0 1.0 0.951	86.5 -49.9 -8.4 50.6 189.6
111	G50B_037_025a	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.347 0.375	31.6 -8.5	-6.4 10.7 216.9	0.204 0.329 0.351	31.6 -9.6	-6.7 11.7 214.7 1.1	215 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
112	G65B_050_037a	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.428 0.5	39.4 -9.4	-13.1 16.2 234.3	0.237 0.41 0.474	39.5 -10.0	-13.2 16.6 232.9 0.5	220 0.0 0.808 1.0	73.3 -25.2 -35.1 43.2 234.3
113	G75B_062_050a	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.506 0.625	46.9 -9.5	-19.8 21.9 244.3	0.266 0.489 0.596	47.0 -10.1	-19.2 22.0 242.7 0.6	223 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
114	G80B_075_062a	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.581 0.75	54.2 -9.4	-27.0 28.6 250.7	0.28 0.566 0.726	54.1 -9.9	-26.9 28.7 249.8 0.4	225 0.0 0.73 1.0	67.7 -15.1 -43.2 45.7 250.7
115	G84B_087_075a	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.657 0.875	61.6 -9.5	-34.3 36.5 254.3	0.287 0.648 0.864	61.5 -9.7	-34.4 35.8 254.2 0.2	226 0.0 0.71 1.0	66.3 -12.7 -45.7 47.4 254.3
116	G86B_100_087a	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.733 1.0	69.0 -9.4	-41.5 42.6 257.1	0.29 0.733 1.0	68.8 -10.0	-41.0 42.2 262.6 0.7	227 0.0 0.695 1.0	65.2 -10.8 -47.5 48.7 257.1
117	Y76G_050_050a	0.125 0.5 0.0	0.5 0.5 0.25	136	0.0 0.5 0.218	42.0 -38.0	25.7 45.9 145.9	0.131 0.474 0.226	42.2 -38.6	26.1 46.6 145.8 0.7	175 0.0 1.0 0.436	84.1 -76.0 51.4 91.8 145.9
118	G00B_050_037a	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.389	43.8 -24.2	7.7 25.4 162.2	0.245 0.475 0.375	44.0 -24.6	7.8 25.8 162.3 0.4	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
119	G15B_050_037a	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.459	44.2 -20.3	0.1 20.3 179.5	0.248 0.474 0.431	44.3 -20.9	0.1 20.9 176.6 0.5	203 0.0 1.0 0.888	86.0 -54.3 0.4 54.3 179.5
120	G34B_050_037a	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.493 0.5	44.0 -16.7	-5.9 17.7 199.6	0.251 0.468 0.472	44.1 -17.1	-5.9 18.1 199.2 0.4	210 0.0 0.982 1.0	85.6 -44.5 -15.8 47.3 199.6
121	G50B_050_037a	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.598 0.5	41.5 -12.8	-9.6 16.0 216.9	0.243 0.437 0.472	41.6 -13.4	-9.7 16.6 215.9 0.6	215 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
122	G61B_062_050a	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.539 0.625	49.3 -13.8	-16.3 21.4 229.7	0.264 0.52 0.597	49.3 -14.4	-16.1 21.6 228.3 0.5	219 0.0 0.829 1.0	74.7 -27.7 -32.7 42.8 229.7
123	G69B_075_062a	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.62 0.75	57.0 -14.4	-23.0 27.1 237.9	0.28 0.603 0.728	56.8 -14.7	-23.0 27.3 237.4 0.3	221 0.0 0.792 1.0	72.1 -23.0 -36.8 43.4 237.9
124	G75B_087_075a	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.697 0.875	64.4 -14.2	-29.7 32.9 244.3	0.299 0.687 0.862	64.3 -14.5	-29.8 33.2 244.0 0.3	223 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
125	G79B_100_087a	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.773 1.0	71.8 -14.1	-36.7 39.3 248.9	0.311 0.772 1.0	71.7 -14.4	-36.6 39.3 248.4 0.3	224 0.0 0.74 1.0	68.4 -16.1 -41.9 44.9 248.9
126	Y81G_062_062a	0.125 0.625 0.0	0.625 0.625 0.312	139	0.0 0.625 0.32	52.7 -45.8	27.1 53.2 149.4	0.13 0.596 0.319	52.6 -46.6	27.1 53.5 149.5 0.3	180 0.0 1.0 0.513	84.3 -73.3 43.3 85.2 149.4
127	G00B_062_050a	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.478	54.5 -33.2	10.3 33.9 162.2	0.269 0.598 0.463	54.4 -32.6	10.0 34.1 162.8 0.4	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
128	G11B_062_050a	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.544	54.8 -28.5	2.4 28.6 175.0	0.272 0.598 0.523	54.7 -28.8	2.2 28.8 175.6 0.3	201 0.0 1.0 0.938	85.8 -57.1 4.9 57.3 175.0
129	G25B_062_050a	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.6	55.2 -24.9	-4.2 25.3 189.6	0.276 0.597 0.574	55.1 -25.3	-4.3 25.6 189.6 0.3	207 0.0 1.0	

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
 aplicación para la medida de display output, ninguna separación
 TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde
162	R00Y_025_025a	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.065	12.7 19.5 9.3	21.6 25.4	0.248 0.077 0.076	12.1 20.4 10.6	23.0 27.4 1.6	375 352
163	R00Y_025_025a	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.154	13.2 20.9 -2.9	21.1 35.0	0.241 0.08 0.162	12.6 21.8 -4.0	22.2 24.6 1.5	352 375
164	B50R_025_025a	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.247	14.2 23.5 -14.3	27.5 328.6	0.241 0.086 0.237	13.7 24.5 -15.3	28.9 327.9 1.4	330 336
165	B34R_037_037a	0.25 0.0 0.375	0.25 0.375 0.187	310	0.166 0.0 0.375	13.9 29.6 -34.5	45.5 310.5	0.187 0.069 0.353	13.1 30.7 -36.1	47.4 310.3 2.0	296 296
166	B25R_050_050a	0.25 0.0 0.5	0.5 0.5 0.25	300	0.0 0.135 0.5	19.1 26.3 -45.3	52.4 300.1	0.131 0.148 0.474	18.9 26.6 -46.0	53.1 300.0 0.7	254 254
167	B19R_062_062a	0.25 0.0 0.625	0.625 0.625 0.312	293	0.0 0.245 0.625	28.0 21.7 -49.8	54.3 293.5	0.129 0.248 0.597	28.0 21.5 -49.8	54.2 293.3 0.2	247 247
168	B15R_075_075a	0.25 0.0 0.75	0.75 0.75 0.375	289	0.0 0.33 0.75	35.9 20.2 -56.2	59.8 289.7	0.078 0.33 0.728	35.7 19.6 -56.4	59.8 289.2 0.5	243 243
169	B13R_087_087a	0.25 0.0 0.875	0.875 0.875 0.437	286	0.0 0.416 0.875	43.9 18.9 -64.2	60.0 286.9	0.043 0.417 0.862	44.0 18.4 -62.1	64.8 286.5 0.5	241 241
170	B11R_100_100a	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0	0.0 0.502 1.0	51.9 18.0 -68.0	70.4 284.8 0.3	239 239
171	R50Y_025_025a	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.121 0.0	15.7 10.6 17.7	20.6 58.8	0.247 0.138 0.042	15.6 10.4 19.2	21.9 61.4 1.5	59 59
172	R00Y_025_012a	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.157	18.2 9.7 4.6	10.8 25.4	0.247 0.163 0.116	18.0 9.4 4.3	10.4 24.7 0.5	375 375
173	B50R_025_012a	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.248	19.0 11.7 -7.1	13.7 328.6	0.239 0.168 0.237	18.8 11.6 -7.6	13.8 326.6 0.5	330 330
174	B25R_037_025a	0.25 0.125 0.375	0.375 0.25 0.312	300	0.124 0.19 0.375	21.4 13.1 -22.6	26.2 300.1	0.206 0.192 0.355	21.0 12.8 -23.5	26.7 298.6 0.9	254 254
175	B15R_050_037a	0.25 0.125 0.5	0.5 0.375 0.25	289	0.124 0.29 0.5	29.9 10.1 -28.1	29.9 289.7	0.235 0.281 0.475	29.8 9.7 -28.5	30.1 288.7 0.5	243 243
176	B11R_062_050a	0.25 0.125 0.625	0.625 0.5 0.375	284	0.125 0.375 0.625	37.8 9.1 -34.1	35.3 285.0	0.266 0.363 0.597	37.8 8.7 -34.1	35.2 284.4 0.4	239 239
177	B09R_075_062a	0.25 0.125 0.75	0.75 0.625 0.437	281	0.125 0.452 0.75	45.3 8.9 -41.3	42.3 282.0	0.278 0.441 0.729	45.2 8.2 -41.2	42.0 281.2 0.6	238 238
178	B07R_087_075a	0.25 0.125 0.875	0.875 0.75 0.5	279	0.125 0.529 0.875	52.7 8.7 -48.4	49.2 280.2	0.29 0.522 0.865	52.7 8.2 -48.4	49.1 279.6 0.5	237 237
179	B06R_100_087a	0.25 0.125 1.0	1.0 0.875 0.562	278	0.125 0.603 1.0	60.0 9.1 -55.8	56.5 279.3	0.295 0.6 1.0	59.8 8.5 -55.3	55.9 278.7 0.8	236 236
180	Y00G_025_025a	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.214 0.0	20.9 -0.8 21.1	21.1 92.3	0.24 0.207 0.065	20.7 -1.5 22.6	22.6 93.8 1.6	82 82
181	Y00G_025_012a	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.232 0.124	22.3 0.4 10.5	10.5 92.3	0.24 0.221 0.158	22.2 1.0 10.4	10.5 95.4 0.6	82 82
182	NW_025a	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2 0.4	360 360
183	B00R_037_012a	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.326 0.375	31.2 0.2 -7.0	7.0 271.7	0.276 0.308 0.352	31.1 -0.4 -7.3	7.3 266.8 0.6	232 232
184	B00R_050_025a	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.402 0.5	38.6 0.4 -14.1	14.1 271.7	0.32 0.382 0.473	38.6 0.0 -14.4	14.4 269.8 0.5	232 232
185	B00R_062_037a	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.478 0.625	46.0 0.6 -21.2	21.2 271.7	0.359 0.459 0.597	46.0 0.0 -21.0	21.0 270.0 0.6	232 232
186	B00R_075_050a	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232 232
187	B00R_087_062a	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.63 0.875	60.8 1.0 -35.3	35.3 271.7	0.424 0.617 0.864	60.7 1.0 -35.5	35.5 271.6 0.2	232 232
188	B00R_100_075a	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.707 1.0	68.2 1.2 -42.4	42.4 271.7	0.45 0.701 1.0	68.1 0.9 -42.1	42.1 271.2 0.5	232 232
189	Y31G_037_037a	0.25 0.375 0.0	0.375 0.375 0.187	109	0.302 0.375 0.0	33.5 -14.8 32.6	35.8 114.4	0.292 0.35 0.089	33.4 -15.5 33.4	36.9 114.9 1.0	100 806
190	Y50G_037_025a	0.25 0.375 0.125	0.375 0.25 0.25	120	0.257 0.375 0.124	33.4 -15.7 20.7	26.0 127.2	0.264 0.353 0.185	33.4 -16.5 21.0	26.7 128.0 0.8	118 528
191	G00B_037_012a	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.338	34.4 -8.0 2.5	8.4 162.2	0.279 0.353 0.32	34.4 -8.7 2.4	9.1 164.6 0.7	193 0.0
192	G50B_037_012a	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.361 0.375	33.7 4.2 -3.2	5.3 216.9	0.281 0.34 0.351	33.6 -4.9 -3.4	6.0 215.0 0.6	215 0.0
193	G75B_050_025a	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.44 0.5	41.3 4.7 -9.9	10.9 244.3	0.321 0.419 0.472	41.3 -5.4 -10.1	11.5 241.8 0.7	223 0.0
194	G84B_062_037a	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.516 0.625	48.7 4.7 -17.1	17.8 254.3	0.36 0.497 0.597	48.8 -5.2 -16.9	17.7 252.7 0.5	226 0.0
195	G88B_075_050a	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.592 0.75	56.1 4.7 -24.3	24.7 258.9	0.39 0.575 0.729	56.0 -5.0 -24.2	24.8 258.2 0.3	227 0.0
196	G90B_087_062a	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.668 0.875	63.5 -4.5 -31.4	31.7 261.6	0.418 0.657 0.865	63.3 -4.7 -31.6	31.9 261.5 0.2	228 0.0
197	G92B_100_075a	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.744 1.0	70.9 -4.3 -38.5	38.7 263.5	0.446 0.741 1.0	70.7 -4.7 -38.0	38.3 262.8 0.6	229 0.0
198	Y50G_050_050a	0.25 0.5 0.0	0.5 0.25 0.125	120	0.264 0.5 0.0	42.9 -31.5 41.4	52.0 127.2	0.273 0.472 0.095	43.0 -32.2 42.2	53.1 127.3 1.0	118 528
199	Y68G_050_037a	0.25 0.5 0.125	0.5 0.375 0.312	131	0.124 0.5 0.227	43.3 -30.0 25.1	39.1 140.0	0.252 0.476 0.246	43.5 -30.0 25.3	39.6 140.1 0.4	165 0.0
200	G00B_050_025a	0.25 0.5 0.25	0.25 0.25 0.375	150	0.249 0.5 0.426	45.1 -16.1 5.1	16.9 162.2	0.325 0.475 0.407	45.1 -16.8 5.0	17.5 163.4 0.6	193 0.0
201	G25B_050_025a	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.487	45.4 -12.4 -2.1	12.6 189.6	0.329 0.474 0.461	45.5 -13.1 -2.2	13.3 189.8 0.7	207 0.0
202	G50B_050_025a	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.472 0.5	43.6 -8.5 -6.4	10.7 216.9	0.324 0.448 0.471	43.6 -9.3 -6.6	11.5 215.3 0.8	215 0.0
203	G65B_062_037a	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.553 0.625	51.3 -9.4 -13.1	16.2 234.3	0.364 0.532 0.597	51.4 -9.9 -12.9	16.3 232.5 0.5	220 0.0
204	G75B_075_050a	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.631 0.75	58.8 -9.5 -19.8	21.9 244.3	0.4 0.612 0.727	58.7 -9.5 -19.8	22.0 244.2 0.1	223 0.0
205	G80B_087_062a	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.706 0.875	66.1 -9.4 -27.0	28.6 250.7	0.425 0.695 0.863	66.0 -9.6 -27.1	28.8 250.5 0.2	225 0.0
206	G84B_100_075a	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.782 1.0	73.6 -9.5 -34.3	35.6 254.3	0.446 0.781 1.0	73.4 -10.0 -33.8	35.3 254.0 0.6	226 0.0
207	Y61G_062_062a	0.25 0.625 0.0	0.625 0.625 0.312	127	0.082 0.625 0.0	52.3 -50.8 50.0	71.3 135.4	0.159 0.596 0.093	52.2 -51.3 50.6	72.0 135.4 0.7	142 0.132
208	Y76G_062_050a	0.25 0.625 0.125	0.625 0.5 0.375	136	0.125 0.625 0.343	54.0 -38.0 25.7	45.9 145.9	0.172 0.599 0.344	53.9 -38.3 25.6	46.1 146.2 0.3	175 0.0
209	G00B_062_037a	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.514	55.7 -24.2 7.7	25.4 162.2	0.37 0.599 0.497	55.7 -24.1 7.4	25.3 162.8 0.3	193 0.0
210	G15B_062_037a	0.25 0.625 0.375	0.625 0.375 0.437	169	0.25 0.625 0.58	56.1 -20.3 0.1	20.3 179.5	0.375 0.598 0.554	56.0 -20.4 0.0	20.4 179.9 0.1	203 0.0
211	G34B_062_037a	0.25 0.625 0.5	0.625 0.375 0.437	191	0.25 0.618 0.625	55.9 -16.7 -5.9	17.7 199.6	0.379 0.591 0.595	55.8 -16.8 -5.9	17.9 199.3 0.1	210 0.0
212	G50B_062_037a	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.583 0.625	53.5 -12.8 -9.6	16.0 216.9	0.371 0.559 0.595	53.4 -13.2 -9.5	16.3 215.8 0.3	215 0.0
213	G61B_075_050a	0.25 0.625 0.75	0.75 0.5 0.5	224	0.25 0.664 0.75	61.2 -13.8 -16.3	21.4 229.7	0.399 0.645 0.728	61.0 -13.9 -16.4	21.5 229.6 0.2	219 0.0
214	G69B_087_062a	0.25 0.625 0.875	0.875 0.625 0.562	233	0.25 0.745 0.875	68.9 -14.4 -23.0	27.1 237.9	0.425 0.734 0.864	68.7 -14.5 -23.1	27.3 237.7 0.2	221 0.0
215	G75B_100_075a	0.25 0.625 1.0	1.0 0.75 0.625	240	0.25 0.822 1.0	76.3 -14.2 -29.7	32.9 244.3	0.457 0.821 1.0	76.2 -14.6 -29.4	32.9 243.6 0.4	223 0.0
216	Y68G_075_075a	0.25 0.75 0.0	0.75 0.75 0.375	131	0.0 0.75 0.204	62.8 -60.1 50.2	78.3 140.0	0.129 0.726 0.217	62.8 -60.2 50.6	78.6 139.9 0.3	165 0.0
217	Y81G_075_062a	0.25 0.75 0.125	0.75 0.625 0.437	139	0.125 0.75 0.445	64.6 -45.8 27.1	53.2 149.4	0.294 0.729 0.441	64.5 -46.1 26.8	53.4 149.7 0.3	180 0.0
218	G00B_075_050a	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.63 0.603	66.4 -23.2 10.3	33.9 162.2	0.404 0.7 0.587	66.5 -23.2 10.3	34.1 162.4 0.2	193 0.0
219	G11B_075_050a	0.25 0.75 0.375	0.75 0.5 0.5	164	0.25 0.75 0.669	66.7 -28.5 2.4	28.6 175.0	0.409 0.729 0.649	66.6 -28.7 2.5	28.8 174.9 0.1	201 0.0
220	G25B_075_050a	0.25 0.75 0.5	0.5 0.5 0.5	180	0.25 0.75 0.725	67.7 -24.9 -4.2	25.3 1				

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
 aplicación para la medida de display output, ninguna separación
 TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb**Fde	LabCh**Fde	rgb**Fde	LabCh**Fde	DE**Fde hsiMde	rgb**Mde	LabCh**Mde		
243	R00Y_037_037a	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.098	19.0 29.3 13.9	32.5 25.4	0.363 0.092 0.113	18.7 30.3 14.0	33.4 24.7 1.0	375 1.0 0.0 0.263	50.9 78.3 37.3	86.7 86.7 25.4
244	R18Y_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.182	19.4 30.4 2.2	30.5 4.3	0.358 0.096 0.118	19.1 31.2 1.6	31.2 29.0 1.0	360 1.0 0.0 0.486	51.9 81.1 6.1	81.3 4.3 4.3
245	B65R_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.257	20.1 32.0 -7.6	32.9 346.6	0.358 0.098 0.252	19.8 33.0 -8.2	34.0 346.0 1.1	347 1.0 0.0 0.686	53.6 85.5 -20.3	87.9 346.6 328.6
246	B50R_037_037a	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.371	21.4 35.3 -21.5	41.3 328.6	0.355 0.106 0.35	21.1 35.8 -22.2	42.2 328.2 0.9	330 1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6 306.8
247	B38R_050_050a	0.375 0.0 0.5	0.5 0.5 0.25	316	0.319 0.0 0.5	21.6 41.4 -40.9	58.2 315.3	0.317 0.085 0.473	21.1 42.4 -42.1	59.8 315.2 1.6	309 0.638 0.0 1.0	43.2 82.9 -81.9	116.5 315.3 306.8
248	B30R_062_062a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.091 0.0 0.625	19.5 47.7 -63.7	79.6 306.8	0.166 0.055 0.596	18.9 48.7 -64.6	80.9 306.9 1.4	277 0.145 0.0 1.0	31.2 76.3 -102.0	127.4 306.8 306.8
249	B25R_075_075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.202 0.75	28.6 39.5 -68.0	78.7 300.1	0.12 0.206 0.727	28.3 39.9 -68.4	79.2 300.2 0.6	254 0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1 300.1
250	B20R_087_087a	0.375 0.0 0.875	0.875 0.875 0.437	295	0.0 0.318 0.875	37.8 34.2 -72.0	79.7 295.4	0.061 0.318 0.861	37.6 34.0 -72.3	79.9 295.2 0.3	248 0.0 0.364 1.0	43.2 39.1 -82.3	91.1 295.4 295.4
251	B18R_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5	0.0 0.407 1.0	45.8 32.6 -78.0	84.5 292.7 0.6	246 0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5 292.5
252	R31Y_037_037a	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.108 0.0	20.7 26.3 25.0	34.4 46.6	0.364 0.138 0.042	20.6 23.8 26.4	35.6 47.8 1.3	46 1.0 0.29 0.0	55.4 63.0 66.8	91.8 46.6 46.6
253	R00Y_037_025a	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.19	24.6 19.5 9.3	21.6 25.4	0.368 0.189 0.189	24.3 19.8 8.9	21.7 24.2 0.5	375 1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4 25.4
254	R00Y_037_025a	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.279	25.1 20.9 -2.9	21.1 352.0	0.361 0.193 0.27	24.8 21.3 -3.5	21.6 350.6 0.7	352 1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0 352.0
255	B50R_037_025a	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.372	26.2 23.5 -14.3	27.5 328.6	0.357 0.199 0.351	25.9 23.9 -15.0	28.2 327.7 0.8	330 1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6 328.6
256	B34R_050_037a	0.375 0.125 0.5	0.5 0.5 0.312	311	0.291 0.124 0.5	25.8 29.6 -34.5	45.5 310.6	0.313 0.185 0.476	25.4 30.0 -35.5	46.5 310.2 1.1	296 0.444 0.0 1.0	37.0 79.0 -92.2	121.5 310.6 310.6
257	B25R_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	300	0.125 0.26 0.625	31.0 26.3 -45.3	52.4 300.1	0.276 0.258 0.599	30.9 26.0 -45.4	52.3 299.8 0.3	254 0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1 300.1
258	B19R_075_062a	0.375 0.125 0.75	0.75 0.625 0.437	293	0.125 0.37 0.75	40.0 21.7 -49.8	54.3 290.5	0.289 0.36 0.729	39.9 21.3 -49.8	54.2 293.1 0.3	247 0.0 0.392 1.0	44.9 34.7 -79.7	86.9 293.5 293.5
259	B15R_087_075a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.455 0.875	47.9 20.2 -56.2	59.8 289.7	0.296 0.448 0.866	47.8 19.7 -56.3	59.6 289.3 0.4	243 0.0 0.44 1.0	47.9 26.9 -75.0	79.7 289.7 289.7
260	B13R_100_087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.541 1.0	55.9 18.9 -62.2	65.0 286.9	0.307 0.537 1.0	55.8 18.1 -61.7	64.3 286.3 0.9	241 0.0 0.476 1.0	50.2 21.6 -71.1	74.3 286.9 286.9
261	R68Y_037_037a	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.234 0.0	26.3 9.6 28.1	29.7 71.1	0.358 0.232 0.067	26.1 9.6 29.2	30.7 71.7 1.0	68 1.0 0.626 0.0	70.1 25.6 75.1	79.7 71.1 71.1
262	R50Y_037_025a	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.234 0.124	27.7 10.6 17.7	20.6 58.8	0.367 0.245 0.161	27.6 10.6 17.7	20.6 58.8 1.0	59 1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8 58.8
263	R00Y_037_012a	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.282	30.2 9.7 4.6	10.8 25.6	0.366 0.273 0.268	30.1 9.6 4.5	10.6 25.2 0.2	375 1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4 25.4
264	B50R_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.373	31.0 11.7 -7.1	13.7 328.6	0.355 0.279 0.351	30.9 11.5 -7.4	13.7 326.9 0.4	330 1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6 328.6
265	B25R_050_025a	0.375 0.25 0.5	0.5 0.25 0.375	300	0.249 0.317 0.5	33.4 13.1 -22.6	26.2 300.1	0.327 0.304 0.476	33.2 12.7 -23.1	26.4 298.8 0.6	254 0.0 0.24 1.0	38.2 52.7 -90.7	104.9 300.1 300.1
266	B15R_062_037a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.415 0.625	41.8 10.1 -28.1	29.9 289.7	0.362 0.398 0.6	41.8 9.6 -28.0	29.6 288.9 0.4	243 0.0 0.44 1.0	47.9 26.9 -75.0	79.7 289.7 289.7
267	B11R_075_050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.5 0.75	49.7 9.1 -34.1	35.3 285.0	0.399 0.483 0.728	49.7 8.6 -33.9	35.0 284.3 0.5	239 0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0 285.0
268	B09R_087_062a	0.375 0.25 0.875	0.875 0.625 0.562	281	0.25 0.577 0.875	57.2 8.9 -41.3	42.3 281.2	0.423 0.563 0.866	57.1 8.6 -41.4	42.3 281.8 0.2	238 0.0 0.523 1.0	53.3 14.2 -66.1	67.7 281.2 281.2
269	B07R_100_075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.654 1.0	64.6 8.7 -48.4	49.2 280.2	0.447 0.646 1.0	64.4 8.2 -47.8	48.5 279.8 0.8	237 0.0 0.539 1.0	54.4 11.7 -64.6	65.6 280.2 280.2
270	Y00G_037_037a	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.321 0.0	31.3 -1.2 31.1	92.3 30.3	0.354 0.305 0.081	31.3 -1.7	32.6 32.6 93.0 1.0	82 1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3 92.3
271	Y00G_037_025a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.339 0.124	32.8 -0.8 21.1	21.1 92.3	0.357 0.319 0.18	32.7 -1.4	21.3 21.3 93.7 0.6	82 1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3 92.3
272	Y00G_037_012a	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.357 0.249	34.3 -0.4 10.5	10.5 92.3	0.356 0.334 0.267	34.2 -0.8	10.4 10.4 94.5 0.4	82 1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3 92.3
273	NW_037a	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4	-0.2 0.5 205.6 0.5	360 1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
274	B08R_050_012a	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.451 0.5	43.1 0.2 -7.0	7.0 271.7	0.396 0.426 0.472	43.2 -0.2	-7.2 7.2 268.3 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7 271.7
275	B08R_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.527 0.625	50.5 0.4 -14.1	14.1 271.7	0.445 0.504 0.597	50.6 0.0 -14.0	14.0 270.1 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7 271.7
276	B08R_075_037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.603 0.75	57.9 0.6 -21.2	21.2 271.7	0.487 0.582 0.728	57.9 0.4 -21.2	21.2 271.3 0.1	232 0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7 271.7
277	B08R_087_050a	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.679 0.875	65.4 0.8 -28.3	28.3 271.7	0.527 0.664 0.864	65.2 0.8 -28.4	28.4 271.6 0.2	232 0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7 271.7
278	B08R_100_062a	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.755 1.0	72.8 1.0 -35.3	35.3 271.7	0.564 0.748 1.0	72.6 0.7 -34.9	34.9 271.2 0.5	232 0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7 271.7
279	Y23G_050_050a	0.375 0.5 0.0	0.5 0.5 0.25	104	0.453 0.5 0.0	45.5 -14.9	44.4 46.9 108.6	0.432 0.47 0.099	45.5 -15.4	45.1 47.7 108.8 0.8	94 0.906 1.0 0.0	91.0 -29.9	88.9 93.8 108.6 114.4
280	Y31G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	109	0.427 0.5 0.124	45.4 -14.8	32.6 35.8 114.4	0.416 0.471 0.209	45.4 -15.4	33.1 36.5 114.9 0.7	100 0.806 1.0 0.0	89.4 -39.5	87.0 95.6 114.4 114.4
281	Y50G_050_025a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.382 0.5 0.249	45.3 -15.7	20.7 26.0 127.2	0.384 0.474 0.299	45.4 -16.2	20.8 26.4 127.9 0.5	118 0.528 1.0 0.0	85.9 -63.0	82.8 104.1 127.2 127.2
282	G00B_050_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.463	46.4 -8.0 2.5	8.4 162.2	0.399 0.474 0.438	46.4 -8.5	2.4 8.9 163.9 0.5	193 0.0 1.0 0.706	85.1 -64.6	20.7 67.9 162.2 162.2
283	G50B_050_012a	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.486 0.5	45.6 -4.2	-3.2 5.3 216.9	0.4 0.459 0.471	45.7 -4.7	-3.3 5.8 215.5 0.4	215 0.0 0.89 1.0	79.0 -34.2	-25.7 42.8 216.9 216.9
284	G75B_062_025a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.565 0.625	53.2 -4.7	-9.9 10.9 244.3	0.445 0.541 0.595	53.2 -5.2	-9.8 11.1 242.0 0.4	223 0.0 0.763 1.0	70.0 -19.0	-39.6 43.9 244.3 244.3
285	G84B_075_037a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.641 0.75	60.6 -4.7	-17.1 17.8 254.3	0.489 0.62 0.728	60.5 -4.6	-17.2 17.8 254.7 0.1	226 0.0 0.71 1.0	66.3 -12.7	-45.7 47.4 254.3 254.3
286	G88B_087_050a	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.717 0.875	68.0 -4.7	-24.3 24.7 258.9	0.524 0.704 0.865	67.9 -4.7	-24.4 24.9 258.9 0.1	227 0.0 0.685 1.0	64.5 -9.4	-48.6 49.5 258.9 258.9
287	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.793 1.0	75.4 -4.5	-31.4 31.7 261.6	0.558 0.79 1.0	75.2 -5.1	-30.9 31.3 260.5 0.7	228 0.0 0.67 1.0	63.4 -7.3	-50.3 50.8 261.6 261.6
288	Y38G_062_062a	0.375 0.625 0.0	0.625 0.625 0.312	113	0.449 0.625 0.0	55.0 -29.7	53.4 61.1 119.1	0.439 0.594 0.096	54.9 -29.9	53.9 61.6 119.0 0.5	105 0.719 1.0 0.0	88.1 -47.6	85.4 97.8 119.1 119.1
289	Y50G_062_050a	0.375 0.625 0.125	0.625 0.5 0.375	120	0.389 0.625 0.125	54.9 -31.5	41.4 52.0 127.2	0.402 0.597 0.226	54.8 -31.7	41.6 52.3 127.3 0.2	118 0.528 1.0 0.0	85.9 -63.0	

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb**Fde	LabCh**Fde	rgb**Fde	LabCh**Fde	DE**Fde hsiMde	rgb**Mde	LabCh**Mde				
324	R00Y_050_050a	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.131	25.4 39.1	18.6 43.3	25.4 0.482 0.102 0.144	25.2 39.8	18.4 43.9	24.8 0.7 375	1.0 0.0 0.263	50.9 78.3	37.3 86.7	25.4
325	R26Y_050_050a	0.5 0.0 0.125	0.5 0.5 0.25	376	0.5 0.0 0.214	25.8 40.2	7.0 40.8	9.8 0.48 0.104 0.218	25.6 40.9	6.7 41.4	9.3 0.7 364	1.0 0.0 0.429	51.6 80.5	14.0 81.7	9.8
326	R00Y_050_050a	0.5 0.0 0.25	0.5 0.5 0.25	360	0.5 0.0 0.308	26.4 41.8	-5.8 42.2	352.0 0.476 0.111 0.304	26.3 42.2	-6.3 42.7	351.5 0.6 352	1.0 0.0 0.617	52.9 83.6	-11.6 84.4	352.0
327	B61R_050_050a	0.5 0.0 0.375	0.5 0.5 0.25	344	0.5 0.0 0.373	27.0 43.3	-14.1 45.6	341.8 0.476 0.113 0.361	27.0 43.7	-14.5 46.1	341.6 0.5 344	1.0 0.0 0.747	54.1 86.7	-28.3 91.2	341.8
328	B50R_050_050a	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.495	28.5 47.0	-28.7 55.1	328.6 0.475 0.121 0.469	28.5 47.2	-29.1 55.4	328.3 0.4 330	1.0 0.0 0.991	57.1 94.1	-57.4 110.3	328.6
329	B40R_062_062a	0.5 0.0 0.625	0.625 0.625	312	0.455 0.0 0.625	29.0 53.0	-47.7 71.5	318.1 0.446 0.093 0.596	28.7 53.9	-48.2 72.4	318.2 0.8 314	0.729 0.0 1.0	46.5 85.3	-76.3 114.5	318.1
330	B34R_075_075a	0.5 0.0 0.75	0.75 0.75	300	0.333 0.0 0.75	27.8 59.3	-69.1 91.1	310.5 0.344 0.058 0.726	27.4 60.0	-69.7 92.0	310.7 1.0 296	0.444 0.0 1.0	37.0 79.0	-92.2 121.5	310.5
331	B29R_087_087a	0.5 0.0 0.875	0.875 0.875	300	0.0 0.102 0.875	28.3 61.2	-87.7 107.0	304.9 0.093 0.112 0.861	28.0 61.5	-88.1 107.4	304.9 0.4 296	0.0 0.116 1.0	32.3 70.0	-100.3 122.3	304.9
332	B25R_100_100a	0.5 0.0 1.0	1.0 1.0	300	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	300.1 0.0 0.272 1.0	38.2 52.8	-90.5 104.8	300.2 0.2 354	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	300.1
333	R23Y_050_050a	0.5 0.125 0.0	0.5 0.5 0.25	44	0.5 0.051 0.0	25.6 37.2	32.4 49.3	41.0 0.484 0.119 0.039	25.6 37.5	33.6 50.4	41.8 1.2 35	1.0 0.102 0.0	51.3 74.4	64.8 98.7	41.0
334	R00Y_050_037a	0.5 0.125 0.125	0.5 0.375 0.312	390	0.5 0.124 0.223	31.0 29.3	13.9 32.5	25.4 0.494 0.214 0.219	30.8 29.8	13.7 32.9	24.7 0.5 375	1.0 0.0 0.263	50.9 78.3	37.3 86.7	25.4
335	R18Y_050_037a	0.5 0.125 0.25	0.5 0.375 0.312	371	0.5 0.124 0.307	31.4 30.4	2.2 30.5	4.3 0.487 0.217 0.298	31.2 30.8	1.8 30.9	3.3 0.6 360	1.0 0.0 0.486	51.9 81.1	6.1 81.3	4.3
336	B63R_050_037a	0.5 0.125 0.375	0.5 0.375 0.312	349	0.5 0.124 0.382	32.0 32.0	-7.6 32.9	346.6 0.485 0.221 0.367	31.8 32.6	-8.0 33.6	346.0 0.7 347	1.0 0.0 0.686	53.6 85.5	-20.3 87.9	346.6
337	B50R_050_037a	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.124 0.496	33.3 35.3	-21.5 41.3	328.6 0.481 0.229 0.471	33.2 35.6	-22.0 41.9	328.2 0.6 330	1.0 0.0 0.991	57.1 94.1	-57.4 110.3	328.6
338	B38R_062_050a	0.5 0.125 0.625	0.625 0.5 0.375	316	0.444 0.125 0.625	33.5 41.4	-40.9 58.2	315.3 0.448 0.216 0.598	33.2 41.8	-41.3 58.8	315.3 0.6 309	0.638 0.0 1.0	43.2 82.9	-81.9 116.5	315.3
339	B30R_075_062a	0.5 0.125 0.75	0.75 0.625 0.437	307	0.216 0.125 0.75	31.4 47.7	-63.7 79.6	306.8 0.327 0.187 0.73	31.0 48.1	-64.3 80.4	306.8 0.8 277	0.145 0.0 1.0	31.2 76.3	-102.0 127.4	306.8
340	B25R_087_075a	0.5 0.125 0.875	0.875 0.75 0.5	300	0.125 0.327 0.875	40.6 39.5	-68.0 78.7	300.1 0.313 0.321 0.865	40.3 39.5	-68.3 78.9	300.0 0.4 254	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	300.1
341	B20R_100_087a	0.5 0.125 1.0	1.0 0.875 0.562	295	0.125 0.443 1.0	49.7 34.2	-72.0 79.7	295.4 0.139 0.436 1.0	49.6 33.5	-71.7 79.1	295.1 0.7 248	0.0 0.364 1.0	43.2 39.1	-82.3 91.1	295.4
342	R50Y_050_050a	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.243 0.0	31.5 21.3	35.4 41.4	58.8 0.48 0.247 0.061	31.5 21.4	36.4 42.2	59.4 0.9 59	1.0 0.487 0.0	61.1 42.7	70.8 82.7	58.8
343	R31Y_050_037a	0.5 0.25 0.125	0.5 0.375 0.312	49	0.5 0.233 0.124	32.7 23.6	25.0 34.4	46.6 0.496 0.253 0.159	32.7 23.6	25.3 34.6	46.9 0.2 46	1.0 0.29 0.0	55.4 63.0	66.8 91.8	46.6
344	R00Y_050_025a	0.5 0.25 0.25	0.5 0.25 0.375	390	0.5 0.249 0.315	36.5 19.5	9.3 21.6	25.4 0.497 0.305 0.3	36.5 19.6	9.1 21.6	25.0 0.1 375	1.0 0.0 0.263	50.9 78.3	37.3 86.7	25.4
345	R00Y_050_025a	0.5 0.25 0.375	0.5 0.25 0.375	360	0.5 0.249 0.404	37.0 20.9	-2.9 21.1	352.0 0.486 0.309 0.385	37.0 21.0	-3.2 21.3	351.2 0.3 352	1.0 0.0 0.617	52.9 83.6	-11.6 84.4	352.0
346	B50R_050_025a	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.249 0.497	38.1 23.5	-14.3 27.5	328.6 0.482 0.316 0.472	38.0 23.6	-14.8 27.9	327.9 0.4 330	1.0 0.0 0.991	57.1 94.1	-57.4 110.3	328.6
347	B34R_062_037a	0.5 0.25 0.625	0.625 0.375 0.437	311	0.416 0.25 0.625	37.7 29.6	-34.5 45.5	310.5 0.44 0.302 0.6	37.5 29.5	-34.8 45.6	310.3 0.2 296	0.444 0.0 1.0	37.0 79.0	-92.2 121.5	310.5
348	B25R_075_050a	0.5 0.25 0.75	0.75 0.5 0.375	300	0.25 0.385 0.75	42.9 26.3	-45.3 52.4	300.1 0.412 0.373 0.732	42.9 26.1	-45.1 52.2	300.0 0.3 254	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	300.1
349	B19R_087_062a	0.5 0.25 0.875	0.875 0.625 0.293	300	0.25 0.495 0.875	51.9 21.7	-49.8 54.3	293.5 0.432 0.487 0.866	51.8 21.3	-49.8 54.2	293.1 0.3 247	0.0 0.392 1.0	44.9 34.7	-79.7 86.9	293.5
350	B15R_100_075a	0.5 0.25 1.0	1.0 0.75 0.625	289	0.25 0.58 1.0	59.8 20.2	-56.6 59.8	289.7 0.453 0.57 1.0	59.6 19.4	-55.5 58.8	289.3 1.0 243	0.0 0.44 1.0	47.9 26.9	-75.0 79.7	289.7
351	R76Y_050_050a	0.5 0.375 0.0	0.5 0.5 0.25	76	0.5 0.342 0.0	36.7 9.1	38.8 39.9	76.7 0.476 0.33 0.072	36.6 9.1	39.7 40.7	77.0 0.8 72	1.0 0.684 0.0	73.5 18.3	77.7 79.8	76.7
352	R68Y_050_037a	0.5 0.375 0.125	0.5 0.375 0.312	71	0.5 0.359 0.124	38.2 9.6	28.1 29.7	71.1 0.486 0.346 0.182	38.2 9.4	28.5 30.0	71.5 0.3 68	1.0 0.626 0.0	70.1 25.6	75.1 79.3	71.1
353	R50Y_050_025a	0.5 0.375 0.25	0.5 0.25 0.375	60	0.5 0.371 0.249	39.6 10.6	17.7 20.6	58.8 0.494 0.359 0.271	39.6 10.6	17.6 20.6	58.9 0.0 59	1.0 0.487 0.0	63.1 42.7	70.8 82.7	58.8
354	R00Y_050_012a	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.407	42.1 9.7	4.6 10.8	25.4 0.491 0.39 0.384	42.2 9.7	4.5 10.7	25.2 0.1 375	1.0 0.0 0.263	50.9 78.3	37.3 86.7	25.4
355	B50R_050_012a	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.498	42.9 11.7	-7.1 13.7	328.6 0.478 0.396 0.472	42.9 11.5	-7.3 13.7	327.3 0.2 330	1.0 0.0 0.991	57.1 94.1	-57.4 110.3	328.6
356	B25R_062_025a	0.5 0.375 0.625	0.625 0.25 0.5	300	0.375 0.442 0.625	45.3 13.1	-22.6 26.2	300.1 0.452 0.422 0.6	45.3 12.6	-22.6 25.9	299.2 0.5 254	0.0 0.27 1.0	38.2 52.7	-90.7 104.9	300.1
357	B15R_075_037a	0.5 0.375 0.75	0.75 0.375 0.562	289	0.375 0.54 0.75	53.7 10.1	-28.1 29.9	289.7 0.491 0.52 0.731	53.8 9.7	-27.9 29.5	289.3 0.3 243	0.0 0.44 1.0	47.9 26.9	-75.0 79.7	289.7
358	B11R_087_050a	0.5 0.375 0.875	0.875 0.5 0.625	284	0.375 0.625 0.875	61.6 9.1	-34.1 35.3	285.0 0.532 0.606 0.864	61.5 9.2	-34.2 35.4	285.0 0.1 239	0.0 0.5 1.0	51.8 18.3	-68.3 70.7	285.0
359	B09R_100_062a	0.5 0.375 1.0	1.0 0.625 0.687	281	0.375 0.702 1.0	69.1 8.9	-41.3 42.3	282.1 0.562 0.691 1.0	68.9 8.3	-40.8 41.6	281.6 0.8 238	0.0 0.523 1.0	53.3 14.2	-66.1 67.7	282.1
360	Y00G_050_050a	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.428 0.0	41.8 -1.7	42.2 42.2	92.3 0.476 0.408 0.088	41.9 -1.9	43.0 43.1	92.5 0.8 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5	92.3
361	Y00G_050_037a	0.5 0.5 0.125	0.5 0.375 0.312	90	0.5 0.446 0.124	43.3 -1.2	31.6 31.7	92.3 0.482 0.422 0.199	43.3 -1.6	32.2 32.2	92.9 0.6 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5	92.3
362	Y00G_050_025a	0.5 0.5 0.25	0.5 0.25 0.375	90	0.5 0.464 0.249	44.7 -0.8	21.1 21.1	92.3 0.483 0.437 0.294	44.8 -1.1	21.2 21.2	92.2 0.3 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5	92.3
363	Y00G_050_012a	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.482 0.375	46.2 -0.4	10.5 10.5	92.3 0.479 0.454 0.383	46.2 -0.6	10.4 10.5	93.7 0.2 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5	92.3
364	NW_050a	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0	0.0 0.0	0.0 0.466 0.47 0.471	47.7 -0.3	-0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0	0.0 0.0	0.0
365	B00R_062_012a	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.576 0.625	55.1 0.2	-7.0 7.0	271.7 0.52 0.548 0.595	55.0 0.0	-7.0 7.0	269.2 0.3 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6	271.7
366	B00R_075_025a	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.652 0.75	62.5 0.4	-14.1 14.1	271.7 0.57 0.628 0.728	62.3 0.4	-14.3 14.3	271.6 0.2 232	1.0 0.609 1.0	59.2 1.7	-56.6 56.6	271.7
367	B00R_087_037a	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.728 0.875	69.9 0.6	-21.2 21.2	271.7 0.616 0.711 0.864	69.7 0.5	-21.3 21.3	271.3 0.2 232	1.0 0.609 1.0	59.2 1.7	-56.6 56.6	271.7
368	B00R_100_050a	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.804 1.0	77.3 0.8	-28.3 28.3	271.7 0.66 0.797 1.0	77.1 0.3	-27.9 27.9	270.8 0.6 232	1.0 0.609 1.0	59.2 1.7	-56.6 56.6	271.7
369	Y18G_062_062a	0.5 0.625 0.0	0.625 0.625 0.312	101	0.602 0.625 0.0	57.5 -15.2	56.3 58.3	105.1 0.576 0.593 0.909	57.2 -15.4	56.7 58.7	105.2 0.4 91	0.963 1.0 0.0	92.0 -24.3	90.1 93.3	105.1
370	Y23G_062_050a	0.5 0.625 0.125	0.625 0.5 0.375	104	0.578 0.625 0.125	57.4 -14.9	44.4 46.9	108.6 0.562 0.593 0.231	57.2 -15.1	44.5 47.0	108.8 0.2 94	0.906 1.0 0.0	91.0 -29.9	88.9 93.8	108.6
371	Y31G_062_037a	0.5 0.625 0.25	0.625 0.375 0.437	109	0.552 0.625 0.25	57.3 -14.8	32.6 35.8	114.4 0.543 0.594 0.328	57.2 -15.0	3					

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb**Fde, LabCh**Fde, rgb**Mde, LabCh**Mde, DE**Fde hsiMde, rgb**Mde, LabCh**Mde. It contains a large grid of numerical data representing color calibration parameters for various color patches.

2-1132030-F0

QS320-N, 21/29-F

gráfico TUB-QS32; código de tono: H*e=Y00G_e
colores y diferencia en color, ΔE*^{*}

entrada: rgb/cmyk -> rgb_{de}
salida: 3D-linealización a rgb*_{de}

2-1132030-F0

2-1132030-F0

http://130.149.60.45/~farbmetrik/QS32/QS32L0FA.TXT /PS; 3D-linealización
F: 3D-linealización QS32/QS32LS30FA.DAT en archivo (F), página 22/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb**Fde, LabCh**Fde, rgb**Mde, LabCh**Mde, DE**Fde hsiMde, rgb**Mde, LabCh**Mde. It contains 566 rows of color calibration data.

2-1132130-F0

QS320-7N,2229-F

gráfico TUB-QS32; código de tono: $H^*_e=Y00G_e$
colores y diferencia en color, ΔE^*

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a rgb^*_{de}

2-1132130-F0

2-1132130-F0

2-1132130-F0

2-1132130-F0

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT / .PS
 aplicación para la medida de display output, ninguna separación
 TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde
567	R00Y_087_087a	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.23	44.5 68.5 32.6	75.8 25.4	0.864 0.053 0.232	44.3 68.9 32.4	76.1 25.2 0.4	375
568	R36Y_087_087a	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.315	44.8 69.0 20.6	72.4 16.5	0.863 0.055 0.177	44.6 69.7 20.2	72.6 16.1 0.5	369
569	R23Y_087_087a	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.395	45.3 70.7 9.5	71.4 7.6	0.865 0.049 0.395	45.1 71.2 9.0	71.7 7.2 0.6	363
570	R03Y_087_087a	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.487	45.9 72.4 -2.9	72.4 357.6	0.864 0.051 0.484	45.7 72.8 -3.5	72.8 357.1 0.7	356
571	B70R_087_087a	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.538	46.3 73.1 -9.8	73.8 352.3	0.863 0.059 0.534	46.1 73.5 -10.3	74.3 351.9 0.6	352
572	B63R_087_087a	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.632	47.2 75.5 -21.9	78.6 347.7	0.864 0.057 0.622	47.0 75.9 -22.0	79.0 347.7 0.4	345
573	B56R_087_087a	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.735	48.3 78.3 -34.5	85.6 336.1	0.862 0.061 0.722	48.0 78.6 -34.8	86.0 336.0 0.4	338
574	B50R_087_087a	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.860	50.0 82.3 -50.2	96.5 328.6	0.861 0.068 0.853	49.8 82.7 -50.5	96.9 328.5 0.4	330
575	B44R_100_100a	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7 -69.4	112.6 321.9	0.837 0.0 1.0	50.6 88.6 -69.4	112.5 321.9 0.1	321
576	R13Y_087_087a	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.0 0.122	44.3 67.7 46.4	82.1 34.3	0.864 0.052 0.13	44.1 66.2 46.2	82.4 34.1 0.4	382
577	R00Y_087_075a	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.322	50.1 58.7 27.9	65.0 25.4	0.884 0.266 0.313	50.0 58.7 27.7	65.0 25.3 0.2	375
578	R35Y_087_075a	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.404	50.4 59.4 16.4	61.6 15.4	0.888 0.269 0.397	50.3 59.5 16.0	61.6 15.1 0.3	368
579	R18Y_087_075a	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.488	50.9 60.8 4.5	61.0 4.3	0.878 0.271 0.482	50.8 60.9 4.1	61.1 3.9 0.4	360
580	R00Y_087_075a	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.588	51.6 62.7 -8.7	63.3 352.0	0.874 0.275 0.579	51.5 62.7 -8.9	63.4 351.8 0.2	352
581	B65R_087_075a	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.639	52.1 64.1 -15.2	65.9 346.6	0.876 0.275 0.628	52.0 64.2 -15.2	66.0 346.6 0.1	347
582	B57R_087_075a	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.743	53.2 66.8 -28.1	72.5 337.1	0.874 0.28 0.731	53.0 67.0 -28.3	72.7 337.1 0.2	339
583	B50R_087_075a	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.868	54.8 70.6 -43.0	82.7 328.6	0.872 0.287 0.856	54.6 70.8 -43.3	83.0 328.5 0.3	330
584	B43R_100_087a	0.875 0.125 1.0	1.0 0.875 0.562	322	0.834 0.125 1.0	55.3 76.9 -62.2	98.9 312.0	0.847 0.271 1.0	55.2 76.9 -62.0	98.8 321.0 0.2	319
585	R26Y_087_087a	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.173 0.0	46.4 60.9 57.4	83.7 43.3	0.863 0.187 0.019	46.1 61.5 57.3	84.1 43.0 0.6	40
586	R15Y_087_075a	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.125 0.217	49.8 57.9 41.3	71.1 35.5	0.887 0.265 0.213	49.7 57.9 41.5	71.2 35.6 0.2	383
587	R00Y_087_062a	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.414	55.6 48.9 23.3	54.2 15.4	0.899 0.388 0.399	55.6 48.8 23.0	54.0 25.2 0.2	375
588	R31Y_087_062a	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.497	56.0 49.9 11.7	51.2 12.2	0.893 0.391 0.484	55.9 49.8 11.4	51.1 12.9 0.3	366
589	R11Y_087_062a	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.583	56.5 51.3 -0.1	51.3 359.8	0.884 0.394 0.57	56.4 51.2 -0.2	51.2 359.7 0.1	357
590	B69R_087_062a	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.648	57.0 52.5 -8.8	53.3 350.4	0.888 0.398 0.636	56.9 52.4 -8.7	53.1 350.4 0.1	350
591	B59R_087_062a	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.745	58.0 55.1 -21.1	59.0 339.0	0.882 0.403 0.734	57.9 55.0 -21.1	58.9 339.0 0.1	341
592	B50R_087_062a	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.869	59.5 58.8 -39.9	68.9 328.6	0.879 0.411 0.859	59.5 58.8 -39.9	68.9 328.5 0.1	330
593	B42R_100_075a	0.875 0.25 1.0	1.0 0.75 0.625	321	0.838 0.25 1.0	60.3 65.2 -54.6	85.1 320.0	0.861 0.401 1.0	60.2 65.0 -54.0	84.6 320.2 0.6	318
594	R41Y_087_087a	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.358 0.0	52.2 45.0 60.4	75.4 53.3	0.863 0.361 0.021	52.2 45.0 60.6	75.5 53.4 0.1	54
595	R31Y_087_075a	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.342 0.125	53.4 47.3 50.1	68.9 46.6	0.885 0.366 0.169	53.4 47.2 50.5	69.1 46.9 0.4	46
596	R18Y_087_062a	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.25 0.288	55.4 48.2 37.3	61.0 37.7	0.906 0.385 0.294	55.4 48.1 37.3	60.9 37.7 0.1	386
597	R00Y_087_050a	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.506	61.2 39.1 18.6	43.3 25.4	0.908 0.492 0.486	61.2 39.0 18.4	43.1 25.2 0.2	375
598	R26Y_087_050a	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.589	61.6 40.2 7.0	40.8 9.8	0.899 0.496 0.572	61.6 39.9 7.0	40.6 9.9 0.2	364
599	R00Y_087_050a	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.683	62.2 41.8 -5.8	42.2 352.0	0.889 0.502 0.67	62.2 41.4 -5.6	41.8 352.2 0.4	352
600	B61R_087_050a	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.748	62.8 43.3 -14.1	45.6 341.8	0.885 0.506 0.737	62.9 43.0 -14.0	45.2 341.9 0.3	344
601	B50R_087_050a	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.87	64.3 47.0 -28.7	55.1 328.6	0.884 0.515 0.86	64.3 46.8 -28.6	54.9 328.5 0.2	330
602	B40R_100_062a	0.875 0.375 1.0	1.0 0.625 0.687	319	0.83 0.375 1.0	64.8 53.3 -47.7	71.5 318.1	0.862 0.501 1.0	64.5 53.3 -47.1	71.2 318.5 0.6	314
603	R58Y_087_087a	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.483 0.0	58.0 30.5 63.9	70.8 64.4	0.863 0.481 0.024	58.0 30.3 64.2	71.0 64.6 0.2	63
604	R50Y_087_075a	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.49 0.125	59.2 32.0 53.1	62.0 58.8	0.88 0.49 0.19	59.2 31.7 53.6	62.3 59.3 0.6	59
605	R38Y_087_062a	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.487 0.25	60.3 34.3 42.5	54.7 51.0	0.898 0.495 0.296	60.3 34.1 42.6	54.6 51.3 0.2	52
606	R23Y_087_050a	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.426 0.375	61.4 37.2 32.4	49.3 41.0	0.918 0.498 0.387	61.4 37.0 32.3	49.1 41.0 0.2	35
607	R00Y_087_037a	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.595	66.8 29.3 13.9	32.5 25.4	0.908 0.586 0.574	66.6 29.3 13.8	32.4 25.2 0.1	375
608	R18Y_087_037a	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.682	67.1 30.4 2.2	30.5 4.3	0.895 0.59 0.663	67.0 30.4 2.2	30.5 4.2 0.1	367
609	B63R_087_037a	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.757	67.8 32.0 -7.6	32.9 346.6	0.888 0.595 0.743	67.6 32.1 -7.7	33.0 346.5 0.1	340
610	B50R_087_037a	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.871	69.1 35.3 -21.5	41.3 328.6	0.884 0.604 0.861	69.0 35.4 -21.6	41.5 328.5 0.2	330
611	B38R_100_050a	0.875 0.5 1.0	1.0 0.5 0.75	316	0.819 0.5 1.0	69.3 41.4 -40.9	58.2 315.3	0.855 0.595 1.0	69.0 41.1 -40.1	57.4 315.7 0.9	309
612	R73Y_087_087a	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.578 0.0	63.1 18.6 67.1	69.7 74.4	0.862 0.571 0.031	63.0 18.6 67.3	69.8 74.5 0.2	70
613	R68Y_087_075a	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.594 0.125	64.5 19.2 56.3	59.5 71.1	0.876 0.585 0.209	64.4 19.2 56.6	59.8 71.2 0.3	68
614	R61Y_087_062a	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.61 0.25	66.1 19.8 46.1	50.2 66.6	0.89 0.601 0.32	65.9 19.9 46.1	50.2 66.6 0.1	65
615	R50Y_087_050a	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.618 0.375	67.3 21.3 35.4	41.3 58.8	0.901 0.611 0.42	67.1 21.4 35.1	41.1 58.5 0.3	59
616	R31Y_087_037a	0.875 0.625 0.5	0.875 0.375 0.687	49	0.875 0.608 0.5	68.4 23.6 25.0	34.4 46.6	0.914 0.619 0.512	68.3 23.8 24.6	34.3 45.9 0.4	46
617	R00Y_087_025a	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.69	72.3 19.5 9.3	21.6 25.4	0.9 0.678 0.666	72.1 19.5 9.2	21.6 25.2 0.2	375
618	R00Y_087_025a	0.875 0.625 0.75	0.875 0.25 0.75	360	0.875 0.625 0.779	72.8 20.9 -2.9	21.1 352.0	0.884 0.683 0.763	72.6 20.9 -3.0	21.1 351.7 0.2	352
619	B50R_087_025a	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.872	73.9 23.5 -14.3	27.5 328.6	0.88 0.692 0.861	73.7 23.6 -14.5	27.7 328.3 0.2	330
620	B34R_100_037a	0.875 0.625 1.0	1.0 0.375 0.812	311	0.791 0.625 1.0	73.5 29.6 -34.5	45.5 310.5	0.841 0.677 1.0	73.2 29.2 -33.6	44.5 310.9 1.0	296
621	R86Y_087_087a	0.875 0.75 0.0	0.875 0.875 0.437	82	0.875 0.66 0.0	67.8 8.1 70.0	70.5 83.4	0.861 0.65 0.04	67.6 8.1 70.3	70.8 83.3 0.3	76
622	R85Y_087_075a	0.875 0.75 0.125	0.875 0.75 0.5	81	0.875 0.682 0.125	69.5 8.0 59.7	60.2 82.2	0.874 0.669 0.226	69.4 8.1 59.8	60.4 82.2 0.2	75
623	R81Y_087_062a	0.875 0.75 0.25	0.875 0.625 0.562	70	0.875 0.699 0.25	71.0 8.6 49.3	50.0 80.0	0.884 0.685 0.341	70.8 8.6 49.2	50.0 79.9 0.1	74
624	R76Y_087_050a	0.875 0.75 0.375	0.875 0.5 0.625	76	0.875 0.717 0.375	72.5 9.1 38.8	39.9 76.7	0.892 0.702 0.443	72.3 9.1 38.6	39.7 76.6 0.2	72
625	R68Y_087_037a	0.875 0.75 0.5	0.875 0.375 0.687	71	0.875 0.734 0.5	74.0 9.6 28.1	29.7 71.1	0.894 0.72 0.542	73.8 9.6 27.9	29.5 70.9 0.2	68
626	R50Y_087_025a	0.875 0.75 0.625	0.8								

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb**Fde, LabCh**Fde, rgb**Mde, LabCh**Mde, DE**Fde hsiMde, rgb**Mde, LabCh**Mde. Rows 729-809.

delta E** = 0.7


2-1132430-F0

QS320-7N, 25/29-F

gráfico TUB-QS32; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE**

entrada: rgb/cmyk -> rgb_{de}
salida: 3D-linealización a rgb*_{de}

2-1132430-F0



6

6

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32L0FA.TXT> /PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde
810	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
811	BOOR_100_012de	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.951 1.0	90.8 0.2	-7.0 7.0 271.7	0.918 0.947 1.0	90.7 0.0	-6.9 6.9	270.0 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
812	BOOR_100_025de	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.902 1.0	86.3 0.4	-14.1 14.1 271.7	0.837 0.897 1.0	86.2 0.1	-13.8 13.8	270.5 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
813	BOOR_100_037de	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.853 1.0	81.8 0.6	-21.2 21.2 271.7	0.752 0.846 1.0	81.7 0.3	-20.8 20.8	270.9 0.5 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
814	BOOR_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.804 1.0	77.3 0.8	-28.3 28.3 271.7	0.66 0.797 1.0	77.1 0.3	-27.9 27.9	270.8 0.6 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
815	BOOR_100_062de	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.755 1.0	72.8 1.0	-35.3 35.3 271.7	0.564 0.748 1.0	72.6 0.7	-34.9 34.9	271.2 0.5 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
816	BOOR_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.707 1.0	68.2 1.2	-42.4 42.4 271.7	0.45 0.701 1.0	68.1 0.9	-42.1 42.1	271.2 0.5 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
817	BOOR_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.658 1.0	63.7 1.5	-49.5 49.5 271.7	0.304 0.654 1.0	63.5 1.1	-49.3 49.4	271.3 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
818	BOOR_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 2.0	-56.3 56.3	272.1 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
819	Y00G_100_012de	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 0.982 0.875	93.9 -0.4	10.5 10.5 92.3	1.0 0.98 0.898	93.6 -1.7	10.1 10.3	97.7 1.4 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
820	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0	0.0 0.0 0.0	0.858 0.86 0.86	83.3 0.0	0.0 0.0	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
821	BOOR_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.826 0.875	78.9 0.2	-7.0 7.0 271.7	0.78 0.809 0.862	78.8 0.1	-7.2 7.2	270.8 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
822	BOOR_087_025de	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.777 0.875	74.4 0.4	-14.1 14.1 271.7	0.701 0.76 0.864	74.3 0.3	-14.3 14.3	271.2 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
823	BOOR_087_037de	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.728 0.875	69.9 0.6	-21.2 21.2 271.7	0.616 0.711 0.864	69.7 0.5	-21.3 21.3	271.3 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
824	BOOR_087_050de	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.679 0.875	65.4 0.8	-28.3 28.3 271.7	0.527 0.664 0.864	65.2 0.8	-28.4 28.4	271.6 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
825	BOOR_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.63 0.875	60.8 1.0	-35.3 35.3 271.7	0.424 0.617 0.864	60.7 1.0	-35.5 35.5	271.6 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
826	BOOR_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.583 0.875	56.3 1.2	-42.4 42.4 271.7	0.294 0.573 0.862	56.2 0.9	-42.5 42.5	271.2 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
827	BOOR_087_087de	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.532 0.875	51.8 1.5	-49.5 49.5 271.7	0.033 0.53 0.862	51.8 0.9	-49.4 49.4	271.1 0.5 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
828	Y00G_100_025de	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 0.964 0.75	92.4 -0.8	21.1 21.1 92.3	1.0 0.961 0.797	91.9 -3.1	20.4 20.7	98.7 2.4 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
829	Y00G_087_012de	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.867 0.75	82.0 -0.4	10.5 10.5 92.3	0.873 0.841 0.761	81.9 -0.5	10.5 10.5	92.8 0.1 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
830	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1	0.0 0.2	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
831	BOOR_075_012de	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.701 0.75	67.0 0.2	-7.0 7.0 271.7	0.646 0.675 0.726	66.8 0.0	-7.2 7.2	270.5 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
832	BOOR_075_025de	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.652 0.75	62.5 0.4	-14.1 14.1 271.7	0.57 0.628 0.728	62.3 0.4	-14.3 14.3	271.6 0.2 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
833	BOOR_075_037de	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.603 0.75	57.9 0.6	-21.2 21.2 271.7	0.487 0.582 0.728	57.9 0.4	-21.2 21.2	271.3 0.1 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
834	BOOR_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8	-28.3 28.3 271.7	0.394 0.538 0.728	53.4 0.4	-28.1 28.1	270.8 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
835	BOOR_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.505 0.75	48.9 1.0	-35.3 35.3 271.7	0.282 0.494 0.727	48.9 0.4	-35.1 35.1	270.7 0.6 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
836	BOOR_075_075de	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.457 0.75	44.4 1.2	-42.4 42.4 271.7	0.08 0.451 0.726	44.4 0.3	-42.3 42.3	270.5 0.9 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
837	Y00G_100_037de	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 0.946 0.625	91.0 -1.2	31.6 31.7 92.3	1.0 0.943 0.696	90.4 -4.1	30.9 31.2	97.6 3.0 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
838	Y00G_087_025de	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.839 0.625	80.5 -0.8	21.1 21.1 92.3	0.881 0.823 0.663	80.4 -1.0	21.2 21.2	92.8 0.2 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
839	Y00G_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.732 0.625	70.0 -0.4	10.5 10.5 92.3	0.736 0.706 0.629	69.9 -0.5	10.5 10.5	93.0 0.2 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
840	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2	-0.1 0.3	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
841	BOOR_062_012de	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.576 0.625	55.1 0.2	-7.0 7.0 271.7	0.52 0.548 0.595	55.0 0.0	-7.0 7.0	269.2 0.3 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
842	BOOR_062_025de	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.527 0.625	50.5 0.4	-14.1 14.1 271.7	0.445 0.504 0.597	50.6 0.0	-14.0 14.0	270.1 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
843	BOOR_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.478 0.625	46.0 0.6	-21.2 21.2 271.7	0.359 0.459 0.597	46.0 0.0	-21.0 21.0	270.0 0.6 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
844	BOOR_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.429 0.625	41.5 0.8	-28.3 28.3 271.7	0.261 0.416 0.597	41.5 0.2	-28.1 28.1	270.4 0.6 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
845	BOOR_062_062de	0.0 0.0 0.625	0.625 0.625 0.12	270	0.0 0.38 0.625	37.0 1.0	-35.3 35.3 271.7	0.123 0.374 0.596	37.0 0.7	-35.2 35.2	271.1 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
846	Y00G_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.928 0.5	89.5 -1.7	42.2 42.2 92.3	1.0 0.925 0.594	88.9 -4.7	41.4 41.7	96.5 3.2 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
847	Y00G_087_037de	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.821 0.5	79.1 -1.2	31.6 31.7 92.3	0.885 0.804 0.566	78.9 -1.4	31.5 31.6	92.5 0.2 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
848	Y00G_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.714 0.5	68.6 -0.8	21.1 21.1 92.3	0.744 0.688 0.536	68.4 -0.8	20.8 20.8	92.4 0.3 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
849	Y00G_062_012de	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.607 0.5	58.1 -0.4	10.5 10.5 92.3	0.604 0.577 0.505	58.0 -0.5	10.1 10.2	93.3 0.4 82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3	1.0 0.856 0.0	83.7 -3.4
850	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0	0.0 0.0 0.0	0.466 0.47 0.471	47.7 -0.3	-0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
851	BOOR_050_012de	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.451 0.5	43.1 0.2	-7.0 7.0 271.7	0.396 0.426 0.472	43.2 -0.2	-7.2 7.2	268.4 0.4 232	0.0 0.609 1.0	59.2 1.7	-56.6 56.6 271.7	0.0 0.609 1.0	59.2 1.7
852	BOOR_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.402 0.5	38.6 0.4	-14.1 14.1 271.7	0.32 0.382 0.473	38.6 0.0	-14.4 14.4	269.8 0.5 232					

http://130.149.60.45/~farbmetrik/QS32/QS32L0FA.TXT / .PS; 3D-linealización
F: 3D-linealización QS32/QS32LS30FA.DAT en archivo (F), página 27/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT / .PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Table with columns: n, HIC*Fde, rgb_Fde, icf_Fde, hsi_Fde, rgb*Fde, LabCh*Fde, rgb*Mde, LabCh*Mde, DE*Fde hsiMde, rgb*Mde, LabCh*Mde. Rows 891-971.

delta E* = 0.6



2-1132630-F0

QS320-N, 27/29-F

gráfico TUB-QS32; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE*^{*}

entrada: rgb/cmyk -> rgb_{de}
salida: 3D-linealización a rgb*_{de}

2-1132630-F0



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde		
972	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0		
973	NW_012de	0.125 0.125	0.125 0.125	0.125 360	0.125 0.125	0.125 11.9	0.0 0.0 0.0	0.0 0.0 0.0	0.129 0.132	1.132 11.9	-0.2 0.0 0.2	198.6 0.2 360	
974	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8	0.0 0.0 0.0	0.0 0.0 0.0	0.232 0.236	0.237 23.7	-0.4 -0.2 0.4	207.2 0.4 360	
975	NW_037de	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7	0.0 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
976	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7	0.0 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.47	47.7 -0.3 -0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
977	NW_062de	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6	0.0 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
978	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5	0.0 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0 0.2	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
979	NW_087de	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4	0.0 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0 0.1	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
980	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
981	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
982	NW_012de	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9	0.0 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0 0.2	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
983	NW_025de	0.25 0.25 0.25 0.25	0.25 0.25 0.25 0.25	0.25 360	0.25 0.25 0.25 23.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2 0.4	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
984	NW_037de	0.375 0.375 0.375 0.375	0.375 0.375 0.375 0.375	0.375 360	0.375 0.375 0.375 35.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
985	NW_050de	0.5 0.5 0.5 0.5	0.5 0.5 0.5 0.5	0.5 360	0.5 0.5 0.5 47.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.47	47.7 -0.3 -0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
986	NW_062de	0.625 0.625 0.625 0.625	0.625 0.625 0.625 0.625	0.625 360	0.625 0.625 0.625 59.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
987	NW_075de	0.75 0.75 0.75 0.75	0.75 0.75 0.75 0.75	0.75 360	0.75 0.75 0.75 71.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0 0.2	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
988	NW_087de	0.875 0.875 0.875 0.875	0.875 0.875 0.875 0.875	0.875 360	0.875 0.875 0.875 83.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0 0.1	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
989	NW_100de	1.0 1.0 1.0 1.0	1.0 1.0 1.0 1.0	1.0 360	1.0 1.0 1.0 95.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
990	NW_000de	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 360	0.0 0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
991	NW_012de	0.125 0.125 0.125 0.125	0.125 0.125 0.125 0.125	0.125 360	0.125 0.125 0.125 11.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0 0.2	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
992	NW_025de	0.25 0.25 0.25 0.25	0.25 0.25 0.25 0.25	0.25 360	0.25 0.25 0.25 23.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2 0.4	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
993	NW_037de	0.375 0.375 0.375 0.375	0.375 0.375 0.375 0.375	0.375 360	0.375 0.375 0.375 35.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
994	NW_050de	0.5 0.5 0.5 0.5	0.5 0.5 0.5 0.5	0.5 360	0.5 0.5 0.5 47.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.47	47.7 -0.3 -0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
995	NW_062de	0.625 0.625 0.625 0.625	0.625 0.625 0.625 0.625	0.625 360	0.625 0.625 0.625 59.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
996	NW_075de	0.75 0.75 0.75 0.75	0.75 0.75 0.75 0.75	0.75 360	0.75 0.75 0.75 71.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0 0.2	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
997	NW_087de	0.875 0.875 0.875 0.875	0.875 0.875 0.875 0.875	0.875 360	0.875 0.875 0.875 83.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0 0.1	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
998	NW_100de	1.0 1.0 1.0 1.0	1.0 1.0 1.0 1.0	1.0 360	1.0 1.0 1.0 95.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
999	NW_000de	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 360	0.0 0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
1000	NW_012de	0.125 0.125 0.125 0.125	0.125 0.125 0.125 0.125	0.125 360	0.125 0.125 0.125 11.9	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0 0.2	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1001	NW_025de	0.25 0.25 0.25 0.25	0.25 0.25 0.25 0.25	0.25 360	0.25 0.25 0.25 23.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2 0.4	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1002	NW_037de	0.375 0.375 0.375 0.375	0.375 0.375 0.375 0.375	0.375 360	0.375 0.375 0.375 35.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1003	NW_050de	0.5 0.5 0.5 0.5	0.5 0.5 0.5 0.5	0.5 360	0.5 0.5 0.5 47.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.47	47.7 -0.3 -0.1 0.4	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1004	NW_062de	0.625 0.625 0.625 0.625	0.625 0.625 0.625 0.625	0.625 360	0.625 0.625 0.625 59.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1005	NW_075de	0.75 0.75 0.75 0.75	0.75 0.75 0.75 0.75	0.75 360	0.75 0.75 0.75 71.5	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0 0.2	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1006	NW_087de	0.875 0.875 0.875 0.875	0.875 0.875 0.875 0.875	0.875 360	0.875 0.875 0.875 83.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0 0.1	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1007	NW_100de	1.0 1.0 1.0 1.0	1.0 1.0 1.0 1.0	1.0 360	1.0 1.0 1.0 95.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1008	NW_000de	0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 360	0.0 0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0
1009	NW_006de	0.066 0.066 0.066 0.066	0.066 0.066 0.066 0.066	0.066 360	0.066 0.066 0.066 6.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.068 0.07 0.07	4.7 -0.1 0.0 0.1	215.3 1.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1010	NW_013de	0.133 0.133 0.133 0.133	0.133 0.133 0.133 0.133	0.133 360	0.133 0.133 0.133 12.6	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.134 0.138 0.138	12.6 -0.5 -0.1 0.5	198.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1011	NW_020de	0.2 0.2 0.2 0.2	0.2 0.2 0.2 0.2	0.2 360	0.2 0.2 0.2 19.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.181 0.193 0.193	18.7 -1.1 -0.4 1.2	202.3 1.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1012	NW_026de	0.266 0.266 0.266 0.266	0.266 0.266 0.266 0.266	0.266 360	0.266 0.266 0.266 25.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.25 0.251 0.251	25.4 0.0 0.0 0.0	198.2 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1013	NW_033de	0.333 0.333 0.333 0.333	0.333 0.333 0.333 0.333	0.333 360	0.333 0.333 0.333 31.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.303 0.311 0.311	31.6 -0.7 -0.3 0.8	203.1 0.8 360	1.0 1.0 1.0	95.4 0.0 0.0
1014	NW_040de	0.4 0.4 0.4 0.4	0.4 0.4 0.4 0.4	0.4 360	0.4 0.4 0.4 38.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.374 0.374 0.374	38.2 0.0 0.0 0.0	217.7 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1015	NW_046de	0.466 0.466 0.466 0.466	0.466 0.466 0.466 0.466	0.466 360	0.466 0.466 0.466 44.4	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.431 0.437 0.437	44.4 -0.5 -0.2 0.5	203.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1016	NW_053de	0.533 0.533 0.533 0.533	0.533 0.533 0.533 0.533	0.533 360	0.533 0.533 0.533 50.8	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.503 0.504 0.504	51.0 0.0 0.0 0.0	222.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1017	NW_060de	0.6 0.6 0.6 0.6	0.6 0.6 0.6 0.6	0.6 360	0.6 0.6 0.6 57.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.564 0.569 0.569	57.1 -0.3 -0.1 0.4	204.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1018	NW_066de	0.666 0.666 0.666 0.666	0.666 0.666 0.666 0.666	0.666 360	0.666 0.666 0.666 63.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.634 0.635 0.635	63.3 -0.1 0.0 0.1	207.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1019	NW_073de	0.734 0.734 0.734 0.734	0.734 0.734 0.734 0.734	0.734 360	0.734 0.734 0.734 70.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.703 0.706 0.707	69.8 -0.3 -0.1 0.3	205.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1020	NW_080de	0.8 0.8 0.8 0.8	0.8 0.8 0.8 0.8	0.8 360	0.8 0.8 0.8 76.3	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.775 0.778 0.778	76.1 -0.			

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS32/QS32.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS32/QS32L0FA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

n	HIC*Fde	rgb_Fde	icf_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb**Fde	LabCh**Fde	DE**Fde hsiMde	rgb*Mde	LabCh*Mde
1053	NW_086de	0.866 0.866 0.866	0.866 0.0	0.866 360	0.866 0.866 0.866	82.6 0.0 0.0	0.847 0.85 0.85	82.5 -0.1 0.0 0.1	209.2 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1054	NW_093de	0.933 0.933 0.933	0.933 0.0	0.933 360	0.933 0.933 0.933	89.0 0.0 0.0	0.921 0.924 0.924	88.9 -0.2 -0.1 0.2	207.0 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1055	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1056	NW_000de	0.0 0.0 0.0	0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1057	NW_006de	0.066 0.066 0.066	0.066 0.0	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.068 0.07 0.07	4.7 -0.1 0.0 0.1	215.3 1.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1058	NW_013de	0.133 0.133 0.133	0.133 0.0	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.134 0.138 0.138	12.6 -0.5 -0.1 0.5	198.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1059	NW_020de	0.2 0.2 0.2	0.2 0.0	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.181 0.193 0.193	18.7 -1.1 -0.4 1.2	202.3 1.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1060	NW_026de	0.266 0.266 0.266	0.266 0.0	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.25 0.251 0.251	25.4 0.0 0.0 0.0	198.2 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1061	NW_033de	0.333 0.333 0.333	0.333 0.0	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.303 0.311 0.311	31.6 -0.7 -0.3 0.8	203.1 0.8 360	1.0 1.0 1.0	95.4 0.0 0.0
1062	NW_040de	0.4 0.4 0.4	0.4 0.0	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.374 0.374 0.374	38.2 0.0 0.0 0.0	217.7 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1063	NW_046de	0.466 0.466 0.466	0.466 0.0	0.466 360	0.466 0.466 0.466	44.4 0.0 0.0	0.431 0.437 0.437	44.4 -0.5 -0.2 0.5	203.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1064	NW_053de	0.533 0.533 0.533	0.533 0.0	0.533 360	0.533 0.533 0.533	50.8 0.0 0.0	0.503 0.504 0.504	51.0 0.0 0.0 0.0	222.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1065	NW_060de	0.6 0.6 0.6	0.6 0.0	0.6 360	0.6 0.6 0.6	57.2 0.0 0.0	0.564 0.569 0.569	57.1 -0.3 -0.1 0.4	204.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1066	NW_066de	0.666 0.666 0.666	0.666 0.0	0.666 360	0.666 0.666 0.666	63.5 0.0 0.0	0.634 0.635 0.635	63.3 -0.1 0.0 0.1	207.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1067	NW_073de	0.734 0.734 0.734	0.734 0.0	0.734 360	0.734 0.734 0.734	70.0 0.0 0.0	0.703 0.706 0.707	69.8 -0.3 -0.1 0.3	205.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1068	NW_080de	0.8 0.8 0.8	0.8 0.0	0.8 360	0.8 0.8 0.8	76.3 0.0 0.0	0.775 0.778 0.778	76.1 -0.1 0.0 0.2	206.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1069	NW_086de	0.866 0.866 0.866	0.866 0.0	0.866 360	0.866 0.866 0.866	82.6 0.0 0.0	0.847 0.85 0.85	82.5 -0.1 0.0 0.1	209.2 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1070	NW_093de	0.933 0.933 0.933	0.933 0.0	0.933 360	0.933 0.933 0.933	89.0 0.0 0.0	0.921 0.924 0.924	88.9 -0.2 -0.1 0.2	207.0 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1071	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1072	NW_000de	0.0 0.0 0.0	0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1073	NW_100de	1.0 1.0 1.0	1.0 0.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1074	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2 375	1.0 0.0 0.263	50.9 78.3 37.3
1075	G50B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2 -25.7	0.0 0.89 1.0	79.0 -34.1 -25.3	42.5 216.6 0.4 215	0.0 0.89 1.0	79.0 -34.2 -25.7
1076	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4 84.5	1.0 0.856 0.0	83.6 -3.4 84.2	84.3 92.3 0.2 82	1.0 0.856 0.0	83.7 -3.4 84.5
1077	B00R_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1 0.4 232	0.0 0.609 1.0	59.2 1.7 -56.6
1078	G00B_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0 0.3 193	0.0 1.0 0.706	85.1 -64.6 20.7
1079	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0 330	1.0 0.0 0.991	57.1 94.1 -57.4

delta E** = 0.3




gráfico TUB-QS32; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE**

entrada: rgb/cmyk -> rgbde
salida: 3D-linealización a rgb*de

