

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_- = Y00G_-$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_-

código de tono para los colores esta página:

$H^*_- = Y00G_-$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triángulo claridad T^*

%Gama

$u^*_{rel} = 92$



%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
 aplicación para la medida salida en la impresión offset


TUB material: code=rh4ta

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores
esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e, Ma}$: 83 -3 90 90 92

$HIC^*_{e, Ma}$: Y00G_100_100_e

$rgbic^*_{e, Ma}$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=1, de=1, $cmy0^*$

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores
esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e,Ma}$: 83 -3 90 90 92

$HIC^*_{e,Ma}$: Y00G_100_100e

$rgbic^*_{e,Ma}$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100e	45.6	72.2	34.4	80.0	25
R25Y_100_100e	50.5	59.2	51.6	78.6	41
R50Y_100_100e	60.2	38.2	63.4	74.1	58
R75Y_100_100e	70.9	17.9	75.9	77.9	76
Y00G_100_100e	83.6	-3.6	90.4	90.4	92
Y25G_100_100e	74.5	-25.0	74.3	78.4	108
Y50G_100_100e	62.6	-40.9	53.8	67.6	127
Y75G_100_100e	54.1	-55.5	37.5	67.0	145
G00B_100_100e	50.6	-62.1	19.9	65.2	162
G25B_100_100e	53.0	-48.6	-8.2	49.2	189
G50B_100_100e	55.0	-36.2	-27.2	45.3	216
G75B_100_100e	53.3	-19.8	-41.3	45.9	244
B00R_100_100e	40.2	1.2	-40.6	40.6	271
B25R_100_100e	28.1	23.4	-40.3	46.7	300
B50R_100_100e	31.1	47.7	-29.1	55.9	328
B75R_100_100e	41.4	70.4	-9.8	71.1	352



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=1, de=1, $cmy0^*$

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores de esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e, Ma}$: 83 -3 90 90 92

$HIC^*_{e, Ma}$: Y00G_100_100_e

$rgbic^*_{e, Ma}$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=1, de=1, $cmy0^*$

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores de esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e,Ma}$: 83 -3 90 90 92

$HIC^*_{e,Ma}$: Y00G_100_100_e

$rgbic^*_{e,Ma}$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=1, de=1, $cmy0^*$


entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$





Data of maximum color M in colorimetric system offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{dx64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^a, d_{dx361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}^a, d_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a, d_{dex361M}, LAB*_{dex361M}, r_{gb}^a, d_{dex361M}, LAB*_{dex361M}. Rows contain numerical data for various color points.




vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LOFP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4tra

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 25
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0	46.0 69.6 45.7 83.3 33
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0	51.1 57.9 52.5 78.1 42
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0	55.4 48.5 57.8 75.4 49
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0	60.3 38.3 63.5 74.1 58
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0	64.6 29.5 68.4 74.5 66
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0	62.6 -40.8 53.8 67.6 127
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0	58.4 -47.4 46.8 66.6 135
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0	54.6 -54.2 38.4 66.5 144
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0	51.2 -62.4 32.0 70.2 152
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151	50.7 -62.0 19.9 65.2 162
160.7	157.5	169.0	0.0 1.0 0.125	50.5 -62.8 21.9 66.5 160.7	0.0 1.0 0.261	51.3 -58.5 11.8 59.8 168
167.7	165.0	175.9	0.0 1.0 0.25	51.2 -58.9 12.7 60.3 167.7	0.0 1.0 0.364	52.0 -55.0 3.9 55.2 175
176.7	172.5	182.7	0.0 1.0 0.375	52.0 -54.5 3.1 54.6 176.7	0.0 1.0 0.43	52.5 -52.2 0.0 52.3 182
189.3	180.0	189.6	0.0 1.0 0.5	52.9 -48.6 -8.0 49.3 189.3	0.0 1.0 0.502	53.0 -48.5 -8.1 49.3 189
203.2	187.5	196.4	0.0 1.0 0.625	54.0 -42.3 -18.1 46.1 203.2	0.0 1.0 0.56	53.5 -45.9 -13.1 47.8 195
217.2	195.0	203.2	0.0 1.0 0.75	55.0 -36.0 -27.4 45.3 217.2	0.0 1.0 0.626	54.1 -42.3 -18.1 46.1 203
228.3	202.5	210.1	0.0 1.0 0.875	55.8 -30.7 -34.5 46.2 228.3	0.0 1.0 0.682	54.5 -39.6 -22.6 45.7 209
238.4	210.0	216.9	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238.4	0.0 1.0 0.747	55.0 -36.1 -27.2 45.3 216
242.9	217.5	223.8	0.0 0.875 1.0	54.1 -21.1 -41.3 46.4 242.9	0.0 1.0 0.819	55.5 -33.2 -31.3 45.8 223
249.3	225.0	230.6	0.0 0.75 1.0	50.4 -15.5 -41.1 43.9 249.3	0.0 1.0 0.904	56.1 -29.6 -36.1 46.8 230
256.9	232.5	237.5	0.0 0.625 1.0	46.5 -9.4 -40.8 41.9 256.9	0.0 1.0 0.983	56.7 -26.2 -40.5 48.4 237
268.2	240.0	244.3	0.0 0.5 1.0	41.7 -1.2 -40.6 40.6 268.2	0.0 0.847 1.0	53.3 -19.8 -41.3 45.9 244
278.6	247.5	251.2	0.0 0.375 1.0	37.3 6.1 -40.2 40.7 278.6	0.0 0.726 1.0	49.7 -14.3 -41.1 43.6 250
289.6	255.0	258.0	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289.6	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258
299.0	262.5	264.8	0.0 0.125 1.0	28.6 22.4 -40.2 46.1 299.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264
306.2	270.0	271.7	0.0 0.0 1.0	25.0 29.5 -40.4 50.0 306.2	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271
314.7	277.5	278.8	0.125 0.0 1.0	27.9 36.0 -36.4 51.2 314.7	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278
322.1	285.0	285.9	0.25 0.0 1.0	28.8 41.9 -32.5 53.1 322.1	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285
333.3	292.5	293.0	0.375 0.0 1.0	32.7 51.8 -26.0 58.0 333.3	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292
340.5	300.0	300.1	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340.5	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300
347.9	307.5	307.2	0.625 0.0 1.0	38.1 65.4 -14.0 66.9 347.9	0.0 0.009 0.0	25.3 30.1 -40.1 50.2 306
352.5	315.0	314.3	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352.5	0.0 0.12 0.0	27.8 35.8 -36.5 51.2 314
356.1	322.5	321.4	0.875 0.0 1.0	44.2 75.2 -5.0 75.3 356.1	0.0 0.231 0.0	28.7 41.1 -33.2 52.9 321
359.8	330.0	328.6	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359.8	0.0 0.322 0.0	31.1 47.8 -29.1 56.0 328
363.0	337.5	335.7	1.0 0.0 0.875	45.9 78.2 4.1 78.3 363.0	0.0 0.408 0.0	33.5 53.7 -24.7 59.1 335
366.4	345.0	342.8	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366.4	0.0 0.539 0.0	36.4 60.8 -18.7 63.7 342
371.1	352.5	349.9	1.0 0.0 0.625	46.0 75.6 14.8 77.0 371.1	0.0 0.667 0.0	39.3 67.4 -12.4 68.5 349
375.9	360.0	357.0	1.0 0.0 0.5	45.9 74.2 21.1 77.1 375.9	0.0 0.736 0.0	41.4 70.5 -9.7 71.1 352
381.2	367.5	364.1	1.0 0.0 0.375	45.8 72.9 28.3 78.3 381.2	0.0 0.81 0.0	46.1 79.3 -0.1 79.3 359
385.6	375.0	371.2	1.0 0.0 0.25	45.6 72.1 34.6 80.0 385.6	0.0 0.887 0.0	46.0 76.5 11.8 77.4 368
389.3	382.5	378.3	1.0 0.0 0.125	45.5 71.4 40.1 81.9 389.3	0.0 0.967 0.0	45.9 74.1 22.0 77.3 376
392.3	390.0	385.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 392.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 385



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; D65 for input or output; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] dd361M	LAB [*] ddx361Mi (x=LabCh)	R _d	rgb [*] ds361Mi	LAB [*] dsx361Mi (x=LabCh)	R _s	rgb [*] dd361Mi	LAB [*] de361Mi	R _e	rgb [*] dd361Mi	rgb [*] dd	rgb [*] ds	rgb [*] de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096	45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2 34.4 80.0 25	1.0 0.0 0.0			
33	31	26	1.0 0.016	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055	45.5 71.2 42.8 83.1 31		1.0 0.017	1.0 0.0 0.218	45.6 72.0 36.1 80.6 26	1.0 0.017			
33	32	27	1.0 0.033	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013	45.5 71.0 44.4 83.7 32		1.0 0.033	1.0 0.0 0.18	45.6 71.8 37.7 81.1 27	1.0 0.033			
34	33	28	1.0 0.05	46.8 67.7 46.8 82.3 34		1.0 0.015	45.9 70.0 45.5 83.5 33		1.0 0.05	1.0 0.0 0.142	45.6 71.6 39.4 81.7 28	1.0 0.05			
35	34	29	1.0 0.066	47.3 66.6 47.4 81.8 35		1.0 0.036	46.5 68.6 46.3 82.8 34		1.0 0.067	1.0 0.0 0.099	45.5 71.4 41.1 82.4 29	1.0 0.067			
36	35	31	1.0 0.083	47.7 65.5 48.0 81.2 36		1.0 0.057	47.1 67.3 47.1 82.1 35		1.0 0.083	1.0 0.0 0.053	45.5 71.2 42.9 83.1 31	1.0 0.083			
36	36	32	1.0 0.1	48.2 64.4 48.5 80.7 36		1.0 0.079	47.6 65.9 47.9 81.4 36		1.0 0.1	1.0 0.0 0.006	45.5 71.0 44.6 83.8 32	1.0 0.1			
37	37	33	1.0 0.116	48.6 63.3 49.1 80.2 37		1.0 0.1	48.2 64.5 48.6 80.7 37		1.0 0.117	1.0 0.021	46.0 69.6 45.7 83.3 33	1.0 0.117			
38	38	34	1.0 0.133	49.2 62.1 49.8 79.6 38		1.0 0.121	48.8 63.1 49.3 80.1 38		1.0 0.133	1.0 0.044	46.7 68.1 46.6 82.5 34	1.0 0.133			
39	39	35	1.0 0.15	49.8 60.7 50.7 79.1 39		1.0 0.137	49.4 61.8 50.1 79.6 39		1.0 0.15	1.0 0.068	47.4 66.6 47.5 81.8 35	1.0 0.15			
41	40	36	1.0 0.166	50.5 59.2 51.6 78.6 41		1.0 0.151	49.9 60.6 50.9 79.1 40		1.0 0.167	1.0 0.092	48.0 65.0 48.3 81.0 36	1.0 0.167			
42	41	37	1.0 0.183	51.1 57.8 52.5 78.1 42		1.0 0.166	50.5 59.4 51.6 78.7 41		1.0 0.183	1.0 0.116	48.7 63.5 49.1 80.2 37	1.0 0.183			
43	42	38	1.0 0.2	51.7 56.3 53.3 77.5 43		1.0 0.18	51.0 58.1 52.3 78.2 42		1.0 0.2	1.0 0.135	49.3 62.0 49.9 79.6 38	1.0 0.2			
44	43	39	1.0 0.216	52.4 54.9 54.0 77.0 44		1.0 0.194	51.6 56.9 53.0 77.8 43		1.0 0.217	1.0 0.151	49.9 60.7 50.8 79.1 39	1.0 0.217			
45	44	41	1.0 0.233	53.0 53.4 54.8 76.5 45		1.0 0.209	52.1 55.6 53.7 77.3 44		1.0 0.233	1.0 0.167	50.5 59.3 51.7 78.6 41	1.0 0.233			
46	45	42	1.0 0.25	53.6 51.9 55.5 76.0 46		1.0 0.223	52.7 54.4 54.4 76.9 45		1.0 0.25	1.0 0.183	51.1 57.9 52.5 78.1 42	1.0 0.25			
48	46	43	1.0 0.266	54.4 50.4 56.5 75.7 48		1.0 0.237	53.2 53.1 55.0 76.4 46		1.0 0.267	1.0 0.198	51.7 56.5 53.2 77.6 43	1.0 0.267			
49	47	44	1.0 0.283	55.1 48.9 57.4 75.4 49		1.0 0.251	53.7 51.8 55.6 76.0 47		1.0 0.283	1.0 0.214	52.3 55.1 54.0 77.1 44	1.0 0.283			
50	48	45	1.0 0.3	55.8 47.4 58.4 75.2 50		1.0 0.264	54.3 50.7 56.3 75.8 48		1.0 0.3	1.0 0.23	52.9 53.7 54.7 76.6 45	1.0 0.3			
52	49	46	1.0 0.316	56.6 45.8 59.2 74.9 52		1.0 0.276	54.8 49.6 57.1 75.6 49		1.0 0.317	1.0 0.246	53.5 52.3 55.4 76.1 46	1.0 0.317			
53	50	47	1.0 0.333	57.3 44.2 60.1 74.6 53		1.0 0.288	55.4 48.5 57.8 75.4 50		1.0 0.333	1.0 0.261	54.2 51.0 56.2 75.9 47	1.0 0.333			
54	51	48	1.0 0.35	58.0 42.7 60.9 74.4 54		1.0 0.301	55.9 47.3 58.5 75.2 51		1.0 0.35	1.0 0.274	54.8 49.8 57.0 75.6 48	1.0 0.35			
56	52	49	1.0 0.366	58.8 41.1 61.7 74.1 56		1.0 0.313	56.5 46.2 59.1 75.0 52		1.0 0.367	1.0 0.288	55.4 48.5 57.8 75.4 49	1.0 0.367			
57	53	51	1.0 0.383	59.5 39.5 62.5 74.0 57		1.0 0.326	57.0 45.0 59.8 74.8 53		1.0 0.383	1.0 0.302	56.0 47.2 58.5 75.2 51	1.0 0.383			
59	54	52	1.0 0.4	60.3 38.1 63.5 74.1 59		1.0 0.338	57.6 43.9 60.4 74.6 54		1.0 0.4	1.0 0.316	56.6 45.9 59.3 75.0 52	1.0 0.4			
60	55	53	1.0 0.416	61.0 36.6 64.5 74.1 60		1.0 0.35	58.1 42.7 61.0 74.4 55		1.0 0.417	1.0 0.33	57.2 44.6 60.0 74.8 53	1.0 0.417			
61	56	54	1.0 0.433	61.8 35.1 65.4 74.2 61		1.0 0.363	58.6 41.5 61.5 74.2 56		1.0 0.433	1.0 0.343	57.8 43.3 60.6 74.5 54	1.0 0.433			
63	57	55	1.0 0.45	62.6 33.6 66.2 74.3 63		1.0 0.375	59.2 40.3 62.1 74.0 57		1.0 0.45	1.0 0.357	58.4 42.0 61.3 74.3 55	1.0 0.45			
64	58	56	1.0 0.466	63.3 32.0 67.1 74.4 64		1.0 0.387	59.8 39.3 62.8 74.1 58		1.0 0.467	1.0 0.371	59.0 40.7 61.9 74.1 56	1.0 0.467			
65	59	57	1.0 0.483	64.1 30.5 67.9 74.4 65		1.0 0.4	60.3 38.2 63.5 74.1 59		1.0 0.483	1.0 0.385	59.6 39.5 62.7 74.1 57	1.0 0.483			
67	60	58	1.0 0.5	64.9 28.9 68.6 74.5 67		1.0 0.412	60.9 37.1 64.2 74.2 60		1.0 0.5	1.0 0.398	60.3 38.3 63.5 74.1 58	1.0 0.5			
68	61	60	1.0 0.516	65.8 27.2 69.9 75.0 68		1.0 0.424	61.4 36.0 64.9 74.2 61		1.0 0.517	1.0 0.412	60.9 37.1 64.2 74.2 60	1.0 0.517			
70	62	61	1.0 0.533	66.8 25.5 71.1 75.6 70		1.0 0.436	62.0 34.9 65.6 74.3 62		1.0 0.533	1.0 0.426	61.5 35.8 65.0 74.2 61	1.0 0.533			
71	63	62	1.0 0.55	67.7 23.8 72.3 76.1 71		1.0 0.449	62.6 33.7 66.2 74.3 63		1.0 0.55	1.0 0.439	62.1 34.6 65.7 74.3 62	1.0 0.55			
73	64	63	1.0 0.566	68.7 22.0 73.5 76.7 73		1.0 0.461	63.1 32.6 66.9 74.4 64		1.0 0.567	1.0 0.453	62.8 33.3 66.4 74.3 63	1.0 0.567			
74	65	64	1.0 0.583	69.7 20.2 74.6 77.3 74		1.0 0.473	63.7 31.5 67.5 74.4 65		1.0 0.583	1.0 0.467	63.4 32.1 67.1 74.4 64	1.0 0.583			
76	66	65	1.0 0.6	70.6 18.3 75.6 77.8 76		1.0 0.486	64.2 30.3 68.0 74.5 66		1.0 0.6	1.0 0.48	64.0 30.8 67.8 74.5 65	1.0 0.6			
77	67	66	1.0 0.616	71.6 16.4 76.6 78.4 77		1.0 0.498	64.8 29.1 68.6 74.5 67		1.0 0.617	1.0 0.494	64.6 29.5 68.4 74.5 66	1.0 0.617			
79	68	67	1.0 0.633	72.5 14.8 77.6 79.0 79		1.0 0.509	65.4 28.0 69.4 74.8 68		1.0 0.633	1.0 0.507	65.3 28.2 69.2 74.8 67	1.0 0.633			
80	69	68	1.0 0.65	73.2 13.6 78.5 79.7 80		1.0 0.52	66.1 26.9 70.2 75.2 69		1.0 0.65	1.0 0.519	66.0 27.0 70.1 75.2 68	1.0 0.65			
81	70	70	1.0 0.666	74.0 12.3 79.5 80.4 81		1.0 0.531	66.7 25.8 71.0 75.6 70		1.0 0.667	1.0 0.531	66.7 25.8 71.0 75.6 70	1.0 0.667			
82	71	71	1.0 0.683	74.8 11.0 80.4 81.1 82		1.0 0.542	67.3 24.7 71.8 75.9 71		1.0 0.683	1.0 0.543	67.4 24.6 71.9 76.0 71	1.0 0.683			
83	72	72	1.0 0.7	75.6 9.6 81.3 81.9 83		1.0 0.553	67.9 23.6 72.6 76.3 72		1.0 0.7	1.0 0.555	68.1 23.3 72.8 76.4 72	1.0 0.7			
84	73	73	1.0 0.716	76.3 8.3 82.2 82.6 84		1.0 0.564	68.6 22.4 73.3 76.6 73		1.0 0.717	1.0 0.568	68.8 22.0 73.6 76.8 73	1.0 0.717			
85	74	74	1.0 0.733	77.1 6.9 83.0 83.3 85		1.0 0.574	69.2 21.2 74.0 77.0 74		1.0 0.733	1.0 0.58	69.5 20.6 74.4 77.2 74	1.0 0.733			
86	75	75	1.0 0.75	77.9 5.4 83.8 84.0 86		1.0 0.585	69.8 20.0 74.7 77.4 75		1.0 0.75	1.0 0.592	70.2 19.3 75.2 77.6 75	1.0 0.75			

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38LOFP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{ab} * dd361M	LAB ^{ab} * ddx361Mi (x=LabCh)	rgb ^{ds} * ds361Mi	LAB ^{ds} * dsx361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * dd361Mi	LAB ^{de} * ddx361Mi (x=LabCh)	rgb ^{de} * de361Mi	LAB ^{de} * dex361Mi (x=LabCh)	rgb ^{de} * dd361Mi	LAB ^{de} * ddx361Mi (x=LabCh)
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	70.2 19.3 75.2 77.6 75	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	70.2 19.3 75.2 77.6 75
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7 84.8 87	1.0 0.596 0.0	70.5 18.8 75.4 77.7 76	1.0 0.767 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	70.9 17.9 75.9 78.0 76	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	70.9 17.9 75.9 78.0 76
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6 85.7 87	1.0 0.607 0.0	71.1 17.6 76.1 78.1 77	1.0 0.783 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	71.6 16.5 76.6 78.4 77	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	71.6 16.5 76.6 78.4 77
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5 86.5 88	1.0 0.618 0.0	71.7 16.3 76.7 78.5 78	1.0 0.8 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	72.4 15.1 77.4 78.9 78	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	72.4 15.1 77.4 78.9 78
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3 87.3 89	1.0 0.631 0.0	72.4 15.1 77.5 78.9 79	1.0 0.817 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	73.2 13.8 78.5 79.7 80	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	73.2 13.8 78.5 79.7 80
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2 88.2 90	1.0 0.647 0.0	73.2 13.8 78.4 79.6 80	1.0 0.833 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	74.1 12.3 79.5 80.5 81	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	74.1 12.3 79.5 80.5 81
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0 89.0 91	1.0 0.664 0.0	73.9 12.6 79.4 80.4 81	1.0 0.85 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	74.9 10.9 80.5 81.3 82	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	74.9 10.9 80.5 81.3 82
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8 89.8 91	1.0 0.68 0.0	74.7 11.3 80.3 81.1 82	1.0 0.867 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	75.8 9.4 81.5 82.0 83	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	75.8 9.4 81.5 82.0 83
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5 90.6 92	1.0 0.697 0.0	75.5 10.0 81.2 81.8 83	1.0 0.883 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	76.6 7.9 82.4 82.8 84	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	76.6 7.9 82.4 82.8 84
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3 91.4 92	1.0 0.713 0.0	76.2 8.6 82.0 82.5 84	1.0 0.9 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	77.5 6.4 83.4 83.6 85	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	77.5 6.4 83.4 83.6 85
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0 92.2 93	1.0 0.729 0.0	77.0 7.2 82.9 83.2 85	1.0 0.917 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	78.4 4.8 84.4 84.6 86	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	78.4 4.8 84.4 84.6 86
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7 92.9 94	1.0 0.746 0.0	77.7 5.9 83.7 83.9 86	1.0 0.933 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	79.4 3.2 85.7 85.7 87	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	79.4 3.2 85.7 85.7 87
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4 93.7 94	1.0 0.766 0.0	78.6 4.4 84.7 84.8 87	1.0 0.95 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	80.5 1.6 86.9 86.9 88	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	80.5 1.6 86.9 86.9 88
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1 94.5 95	1.0 0.787 0.0	79.6 3.0 85.8 85.9 88	1.0 0.967 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	81.5 0.0 88.1 88.1 90	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	81.5 0.0 88.1 88.1 90
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8 95.2 95	1.0 0.808 0.0	80.5 1.5 86.9 86.9 89	1.0 0.983 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	82.6 -1.8 89.2 89.3 91
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96	1.0 0.829 0.0	81.4 0.0 88.0 88.0 90	1.0 1.0 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	83.6 -3.6 90.4 90.5 92	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	83.6 -3.6 90.4 90.5 92
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6 95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0 89.0 91	0.983 1.0 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	84.9 -5.5 92.0 92.2 93	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	84.9 -5.5 92.0 92.2 93
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8 94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0 90.1 92	0.967 1.0 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	86.2 -7.5 93.6 93.9 94	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	86.2 -7.5 93.6 93.9 94
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0 93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4 91.5 93	0.95 1.0 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	87.5 -9.6 95.1 95.6 95	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	87.5 -9.6 95.1 95.6 95
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2 93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7 93.0 94	0.933 1.0 0.0	88.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	88.7 -11.3 93.6 94.3 96	1.0 0.961 0.0	88.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	88.7 -11.3 93.6 94.3 96
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3 92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1 94.4 95	0.917 1.0 0.0	90.7 1.0 91.8 91.8 98	0.917 1.0 0.0	90.7 1.0 91.8 91.8 98	1.0 0.907 1.0 0.0	90.7 1.0 91.8 91.8 98	0.917 1.0 0.0	90.7 1.0 91.8 91.8 98
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5 91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4 95.9 96	0.9 1.0 0.0	93.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	93.8 -14.4 88.4 89.6 99	1.0 0.856 1.0 0.0	93.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	93.8 -14.4 88.4 89.6 99
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7 90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5 94.2 97	0.883 1.0 0.0	96.7 -15.8 86.2 87.7 100	0.883 1.0 0.0	96.7 -15.8 86.2 87.7 100	1.0 0.807 1.0 0.0	96.7 -15.8 86.2 87.7 100	0.883 1.0 0.0	96.7 -15.8 86.2 87.7 100
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9 90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2 92.1 98	0.867 1.0 0.0	99.7 -17.2 84.0 85.7 101	0.867 1.0 0.0	99.7 -17.2 84.0 85.7 101	1.0 0.759 1.0 0.0	99.7 -17.2 84.0 85.7 101	0.867 1.0 0.0	99.7 -17.2 84.0 85.7 101
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1 89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0 90.1 99	0.85 1.0 0.0	102.7 -18.6 82.3 84.4 102	0.85 1.0 0.0	102.7 -18.6 82.3 84.4 102	1.0 0.729 1.0 0.0	102.7 -18.6 82.3 84.4 102	0.85 1.0 0.0	102.7 -18.6 82.3 84.4 102
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4 88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1 88.5 100	0.833 1.0 0.0	105.7 -20.0 80.8 83.2 103	0.833 1.0 0.0	105.7 -20.0 80.8 83.2 103	1.0 0.704 1.0 0.0	105.7 -20.0 80.8 83.2 103	0.833 1.0 0.0	105.7 -20.0 80.8 83.2 103
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6 88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2 86.8 101	0.817 1.0 0.0	108.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	108.7 -21.3 79.2 82.0 105	1.0 0.679 1.0 0.0	108.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	108.7 -21.3 79.2 82.0 105
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8 87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4 85.2 102	0.8 1.0 0.0	111.7 -22.6 77.6 80.8 106	0.8 1.0 0.0	111.7 -22.6 77.6 80.8 106	1.0 0.654 1.0 0.0	111.7 -22.6 77.6 80.8 106	0.8 1.0 0.0	111.7 -22.6 77.6 80.8 106
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1 86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0 84.2 103	0.783 1.0 0.0	114.7 -23.8 76.0 79.6 107	0.783 1.0 0.0	114.7 -23.8 76.0 79.6 107	1.0 0.628 1.0 0.0	114.7 -23.8 76.0 79.6 107	0.783 1.0 0.0	114.7 -23.8 76.0 79.6 107
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3 86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7 83.2 104	0.767 1.0 0.0	117.7 -25.0 74.3 78.4 108	0.767 1.0 0.0	117.7 -25.0 74.3 78.4 108	1.0 0.605 1.0 0.0	117.7 -25.0 74.3 78.4 108	0.767 1.0 0.0	117.7 -25.0 74.3 78.4 108
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4 82.2 105	0.75 1.0 0.0	120.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	120.7 -26.1 72.7 77.3 109	1.0 0.583 1.0 0.0	120.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	120.7 -26.1 72.7 77.3 109
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5 84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0 81.1 106	0.733 1.0 0.0	123.7 -27.1 71.0 76.1 110	0.733 1.0 0.0	123.7 -27.1 71.0 76.1 110	1.0 0.56 1.0 0.0	123.7 -27.1 71.0 76.1 110	0.733 1.0 0.0	123.7 -27.1 71.0 76.1 110
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5 83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6 80.1 107	0.717 1.0 0.0	126.7 -28.1 69.3 74.9 112	0.717 1.0 0.0	126.7 -28.1 69.3 74.9 112	1.0 0.538 1.0 0.0	126.7 -28.1 69.3 74.9 112	0.717 1.0 0.0	126.7 -28.1 69.3 74.9 112
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5 83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2 79.1 108	0.7 1.0 0.0	129.7 -29.0 67.7 73.7 113	0.7 1.0 0.0	129.7 -29.0 67.7 73.7 113	1.0 0.515 1.0 0.0	129.7 -29.0 67.7 73.7 113	0.7 1.0 0.0	129.7 -29.0 67.7 73.7 113
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4 82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8 78.1 109	0.683 1.0 0.0	132.7 -30.0 66.1 72.6 114	0.683 1.0 0.0	132.7 -30.0 66.1 72.6 114	1.0 0.494 1.0 0.0	132.7 -30.0 66.1 72.6 114	0.683 1.0 0.0	132.7 -30.0 66.1 72.6 114
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4 81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4 77.0 110	0.667 1.0 0.0	135.7 -31.0 64.8 71.9 115	0.667 1.0 0.0	135.7 -31.0 64.8 71.9 115	1.0 0.474 1.0 0.0	135.7 -31.0 64.8 71.9 115	0.667 1.0 0.0	135.7 -31.0 64.8 71.9 115
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3 80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0 76.0 111	0.65 1.0 0.0	138.7 -32.0 63.5 71.2 116	0.65 1.0 0.0	138.7 -32.0 63.5 71.2 116	1.0 0.454 1.0 0.0	138.7 -32.0 63.5 71.2 116	0.65 1.0 0.0	138.7 -32.0 63.5 71.2 116
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2 79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5 75.0 112	0.633 1.0 0.0	141.7 -32.9 62.2 70.5 117	0.633 1.0 0.0	141.7 -32.9 62.2 70.5 117	1.0 0.434 1.0 0.0	141.7 -32.9 62.2 70.5 117	0.633 1.0 0.0	141.7 -32.9 62.2 70.5 117
108	113	119	0.616 1.0 0.0	75.0 -24.4 75.1 79.0 108	0.521 1.0 0.0	71.4 -28.8 68.1 74.0 113	0.617 1.0 0.0	144.7 -33.8 60.9 69.7 119	0.617 1.0 0.0	144.7 -33.8 60.9 69.7 119	1.0 0.414 1.0 0.0	14		

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}																	
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.066	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.049	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.016	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G _d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G _s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G _e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7	9.7	58.6	170	0.0	1.0	0.15
163	160																															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.8	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38LOFP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4t4




Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGCMB_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCMB_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), C_d, r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), 210C_s, r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds, r_{gb}*_ds, r_{gb}*_de


vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LOFP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4t4



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{de361Mi}														
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.291	1.0	34.3	11.6	-40.3	42.0	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.28	1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.269	1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.257	1.0	33.1	13.9	-40.2	42.6	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.245	1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.232	1.0	32.2	15.5	-40.2	43.2	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.205	1.0	31.4	17.2	-40.3	43.9	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.0	0.192	1.0	30.9	18.0	-40.3	44.3	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336	0.0	0.179	1.0	30.5	18.9	-40.4	44.6	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337	0.0	0.166	1.0	30.0	19.7	-40.3	45.0	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338	0.0	0.152	1.0	29.6	20.6	-40.3	45.4	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339	0.0	0.139	1.0	29.1	21.5	-40.3	45.7	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.126	1.0	28.7	22.3	-40.2	46.1	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339
											0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd361Mi}																					
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6	78.1	364	0.491	0.0	1.0	35.4	58.1	-21.1	61.9															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}	
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9	-16.7 65.1	345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8	-18.7 63.7	342
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8	-15.8 65.7	346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7	-17.9 64.3	343
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7	-14.8 66.4	347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6	-17.0 64.9	344
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6	-13.8 67.1	348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5	-16.1 65.5	345
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8	-12.9 68.1	349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3	-15.2 66.1	346
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0	-11.9 69.1	350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2	-14.3 66.7	347
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2	-10.9 70.1	351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2	-13.4 67.6	348
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4	-9.8 71.1	352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4	-12.4 68.5	349
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6	-8.7 72.1	353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5	-11.5 69.5	350
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7	-7.5 73.1	354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6	-10.5 70.4	351
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9	-6.4 74.2	355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7	-9.5 71.4	352
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0	-5.1 75.2	356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9	-8.4 72.4	353
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2	-3.9 76.3	357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0	-7.3 73.3	354
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3	-2.6 77.3	358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1	-6.2 74.3	355
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4	-1.3 78.4	359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1	-5.0 75.3	356
375	360	357	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3	0.0 79.3	360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5	-9.7 71.1	352
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0	1.4 79.0	361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8	-8.5 72.3	353
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6	2.7 78.7	362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1	-7.2 73.4	354
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3	4.1 78.4	363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4	-5.9 74.6	355
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0	5.5 78.2	364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6	-4.5 75.8	356
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7	6.8 78.0	365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9	-3.1 77.0	357
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3	8.1 77.8	366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1	-1.6 78.1	358
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0	9.5 77.6	367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3	-0.1 79.3	359
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7	10.8 77.5	368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0	1.3 79.0	360
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4	12.1 77.4	369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6	2.9 78.7	362
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1	13.4 77.2	370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2	4.4 78.3	363
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7	14.7 77.1	371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9	5.9 78.1	364
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4	16.0 77.1	372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5	7.4 77.9	365
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2	17.4 77.1	373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1	8.8 77.7	366
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9	18.7 77.2	374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8	10.3 77.5	367
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5	20.0 77.2	375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5	11.8 77.4	368
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2	21.3 77.2	376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1	13.3 77.2	369
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0	22.6 77.4	377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7	14.7 77.1	370
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8	24.0 77.6	378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4	16.2 77.1	372
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6	25.3 77.8	379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1	17.6 77.1	373
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3	26.7 78.0	380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8	19.1 77.2	374
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1	28.0 78.3	381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4	20.6 77.2	375
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9	29.4 78.6	382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1	22.0 77.3	376
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7	30.9 79.0	383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9	23.6 77.6	377
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5	32.3 79.4	384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6	25.1 77.8	378
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3	33.7 79.8	385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4	26.6 78.0	379
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1	35.2 80.3	386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1	28.1 78.3	381
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0	36.7 80.8	387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9	29.6 78.7	382
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8	38.2 81.3	388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7	31.2 79.1	383
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6	39.7 81.8	389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5	32.8 79.6	384
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	1.0 0.0 0.096	45.5 71.4	41.2 82.4	390	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2	34.4 80.0	385

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0FP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rh4ta

nif	HC*Fide	rgp_Fide	icr_Fide	hs_Fide	rgp*Fide	LabCM*Fide	cmy0*sep_Fide	rgp*Fide	hs*Fide	LabCM*Fide	rgp*Fide	LabCM*Fide	hs*Fide	rgp*Fide	LabCM*Fide	hs*Fide	delta
0/648	R00Y_100_100de	1.0	1.0	0.5	1.0	0.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	0.0	0.744	0.0	0.0
1/657	R13Y_100_100de	0.0	1.0	0.5	37	0.0	0.0	0.0	0.979	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/666	R25Y_100_100de	1.0	1.0	0.5	41	0.0	0.0	0.0	0.832	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/675	R35Y_100_100de	1.0	1.0	0.5	44	0.0	0.0	0.0	0.781	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/684	R50Y_100_100de	1.0	1.0	0.5	52	1.0	0.0	0.288	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/693	R63Y_100_100de	1.0	1.0	0.5	60	1.0	0.0	0.396	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/702	R75Y_100_100de	1.0	1.0	0.5	68	1.0	0.0	0.506	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/711	R88Y_100_100de	1.0	1.0	0.5	83	1.0	0.0	0.604	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/720	Y00G_100_100de	1.0	1.0	0.5	90	1.0	0.0	0.878	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/639	Y13G_100_100de	0.875	1.0	0.5	97	0.0	0.0	0.0	0.0	0.121	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/658	Y25G_100_100de	0.75	1.0	0.5	104	0.605	1.0	0.0	0.0	0.194	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/477	Y38G_100_100de	0.625	1.0	0.5	112	0.434	1.0	0.0	0.0	0.396	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/396	Y50G_100_100de	0.5	1.0	0.5	120	0.322	1.0	0.0	0.0	0.565	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/315	Y63G_100_100de	0.375	1.0	0.5	128	0.232	1.0	0.0	0.0	0.678	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/234	Y75G_100_100de	0.25	1.0	0.5	136	0.168	1.0	0.0	0.0	0.766	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/153	Y88G_100_100de	0.125	1.0	0.5	143	0.108	1.0	0.0	0.0	0.891	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/72	G00C_100_100de	0.0	1.0	0.5	150	0.0	1.0	0.151	50.6	-62.1	19.9	65.2	162.2	0.0	0.847	0.0	0.0
17/73	G13C_100_100de	0.0	1.0	0.5	157	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/74	G25C_100_100de	0.0	1.0	0.5	164	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/75	G38C_100_100de	0.0	1.0	0.5	172	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/76	G50C_100_100de	0.0	1.0	0.5	180	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/77	G63C_100_100de	0.0	1.0	0.5	188	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/78	G75C_100_100de	0.0	1.0	0.5	196	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/79	G88C_100_100de	0.0	1.0	0.5	203	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/80	C00B_100_100de	0.0	1.0	0.5	210	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/71	C13B_100_100de	0.0	1.0	0.5	217	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/62	C25B_100_100de	0.0	1.0	0.5	224	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/63	C38B_100_100de	0.0	1.0	0.5	232	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28/44	C50B_100_100de	0.0	1.0	0.5	240	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29/35	C63B_100_100de	0.0	1.0	0.5	248	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30/26	C75B_100_100de	0.0	1.0	0.5	256	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31/17	C88B_100_100de	0.0	1.0	0.5	263	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32/8	B00M_100_100de	0.0	1.0	0.5	270	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/89	B13M_100_100de	0.125	1.0	0.5	277	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34/170	B25M_100_100de	0.25	1.0	0.5	284	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35/251	B38M_100_100de	0.375	1.0	0.5	292	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36/332	B50M_100_100de	0.5	1.0	0.5	300	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/413	B63M_100_100de	0.625	1.0	0.5	308	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/494	B75M_100_100de	0.75	1.0	0.5	316	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/575	B88M_100_100de	0.875	1.0	0.5	323	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/656	M00R_100_100de	1.0	0.0	1.0	330	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/655	M13R_100_100de	1.0	0.0	0.875	337	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/654	M25R_100_100de	1.0	0.0	0.75	344	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/653	M38R_100_100de	1.0	0.0	0.625	352	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/652	M50R_100_100de	1.0	0.0	0.5	360	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/651	M63R_100_100de	1.0	0.0	0.375	368	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/650	M75R_100_100de	1.0	0.0	0.25	376	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/649	M88R_100_100de	1.0	0.0	0.125	383	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/648	R00Y_100_100de	1.0	0.0	0.0	390	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/0	NV_000de	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_012de	0.125	0.125	0.125	360	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
51/182	NV_025de	0.25	0.25	0.25	360	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
52/273	NV_0375de	0.375	0.375	0.375	360	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
53/564	NV_050de	0.5	0.5	0.5	360	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
54/455	NV_0625de	0.625	0.625	0.625	360	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
55/546	NV_075de	0.75	0.75	0.75	360	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
56/637	NV_088de	0.875	0.875	0.875	360	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
57/728	NV_100de	1.0	1.0	1.0	360	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

http://130.149.60.45/~farbmetrik/QS38/QS38LOFP.PDF /PS; 3D-linealización F: 3D-linealización QS38/QS38LS30FP.DAT en archivo (F), página 20/33

Table with columns: n=F, HHC*Fue, rpb_Fue, icr_Fue, hsa_Fue, rpb_Fue, LabC0*Fue, cmy0*_sep.Fue, LabC0*Fue, hsa_Fue, rpb_Fue, LabC0*Fue, delta. Rows 0-80.




vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

entrada: rgb/cmyk -> rgbde salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE1*

QS380-7N; 2033-F

2-1131931-F0



http://130.149.60.45/~farbmetrik/QS38/QS38LOFP.PDF /PS; 3D-linealización F: 3D-linealización QS38/QS38LS30FP.DAT en archivo (F), página 21/33

Table with columns: n, HHC*Fide, rpb_Fide, icr_Fide, hsa_Fide, rpb*Fide, LabC*Fide, cmy0*sep_Fide, delta, Hsa*Fide, rpb*Fide, LabC*Fide, cmy0*sep_Fide, delta. Rows 81-161.

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

entrada: rgb/cmyk -> rgbd salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*^{*}

QS380-TN, 21/33-F

2-1132031-F0

http://130.149.60.45/~farbmetrik/QS38/QS38LOFP.PDF /.PS; 3D-linealización F: 3D-linealización QS38/QS38LS30FP.DAT en archivo (F), página 22/33

Table with 24 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, cmy0*sep*File, hsa*File, rgb*File, LabC*File, delta, LabC*File, delta, LabC*File, delta, LabC*File, delta, LabC*File, delta, LabC*File, delta, LabC*File, delta, LabC*File, delta. Rows 162-242.

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

entrada: rgb/cmyk -> rgbde salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*^{*}

QS38-78N-22/33-F

2-1132131-F0








Table with columns: n, HHC*Fide, rgb_Fide, icr_Fide, Hsa_Fide, rgp_Fide, LabCM*Fide, LabCM*Fide, cmy0*sep_Fide, Hsa_Fide, rgp_Fide, LabCM*Fide, delta. Rows include color codes like R00Y, R05Y, B00R, etc.



entrada: rgb/cmyk -> rgbd salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*_{ab}

2-1132331-F0

QS380-TN; 24/33-F

delta

http://130.149.60.45/~farbmetrik/QS38/QS38LOFP.PDF /PS; 3D-linealización F: 3D-linealización QS38/QS38LS30FP.DAT en archivo (F), página 29/33

Table with columns: n, H/C*F, r/g/b*F, i/c/t*F, H/s*F, r/g/b*F, LabC/H*F, cmyk*sep, Rate, delta, H/s*de, r/g/b*de, LabC/H*de, and 0.0. It contains a large grid of numerical data for various color and registration points.

entrada: rgb/cmyk -> rgdb salida: 3D-linealización a cmy0* de

http://130.149.60.45/~farbmetrik/QS38/QS38LOFP.PDF /PS; 3D-linealización
F: 3D-linealización QS38/QS38LS30FP.DAT en archivo (F), página 30/33

Table with 15 columns: n, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, cmyk*sep,File, hsa*File, rgb*File, LabC*File, hsa*File, rgb*File, LabC*File, delta. Rows include file names like NV_1000e, BOOR_100.012de, etc.

entrada: rgb/cmyk -> rgbde
salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE*^{*}

2-113293-1F0

QS38-7N; 3033-F

n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCM*File	cmyp*sep*File	delta	LabCM*File	rgb*File	hsa*File	cmyp*sep*File	delta
891	NW_100.00e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	95.6	1.0	360	0.0	0.0
892	B50R_100.012de	1.0	0.875	1.0	0.915	87.5	0.144	0.085	87.5	1.0	288	0.144	0.085
893	B50R_100.025de	1.0	0.75	1.0	0.83	75.0	0.264	0.17	75.0	1.0	288	0.264	0.17
894	B50R_100.037de	1.0	0.625	1.0	0.745	62.5	0.396	0.256	62.5	1.0	288	0.396	0.256
895	B50R_100.050de	1.0	0.5	1.0	0.66	50.0	0.478	0.326	50.0	1.0	288	0.478	0.326
896	B50R_100.062de	1.0	0.375	1.0	0.576	37.5	0.592	0.401	37.5	1.0	288	0.592	0.401
897	B50R_100.075de	1.0	0.25	1.0	0.491	25.0	0.735	0.498	25.0	1.0	288	0.735	0.498
898	B50R_100.087de	1.0	0.125	1.0	0.406	12.5	0.848	0.587	12.5	1.0	288	0.848	0.587
899	B50R_100.100de	1.0	0.0	1.0	0.321	0.0	0.999	0.677	0.0	1.0	288	0.999	0.677
900	NW_087de	0.875	1.0	1.0	0.875	90.0	0.125	0.197	90.0	1.0	360	0.125	0.197
901	B50R_087.012de	0.875	0.875	1.0	0.875	87.5	0.101	0.162	87.5	1.0	360	0.101	0.162
902	B50R_087.025de	0.875	0.75	1.0	0.79	75.0	0.226	0.162	75.0	1.0	360	0.226	0.162
903	B50R_087.037de	0.875	0.625	1.0	0.665	62.5	0.351	0.309	62.5	1.0	360	0.351	0.309
904	B50R_087.050de	0.875	0.5	1.0	0.62	50.0	0.444	0.461	50.0	1.0	360	0.444	0.461
905	B50R_087.062de	0.875	0.375	1.0	0.535	37.5	0.574	0.509	37.5	1.0	360	0.574	0.509
906	B50R_087.075de	0.875	0.25	1.0	0.451	25.0	0.714	0.648	25.0	1.0	360	0.714	0.648
907	B50R_087.087de	0.875	0.125	1.0	0.366	12.5	0.836	0.836	12.5	1.0	360	0.836	0.836
908	B50R_087.100de	0.875	0.0	1.0	0.281	0.0	0.999	0.706	0.0	1.0	360	0.999	0.706
909	GOB1_100.025de	0.75	1.0	0.75	0.75	75.0	0.49	0.34	75.0	1.0	158	0.49	0.34
910	GOB1_100.050de	0.75	0.875	1.0	0.75	87.5	0.62	0.34	87.5	1.0	158	0.62	0.34
911	GOB1_100.075de	0.75	0.75	1.0	0.75	75.0	0.77	0.4	75.0	1.0	158	0.77	0.4
912	B50R_075.012de	0.75	0.625	1.0	0.665	62.5	0.362	0.329	62.5	1.0	360	0.362	0.329
913	B50R_075.025de	0.75	0.5	1.0	0.58	50.0	0.428	0.454	50.0	1.0	360	0.428	0.454
914	B50R_075.037de	0.75	0.375	1.0	0.495	37.5	0.536	0.536	37.5	1.0	360	0.536	0.536
915	B50R_075.050de	0.75	0.25	1.0	0.416	25.0	0.66	0.6	25.0	1.0	360	0.66	0.6
916	B50R_075.062de	0.75	0.125	1.0	0.331	12.5	0.788	0.788	12.5	1.0	360	0.788	0.788
917	B50R_075.075de	0.75	0.0	1.0	0.246	0.0	0.985	0.758	0.0	1.0	360	0.985	0.758
918	GOB1_100.037de	0.625	1.0	1.0	0.625	62.5	0.15	0.21	62.5	1.0	158	0.15	0.21
919	GOB1_100.050de	0.625	0.875	1.0	0.625	62.5	0.29	0.15	62.5	1.0	158	0.29	0.15
920	GOB1_100.075de	0.625	0.75	1.0	0.625	62.5	0.438	0.162	62.5	1.0	158	0.438	0.162
921	NW_062de	0.625	1.0	1.0	0.625	62.5	0.0	0.417	62.5	1.0	360	0.0	0.417
922	B50R_062.012de	0.625	0.625	1.0	0.625	62.5	0.26	0.26	62.5	1.0	360	0.26	0.26
923	B50R_062.025de	0.625	0.5	1.0	0.54	50.0	0.49	0.41	50.0	1.0	360	0.49	0.41
924	B50R_062.037de	0.625	0.375	1.0	0.455	37.5	0.625	0.568	37.5	1.0	360	0.625	0.568
925	B50R_062.050de	0.625	0.25	1.0	0.37	25.0	0.762	0.703	25.0	1.0	360	0.762	0.703
926	B50R_062.062de	0.625	0.125	1.0	0.285	12.5	0.882	0.862	12.5	1.0	360	0.882	0.862
927	B50R_062.075de	0.625	0.0	1.0	0.201	0.0	0.984	0.984	0.0	1.0	360	0.984	0.984
928	GOB1_087.037de	0.5	1.0	0.5	0.5	50.0	0.182	0.182	50.0	1.0	158	0.182	0.182
929	GOB1_087.050de	0.5	0.875	1.0	0.5	87.5	0.26	0.163	87.5	1.0	158	0.26	0.163
930	GOB1_087.075de	0.5	0.75	1.0	0.5	75.0	0.35	0.162	75.0	1.0	158	0.35	0.162
931	NW_050de	0.5	1.0	1.0	0.5	50.0	0.0	0.54	50.0	1.0	360	0.0	0.54
932	B50R_050.012de	0.5	0.375	1.0	0.415	37.5	0.59	0.59	37.5	1.0	360	0.59	0.59
933	B50R_050.025de	0.5	0.25	1.0	0.33	25.0	0.73	0.675	25.0	1.0	360	0.73	0.675
934	B50R_050.037de	0.5	0.125	1.0	0.245	12.5	0.86	0.786	12.5	1.0	360	0.86	0.786
935	B50R_050.050de	0.5	0.0	1.0	0.16	0.0	0.99	0.99	0.0	1.0	360	0.99	0.99
936	GOB1_100.062de	0.375	1.0	0.375	0.375	37.5	0.486	0.486	37.5	1.0	158	0.486	0.486
937	GOB1_100.075de	0.375	0.875	1.0	0.375	37.5	0.507	0.507	37.5	1.0	158	0.507	0.507
938	GOB1_100.087de	0.375	0.75	1.0	0.375	37.5	0.642	0.642	37.5	1.0	158	0.642	0.642
939	GOB1_100.100de	0.375	0.625	1.0	0.375	37.5	0.774	0.774	37.5	1.0	158	0.774	0.774
940	NW_037de	0.375	1.0	1.0	0.375	37.5	0.0	0.653	37.5	1.0	360	0.0	0.653
941	B50R_037.012de	0.375	0.375	1.0	0.375	37.5	0.473	0.473	37.5	1.0	360	0.473	0.473
942	B50R_037.025de	0.375	0.25	1.0	0.29	25.0	0.61	0.61	25.0	1.0	360	0.61	0.61
943	B50R_037.037de	0.375	0.125	1.0	0.205	12.5	0.778	0.778	12.5	1.0	360	0.778	0.778
944	B50R_100.107de	0.25	1.0	0.25	0.12	0.0	0.935	0.935	0.0	1.0	360	0.935	0.935
945	GOB1_100.075de	0.25	0.875	1.0	0.25	0.0	0.889	0.889	0.0	1.0	360	0.889	0.889
946	GOB1_100.050de	0.25	0.75	1.0	0.25	0.0	0.809	0.809	0.0	1.0	360	0.809	0.809
947	GOB1_100.025de	0.25	0.625	1.0	0.25	0.0	0.795	0.795	0.0	1.0	360	0.795	0.795
948	GOB1_087.037de	0.25	0.375	1.0	0.25	0.0	0.84	0.84	0.0	1.0	360	0.84	0.84
949	GOB1_087.050de	0.25	0.25	1.0	0.249	0.0	0.974	0.974	0.0	1.0	360	0.974	0.974
950	GOB1_087.075de	0.25	0.125	1.0	0.249	0.0	0.852	0.852	0.0	1.0	360	0.852	0.852
951	NW_025de	0.25	1.0	1.0	0.25	25.0	0.0	0.744	25.0	1.0	360	0.0	0.744
952	B50R_025.012de	0.25	0.125	1.0	0.165	12.5	0.587	0.587	12.5	1.0	360	0.587	0.587
953	B50R_025.025de	0.25	0.0	1.0	0.08	0.0	0.778	0.778	0.0	1.0	360	0.778	0.778
954	GOB1_100.087de	0.125	1.0	0.125	0.125	12.5	0.917	0.917	12.5	1.0	360	0.917	0.917
955	GOB1_100.075de	0.125	0.875	1.0	0.125	0.0	0.909	0.909	0.0	1.0	360	0.909	0.909
956	GOB1_100.062de	0.125	0.75	1.0	0.125	0.0	0.894	0.894	0.0	1.0	360	0.894	0.894
957	GOB1_100.050de	0.125	0.625	1.0	0.125	0.0	0.877	0.877	0.0	1.0	360	0.877	0.877
958	GOB1_100.037de	0.125	0.5	1.0	0.124	0.0	0.891	0.891	0.0	1.0	360	0.891	0.891
959	GOB1_100.025de	0.125	0.375	1.0	0.124	0.0	0.887	0.887	0.0	1.0	360	0.887	0.887
960	GOB1_037.025de	0.125	0.25	1.0	0.124	0.0	0.885	0.885	0.0	1.0	360	0.885	0.885
961	NW_012de	0.125	1.0	1.0	0.125	12.5	0.0	0.774	12.5	1.0	360	0.0	0.774
962	B50R_012.012de	0.125	0.125	1.0	0.125	12.5	0.98	0.98	12.5	1.0	360	0.98	0.98
963	GOB1_100.100de	0.0	1.0	1.0	0.0	0.0	0.829	0.829	0.0	1.0	360	0.829	0.829
964	GOB1_100.087de	0.0	0.875	1.0	0.0	0.0	0.847	0.847	0.0	1.0	360	0.847	0.847
965	GOB1_100.075de	0.0	0.75	1.0	0.0	0.0	0.853	0.853	0.0	1.0	360	0.853	0.853
966	GOB1_100.062de	0.0	0.625	1.0	0.0	0.0	0.862	0.862	0.0	1.0	360	0.862	0.862
967	GOB1_100.050de	0.0	0.5	1.0	0.0	0.0	0.87	0.87	0.0	1.0	360	0.87	0.87
968	GOB1_100.037de	0.0	0.375	1.0	0.0	0.0	0.884	0.884	0.0	1.0	360	0.884	0.884
969	GOB1_100.025de	0.0	0.25	1.0	0.0	0.0	0.891	0.891	0.0	1.0	360	0.891	0.891
970	GOB1_012.012de	0.0	0.125	1.0	0.0	0.0	0.917	0.917	0.0	1.0	360	0.917	0.917
971	NW_000de	0.0	0.0	1.0	0.0	0.0	1.0	1.0	0.0	1.0	360	1.0	1.0

entrada: rgb/cmyk -> rgbd
salida: 3D-linealización a cmy0* de

gráfico TUB-QS38; código de tono: H*e=Y00Ge
colores y diferencia en color, ΔE*^{*}

QS380-TN; 31/33-F

2-1133031-F0

