

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Datos del dispositivo (d) o elemental (e) color:

$HIC^*_ -$

código de tono para los colores
 esta página:

$H^*_ = Y00G_ -$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6
Y ₋ ,Ma	90.3	-10.2	91.7	92.3
G ₋ ,Ma	50.9	-62.8	34.9	71.9
C ₋ ,Ma	58.6	-30.3	-45.0	54.2
B ₋ ,Ma	25.7	31.0	-44.4	54.2
M ₋ ,Ma	48.1	75.2	-8.3	75.7
N ₋ ,Ma	18.0	0.0	0.0	0.0
W ₋ ,Ma	95.4	0.0	0.0	0.0
R ₋ ,CIE	39.9	58.7	27.9	65.0
Y ₋ ,CIE	81.2	-2.8	71.5	71.6
G ₋ ,CIE	52.2	-42.4	13.6	44.5
B ₋ ,CIE	30.5	1.4	-46.4	46.4

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triángulo claridad T^*

%Gama

$u^*_{rel} = 92$



%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

$H^*_ -$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Los datos de color máximo (Ma):

LabCh $^*_e, Ma$: 83 -3 90 90 92

HIC^*_e, Ma : Y00G_100_100_e



rgbic $^*_e, Ma$:

1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0) TUB material: code=rh4ta

gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=0, de=1, cmy0

entrada: $rgb/cmyk \rightarrow rgb_e$
salida: transfiera a $cmy0_e$




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores de esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e, Ma}: 83 -3 90 90 92$

$HIC^*_{e, Ma}: Y00G_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores
esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{e, Ma}: 83 \ -3 \ 90 \ 90 \ 92$



$HIC^*_{e, Ma}: Y00G_100_100_e$

$rgbic^*_{e, Ma}: 1.0 \ 0.87 \ 0.0 \ 1.0 \ 1.0$

triángulo claridad T^*

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 92/360 = 0.25$

$H^*_e = Y00G_e$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_e
código de tono para los colores de esta página:
 $H^*_e = Y00G_e$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

LabCh $^*_e, Ma$: 83 -3 90 90 92

HIC^*_e, Ma : Y00G_100_100_e

rgbic $^*_e, Ma$:



1.0 0.87 0.0 1.0 1.0

triángulo claridad T^*

ORS20a; datos adaptados CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gama
 $u^*_{rel} = 92$
%Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$






vea archivos semejantes: <http://130.149.60.45/~farbmetrik/QS38/QS38.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-QS38/QS38L0NP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta




gráfico TUB-QS38; código de tono: $H^*_e = Y00G_e$
gráfico según a DIN 33872, 3D=0, de=1, cmy0

entrada: $rgb/cmyk \rightarrow rgb_e$
salida: transfiera a $cmy0_e$






Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBS: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGCBS: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGCBS: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$
 $rgb^*_d, LCH^*_d, LAB^*_d$
 $h_{ab,s}, rgb^*_s$
 $h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)]$ (1)
 $h_{ab,s}$
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (2)
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (3)
 $h_{ab,e}$
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (4)
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (5)
 $h_{ab}, h_{ab,d}$
 rgb^*_{de}


vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0) TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^b, d_{361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}^c, d_{361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^d, d_{361M}, LAB*_{dex361M} (x=LabCh), r_{gb}^e, d_{361M}, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for various color patches.




vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4tra

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 25
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0	46.0 69.6 45.7 83.3 33
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0	51.1 57.9 52.5 78.1 42
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0	55.4 48.5 57.8 75.4 49
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0	60.3 38.3 63.5 74.1 58
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0	64.6 29.5 68.4 74.5 66
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0	62.6 -40.8 53.8 67.6 127
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0	58.4 -47.4 46.8 66.6 135
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0	54.6 -54.2 38.4 66.5 144
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0	51.2 -62.4 32.0 70.2 152
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151	50.7 -62.0 19.9 65.2 162
160.7	157.5	169.0	0.0 1.0 0.125	50.5 -62.8 21.9 66.5 160.7	0.0 1.0 0.261	51.3 -58.5 11.8 59.8 168
167.7	165.0	175.9	0.0 1.0 0.25	51.2 -58.9 12.7 60.3 167.7	0.0 1.0 0.364	52.0 -55.0 3.9 55.2 175
176.7	172.5	182.7	0.0 1.0 0.375	52.0 -54.5 3.1 54.6 176.7	0.0 1.0 0.43	52.5 -52.2 0.0 52.3 182
189.3	180.0	189.6	0.0 1.0 0.5	52.9 -48.6 -8.0 49.3 189.3	0.0 1.0 0.502	53.0 -48.5 -8.1 49.3 189
203.2	187.5	196.4	0.0 1.0 0.625	54.0 -42.3 -18.1 46.1 203.2	0.0 1.0 0.56	53.5 -45.9 -13.1 47.8 195
217.2	195.0	203.2	0.0 1.0 0.75	55.0 -36.0 -27.4 45.3 217.2	0.0 1.0 0.626	54.1 -42.3 -18.1 46.1 203
228.3	202.5	210.1	0.0 1.0 0.875	55.8 -30.7 -34.5 46.2 228.3	0.0 1.0 0.682	54.5 -39.6 -22.6 45.7 209
238.4	210.0	216.9	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238.4	0.0 1.0 0.747	55.0 -36.1 -27.2 45.3 216
242.9	217.5	223.8	0.0 0.875 1.0	54.1 -21.1 -41.3 46.4 242.9	0.0 1.0 0.819	55.5 -33.2 -31.3 45.8 223
249.3	225.0	230.6	0.0 0.75 1.0	50.4 -15.5 -41.1 43.9 249.3	0.0 1.0 0.904	56.1 -29.6 -36.1 46.8 230
256.9	232.5	237.5	0.0 0.625 1.0	46.5 -9.4 -40.8 41.9 256.9	0.0 1.0 0.983	56.7 -26.2 -40.5 48.4 237
268.2	240.0	244.3	0.0 0.5 1.0	41.7 -1.2 -40.6 40.6 268.2	0.0 0.847 1.0	53.3 -19.8 -41.3 45.9 244
278.6	247.5	251.2	0.0 0.375 1.0	37.3 6.1 -40.2 40.7 278.6	0.0 0.726 1.0	49.7 -14.3 -41.1 43.6 250
289.6	255.0	258.0	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289.6	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258
299.0	262.5	264.8	0.0 0.125 1.0	28.6 22.4 -40.2 46.1 299.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264
306.2	270.0	271.7	0.0 0.0 1.0	25.0 29.5 -40.4 50.0 306.2	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271
314.7	277.5	278.8	0.125 0.0 1.0	27.9 36.0 -36.4 51.2 314.7	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278
322.1	285.0	285.9	0.25 0.0 1.0	28.8 41.9 -32.5 53.1 322.1	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285
333.3	292.5	293.0	0.375 0.0 1.0	32.7 51.8 -26.0 58.0 333.3	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292
340.5	300.0	300.1	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340.5	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300
347.9	307.5	307.2	0.625 0.0 1.0	38.1 65.4 -14.0 66.9 347.9	0.009 0.0 1.0	25.3 30.1 -40.1 50.2 306
352.5	315.0	314.3	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352.5	0.012 0.0 1.0	27.8 35.8 -36.5 51.2 314
356.1	322.5	321.4	0.875 0.0 1.0	44.2 75.2 -5.0 75.3 356.1	0.0231 0.0 1.0	28.7 41.1 -33.2 52.9 321
359.8	330.0	328.6	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359.8	0.322 0.0 1.0	31.1 47.8 -29.1 56.0 328
363.0	337.5	335.7	1.0 0.0 0.875	45.9 78.2 4.1 78.3 363.0	0.408 0.0 1.0	33.5 53.7 -24.7 59.1 335
366.4	345.0	342.8	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366.4	0.539 0.0 1.0	36.4 60.8 -18.7 63.7 342
371.1	352.5	349.9	1.0 0.0 0.625	46.0 75.6 14.8 77.0 371.1	0.667 0.0 1.0	39.3 67.4 -12.4 68.5 349
375.9	360.0	357.0	1.0 0.0 0.5	45.9 74.2 21.1 77.1 375.9	0.736 0.0 1.0	41.4 70.5 -9.7 71.1 352
381.2	367.5	364.1	1.0 0.0 0.375	45.8 72.9 28.3 78.3 381.2	0.81 0.0 1.0	46.1 79.3 -0.1 79.3 359
385.6	375.0	371.2	1.0 0.0 0.25	45.6 72.1 34.6 80.0 385.6	0.0 1.0 0.0	68.7 46.0 76.5 11.8 77.4 368
389.3	382.5	378.3	1.0 0.0 0.125	45.5 71.4 40.1 81.9 389.3	0.0 1.0 0.0	48.5 45.9 74.1 22.0 77.3 376
392.3	390.0	385.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 392.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 385



vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM _d : h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8;		Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6													
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	33	1.0 0.0 0.0	0.096 45.5 71.4 41.2 82.4 30	32	1.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	0.255 45.7 72.2 34.4 80.0 25	1.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33	33	1.0 0.0 0.055	45.5 71.2 42.8 83.1 31	31	1.0 0.017 0.0	1.0 0.0 0.218	45.6 72.0 36.1 80.6 26	1.0 0.017 0.0			
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33	33	1.0 0.0 0.013	45.5 71.0 44.4 83.7 32	32	1.0 0.033 0.0	1.0 0.0 0.18	45.6 71.8 37.7 81.1 27	1.0 0.033 0.0			
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34	34	1.0 0.015 0.0	45.9 70.0 45.5 83.5 33	33	1.0 0.05 0.0	1.0 0.0 0.142	45.6 71.6 39.4 81.7 28	1.0 0.05 0.0			
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35	35	1.0 0.036 0.0	46.5 68.6 46.3 82.8 34	34	1.0 0.067 0.0	1.0 0.0 0.099	45.5 71.4 41.1 82.4 29	1.0 0.067 0.0			
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36	36	1.0 0.057 0.0	47.1 67.3 47.1 82.1 35	35	1.0 0.083 0.0	1.0 0.0 0.053	45.5 71.2 42.9 83.1 31	1.0 0.083 0.0			
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36	36	1.0 0.079 0.0	47.6 65.9 47.9 81.4 36	36	1.0 0.1 0.0	1.0 0.0 0.006	45.5 71.0 44.6 83.8 32	1.0 0.1 0.0			
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37	37	1.0 0.1 0.0	48.2 64.5 48.6 80.7 37	37	1.0 0.117 0.0	1.0 0.021 0.0	46.0 69.6 45.7 83.3 33	1.0 0.117 0.0			
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38	38	1.0 0.121 0.0	48.8 63.1 49.3 80.1 38	38	1.0 0.133 0.0	1.0 0.044 0.0	46.7 68.1 46.6 82.5 34	1.0 0.133 0.0			
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39	39	1.0 0.137 0.0	49.4 61.8 50.1 79.6 39	39	1.0 0.15 0.0	1.0 0.068 0.0	47.4 66.6 47.5 81.8 35	1.0 0.15 0.0			
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41	41	1.0 0.151 0.0	49.9 60.6 50.9 79.1 40	40	1.0 0.167 0.0	1.0 0.092 0.0	48.0 65.0 48.3 81.0 36	1.0 0.167 0.0			
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42	42	1.0 0.166 0.0	50.5 59.4 51.6 78.7 41	41	1.0 0.183 0.0	1.0 0.116 0.0	48.7 63.5 49.1 80.2 37	1.0 0.183 0.0			
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43	43	1.0 0.18 0.0	51.0 58.1 52.3 78.2 42	42	1.0 0.2 0.0	1.0 0.135 0.0	49.3 62.0 49.9 79.6 38	1.0 0.2 0.0			
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44	44	1.0 0.194 0.0	51.6 56.9 53.0 77.8 43	43	1.0 0.217 0.0	1.0 0.151 0.0	49.9 60.7 50.8 79.1 39	1.0 0.217 0.0			
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45	45	1.0 0.209 0.0	52.1 55.6 53.7 77.3 44	44	1.0 0.233 0.0	1.0 0.167 0.0	50.5 59.3 51.7 78.6 41	1.0 0.233 0.0			
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46	46	1.0 0.223 0.0	52.7 54.4 54.4 76.9 45	45	1.0 0.25 0.0	1.0 0.183 0.0	51.1 57.9 52.5 78.1 42	1.0 0.25 0.0			
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48	48	1.0 0.237 0.0	53.2 53.1 55.0 76.4 46	46	1.0 0.267 0.0	1.0 0.198 0.0	51.7 56.5 53.2 77.6 43	1.0 0.267 0.0			
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49	49	1.0 0.251 0.0	53.7 51.8 55.6 76.0 47	47	1.0 0.283 0.0	1.0 0.214 0.0	52.3 55.1 54.0 77.1 44	1.0 0.283 0.0			
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50	50	1.0 0.264 0.0	54.3 50.7 56.3 75.8 48	48	1.0 0.3 0.0	1.0 0.23 0.0	52.9 53.7 54.7 76.6 45	1.0 0.3 0.0			
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52	52	1.0 0.276 0.0	54.8 49.6 57.1 75.6 49	49	1.0 0.317 0.0	1.0 0.246 0.0	53.5 52.3 55.4 76.1 46	1.0 0.317 0.0			
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53	53	1.0 0.288 0.0	55.4 48.5 57.8 75.4 50	50	1.0 0.333 0.0	1.0 0.261 0.0	54.2 51.0 56.2 75.9 47	1.0 0.333 0.0			
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54	54	1.0 0.301 0.0	55.9 47.3 58.5 75.2 51	51	1.0 0.35 0.0	1.0 0.274 0.0	54.8 49.8 57.0 75.6 48	1.0 0.35 0.0			
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56	56	1.0 0.313 0.0	56.5 46.2 59.1 75.0 52	52	1.0 0.367 0.0	1.0 0.288 0.0	55.4 48.5 57.8 75.4 49	1.0 0.367 0.0			
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57	57	1.0 0.326 0.0	57.0 45.0 59.8 74.8 53	53	1.0 0.383 0.0	1.0 0.302 0.0	56.0 47.2 58.5 75.2 51	1.0 0.383 0.0			
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59	59	1.0 0.338 0.0	57.6 43.9 60.4 74.6 54	54	1.0 0.4 0.0	1.0 0.316 0.0	56.6 45.9 59.3 75.0 52	1.0 0.4 0.0			
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60	60	1.0 0.35 0.0	58.1 42.7 61.0 74.4 55	55	1.0 0.417 0.0	1.0 0.33 0.0	57.2 44.6 60.0 74.8 53	1.0 0.417 0.0			
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61	61	1.0 0.363 0.0	58.6 41.5 61.5 74.2 56	56	1.0 0.433 0.0	1.0 0.343 0.0	57.8 43.3 60.6 74.5 54	1.0 0.433 0.0			
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63	63	1.0 0.375 0.0	59.2 40.3 62.1 74.0 57	57	1.0 0.45 0.0	1.0 0.357 0.0	58.4 42.0 61.3 74.3 55	1.0 0.45 0.0			
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64	64	1.0 0.387 0.0	59.8 39.3 62.8 74.1 58	58	1.0 0.467 0.0	1.0 0.371 0.0	59.0 40.7 61.9 74.1 56	1.0 0.467 0.0			
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65	65	1.0 0.4 0.0	60.3 38.2 63.5 74.1 59	59	1.0 0.483 0.0	1.0 0.385 0.0	59.6 39.5 62.7 74.1 57	1.0 0.483 0.0			
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67	67	1.0 0.412 0.0	60.9 37.1 64.2 74.2 60	60	1.0 0.5 0.0	1.0 0.398 0.0	60.3 38.3 63.5 74.1 58	1.0 0.5 0.0			
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68	68	1.0 0.424 0.0	61.4 36.0 64.9 74.2 61	61	1.0 0.517 0.0	1.0 0.412 0.0	60.9 37.1 64.2 74.2 60	1.0 0.517 0.0			
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70	70	1.0 0.436 0.0	62.0 34.9 65.6 74.3 62	62	1.0 0.533 0.0	1.0 0.426 0.0	61.5 35.8 65.0 74.2 61	1.0 0.533 0.0			
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71	71	1.0 0.449 0.0	62.6 33.7 66.2 74.3 63	63	1.0 0.55 0.0	1.0 0.439 0.0	62.1 34.6 65.7 74.3 62	1.0 0.55 0.0			
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73	73	1.0 0.461 0.0	63.1 32.6 66.9 74.4 64	64	1.0 0.567 0.0	1.0 0.453 0.0	62.8 33.3 66.4 74.3 63	1.0 0.567 0.0			
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74	74	1.0 0.473 0.0	63.7 31.5 67.5 74.4 65	65	1.0 0.583 0.0	1.0 0.467 0.0	63.4 32.1 67.1 74.4 64	1.0 0.583 0.0			
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76	76	1.0 0.486 0.0	64.2 30.3 68.0 74.5 66	66	1.0 0.6 0.0	1.0 0.48 0.0	64.0 30.8 67.8 74.5 65	1.0 0.6 0.0			
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77	77	1.0 0.498 0.0	64.8 29.1 68.6 74.5 67	67	1.0 0.617 0.0	1.0 0.494 0.0	64.6 29.5 68.4 74.5 66	1.0 0.617 0.0			
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79	79	1.0 0.509 0.0	65.4 28.0 69.4 74.8 68	68	1.0 0.633 0.0	1.0 0.507 0.0	65.3 28.2 69.2 74.8 67	1.0 0.633 0.0			
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80	80	1.0 0.52 0.0	66.1 26.9 70.2 75.2 69	69	1.0 0.65 0.0	1.0 0.519 0.0	66.0 27.0 70.1 75.2 68	1.0 0.65 0.0			
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81	81	1.0 0.531 0.0	66.7 25.8 71.0 75.6 70	70	1.0 0.667 0.0	1.0 0.531 0.0	66.7 25.8 71.0 75.6 70	1.0 0.667 0.0			
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82	82	1.0 0.542 0.0	67.3 24.7 71.8 75.9 71	71	1.0 0.683 0.0	1.0 0.543 0.0	67.4 24.6 71.9 76.0 71	1.0 0.683 0.0			
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83	83	1.0 0.553 0.0	67.9 23.6 72.6 76.3 72	72	1.0 0.7 0.0	1.0 0.555 0.0	68.1 23.3 72.8 76.4 72	1.0 0.7 0.0			
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84	84	1.0 0.564 0.0	68.6 22.4 73.3 76.6 73	73	1.0 0.717 0.0	1.0 0.568 0.0	68.8 22.0 73.6 76.8 73	1.0 0.717 0.0			
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85	85	1.0 0.574 0.0	69.2 21.2 74.0 77.0 74	74	1.0 0.733 0.0	1.0 0.58 0.0	69.5 20.6 74.4 77.2 74	1.0 0.733 0.0			
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0			

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	LAB* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.75 0.0	1.0 0.75 0.0	1.0 0.75 0.0	1.0 0.75 0.0
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7 84.8 87	1.0 0.596 0.0	70.5 18.8 75.4 77.7 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.767 0.0	1.0 0.767 0.0	1.0 0.767 0.0	1.0 0.767 0.0
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6 85.7 87	1.0 0.607 0.0	71.1 17.6 76.1 78.1 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.783 0.0	1.0 0.783 0.0	1.0 0.783 0.0	1.0 0.783 0.0
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5 86.5 88	1.0 0.618 0.0	71.7 16.3 76.7 78.5 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.8 0.0	1.0 0.8 0.0	1.0 0.8 0.0	1.0 0.8 0.0
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3 87.3 89	1.0 0.631 0.0	72.4 15.1 77.5 78.9 79	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.817 0.0	1.0 0.817 0.0	1.0 0.817 0.0	1.0 0.817 0.0
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2 88.2 90	1.0 0.647 0.0	73.2 13.8 78.4 79.6 80	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.833 0.0	1.0 0.833 0.0	1.0 0.833 0.0	1.0 0.833 0.0
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0 89.0 91	1.0 0.664 0.0	73.9 12.6 79.4 80.4 81	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.85 0.0	1.0 0.85 0.0	1.0 0.85 0.0	1.0 0.85 0.0
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8 89.8 91	1.0 0.68 0.0	74.7 11.3 80.3 81.1 82	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.867 0.0	1.0 0.867 0.0	1.0 0.867 0.0	1.0 0.867 0.0
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5 90.6 92	1.0 0.697 0.0	75.5 10.0 81.2 81.8 83	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.883 0.0	1.0 0.883 0.0	1.0 0.883 0.0	1.0 0.883 0.0
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3 91.4 92	1.0 0.713 0.0	76.2 8.6 82.0 82.5 84	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.9 0.0	1.0 0.9 0.0	1.0 0.9 0.0	1.0 0.9 0.0
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0 92.2 93	1.0 0.729 0.0	77.0 7.2 82.9 83.2 85	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.917 0.0	1.0 0.917 0.0	1.0 0.917 0.0	1.0 0.917 0.0
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7 92.9 94	1.0 0.746 0.0	77.7 5.9 83.7 83.9 86	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.933 0.0	1.0 0.933 0.0	1.0 0.933 0.0	1.0 0.933 0.0
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4 93.7 94	1.0 0.766 0.0	78.6 4.4 84.7 84.8 87	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.95 0.0	1.0 0.95 0.0	1.0 0.95 0.0	1.0 0.95 0.0
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1 94.5 95	1.0 0.787 0.0	79.6 3.0 85.8 85.9 88	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.967 0.0	1.0 0.967 0.0	1.0 0.967 0.0	1.0 0.967 0.0
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8 95.2 95	1.0 0.808 0.0	80.5 1.5 86.9 86.9 89	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.983 0.0	1.0 0.983 0.0	1.0 0.983 0.0	1.0 0.983 0.0
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4 95.6 96	1.0 0.829 0.0	81.4 0.0 88.0 88.0 90	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	1.0 1.0 0.0	1.0 1.0 0.0	1.0 1.0 0.0	1.0 1.0 0.0
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6 95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0 89.0 91	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	0.983 1.0 0.0	0.983 1.0 0.0	0.983 1.0 0.0	0.983 1.0 0.0
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8 94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0 90.1 92	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	0.967 1.0 0.0	0.967 1.0 0.0	0.967 1.0 0.0	0.967 1.0 0.0
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0 93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4 91.5 93	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	0.95 1.0 0.0	0.95 1.0 0.0	0.95 1.0 0.0	0.95 1.0 0.0
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2 93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7 93.0 94	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.933 1.0 0.0	0.933 1.0 0.0	0.933 1.0 0.0	0.933 1.0 0.0
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3 92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1 94.4 95	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.917 1.0 0.0	0.917 1.0 0.0	0.917 1.0 0.0	0.917 1.0 0.0
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5 91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4 95.9 96	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.9 1.0 0.0	0.9 1.0 0.0	0.9 1.0 0.0	0.9 1.0 0.0
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7 90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5 94.2 97	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.883 1.0 0.0	0.883 1.0 0.0	0.883 1.0 0.0	0.883 1.0 0.0
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9 90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2 92.1 98	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.867 1.0 0.0	0.867 1.0 0.0	0.867 1.0 0.0	0.867 1.0 0.0
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1 89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0 90.1 99	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.85 1.0 0.0	0.85 1.0 0.0	0.85 1.0 0.0	0.85 1.0 0.0
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4 88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1 88.5 100	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.833 1.0 0.0	0.833 1.0 0.0	0.833 1.0 0.0	0.833 1.0 0.0
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6 88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2 86.8 101	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.817 1.0 0.0	0.817 1.0 0.0	0.817 1.0 0.0	0.817 1.0 0.0
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8 87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4 85.2 102	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.8 1.0 0.0	0.8 1.0 0.0	0.8 1.0 0.0	0.8 1.0 0.0
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1 86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0 84.2 103	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.783 1.0 0.0	0.783 1.0 0.0	0.783 1.0 0.0	0.783 1.0 0.0
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3 86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7 83.2 104	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.767 1.0 0.0	0.767 1.0 0.0	0.767 1.0 0.0	0.767 1.0 0.0
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4 82.2 105	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5 84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0 81.1 106	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.733 1.0 0.0	0.733 1.0 0.0	0.733 1.0 0.0	0.733 1.0 0.0
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5 83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6 80.1 107	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.717 1.0 0.0	0.717 1.0 0.0	0.717 1.0 0.0	0.717 1.0 0.0
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5 83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2 79.1 108	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.7 1.0 0.0	0.7 1.0 0.0	0.7 1.0 0.0	0.7 1.0 0.0
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4 82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8 78.1 109	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.683 1.0 0.0	0.683 1.0 0.0	0.683 1.0 0.0	0.683 1.0 0.0
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4 81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4 77.0 110	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.667 1.0 0.0	0.667 1.0 0.0	0.667 1.0 0.0	0.667 1.0 0.0
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3 80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0 76.0 111	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.65 1.0 0.0	0.65 1.0 0.0	0.65 1.0 0.0	0.65 1.0 0.0
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2 79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5 75.0 112	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.633 1.0 0.0	0.633 1.0 0.0	0.633 1.0 0.0	0.633 1.0 0.0
108	113	119	0.616 1.0 0.0	75.0 -24.4 75.1 79.0 108	0.521 1.0 0.0	71.4 -28.8 68.1 74.0 113	0.617 1.0 0.0	0.414 1.0 0.0	67.3 -33.8 60.9 69.7 119	0.617 1.0 0.0	0.617 1.0 0.0	0.617 1.0 0.0	0.617 1.0 0.0	0.617 1.0 0.0
108	114	120	0.6 1.0 0.0	74.3 -25.3 73.9 78.1 108	0.501 1.0 0.0	70.7 -29.6 66.6 72.9 114	0.6 1.0 0.0	0.394 1.0 0.0	66.5 -34.7 59.6 69.0 120	0.6 1.0 0.0	0.6 1.0 0.0	0.6 1.0 0.0	0.6 1.0 0.0	0.6 1.0 0.0
109	115	121	0.583 1.0 0.0	73.7 -26.1 72.7 77.2 109	0.484 1.0 0.0	70.0 -30.4 65.5 72.3 115	0.583 1.0 0.0	0.375 1.0 0.0	65.7 -35.5 58.3 68.3 121	0.583 1.0 0.0	0.583 1.0 0.0	0.583 1.0 0.0	0.583 1.0 0.0	0.583 1.0 0.0
110	116	122	0.566 1.0 0.0	73.1 -26.9 71.4 76.3 110	0.467 1.0 0.0	69.3 -31.3 64.4 71.7 116	0.567 1.0 0.0	0.364 1.0 0.0	65.1 -36.6 57.4 68.2 122	0.567 1.0 0.0	0.567 1.0 0.0	0.567 1.0 0.0	0.567 1.0 0.0	0.567 1.0 0.0
111	117	123	0.55 1.0 0.0	72.4 -27.6 70.2 75.5 111	0.45 1.0 0.0	68.7 -32.2 63.3 71.0 117	0.55 1.0 0.0	0.354 1.0 0.0	64.5 -37.7 56.6 68.0 123	0.55 1.0 0.0	0.55 1.0 0.0	0.55 1.0 0.0	0.55 1.0 0.0	0.55 1.0 0.0
112	118	124	0.533 1.0 0.0	71.8 -28.3 69.0 74.6 112	0.433 1.0 0.0	68.0 -33.0 62.2 70.4 118	0.533 1.0 0.0							

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)														
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.066	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.049	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.016	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G _d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G _s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G _e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287								


Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, rgb*_{dd361M}, LAB*_{ddx361Mi (x=LabCh)}, rgb*_{ds361Mi}, LAB*_{dsx361Mi (x=LabCh)}, rgb*_{de361Mi}, LAB*_{dex361Mi (x=LabCh)}, rgb*_{dd361Mi}, rgb*_{de361Mi}, and three columns of color bars (rgb*_{dd}, rgb*_{ds}, rgb*_{de}). Rows 167-238.

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4t4



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM _d : h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																								
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi																								
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C _d	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C _s	0.0	1.0	1.0	0.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C _e	0.0	1.0	1.0	0.0	0.0	0.983	1.0
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211		0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217		0.0	0.983	1.0	0.0	0.967	1.0		
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212		0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218		0.0	0.967	1.0	0.0	0.951	1.0		
240	213	219	0.0	0.951	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213		0.0	0.951	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219		0.0	0.951	1.0	0.0	0.933	1.0		
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214		0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220		0.0	0.933	1.0	0.0	0.917	1.0		
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215		0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221		0.0	0.917	1.0	0.0	0.9	1.0		
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216		0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222		0.0	0.9	1.0	0.0	0.883	1.0		
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217		0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223		0.0	0.883	1.0	0.0	0.867	1.0		
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218		0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224		0.0	0.867	1.0	0.0	0.85	1.0		
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219		0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225		0.0	0.85	1.0	0.0	0.833	1.0		
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220		0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226		0.0	0.833	1.0	0.0	0.817	1.0		
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221		0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.817	1.0	0.0	0.8	1.0		
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222		0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227		0.0	0.8	1.0	0.0	0.783	1.0		
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223		0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228		0.0	0.783	1.0	0.0	0.767	1.0		
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224		0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229		0.0	0.767	1.0	0.0	0.75	1.0		
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225		0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230		0.0	0.75	1.0	0.0	0.733	1.0		
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226		0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231		0.0	0.733	1.0	0.0	0.717	1.0		
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232		0.0	0.717	1.0	0.0	0.7	1.0		
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228		0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233		0.0	0.7	1.0	0.0	0.683	1.0		
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229		0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234		0.0	0.683	1.0	0.0	0.666	1.0		
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230		0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235		0.0	0.667	1.0	0.0	0.65	1.0		
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231		0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236		0.0	0.65	1.0	0.0	0.633	1.0		
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232		0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237		0.0	0.633	1.0	0.0	0.616	1.0		
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233		0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237		0.0	0.617	1.0	0.0	0.6	1.0		
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234		0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238		0.0	0.6	1.0	0.0	0.583	1.0	
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235		0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239		0.0	0.583	1.0	0.0	0.567	1.0	
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236		0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240		0.0	0.567	1.0	0.0	0.55	1.0	
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237		0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241		0.0	0.55	1.0	0.0	0.533	1.0	
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238		0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242		0.0	0.533	1.0	0.0	0.516	1.0	
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239		0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243		0.0	0.517	1.0	0.0	0.956	1.0	
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240		0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244		0.0	0.5	1.0	0.0	0.928	1.0	
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241		0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245		0.0	0.483	1.0	0.0	0.9	1.0	
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271		0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242		0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246		0.0	0.467	1.0	0.0	0.873	1.0	
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272		0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243		0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247		0.0	0.45	1.0	0.0	0.854	1.0	
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273		0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244		0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248		0.0	0.433	1.0	0.0	0.834	1.0	
275	245	248	0.0	0																																				

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}																			
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58 1.0	44.8	-6.4	-40.9	41.5	261	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0	
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569 1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0	
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558 1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0	
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547 1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0	
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536 1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0	
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525 1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0	
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514 1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0	
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503 1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.48 1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0		
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491 1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469 1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0		
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4	50.0	306	B _d 0.0	0.479 1.0	41.0	0.0	-40.6	40.7	270	B _s 0.0	0.0	1.0	0.0	0.458 1.0	40.3	1.2	-40.6	40.7	271	B _e 0.0	0.0	1.0		
307	271	272	0.016	0.0 1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467 1.0	40.6	0.7	-40.6	40.7	271	0.017	0.0	1.0	0.0	0.447 1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0		
308	272	273	0.033	0.0 1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455 1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435 1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0		
309	273	274	0.05	0.0 1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443 1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424 1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0		
310	274	275	0.066	0.0 1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431 1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413 1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0		
311	275	276	0.083	0.0 1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419 1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401 1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0		
313	276	277	0.1	0.0 1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407 1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.39 1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0		
314	277	278	0.116	0.0 1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395 1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378 1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0		
315	278	279	0.133	0.0 1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383 1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367 1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0		
316	279	280	0.15	0.0 1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371 1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357 1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0		
317	280	281	0.166	0.0 1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36 1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346 1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0		
318	281	282	0.183	0.0 1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348 1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335 1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0		
319	282	283	0.2	0.0 1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337 1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324 1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0		
320	283	284	0.216	0.0 1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326 1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313 1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0		
321	284	285	0.233	0.0 1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314 1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303 1.0	34.8	10.8	-40.3	41.9	285	0.233	0.0	1.0		
322	285	285	0.25	0.0 1.0	28.8	41.9	-32.5	53.1	322	0.0	0.303 1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	0.0	0.292 1.0	34.4	11.6	-40.3	42.0	285	0.25	0.0	1.0		
323	286	286	0.266	0.0 1.0	29.4	43.3	-31.8	53.8	323	0.0	0.291 1.0	34.3	11.6	-40.3	42.0	286	0.267	0.0	1.0	0.0	0.281 1.0	34.0	12.3	-40.3	42.2	286	0.267	0.0	1.0		
325	287	287	0.283	0.0 1.0	29.9	44.7	-31.1	54.4	325	0.0	0.28 1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	0.0	0.27 1.0	33.6	13.0	-40.2	42.4	287	0.283	0.0	1.0		
326	288	288	0.3	0.0 1.0	30.4	46.0	-30.3	55.1	326	0.0	0.269 1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	0.0	0.26 1.0	33.2	13.7	-40.2	42.5	288	0.3	0.0	1.0		
328	289	289	0.316	0.0 1.0	30.9	47.3	-29.4	55.7	328	0.0	0.257 1.0	33.1	13.9	-40.2	42.6	289	0.317	0.0	1.0	0.0	0.249 1.0	32.8	14.4	-40.1	42.7	289	0.317	0.0	1.0		
329	290	290	0.333	0.0 1.0	31.4	48.6	-28.5	56.4	329	0.0	0.245 1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	0.0	0.236 1.0	32.4	15.2	-40.2	43.1	290	0.333	0.0	1.0		
331	291	291	0.35	0.0 1.0	32.0	49.9	-27.5	57.0	331	0.0	0.232 1.0	32.2	15.5	-40.2	43.2	291	0.35	0.0	1.0	0.0	0.223 1.0	32.0	16.0	-40.3	43.4	291	0.35	0.0	1.0		
332	292	292	0.366	0.0 1.0	32.5	51.2	-26.5	57.7	332	0.0	0.219 1.0	31.8	16.3	-40.3	43.6	292	0.367	0.0	1.0	0.0	0.211 1.0	31.5	16.8	-40.3	43.8	292	0.367	0.0	1.0		
333	293	293	0.383	0.0 1.0	32.9	52.3	-25.7	58.3	333	0.0	0.205 1.0	31.4	17.2	-40.3	43.9	293	0.383	0.0	1.0	0.0	0.198 1.0	31.1	17.6	-40.3	44.1	293	0.383	0.0	1.0		
334	294	294	0.4	0.0 1.0	33.3	53.2	-25.0	58.8	334	0.0	0.192 1.0	30.9	18.0	-40.3	44.3	294	0.4	0.0	1.0	0.0	0.186 1.0	30.7	18.4	-40.4	44.5	294	0.4	0.0	1.0		
335	295	295	0.416	0.0 1.0	33.7	54.1	-24.4	59.4	335	0.0	0.179 1.0	30.5	18.9	-40.4	44.6	295	0.417	0.0	1.0	0.0	0.173 1.0	30.3	19.2	-40.4	44.8	295	0.417	0.0	1.0		
336	296	296	0.433	0.0 1.0	34.0	55.0	-23.7	59.9	336	0.0	0.166 1.0	30.0	19.7	-40.3	45.0	296	0.433	0.0	1.0	0.0	0.161 1.0	29									

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi
340	300	300	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300	0.5 0.0 1.0
341	301	301	0.516 0.0 1.0	35.9 59.5 -19.9 62.8 341	0.0 0.091 1.0	27.7 24.3 -40.3 47.2 301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2 301	0.517 0.0 1.0
342	302	302	0.533 0.0 1.0	36.2 60.5 -19.0 63.4 342	0.0 0.074 1.0	27.2 25.3 -40.4 47.7 302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8 302	0.533 0.0 1.0
343	303	303	0.55 0.0 1.0	36.6 61.4 -18.2 64.0 343	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0
344	304	303	0.566 0.0 1.0	36.9 62.3 -17.3 64.7 344	0.0 0.039 1.0	26.2 27.3 -40.4 48.9 304	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8 303	0.567 0.0 1.0
345	305	304	0.583 0.0 1.0	37.2 63.2 -16.4 65.3 345	0.0 0.021 1.0	25.7 28.3 -40.4 49.4 305	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4 304	0.583 0.0 1.0
346	306	305	0.6 0.0 1.0	37.6 64.1 -15.4 66.0 346	0.0 0.004 1.0	25.2 29.4 -40.3 50.0 306	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9 305	0.6 0.0 1.0
347	307	306	0.616 0.0 1.0	37.9 65.0 -14.5 66.6 347	0.011 0.0 1.0	25.3 30.2 -40.0 50.2 307	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2 306	0.617 0.0 1.0
348	308	307	0.633 0.0 1.0	38.3 65.8 -13.7 67.2 348	0.026 0.0 1.0	25.7 31.0 -39.6 50.3 308	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3 307	0.633 0.0 1.0
348	309	308	0.65 0.0 1.0	38.8 66.6 -13.1 67.9 348	0.041 0.0 1.0	26.0 31.8 -39.1 50.5 309	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4 308	0.65 0.0 1.0
349	310	309	0.666 0.0 1.0	39.3 67.3 -12.5 68.5 349	0.056 0.0 1.0	26.3 32.5 -38.7 50.6 310	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6 309	0.667 0.0 1.0
350	311	310	0.683 0.0 1.0	39.8 68.1 -11.9 69.1 350	0.07 0.0 1.0	26.7 33.3 -38.2 50.8 311	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7 310	0.683 0.0 1.0
350	312	311	0.7 0.0 1.0	40.3 68.8 -11.2 69.7 350	0.085 0.0 1.0	27.0 34.1 -37.7 50.9 312	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8 311	0.7 0.0 1.0
351	313	312	0.716 0.0 1.0	40.8 69.5 -10.6 70.4 351	0.1 0.0 1.0	27.3 34.8 -37.2 51.0 313	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0 312	0.717 0.0 1.0
351	314	313	0.733 0.0 1.0	41.3 70.3 -9.9 71.0 351	0.114 0.0 1.0	27.7 35.5 -36.7 51.2 314	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1 313	0.733 0.0 1.0
352	315	314	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352	0.13 0.0 1.0	27.9 36.3 -36.2 51.3 315	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2 314	0.75 0.0 1.0
353	316	315	0.766 0.0 1.0	42.1 71.6 -8.7 72.1 353	0.146 0.0 1.0	28.1 37.1 -35.7 51.6 316	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4 315	0.767 0.0 1.0
353	317	316	0.783 0.0 1.0	42.4 72.1 -8.1 72.6 353	0.163 0.0 1.0	28.2 37.9 -35.3 51.8 317	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7 316	0.783 0.0 1.0
353	318	317	0.8 0.0 1.0	42.7 72.7 -7.6 73.1 353	0.18 0.0 1.0	28.3 38.7 -34.8 52.1 318	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9 317	0.8 0.0 1.0
354	319	318	0.816 0.0 1.0	43.1 73.2 -7.0 73.6 354	0.197 0.0 1.0	28.5 39.5 -34.2 52.4 319	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1 318	0.817 0.0 1.0
354	320	319	0.833 0.0 1.0	43.4 73.8 -6.5 74.1 354	0.213 0.0 1.0	28.6 40.3 -33.7 52.6 320	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4 319	0.833 0.0 1.0
355	321	320	0.85 0.0 1.0	43.7 74.3 -5.9 74.6 355	0.23 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6 320	0.85 0.0 1.0
355	322	321	0.866 0.0 1.0	44.0 74.9 -5.3 75.1 355	0.247 0.0 1.0	28.9 41.9 -32.6 53.1 322	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.867 0.0 1.0
356	323	321	0.883 0.0 1.0	44.3 75.4 -4.7 75.6 356	0.259 0.0 1.0	29.2 42.7 -32.1 53.5 323	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1 321	0.883 0.0 1.0
356	324	322	0.9 0.0 1.0	44.6 76.0 -4.1 76.1 356	0.27 0.0 1.0	29.5 43.7 -31.6 54.0 324	0.9 0.0 1.0	0.258 0.0 1.0	29.2 42.7 -32.1 53.5 322	0.9 0.0 1.0
357	325	323	0.916 0.0 1.0	44.8 76.6 -3.5 76.6 357	0.282 0.0 1.0	29.9 44.6 -31.1 54.4 325	0.917 0.0 1.0	0.269 0.0 1.0	29.5 43.5 -31.7 53.9 323	0.917 0.0 1.0
357	326	324	0.933 0.0 1.0	45.1 77.1 -2.8 77.2 357	0.293 0.0 1.0	30.2 45.5 -30.6 54.8 326	0.933 0.0 1.0	0.28 0.0 1.0	29.8 44.4 -31.2 54.3 324	0.933 0.0 1.0
358	327	325	0.95 0.0 1.0	45.3 77.7 -2.2 77.7 358	0.304 0.0 1.0	30.6 46.4 -30.0 55.3 327	0.95 0.0 1.0	0.29 0.0 1.0	30.1 45.2 -30.7 54.7 325	0.95 0.0 1.0
358	328	326	0.966 0.0 1.0	45.6 78.2 -1.5 78.2 358	0.315 0.0 1.0	30.9 47.2 -29.4 55.7 328	0.967 0.0 1.0	0.301 0.0 1.0	30.5 46.1 -30.2 55.1 326	0.967 0.0 1.0
359	329	327	0.983 0.0 1.0	45.8 78.7 -0.8 78.7 359	0.326 0.0 1.0	31.3 48.1 -28.8 56.1 329	0.983 0.0 1.0	0.311 0.0 1.0	30.8 46.9 -29.6 55.6 327	0.983 0.0 1.0
359	330	328	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359	M _d 0.337 0.0 1.0	31.6 49.0 -28.2 56.6 330M _s	1.0 0.0 1.0	0.322 0.0 1.0	31.1 47.8 -29.1 56.0 328M _e	1.0 0.0 1.0
360	331	329	1.0 0.0 0.983	46.1 79.1 0.3 79.1 360	0.349 0.0 1.0	32.0 49.9 -27.5 57.0 331	1.0 0.0 0.983	0.332 0.0 1.0	31.5 48.6 -28.5 56.4 329	1.0 0.0 0.983
360	332	330	1.0 0.0 0.966	46.0 79.0 0.9 79.0 360	0.36 0.0 1.0	32.3 50.7 -26.9 57.5 332	1.0 0.0 0.967	0.343 0.0 1.0	31.8 49.4 -27.9 56.8 330	1.0 0.0 0.967
361	333	331	1.0 0.0 0.95	46.0 78.9 1.5 78.9 361	0.371 0.0 1.0	32.7 51.6 -26.2 57.9 333	1.0 0.0 0.95	0.354 0.0 1.0	32.1 50.3 -27.2 57.2 331	1.0 0.0 0.95
361	334	332	1.0 0.0 0.933	46.0 78.7 2.1 78.8 361	0.386 0.0 1.0	33.0 52.5 -25.5 58.4 334	1.0 0.0 0.933	0.364 0.0 1.0	32.4 51.1 -26.6 57.6 332	1.0 0.0 0.933
361	335	333	1.0 0.0 0.916	46.0 78.6 2.7 78.6 361	0.404 0.0 1.0	33.4 53.5 -24.8 59.0 335	1.0 0.0 0.917	0.375 0.0 1.0	32.8 51.9 -25.9 58.0 333	1.0 0.0 0.917
362	336	334	1.0 0.0 0.9	46.0 78.4 3.2 78.5 362	0.421 0.0 1.0	33.8 54.4 -24.1 59.6 336	1.0 0.0 0.9	0.391 0.0 1.0	33.1 52.8 -25.3 58.6 334	1.0 0.0 0.9
362	337	335	1.0 0.0 0.883	45.9 78.3 3.8 78.4 362	0.438 0.0 1.0	34.2 55.4 -23.4 60.1 337	1.0 0.0 0.883	0.408 0.0 1.0	33.5 53.7 -24.7 59.1 335	1.0 0.0 0.883
363	338	336	1.0 0.0 0.866	45.9 78.1 4.4 78.3 363	0.456 0.0 1.0	34.6 56.3 -22.6 60.7 338	1.0 0.0 0.867	0.424 0.0 1.0	33.9 54.6 -24.0 59.7 336	1.0 0.0 0.867
363	339	337	1.0 0.0 0.85	45.9 78.0 5.0 78.2 363	0.473 0.0 1.0	35.0 57.2 -21.9 61.3 339	1.0 0.0 0.85	0.441 0.0 1.0	34.3 55.5 -23.3 60.2 337	1.0 0.0 0.85
364	340	338	1.0 0.0 0.833	45.9 77.9 5.6 78.1 364	0.491 0.0 1.0	35.4 58.1 -21.1 61.9 340	1.0 0.0 0.833	0.457 0.0 1.0	34.6 56.4 -22.6 60.8 338	1.0 0.0 0.833
364	341	339	1.0 0.0 0.816	45.9 77.7 6.2 78.0 364	0.508 0.0 1.0	35.8 59.1 -20.2 62.5 341	1.0 0.0 0.817	0.474 0.0 1.0	35.0 57.2 -21.8 61.3 339	1.0 0.0 0.817
365	342	339	1.0 0.0 0.8	45.9 77.6 6.8 77.9 365	0.525 0.0 1.0	36.1 60.0 -19.4 63.1 342	1.0 0.0 0.8	0.491 0.0 1.0	35.4 58.1 -21.1 61.8 339	1.0 0.0 0.8
365	343	340	1.0 0.0 0.783	45.9 77.4 7.4 77.8 365	0.542 0.0 1.0	36.4 61.0 -18.5 63.8 343	1.0 0.0 0.783	0.507 0.0 1.0	35.7 59.0 -20.3 62.4 340	1.0 0.0 0.783
365	344	341	1.0 0.0 0.766	45.9 77.3 8.0 77.7 365	0.559 0.0 1.0	36.8 61.9 -17.7 64.4 344	1.0 0.0 0.767	0.523 0.0 1.0	36.1 59.9 -19.5 63.0 341	1.0 0.0 0.767
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366	0.576 0.0 1.0	37.1 62.9 -16.7 65.1 345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7 342	1.0 0.0 0.75



vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)		
366	345	342	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366	0.576	0.0	1.0	37.1	62.9	-16.7	65.1	345	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366
367	346	343	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367	0.593	0.0	1.0	37.5	63.8	-15.8	65.7	346	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367
367	347	344	1.0	0.0	0.716	45.9	76.8	10.3	77.5	367	0.61	0.0	1.0	37.8	64.7	-14.8	66.4	347	1.0	0.0	0.717	45.9	76.8	10.3	77.5	367
368	348	345	1.0	0.0	0.7	45.9	76.6	11.1	77.4	368	0.627	0.0	1.0	38.2	65.6	-13.8	67.1	348	1.0	0.0	0.7	45.9	76.6	11.1	77.4	368
368	349	346	1.0	0.0	0.683	45.9	76.4	11.9	77.3	368	0.654	0.0	1.0	39.0	66.8	-12.9	68.1	349	1.0	0.0	0.683	45.9	76.4	11.9	77.3	368
369	350	347	1.0	0.0	0.666	45.9	76.2	12.8	77.2	369	0.681	0.0	1.0	39.8	68.0	-11.9	69.1	350	1.0	0.0	0.667	45.9	76.2	12.8	77.2	369
370	351	348	1.0	0.0	0.65	46.0	75.9	13.6	77.2	370	0.708	0.0	1.0	40.6	69.2	-10.9	70.1	351	1.0	0.0	0.65	46.0	75.9	13.6	77.2	370
370	352	349	1.0	0.0	0.633	46.0	75.7	14.4	77.1	370	0.735	0.0	1.0	41.4	70.4	-9.8	71.1	352	1.0	0.0	0.633	46.0	75.7	14.4	77.1	370
371	353	350	1.0	0.0	0.616	46.0	75.5	15.2	77.1	371	0.765	0.0	1.0	42.1	71.6	-8.7	72.1	353	1.0	0.0	0.617	46.0	75.5	15.2	77.1	371
372	354	351	1.0	0.0	0.6	45.9	75.4	16.1	77.1	372	0.8	0.0	1.0	42.8	72.7	-7.5	73.1	354	1.0	0.0	0.6	45.9	75.4	16.1	77.1	372
372	355	352	1.0	0.0	0.583	45.9	75.2	16.9	77.1	372	0.835	0.0	1.0	43.5	73.9	-6.4	74.2	355	1.0	0.0	0.583	45.9	75.2	16.9	77.1	372
373	356	353	1.0	0.0	0.566	45.9	75.0	17.8	77.1	373	0.87	0.0	1.0	44.2	75.0	-5.1	75.2	356	1.0	0.0	0.567	45.9	75.0	17.8	77.1	373
374	357	354	1.0	0.0	0.55	45.9	74.8	18.6	77.1	374	0.904	0.0	1.0	44.7	76.2	-3.9	76.3	357	1.0	0.0	0.55	45.9	74.8	18.6	77.1	374
374	358	355	1.0	0.0	0.533	45.9	74.6	19.5	77.1	374	0.938	0.0	1.0	45.2	77.3	-2.6	77.3	358	1.0	0.0	0.533	45.9	74.6	19.5	77.1	374
375	359	356	1.0	0.0	0.516	45.9	74.4	20.3	77.1	375	0.971	0.0	1.0	45.7	78.4	-1.3	78.4	359	1.0	0.0	0.517	45.9	74.4	20.3	77.1	375
375	360	357	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375	1.0	0.0	0.994	46.1	79.3	0.0	79.3	360	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375
376	361	353	1.0	0.0	0.483	45.8	74.1	22.1	77.3	376	1.0	0.0	0.955	46.1	79.0	1.4	79.0	361	1.0	0.0	0.483	45.8	74.1	22.1	77.3	376
377	362	354	1.0	0.0	0.466	45.8	73.9	23.1	77.4	377	1.0	0.0	0.916	46.0	78.6	2.7	78.7	362	1.0	0.0	0.467	45.8	73.9	23.1	77.4	377
378	363	355	1.0	0.0	0.45	45.8	73.8	24.0	77.6	378	1.0	0.0	0.876	46.0	78.3	4.1	78.4	363	1.0	0.0	0.45	45.8	73.8	24.0	77.6	378
378	364	356	1.0	0.0	0.433	45.8	73.6	25.0	77.7	378	1.0	0.0	0.839	46.0	78.0	5.5	78.2	364	1.0	0.0	0.433	45.8	73.6	25.0	77.7	378
379	365	357	1.0	0.0	0.416	45.8	73.4	25.9	77.9	379	1.0	0.0	0.802	46.0	77.7	6.8	78.0	365	1.0	0.0	0.417	45.8	73.4	25.9	77.9	379
380	366	358	1.0	0.0	0.4	45.8	73.2	26.9	78.0	380	1.0	0.0	0.765	46.0	77.3	8.1	77.8	366	1.0	0.0	0.4	45.8	73.2	26.9	78.0	380
380	367	359	1.0	0.0	0.383	45.8	73.0	27.8	78.2	380	1.0	0.0	0.734	46.0	77.0	9.5	77.6	367	1.0	0.0	0.383	45.8	73.0	27.8	78.2	380
381	368	360	1.0	0.0	0.366	45.8	72.9	28.7	78.4	381	1.0	0.0	0.708	46.0	76.7	10.8	77.5	368	1.0	0.0	0.367	45.8	72.9	28.7	78.4	381
382	369	362	1.0	0.0	0.35	45.8	72.8	29.6	78.6	382	1.0	0.0	0.681	46.0	76.4	12.1	77.4	369	1.0	0.0	0.35	45.8	72.8	29.6	78.6	382
382	370	363	1.0	0.0	0.333	45.7	72.7	30.4	78.8	382	1.0	0.0	0.655	46.0	76.1	13.4	77.2	370	1.0	0.0	0.333	45.7	72.7	30.4	78.8	382
383	371	364	1.0	0.0	0.316	45.7	72.6	31.2	79.1	383	1.0	0.0	0.628	46.0	75.7	14.7	77.1	371	1.0	0.0	0.317	45.7	72.6	31.2	79.1	383
383	372	365	1.0	0.0	0.3	45.7	72.5	32.1	79.3	383	1.0	0.0	0.602	46.0	75.4	16.0	77.1	372	1.0	0.0	0.3	45.7	72.5	32.1	79.3	383
384	373	366	1.0	0.0	0.283	45.6	72.4	32.9	79.6	384	1.0	0.0	0.576	46.0	75.2	17.4	77.1	373	1.0	0.0	0.283	45.6	72.4	32.9	79.6	384
385	374	367	1.0	0.0	0.266	45.6	72.3	33.8	79.8	385	1.0	0.0	0.55	45.9	74.9	18.7	77.2	374	1.0	0.0	0.267	45.6	72.3	33.8	79.8	385
385	375	368	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385	1.0	0.0	0.524	45.9	74.5	20.0	77.2	375	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385
386	376	369	1.0	0.0	0.233	45.6	72.1	35.3	80.3	386	1.0	0.0	0.498	45.9	74.2	21.3	77.2	376	1.0	0.0	0.233	45.6	72.1	35.3	80.3	386
386	377	370	1.0	0.0	0.216	45.6	72.0	36.1	80.5	386	1.0	0.0	0.475	45.9	74.0	22.6	77.4	377	1.0	0.0	0.217	45.6	72.0	36.1	80.5	386
387	378	372	1.0	0.0	0.2	45.6	71.9	36.8	80.8	387	1.0	0.0	0.451	45.9	73.8	24.0	77.6	378	1.0	0.0	0.2	45.6	71.9	36.8	80.8	387
387	379	373	1.0	0.0	0.183	45.5	71.8	37.5	81.0	387	1.0	0.0	0.428	45.9	73.6	25.3	77.8	379	1.0	0.0	0.183	45.5	71.8	37.5	81.0	387
388	380	374	1.0	0.0	0.166	45.5	71.7	38.2	81.3	388	1.0	0.0	0.404	45.9	73.3	26.7	78.0	380	1.0	0.0	0.167	45.5	71.7	38.2	81.3	388
388	381	375	1.0	0.0	0.15	45.5	71.6	39.0	81.5	388	1.0	0.0	0.38	45.8	73.1	28.0	78.3	381	1.0	0.0	0.15	45.5	71.6	39.0	81.5	388
389	382	376	1.0	0.0	0.133	45.5	71.5	39.7	81.8	389	1.0	0.0	0.353	45.8	72.9	29.4	78.6	382	1.0	0.0	0.133	45.5	71.5	39.7	81.8	389
389	383	377	1.0	0.0	0.116	45.5	71.4	40.4	82.1	389	1.0	0.0	0.325	45.8	72.7	30.9	79.0	383	1.0	0.0	0.117	45.5	71.4	40.4	82.1	389
389	384	378	1.0	0.0	0.1	45.5	71.3	41.0	82.3	389	1.0	0.0	0.297	45.7	72.5	32.3	79.4	384	1.0	0.0	0.1	45.5	71.3	41.0	82.3	389
390	385	379	1.0	0.0	0.083	45.5	71.3	41.6	82.6	390	1.0	0.0	0.268	45.7	72.3	33.7	79.8	385	1.0	0.0	0.083	45.5	71.3	41.6	82.6	390
390	386	381	1.0	0.0	0.066	45.5	71.2	42.3	82.8	390	1.0	0.0	0.238	45.6	72.1	35.2	80.3	386	1.0	0.0	0.067	45.5	71.2	42.3	82.8	390
391	387	382	1.0	0.0	0.049	45.5	71.1	42.9	83.1	391	1.0	0.0	0.204	45.6	72.0	36.7	80.8	387	1.0	0.0	0.05	45.5	71.1	42.9	83.1	391
391	388	383	1.0	0.0	0.033	45.4	71.1	43.5	83.4	391	1.0	0.0	0.17	45.6	71.8	38.2	81.3	388	1.0	0.0	0.033	45.4	71.1	43.5	83.4	391
391	389	384	1.0	0.0	0.016	45.4	71.0	44.2	83.6	391	1.0	0.0	0.135	45.6	71.6	39.7	81.8	389	1.0	0.0	0.017	45.4	71.0	44.2	83.6	391
392	390	385	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392	1.0	0.0	0.096	45.5	71.4	41.2	82.4	390	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392

vea archivos semejantes: http://130.149.60.45/~farbmetrik/QS38/QS38.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-QS38/QS38LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy0 (CMY0)
TUB material: code=rh4ta

nif	HC*Fe	rgb_Fc	icr_Fc	hsa_Fc	rgb*Fe	LabCh*Fe	LabCh**Fe	rgb**Fe	DF*Fe	HaM*Fe	rgb*Me	LabCh*Me	LabCh**Me	25.4				
01668	ROXY_100_100k	1.0	0.0	0.0	0.0	45.6	72.2	34.4	80.0	25.4	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4
16688	R25Y_100_100k	1.0	0.0	0.5	1.0	0.166	0.0	0.0	0.0	0.166	1.0	0.0	0.166	0.0	0.166	0.0	0.166	0.0
2684	R50Y_100_100k	1.0	0.5	0.0	1.0	0.398	0.0	0.0	0.0	0.398	1.0	0.0	0.398	0.0	0.398	0.0	0.398	0.0
3760	R75Y_100_100k	1.0	0.75	0.0	1.0	0.604	0.0	0.0	0.0	0.604	1.0	0.0	0.604	0.0	0.604	0.0	0.604	0.0
4720	Y00C_100_100k	1.0	1.0	0.0	1.0	0.878	0.0	0.0	0.0	0.878	1.0	0.0	0.878	0.0	0.878	0.0	0.878	0.0
5588	Y25C_100_100k	0.75	1.0	0.0	1.0	0.605	0.0	0.0	0.0	0.605	1.0	0.0	0.605	0.0	0.605	0.0	0.605	0.0
6396	Y50C_100_100k	0.25	1.0	0.0	1.0	0.322	1.0	0.0	0.0	0.322	1.0	0.0	0.322	1.0	0.322	1.0	0.322	1.0
7234	Y75C_100_100k	0.0	1.0	0.0	1.0	0.108	1.0	0.0	0.0	0.108	1.0	0.0	0.108	1.0	0.108	1.0	0.108	1.0
872	CO0B_100_100k	0.0	1.0	0.0	1.0	0.0	0.151	0.0	0.0	0.0	1.0	0.0	0.151	0.0	0.0	0.151	0.0	0.0
972	CO0B_100_100k	0.0	1.0	0.5	1.0	0.151	0.0	0.0	0.0	0.151	0.0	0.0	0.151	0.0	0.0	0.151	0.0	0.0
1076	G25B_100_100k	0.0	1.0	0.5	1.0	0.502	0.0	0.0	0.0	0.502	1.0	0.0	0.502	0.0	0.502	1.0	0.502	1.0
1180	G50B_100_100k	0.0	1.0	1.0	1.0	0.747	0.0	0.0	0.0	0.747	1.0	0.0	0.747	0.0	0.747	1.0	0.747	1.0
1244	G75B_100_100k	0.0	1.0	1.0	1.0	0.846	1.0	0.0	0.0	0.846	1.0	0.0	0.846	1.0	0.846	1.0	0.846	1.0
138	BO0M_100_100k	0.0	1.0	1.0	1.0	0.458	1.0	0.0	0.0	0.458	1.0	0.0	0.458	1.0	0.458	1.0	0.458	1.0
14332	B25R_100_100k	0.5	0.0	1.0	1.0	0.105	1.0	0.0	0.0	0.105	1.0	0.0	0.105	1.0	0.105	1.0	0.105	1.0
15656	B50R_100_100k	0.0	0.0	1.0	1.0	0.321	0.0	1.0	0.0	0.321	0.0	1.0	0.321	0.0	0.321	0.0	0.321	0.0
16652	B75R_100_100k	1.0	0.0	1.0	1.0	0.736	0.0	1.0	0.0	0.736	0.0	1.0	0.736	0.0	0.736	0.0	0.736	0.0
17648	ROXY_100_100k	1.0	0.0	0.5	1.0	0.0	0.254	0.0	0.0	0.0	1.0	0.0	0.254	0.0	0.0	0.254	0.0	0.0
18688	ROXY_100_050k	1.0	0.5	0.5	1.0	0.5	0.627	0.0	0.0	0.5	0.627	0.0	0.5	0.627	0.0	0.5	0.627	0.0
19706	R50Y_075_050k	1.0	0.75	0.5	1.0	0.699	0.5	0.0	0.0	0.699	0.5	0.0	0.699	0.5	0.699	0.5	0.699	0.5
20724	Y00C_100_050k	1.0	1.0	0.5	1.0	0.939	0.5	0.0	0.0	0.939	0.5	0.0	0.939	0.5	0.939	0.5	0.939	0.5
22400	G00B_100_050k	0.5	1.0	0.5	1.0	0.661	1.0	0.0	0.0	0.661	1.0	0.0	0.661	1.0	0.661	1.0	0.661	1.0
23400	G00B_100_050k	0.5	1.0	0.5	1.0	0.875	1.0	0.0	0.0	0.875	1.0	0.0	0.875	1.0	0.875	1.0	0.875	1.0
25456	BO0R_100_050k	0.5	1.0	0.5	1.0	0.729	1.0	0.0	0.0	0.729	1.0	0.0	0.729	1.0	0.729	1.0	0.729	1.0
25692	B50R_100_050k	1.0	0.5	1.0	1.0	0.66	0.5	1.0	0.0	0.66	0.5	1.0	0.66	0.5	0.66	0.5	0.66	0.5
26688	ROXY_100_050k	1.0	0.5	0.5	1.0	0.5	0.627	0.0	0.0	0.5	0.627	0.0	0.5	0.627	0.0	0.5	0.627	0.0
27506	ROXY_075_050k	0.75	0.25	0.5	1.0	0.75	0.25	0.5	1.0	0.75	0.25	0.5	0.75	0.25	0.75	0.25	0.75	0.25
28524	R50Y_075_050k	0.75	0.25	0.5	1.0	0.449	0.25	0.5	1.0	0.449	0.25	0.5	0.449	0.25	0.449	0.25	0.449	0.25
29542	Y00C_075_050k	0.75	0.25	0.5	1.0	0.689	0.25	0.5	1.0	0.689	0.25	0.5	0.689	0.25	0.689	0.25	0.689	0.25
30380	Y50C_075_050k	0.25	0.75	0.25	1.0	0.411	0.75	0.25	1.0	0.411	0.75	0.25	0.411	0.75	0.411	0.75	0.411	0.75
32222	G50B_075_050k	0.25	0.75	0.25	1.0	0.25	0.75	0.25	1.0	0.25	0.75	0.25	0.25	0.75	0.25	0.75	0.25	1.0
33186	BO0R_075_050k	0.25	0.75	0.25	1.0	0.25	0.75	0.25	1.0	0.25	0.75	0.25	0.25	0.75	0.25	0.75	0.25	1.0
34510	B50R_075_050k	0.75	0.25	0.5	1.0	0.41	0.25	0.75	1.0	0.41	0.25	0.75	0.41	0.25	0.41	0.25	0.41	0.25
35506	ROXY_075_050k	0.75	0.25	0.5	1.0	0.75	0.25	0.5	1.0	0.75	0.25	0.5	0.75	0.25	0.75	0.25	0.75	0.25
36324	ROXY_050_050k	0.5	0.0	0.5	1.0	0.127	0.0	0.0	0.0	0.127	0.0	0.0	0.127	0.0	0.127	0.0	0.127	0.0
37342	R50Y_050_050k	0.5	0.25	0.5	1.0	0.199	0.0	0.0	0.0	0.199	0.0	0.0	0.199	0.0	0.199	0.0	0.199	0.0
38360	Y00C_050_050k	0.25	0.5	0.5	1.0	0.439	0.0	0.0	0.0	0.439	0.0	0.0	0.439	0.0	0.439	0.0	0.439	0.0
39198	Y50C_050_050k	0.0	0.5	0.5	1.0	0.161	0.5	0.0	0.0	0.161	0.5	0.0	0.161	0.5	0.161	0.5	0.161	0.5
40336	CO0B_050_050k	0.0	0.5	0.5	1.0	0.0	0.5	0.075	0.5	0.0	0.5	0.075	0.0	0.5	0.075	0.0	0.5	0.075
41440	G50B_050_050k	0.0	0.5	0.5	1.0	0.0	0.5	0.373	0.5	0.0	0.5	0.373	0.0	0.5	0.373	0.0	0.5	0.373
424	BO0R_050_050k	0.0	0.5	0.5	1.0	0.0	0.229	0.5	1.0	0.0	0.229	0.5	0.0	0.229	0.5	0.0	0.229	0.5
43328	B50R_050_050k	0.5	0.0	0.5	1.0	0.16	0.0	0.5	1.0	0.16	0.0	0.5	0.16	0.0	0.16	0.0	0.16	0.0
44324	ROXY_050_050k	0.5	0.0	0.5	1.0	0.0	0.127	0.0	0.0	0.0	0.127	0.0	0.0	0.127	0.0	0.0	0.127	0.0
450	NW_00k	0.0	0.0	0.0	1.0	0.125	0.125	0.0	0.0	0.125	0.125	0.0	0.125	0.125	0.125	0.125	0.125	0.125
4691	NW_01k	0.125	0.125	0.125	1.0	0.25	0.25	0.0	0.0	0.25	0.25	0.0	0.25	0.25	0.25	0.25	0.25	0.25
47182	NW_02k	0.25	0.25	0.25	1.0	0.375	0.375	0.0	0.0	0.375	0.375	0.0	0.375	0.375	0.375	0.375	0.375	0.375
48273	NW_03k	0.375	0.375	0.375	1.0	0.5	0.5	0.0	0.0	0.5	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5
49364	NW_05k	0.5	0.5	0.5	1.0	0.625	0.625	0.0	0.0	0.625	0.625	0.0	0.625	0.625	0.625	0.625	0.625	0.625
50455	NW_06k	0.625	0.625	0.625	1.0	0.625	0.625	0.0	0.0	0.625	0.625	0.0	0.625	0.625	0.625	0.625	0.625	0.625
51546	NW_07k	0.625	0.625	0.625	1.0	0.625	0.625	0.0	0.0	0.625	0.625	0.0	0.625	0.625	0.625	0.625	0.625	0.625
52637	NW_08k	0.625	0.625	0.625	1.0	0.625	0.625	0.0	0.0	0.625	0.625	0.0	0.625	0.625	0.625	0.625	0.625	0.625
53728	NW_10k	1.0	1.0	1.0	1.0	0.625	0.625	0.0	0.0	0.625	0.625	0.0	0.625	0.625	0.625	0.625	0.625	0.625

delta E* = 13.3

http://130.149.60.45/~farbmetrik/QS38/QS38LONP.PDF /.PS; salida de transferencia N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 19/33

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

http://130.149.60.45/~farbmetrik/QS38/QS38LONP.PDF /.PS; salida de transferencia N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 20/33

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains numerical data representing color calibration values for various color patches.

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

n	HHC*Fe	rgb*Fe	ict*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe
81	B00Y.012.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.031 0.0	27.0 9.0	4.3	10.0	25.4	0.125 0.0	26.6 15.8	0.125 0.0	26.6 15.8	4.2	15.2	16.1	5.6	375	800
82	B00R.012.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-3.6	6.9	328.6	0.125 0.0	10.25 0.0	0.125 0.0	10.25 0.0	1.0	0.0	0.254	45.6	72.2	34.4
83	B25K.025.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-10.0	11.6	300.1	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0321	0.0	0.0	31.1	31.1	-29.1
84	B15K.037.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-15.0	16.0	289.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0105	0.0	0.0	28.1	23.4	40.2
85	B11K.050.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-20.0	20.8	285.0	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0248	0.0	0.0	32.8	14.4	-40.2
86	B09K.062.062a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-25.0	25.8	282.1	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0302	0.0	0.0	34.7	10.8	-40.4
87	B07K.075.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-30.0	30.7	279.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0335	0.0	0.0	35.9	8.0	-40.4
88	B05K.087.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-35.0	35.7	276.5	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0367	0.0	0.0	37.0	6.6	-40.2
89	B03K.100.100a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-40.0	40.7	273.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0378	0.0	0.0	37.4	5.9	-40.2
90	Y00C.012.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	11.3	11.3	92.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0078	0.0	0.0	83.6	-3.6	90.4
91	NW.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	0.0	0.0	0.0	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0088	0.0	0.0	95.6	0.0	0.0
92	B00R.025.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-5.0	5.0	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
93	B00R.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-10.0	10.1	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
94	B00R.050.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-15.0	15.2	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
95	B00R.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-20.0	20.3	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
96	B00R.075.062a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-25.0	25.4	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
97	B00R.087.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-30.0	30.5	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
98	B00R.100.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-35.0	35.6	271.7	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
99	Y00G.025.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-7.7	7.4	16.9	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0322	0.0	0.0	62.6	-40.9	53.8
100	G00B.025.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-12.0	12.3	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
101	G00B.037.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-17.0	17.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
102	G00B.050.012a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-22.0	22.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
103	G00B.062.010a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-27.0	27.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
104	G00B.062.010a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-32.0	32.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
105	G00B.075.062a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-37.0	37.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
106	G00B.087.062a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-42.0	42.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
107	G00B.100.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-47.0	47.4	189.6	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
108	Y00G.037.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-19.1	18.9	24.9	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0184	0.0	0.0	56.3	-30.9	42.6
109	G00B.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-24.0	24.3	249.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
110	G25B.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-29.0	29.2	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
111	G50B.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-34.0	34.3	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
112	G75B.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-39.0	39.2	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
113	G100B.037.025a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-44.0	44.3	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
114	G00B.075.062a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-49.0	49.1	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
115	G84B.087.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-54.0	54.3	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
116	G00B.100.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-59.0	59.2	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
117	Y00G.050.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-27.7	27.4	24.9	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0108	0.0	0.0	54.1	-55.5	37.5
118	G00B.050.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-32.0	32.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
119	G15B.050.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-37.0	37.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
120	G34B.050.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-42.0	42.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
121	G54B.050.037a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-47.0	47.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
122	G61B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-52.0	52.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
123	G61B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-57.0	57.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
124	G75B.087.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-62.0	62.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
125	G75B.087.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-67.0	67.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
126	Y00G.100.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-72.0	72.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
127	Y00G.100.087a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-77.0	77.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
128	G11B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-82.0	82.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
129	G38B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-87.0	87.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
130	G58B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-92.0	92.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
131	G58B.062.050a	0.125 0.0	0.125 0.0	0.125 0.0	0.026 0.0	25.2 5.8	-97.0	97.4	244.3	0.125 0.0	0.25 0.0	0.125 0.0	0.25 0.0	0.0058	0.0	0.0	95.6	0.0	0.0
132	G98B.087.075a	0.125 0.0	0.125 0.0	0.125 0.0	0.														

http://130.149.60.45/~farbmetrik/QS38/QS38LONP.PDF /.PS; salida de transferencia N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 24/33

Table with columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hAm*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, hAm*Fe. Rows include color codes like R00Y, R05Y, B00C, etc.

delta E* = 15.7

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

QS380-TN; 24/33-F

2-0132331-F0

Table with 30 columns: n, HHC%, Rgb, Y, C, M, K, LabCH*, DF*, HbM*, LabCH*, Rgb*, Y*, C*, M*, K*, LabCH*, DF*, HbM*, LabCH*, Rgb*, Y*, C*, M*, K*, LabCH*, DF*, HbM*. Rows include color names like R00Y, R35Y, R50Y, etc.

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

2-013251-F0

2-013251-F0

delta E* = 14.5

Table with 40 columns (n, HHC*Fe, rpb*Fe, etc.) and 64 rows of data. The table contains numerical values for various color and registration parameters.

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

2-0132631-F0

2-0132631-F0

delta E* = 13.8

http://130.149.60.45/~farbmetrik/QS38/QS38LONP.PDF /.PS; salida de transferencia N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 29/33

Table with 15 columns: n, H#C%Fe, rpb%Fe, iet%Fe, ihs%Fe, rpb%Fe, LabCH*Fe, LabCH*Fe, rpb%Fe, rpb%Fe, LabCH*Fe, DF*Fe, H*Fe, LabCH*Fe, rpb%Fe. Rows include color names like NV, G50B, G50M, etc.

delta E* = 9.5

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

n	HC*Fe	rgb_Fe	iet_Fe	hsa_Fe	rgb_Fe	LabCh*Fe	LabCh*Fe	rgb_Fe	DF*Fe	HaM*	rgb_Fe	LabCh*Fe	LabCh*Fe	0.0	0.0	0.0
810	NV_100_01	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.937	360 270	0.875 0.932 1.0	95.6 1.0 1.0	0.875 0.875 1.0	0.1 116.7	0.1 360	1.0 1.0 1.0	95.6 1.0 1.0	95.6 1.0 1.0	0.0	0.0	0.0
811	BOOR_100_012a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.937	360 270	0.875 0.932 1.0	95.6 1.0 1.0	0.875 0.875 1.0	0.1 116.7	0.1 360	1.0 1.0 1.0	95.6 1.0 1.0	95.6 1.0 1.0	0.0	0.0	0.0
812	BOOR_100_025a	0.725 0.725 1.0	1.0 1.0 1.0	0.225 0.875	270 270	0.725 0.864 1.0	88.7 0.3 1.0	0.725 0.725 1.0	-5.3 305.3	3.9 242	1.0 1.0 1.0	88.7 0.3 1.0	88.7 0.3 1.0	0.0	0.0	0.0
813	BOOR_100_037a	0.625 0.625 1.0	1.0 1.0 1.0	0.375 0.812	270 270	0.625 0.796 1.0	81.7 0.3 1.0	0.625 0.625 1.0	-15.6 312.1	10.6 242	1.0 1.0 1.0	81.7 0.3 1.0	81.7 0.3 1.0	0.0	0.0	0.0
814	BOOR_100_050a	0.5 0.5 1.0	1.0 1.0 1.0	0.5 0.75	270 270	0.5 0.729 1.0	74.8 0.6 1.0	0.5 0.5 1.0	-21.4 29.1	31.2 242	1.0 1.0 1.0	74.8 0.6 1.0	74.8 0.6 1.0	0.0	0.0	0.0
815	BOOR_100_062a	0.375 0.375 1.0	1.0 1.0 1.0	0.625 0.687	270 270	0.375 0.661 1.0	61.0 0.7 1.0	0.375 0.375 1.0	-26.3 31.2	24.2 242	1.0 1.0 1.0	61.0 0.7 1.0	61.0 0.7 1.0	0.0	0.0	0.0
816	BOOR_100_075a	0.225 0.225 1.0	1.0 1.0 1.0	0.75 0.625	270 270	0.225 0.593 1.0	47.1 0.9 1.0	0.225 0.225 1.0	-36.1 41.3	31.0 242	1.0 1.0 1.0	47.1 0.9 1.0	47.1 0.9 1.0	0.0	0.0	0.0
817	BOOR_100_087a	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.562	270 270	0.125 0.525 1.0	34.1 1.0 1.0	0.125 0.125 1.0	-39.6 30.6	33.8 242	1.0 1.0 1.0	34.1 1.0 1.0	34.1 1.0 1.0	0.0	0.0	0.0
818	BOOR_100_101a	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5	270 270	0.0 0.458 1.0	40.2 1.2 1.0	0.0 0.0 1.0	99 10.2	107.1 83	1.0 1.0 1.0	40.2 1.2 1.0	40.2 1.2 1.0	0.0	0.0	0.0
819	YOOC_100_012a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.937	360 270	0.875 0.875 0.941	94.1 -0.4 1.0	0.875 0.875 1.0	3.7 3.9	71.1 360	1.0 1.0 1.0	94.1 -0.4 1.0	94.1 -0.4 1.0	0.0	0.0	0.0
820	BOOR_087_012a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.812	360 270	0.875 0.875 0.875	87.7 0.1 1.0	0.875 0.875 1.0	2.3 341.0	8.2 242	1.0 1.0 1.0	87.7 0.1 1.0	87.7 0.1 1.0	0.0	0.0	0.0
821	BOOR_087_025a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.75	270 270	0.625 0.739 0.875	72.8 0.3 1.0	0.625 0.625 1.0	-8.0 13.6	33.8 242	1.0 1.0 1.0	72.8 0.3 1.0	72.8 0.3 1.0	0.0	0.0	0.0
822	BOOR_087_037a	0.5 0.5 1.0	1.0 1.0 1.0	0.375 0.687	270 270	0.5 0.671 0.875	65.9 0.4 1.0	0.5 0.5 1.0	-14.6 21.1	31.8 242	1.0 1.0 1.0	65.9 0.4 1.0	65.9 0.4 1.0	0.0	0.0	0.0
823	BOOR_087_050a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.604 0.875	59.0 0.6 1.0	0.375 0.375 1.0	-20.4 29.2	31.5 242	1.0 1.0 1.0	59.0 0.6 1.0	59.0 0.6 1.0	0.0	0.0	0.0
824	BOOR_087_062a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.536 0.875	52.1 0.7 1.0	0.225 0.225 1.0	-26.2 35.0	31.1 242	1.0 1.0 1.0	52.1 0.7 1.0	52.1 0.7 1.0	0.0	0.0	0.0
825	BOOR_087_075a	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.5	270 270	0.125 0.468 0.875	45.1 0.9 1.0	0.125 0.125 1.0	-35.1 43.8	30.6 242	1.0 1.0 1.0	45.1 0.9 1.0	45.1 0.9 1.0	0.0	0.0	0.0
826	BOOR_087_087a	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5	270 270	0.0 0.4 0.875	38.2 1.0 1.0	0.0 0.0 1.0	35.1 45.8	30.6 242	1.0 1.0 1.0	38.2 1.0 1.0	38.2 1.0 1.0	0.0	0.0	0.0
827	YOOC_100_012a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.812	360 270	0.875 0.875 0.875	87.7 0.1 1.0	0.875 0.875 1.0	2.3 341.0	8.2 242	1.0 1.0 1.0	87.7 0.1 1.0	87.7 0.1 1.0	0.0	0.0	0.0
828	YOOC_100_025a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.75	270 270	0.625 0.625 0.875	72.8 0.3 1.0	0.625 0.625 1.0	-8.0 13.6	33.8 242	1.0 1.0 1.0	72.8 0.3 1.0	72.8 0.3 1.0	0.0	0.0	0.0
829	BOOR_075_012a	0.5 0.5 1.0	1.0 1.0 1.0	0.375 0.687	270 270	0.5 0.614 0.75	63.9 0.4 1.0	0.5 0.5 1.0	-15.2 15.2	32.1 242	1.0 1.0 1.0	63.9 0.4 1.0	63.9 0.4 1.0	0.0	0.0	0.0
830	BOOR_075_025a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.546 0.75	57.0 0.5 1.0	0.375 0.375 1.0	-21.3 21.7	32.1 242	1.0 1.0 1.0	57.0 0.5 1.0	57.0 0.5 1.0	0.0	0.0	0.0
831	BOOR_075_037a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.479 0.75	50.1 0.6 1.0	0.225 0.225 1.0	-29.7 21.6	34.3 242	1.0 1.0 1.0	50.1 0.6 1.0	50.1 0.6 1.0	0.0	0.0	0.0
832	BOOR_075_050a	0.125 0.125 1.0	1.0 1.0 1.0	0.75 0.5	270 270	0.125 0.413 0.75	43.2 0.7 1.0	0.125 0.125 1.0	-30.2 36.9	30.4 242	1.0 1.0 1.0	43.2 0.7 1.0	43.2 0.7 1.0	0.0	0.0	0.0
833	BOOR_075_062a	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5	270 270	0.0 0.343 0.75	36.9 0.8 1.0	0.0 0.0 1.0	30.9 31.6	106.7 83	1.0 1.0 1.0	36.9 0.8 1.0	36.9 0.8 1.0	0.0	0.0	0.0
834	YOOC_100_037a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.812	360 270	0.875 0.875 0.875	87.7 0.1 1.0	0.875 0.875 1.0	2.3 341.0	8.2 242	1.0 1.0 1.0	87.7 0.1 1.0	87.7 0.1 1.0	0.0	0.0	0.0
835	YOOC_100_050a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.75	270 270	0.625 0.625 0.875	72.8 0.3 1.0	0.625 0.625 1.0	-8.0 13.6	33.8 242	1.0 1.0 1.0	72.8 0.3 1.0	72.8 0.3 1.0	0.0	0.0	0.0
836	BOOR_062_012a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.343 0.625	63.9 0.4 1.0	0.375 0.375 1.0	-19.9 14.4	31.1 242	1.0 1.0 1.0	63.9 0.4 1.0	63.9 0.4 1.0	0.0	0.0	0.0
837	BOOR_062_025a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.286 0.625	44.3 0.7 1.0	0.225 0.225 1.0	-24.9 16.8	24.9 242	1.0 1.0 1.0	44.3 0.7 1.0	44.3 0.7 1.0	0.0	0.0	0.0
838	BOOR_062_037a	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.5	270 270	0.125 0.219 0.625	33.9 0.8 1.0	0.125 0.125 1.0	-32.6 24.9	16.3 242	1.0 1.0 1.0	33.9 0.8 1.0	33.9 0.8 1.0	0.0	0.0	0.0
839	YOOC_075_012a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.687	90 90	0.875 0.844 0.625	83.7 -0.9 1.0	0.875 0.875 1.0	2.8 23.8	106.7 83	1.0 1.0 1.0	83.7 -0.9 1.0	83.7 -0.9 1.0	0.0	0.0	0.0
840	BOOR_062_025a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.625	360 270	0.625 0.625 0.625	68.9 0.0 1.0	0.625 0.625 1.0	11.4 57.6	116.6 360	1.0 1.0 1.0	68.9 0.0 1.0	68.9 0.0 1.0	0.0	0.0	0.0
841	BOOR_062_037a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.557 0.625	61.9 0.1 1.0	0.375 0.375 1.0	-6.0 11.4	5.8 242	1.0 1.0 1.0	61.9 0.1 1.0	61.9 0.1 1.0	0.0	0.0	0.0
842	BOOR_062_050a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.489 0.625	55.0 0.3 1.0	0.225 0.225 1.0	-13.2 13.2	14.8 242	1.0 1.0 1.0	55.0 0.3 1.0	55.0 0.3 1.0	0.0	0.0	0.0
843	BOOR_062_062a	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.5	270 270	0.125 0.421 0.625	48.1 0.4 1.0	0.125 0.125 1.0	-19.9 27.7	31.4 242	1.0 1.0 1.0	48.1 0.4 1.0	48.1 0.4 1.0	0.0	0.0	0.0
844	YOOC_100_050a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.75	270 270	0.625 0.625 0.625	68.9 0.0 1.0	0.625 0.625 1.0	11.4 57.6	116.6 360	1.0 1.0 1.0	68.9 0.0 1.0	68.9 0.0 1.0	0.0	0.0	0.0
845	YOOC_100_062a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.343 0.625	63.9 0.4 1.0	0.375 0.375 1.0	-19.9 14.4	31.1 242	1.0 1.0 1.0	63.9 0.4 1.0	63.9 0.4 1.0	0.0	0.0	0.0
846	YOOC_100_075a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.286 0.625	44.3 0.7 1.0	0.225 0.225 1.0	-24.9 16.8	24.9 242	1.0 1.0 1.0	44.3 0.7 1.0	44.3 0.7 1.0	0.0	0.0	0.0
847	YOOC_087_037a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.687	90 90	0.875 0.829 0.5	89.6 -1.8 1.0	0.875 0.875 1.0	2.8 23.8	106.7 83	1.0 1.0 1.0	89.6 -1.8 1.0	89.6 -1.8 1.0	0.0	0.0	0.0
848	YOOC_075_025a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.625	360 270	0.625 0.609 0.5	67.4 -0.4 1.0	0.625 0.625 1.0	11.4 57.6	116.6 360	1.0 1.0 1.0	67.4 -0.4 1.0	67.4 -0.4 1.0	0.0	0.0	0.0
849	YOOC_062_012a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.343 0.625	63.9 0.4 1.0	0.375 0.375 1.0	-19.9 14.4	31.1 242	1.0 1.0 1.0	63.9 0.4 1.0	63.9 0.4 1.0	0.0	0.0	0.0
850	BOOR_050_012a	0.375 0.375 1.0	1.0 1.0 1.0	0.5 0.625	270 270	0.375 0.343 0.625	63.9 0.4 1.0	0.375 0.375 1.0	-19.9 14.4	31.1 242	1.0 1.0 1.0	63.9 0.4 1.0	63.9 0.4 1.0	0.0	0.0	0.0
851	BOOR_050_025a	0.225 0.225 1.0	1.0 1.0 1.0	0.625 0.562	270 270	0.225 0.286 0.625	44.3 0.7 1.0	0.225 0.225 1.0	-24.9 16.8	24.9 242	1.0 1.0 1.0	44.3 0.7 1.0	44.3 0.7 1.0	0.0	0.0	0.0
852	BOOR_050_037a	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.5	270 270	0.125 0.219 0.625	33.9 0.8 1.0	0.125 0.125 1.0	-32.6 24.9	16.3 242	1.0 1.0 1.0	33.9 0.8 1.0	33.9 0.8 1.0	0.0	0.0	0.0
853	BOOR_050_050a	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5	270 270	0.0 0.229 0.5	32.2 0.6 1.0	0.0 0.0 1.0	25.4 25.4	24.9 242	1.0 1.0 1.0	32.2 0.6 1.0	32.2 0.6 1.0	0.0	0.0	0.0
854	BOOR_050_062a	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5	270 270	0.0 0.199 0.5	25.4 25.4 24.9	0.0 0.0 1.0	45.2 45.2	24.9 242	1.0 1.0 1.0	25.4 25.4 24.9	25.4 25.4 24.9	0.0	0.0	0.0
855	YOOC_087_050a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.687	90 90	0.875 0.814 0.375	88.1 -1.8 1.0	0.875 0.875 1.0	2.8 23.8	106.7 83	1.0 1.0 1.0	88.1 -1.8 1.0	88.1 -1.8 1.0	0.0	0.0	0.0
856	YOOC_087_062a	0.625 0.625 1.0	1.0 1.0 1.0	0.225 0.625	360 270	0.625 0.594 0.375	73.3 -1.3 1.0	0.625 0.625 1.0	11.4 57.6	116.6 360	1.0 1.0 1.0	73.3 -1.3 1.0	73.3 -1.3 1.0	0.0	0.0	0.0
857	YOOC_075_037a	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.687	90 90	0.875 0.814 0.375	88.1 -1.8 1.0	0.875 0.875 1.0	2.8 23.8	106.7 83	1.0 1.0 1.0	88.1 -1.8 1.0	88.1 -1.8 1.0	0.0	0.0	0.0
858	YOOC_062_025a															


Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCh*Fe. Rows include color codes like 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971.

entrada: rgb/cmyk -> rgbe salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*e=Y00Ge colores y diferencia en color, ΔE*

2-013301-F0

QS380-TN; 31/33-F



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	DF*Fe	rgb*Me	LabCH*Me
1053	NW_086e	0.866	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0
1056	NW_000e	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0
1057	NW_006e	0.066	0.066	0.066	0.066	29.0	0.0	0.0	0.0	0.0
1058	NW_013e	0.133	0.133	0.133	0.133	33.8	0.0	0.0	0.0	0.0
1059	NW_020e	0.2	0.2	0.2	0.2	38.6	0.0	0.0	0.0	0.0
1060	NW_026e	0.266	0.266	0.266	0.266	43.3	0.0	0.0	0.0	0.0
1061	NW_033e	0.333	0.333	0.333	0.333	48.1	0.0	0.0	0.0	0.0
1062	NW_040e	0.4	0.4	0.4	0.4	52.8	0.0	0.0	0.0	0.0
1063	NW_046e	0.466	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.0
1064	NW_053e	0.533	0.533	0.533	0.533	62.3	0.0	0.0	0.0	0.0
1065	NW_060e	0.6	0.6	0.6	0.6	67.1	0.0	0.0	0.0	0.0
1066	NW_066e	0.666	0.666	0.666	0.666	71.8	0.0	0.0	0.0	0.0
1067	NW_073e	0.734	0.734	0.734	0.734	76.6	0.0	0.0	0.0	0.0
1068	NW_080e	0.8	0.8	0.8	0.8	81.3	0.0	0.0	0.0	0.0
1069	NW_086e	0.866	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.0
1070	NW_093e	0.933	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.0
1071	NW_100e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0
1072	NW_000e	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0
1073	ROY_100_100e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0
1074	ROY_100_100e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0
1075	Y00B_100_100e	0.0	1.0	0.5	390	0.0	0.0	0.0	0.0	0.0
1076	Y00G_100_100e	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0
1077	B00_100_100e	0.0	0.0	1.0	0.5	210	0.0	0.0	0.0	0.0
1078	B00_100_100e	0.0	1.0	0.5	270	0.0	0.0	0.0	0.0	0.0
1079	B50B_100_100e	0.0	1.0	0.5	330	0.0	0.0	0.0	0.0	0.0

http://130.149.60.45/~farbmetrik/QS38/QS38L0NP.PDF /.PS; salida de transferencia
 N: ninguna 3D-linearización (OL) en archivo (F) o PS-startup (S), página 33/33

entrada: rgb/cmyk -> rgbe
 salida: transfiera a cmy0e

gráfico TUB-QS38; código de tono: H*_e=Y00Ge
 colores y diferencia en color, ΔE*'

2-0133231-F0

2-0133231-F0

QS380-TN_33/33-F

delta E* = 10.3