

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 38 52 -28 59 331

$HIC^*_{-,Ma}$ : B25R\_100\_100\_

$rgbic^*_{-,Ma}$ :



0.5 0.0 1.0 1.0 1.0

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE21/RE21.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output

TUB material: code=rh4ta

1-003030-L0 RE210-7N

TUB-test chart RE21; hue code:  $H^*_- = B25R_-$   
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change




Input and Output: Television Luminous System TLS00a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 311/360 = 0.86$

$H^*_d = B25R_d$

Data for any device (d) or elementary (e) colour:  
 $HIC^*_d$

hue text for the colours of this page:  
 $H^*_d = B25R_d$

triangle lightness  $T^*$



**TLS00a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	50.4	76.9	64.5	100.4	40
Y <sub>d, Ma</sub>	92.6	-20.7	90.7	93.0	102
G <sub>d, Ma</sub>	83.6	-82.7	79.8	115.0	136
C <sub>d, Ma</sub>	86.8	-46.1	-13.5	48.1	196
B <sub>d, Ma</sub>	30.3	76.0	-103.5	128.5	306
M <sub>d, Ma</sub>	57.2	94.3	-58.4	110.9	328
N <sub>d, Ma</sub>	0.0	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 38\ 79\ -89\ 120\ 311$

$HIC^*_d, Ma: B25R\_100\_100_d$

$rgbic^*_d, Ma:$



0.5 0.0 1.0 1.0 1.0

triangle lightness  $T^*$

**TLS00a; adapted (a) CIELAB data**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	50.4	76.9	64.5	100.4	40
R25Y_100_100 <sub>d</sub>	53.7	67.6	65.8	94.4	44
R50Y_100_100 <sub>d</sub>	63.6	41.3	71.0	82.2	59
R75Y_100_100 <sub>d</sub>	78.2	7.8	80.6	81.0	84
Y00G_100_100 <sub>d</sub>	92.6	-20.7	90.7	93.0	102
Y25G_100_100 <sub>d</sub>	88.7	-43.3	86.2	96.5	116
Y50G_100_100 <sub>d</sub>	85.7	-65.2	82.4	105.1	128
Y75G_100_100 <sub>d</sub>	84.0	-78.7	80.4	112.5	134
G00B_100_100 <sub>d</sub>	83.6	-82.7	79.8	115.0	136
G25B_100_100 <sub>d</sub>	84.3	-73.7	44.9	86.4	148
G50B_100_100 <sub>d</sub>	86.8	-46.1	-13.5	48.1	196
G75B_100_100 <sub>d</sub>	51.7	18.3	-68.3	70.7	285
B00R_100_100 <sub>d</sub>	30.3	76.0	-103.5	128.5	306
B25R_100_100 <sub>d</sub>	38.5	79.8	-89.7	120.0	311
B50R_100_100 <sub>d</sub>	57.2	94.3	-58.4	110.9	328
B75R_100_100 <sub>d</sub>	52.0	81.1	4.1	81.2	2

%Gamut  
 $u^*_{rel} = 158$   
%Regularity  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$






see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )**
- For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.
  - For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:  

$$h_{ab,s} = atan [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$
  - For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
  - For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
  

$$h_{360ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
  - For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
  - The values  $rgb^*_{de}$  produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*, d<sub>dx361M</sub>) and standard colors (r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*, d<sub>dx361M</sub>). Rows list various colorimetric data points.



TUB-test chart RE21; hue code: H\*d=B25Rd  
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input: rgb/cmyk -> rgb<sub>d</sub>  
output: transfer to rgb<sub>d</sub>


see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	R <sub>d</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	R <sub>s</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	R <sub>e</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40		1.0 0.0 0.203 50.8 78.0 45.1 90.1 30		1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25		1.0 0.0 0.0						
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40		1.0 0.0 0.189 50.7 78.0 46.9 91.0 31		1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26		1.0 0.017 0.0						
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40		1.0 0.0 0.174 50.7 77.9 48.7 91.8 32		1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27		1.0 0.033 0.0						
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40		1.0 0.0 0.16 50.7 77.7 50.5 92.7 33		1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28		1.0 0.05 0.0						
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40		1.0 0.0 0.146 50.6 77.6 52.3 93.6 34		1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29		1.0 0.067 0.0						
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40		1.0 0.0 0.131 50.6 77.3 54.2 94.4 35		1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31		1.0 0.083 0.0						
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41		1.0 0.0 0.11 50.6 77.3 56.1 95.5 36		1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32		1.0 0.1 0.0						
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41		1.0 0.0 0.082 50.6 77.2 58.2 96.7 37		1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33		1.0 0.117 0.0						
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41		1.0 0.0 0.055 50.5 77.2 60.3 98.0 38		1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34		1.0 0.133 0.0						
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41		1.0 0.0 0.028 50.5 77.1 62.4 99.2 39		1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35		1.0 0.15 0.0						
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42		1.0 0.0 0.0 50.5 76.9 64.6 100.4 40		1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36		1.0 0.167 0.0						
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42		1.0 0.095 0.0 51.3 74.6 64.9 98.9 41		1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37		1.0 0.183 0.0						
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43		1.0 0.151 0.0 52.1 72.4 65.2 97.5 42		1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38		1.0 0.2 0.0						
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43		1.0 0.188 0.0 52.8 70.3 65.5 96.1 43		1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39		1.0 0.217 0.0						
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44		1.0 0.225 0.0 53.6 68.2 65.8 94.8 44		1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41		1.0 0.233 0.0						
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44		1.0 0.256 0.0 54.3 66.1 66.1 93.5 45		1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42		1.0 0.25 0.0						
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45		1.0 0.277 0.0 55.0 64.3 66.6 92.5 46		1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43		1.0 0.267 0.0						
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46		1.0 0.297 0.0 55.6 62.4 66.9 91.5 47		1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44		1.0 0.283 0.0						
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47		1.0 0.318 0.0 56.3 60.6 67.3 90.5 48		1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45		1.0 0.3 0.0						
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47		1.0 0.338 0.0 57.0 58.7 67.6 89.5 49		1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46		1.0 0.317 0.0						
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48		1.0 0.359 0.0 57.7 56.9 67.8 88.5 50		1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47		1.0 0.333 0.0						
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49		1.0 0.378 0.0 58.3 55.1 68.1 87.6 51		1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48		1.0 0.35 0.0						
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50		1.0 0.392 0.0 58.9 53.6 68.6 87.0 52		1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49		1.0 0.367 0.0						
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51		1.0 0.406 0.0 59.6 52.0 69.0 86.4 53		1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51		1.0 0.383 0.0						
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52		1.0 0.42 0.0 60.2 50.4 69.4 85.8 54		1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52		1.0 0.4 0.0						
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53		1.0 0.433 0.0 60.8 48.8 69.8 85.2 55		1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53		1.0 0.417 0.0						
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54		1.0 0.447 0.0 61.4 47.3 70.1 84.5 56		1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54		1.0 0.433 0.0						
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56		1.0 0.461 0.0 62.0 45.7 70.4 83.9 57		1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55		1.0 0.45 0.0						
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57		1.0 0.475 0.0 62.6 44.1 70.7 83.3 58		1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56		1.0 0.467 0.0						
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58		1.0 0.489 0.0 63.2 42.6 70.9 82.7 59		1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57		1.0 0.483 0.0						
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59		1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58		1.0 0.5 0.0						
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61		1.0 0.513 0.0 64.4 39.7 71.6 81.9 61		1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60		1.0 0.517 0.0						
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62		1.0 0.525 0.0 64.9 38.3 72.1 81.7 62		1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61		1.0 0.533 0.0						
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64		1.0 0.536 0.0 65.5 37.0 72.5 81.4 63		1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62		1.0 0.55 0.0						
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65		1.0 0.547 0.0 66.1 35.6 72.9 81.1 64		1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63		1.0 0.567 0.0						
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67		1.0 0.558 0.0 66.7 34.2 73.3 80.9 65		1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64		1.0 0.583 0.0						
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68		1.0 0.569 0.0 67.2 32.8 73.7 80.6 66		1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65		1.0 0.6 0.0						
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70		1.0 0.58 0.0 67.8 31.4 74.0 80.4 67		1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66		1.0 0.617 0.0						
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71		1.0 0.591 0.0 68.4 30.0 74.3 80.1 68		1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67		1.0 0.633 0.0						
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73		1.0 0.602 0.0 69.0 28.6 74.6 79.9 69		1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68		1.0 0.65 0.0						
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75		1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70		1.0 0.667 0.0						
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76		1.0 0.625 0.0 70.1 25.8 75.0 79.4 71		1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71		1.0 0.683 0.0						
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78		1.0 0.635 0.0 70.7 24.5 75.6 79.4 72		1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72		1.0 0.7 0.0						
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79		1.0 0.646 0.0 71.3 23.3 76.1 79.5 73		1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73		1.0 0.717 0.0						
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81		1.0 0.656 0.0 71.9 21.9 76.5 79.6 74		1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74		1.0 0.733 0.0						
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82		1.0 0.667 0.0 72.5 20.6 77.0 79.7 75		1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75		1.0 0.75 0.0						

1-003530-L0 RE210-70 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart RE21; hue code: H<sub>d</sub>\*=B25R<sub>d</sub>  
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input: rgb/cmyk -> rgb<sub>d</sub>  
output: transfer to rgb<sub>d</sub>

see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361Mi, LAB<sup>\*</sup>, d<sub>s</sub>x361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361Mi, LAB<sup>\*</sup>, d<sub>s</sub>x361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>e</sub>361Mi, LAB<sup>\*</sup>, d<sub>e</sub>x361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>d</sub>361Mi, LAB<sup>\*</sup>, d<sub>d</sub>361Mi) and rows for 48 color patches (103-128).

1-003630-L0 RE210-70 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 7/29

TUB-test chart RE21; hue code: H\*d=B25R<sub>d</sub>  
48 step hue circles; r<sub>gb</sub>-LabCh\*tables

input: r<sub>gb</sub>/c<sub>myk</sub> -> r<sub>gb</sub><sub>d</sub>  
output: transfer to r<sub>gb</sub><sub>d</sub>

1-003630-F0

see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																					
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G <sub>d</sub>	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G <sub>s</sub>	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G <sub>e</sub>	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0				



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM<sub>s</sub>*; *h<sub>ab,ds</sub>* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours *RYGCBM<sub>d</sub>*; *h<sub>ab,d</sub>* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGCBM<sub>e</sub>*; *h<sub>ab,e</sub>* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h<sub>ab,d</sub></i>	<i>h<sub>ab,s</sub></i>	<i>h<sub>ab,e</sub></i>	<i>rgb<sup>*</sup><sub>dd361M</sub></i>	<i>LAB<sup>*</sup><sub>ddx361Mi</sub></i> (x=LabCh)	<i>rgb<sup>*</sup><sub>ds361Mi</sub></i>	<i>LAB<sup>*</sup><sub>dsx361Mi</sub></i> (x=LabCh)	<i>rgb<sup>*</sup><sub>dd361Mi</sub></i>	<i>rgb<sup>*</sup><sub>de361Mi</sub></i>	<i>LAB<sup>*</sup><sub>dex361Mi</sub></i> (x=LabCh)	<i>rgb<sup>*</sup><sub>dd361Mi</sub></i>	<i>rgb<sup>*</sup><sub>dd361Mi</sub></i>	<i>rgb<sup>*</sup><sub>ds</sub></i>	<i>rgb<sup>*</sup><sub>de</sub></i>
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


Table with 30 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>dd361M, LAB<sup>\*</sup>ddx361Mi (x=LabCh), C<sub>d</sub>, r<sub>gb</sub><sup>\*</sup>ds361Mi, LAB<sup>\*</sup>dsx361Mi (x=LabCh), 210C<sub>s</sub>, r<sub>gb</sub><sup>\*</sup>dd361Mi, LAB<sup>\*</sup>de361Mi, LAB<sup>\*</sup>dex361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>dd361Mi, C<sub>c</sub>, r<sub>gb</sub><sup>dd</sup>, r<sub>gb</sub><sup>ds</sup>, r<sub>gb</sub><sup>de</sup>. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361M, LAB\*\_ddx361Mi (x=LabCh), r<sub>gb</sub>\*\_ds361Mi, LAB\*\_dsx361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_de361Mi, LAB\*\_dex361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_ds361Mi, r<sub>gb</sub>\*\_de361Mi, B<sub>d</sub>, B<sub>s</sub>, B<sub>e</sub>. Rows 301-311.



see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361M, LAB<sup>\*</sup>, dsx361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361Mi, LAB<sup>\*</sup>, dex361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361Mi, LAB<sup>\*</sup>, dex361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>, d<sub>s</sub>361Mi) and rows for 60 color patches (311-341).

1-0031130-L0 RE210-70 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 12/29

TUB-test chart RE21; hue code: H\*d=B25Rd  
48 step hue circles; r<sub>gb</sub>-LabCh\*tables

input: r<sub>gb</sub>/cmyk -> r<sub>gb</sub><sub>d</sub>  
output: transfer to r<sub>gb</sub><sub>d</sub>

1-0031130-F0

see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 40 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>dd361M, LAB<sup>\*</sup>ddx361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>ds361Mi, LAB<sup>\*</sup>dsx361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>dd361Mi, LAB<sup>\*</sup>de361Mi, dex361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>dd361Mi, r<sub>gb</sub><sup>a</sup>dd, r<sub>gb</sub><sup>b</sup>ds, r<sub>gb</sub><sup>c</sup>de. Rows 341-400.


see similar files: http://130.149.60.45/~farbmetrik/RE21/RE21.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta




TUB registration: 20130201-RE21/RE21L0NP.PDF /.PS  
 application for measurement of display output, no separation

TUB material: code=rha4ta




nrf	HC*Fd	rgb*Fd	icc*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
0/648	RO0Y_100_100a	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	39.9	64.5	100.4
1/657	R13Y_100_100a	1.0	0.0	0.5	37	51.4	74.1	64.9	98.3	41.3	0.2	36.9
2/666	R25Y_100_100a	1.0	0.25	0.0	1.0	0.233	0.0	57.9	93.8	44.6	1.0	0.389
3/675	R38Y_100_100a	1.0	0.5	0.0	1.0	0.366	0.0	54.0	66.7	67.9	0.7	51
4/684	R50Y_100_100a	1.0	0.5	0.0	1.0	0.375	0.0	52.4	55.4	67.9	0.7	51
5/693	R63Y_100_100a	1.0	0.5	0.0	1.0	0.633	0.0	63.6	41.3	71.0	82.2	59.8
6/702	R75Y_100_100a	1.0	0.75	0.0	1.0	0.625	0.0	70.5	24.7	71.0	1.2	68
7/711	R88Y_100_100a	1.0	0.875	0.0	1.0	0.883	0.0	78.2	9.8	79.7	8.0	77.2
8/720	Y00G_100_100a	1.0	1.0	0.0	0.0	0.0	0.0	92.6	20.6	90.7	93.0	102.8
9/639	Y13G_100_100a	0.875	1.0	0.0	0.0	0.875	1.0	90.7	33.0	88.1	110.5	0.8
10/558	Y25G_100_100a	0.75	1.0	0.0	0.0	0.75	1.0	88.7	43.3	86.2	96.5	116.6
11/477	Y38G_100_100a	0.625	1.0	0.0	0.0	0.625	1.0	85.5	55.7	83.9	107.7	111
12/396	Y50G_100_100a	0.5	1.0	0.0	0.0	0.5	1.0	85.7	65.2	82.4	105.1	128.3
13/315	Y63G_100_100a	0.375	1.0	0.0	0.0	0.375	1.0	84.7	72.8	81.2	109.3	134.0
14/234	Y75G_100_100a	0.25	1.0	0.0	0.0	0.25	1.0	84.1	78.2	80.4	112.2	134.0
15/153	Y88G_100_100a	0.125	1.0	0.0	0.0	0.125	1.0	83.7	81.4	80.0	114.2	135.5
16/72	G00C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	83.6	82.7	79.8	115.0	136.0
17/73	G13C_100_100a	0.0	1.0	0.05	157	0.0	0.116	83.6	82.1	76.5	112.3	137.0
18/74	G25C_100_100a	0.0	1.0	0.25	164	0.0	0.233	83.7	80.5	69.1	106.1	143.2
19/75	G38C_100_100a	0.0	1.0	0.5	172	0.0	0.366	84.0	77.7	58.1	97.1	151.0
20/76	G50C_100_100a	0.0	1.0	0.5	180	0.0	0.5	84.3	73.7	44.9	86.3	148.6
21/77	G63C_100_100a	0.0	1.0	0.5	188	0.0	0.633	84.8	68.5	30.6	75.0	188
22/78	G75C_100_100a	0.0	1.0	0.5	196	0.0	0.766	85.4	61.2	13.7	62.8	167.3
23/79	G88C_100_100a	0.0	1.0	0.5	203	0.0	0.883	86.1	54.1	0.0	54.1	180.0
24/80	C00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	86.8	46.1	13.5	48.1	196.3
25/71	C13B_100_100a	0.0	1.0	0.05	217	0.0	0.883	78.5	32.3	27.0	42.1	216
26/62	C25B_100_100a	0.0	1.0	0.25	224	0.0	0.766	70.2	19.5	3.4	20.2	222
27/53	C38B_100_100a	0.0	1.0	0.5	232	0.0	0.633	60.3	0.0	0.0	0.0	231
28/44	C50B_100_100a	0.0	1.0	0.5	240	0.0	0.5	51.7	18.3	68.3	70.7	268.3
29/35	C63B_100_100a	0.0	1.0	0.5	248	0.0	0.375	43.8	37.6	81.2	89.5	248
30/26	C75B_100_100a	0.0	1.0	0.5	256	0.0	0.233	36.5	57.6	92.3	107.9	257
31/17	C88B_100_100a	0.0	1.0	0.5	263	0.0	0.116	32.3	70.0	100.3	122.3	304.9
32/8	B00M_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	30.3	76.0	100.5	128.5	306.2
33/89	B13M_100_100a	0.125	1.0	0.05	277	0.0	0.116	30.9	76.2	102.5	127.7	306.6
34/170	B25M_100_100a	0.25	1.0	0.25	284	0.0	0.233	32.3	67.7	99.8	125.9	307.4
35/251	B38M_100_100a	0.375	1.0	0.5	292	0.0	0.366	34.9	71.9	95.7	123.4	309.1
36/332	B50M_100_100a	0.5	1.0	0.5	300	0.0	0.5	38.5	79.8	89.7	120.0	311.6
37/413	B63M_100_100a	0.625	1.0	0.5	308	0.0	0.633	43.8	82.7	82.2	116.6	315.1
38/494	B75M_100_100a	0.75	1.0	0.5	316	0.0	0.766	47.9	86.4	74.0	113.8	319.4
39/575	B88M_100_100a	0.875	1.0	0.5	323	0.0	0.883	52.5	90.1	66.3	111.9	323.6
40/656	M00R_100_100a	1.0	0.0	1.0	0.0	1.0	0.0	57.2	94.3	58.4	110.9	328.2
41/655	M13R_100_100a	1.0	0.0	0.875	330	1.0	0.0	57.2	90.6	44.8	101.1	335.6
42/654	M25R_100_100a	1.0	0.0	0.75	344	1.0	0.0	55.7	87.3	30.6	92.5	340.6
43/653	M38R_100_100a	1.0	0.0	0.625	352	1.0	0.0	53.0	83.9	13.6	85.0	350.7
44/652	M50R_100_100a	1.0	0.0	0.5	360	1.0	0.0	52.0	81.1	4.1	81.2	359.1
45/651	M63R_100_100a	1.0	0.0	0.375	368	1.0	0.0	51.3	79.3	22.7	82.5	368.0
46/650	M75R_100_100a	1.0	0.0	0.25	376	1.0	0.0	50.8	78.0	41.2	88.2	376.0
47/649	M88R_100_100a	1.0	0.0	0.125	383	1.0	0.0	50.5	77.2	55.6	95.1	383.0
48/648	RO0Y_100_100a	1.0	0.0	0.0	0.0	1.0	0.0	50.4	76.9	64.5	100.4	40.0
49/0	NV_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013a	0.125	0.125	0.125	360	0.0	0.125	0.0	0.0	0.0	0.0	0.0
51/182	NV_025a	0.25	0.25	0.25	360	0.0	0.25	0.0	0.0	0.0	0.0	0.0
52/273	NV_038a	0.375	0.375	0.375	360	0.0	0.375	0.0	0.0	0.0	0.0	0.0
53/364	NV_050a	0.5	0.5	0.5	360	0.0	0.5	0.0	0.0	0.0	0.0	0.0
54/455	NV_063a	0.625	0.625	0.625	360	0.0	0.625	0.0	0.0	0.0	0.0	0.0
55/546	NV_075a	0.75	0.75	0.75	360	0.0	0.75	0.0	0.0	0.0	0.0	0.0
56/637	NV_088a	0.875	0.875	0.875	360	0.0	0.875	0.0	0.0	0.0	0.0	0.0
57/728	NV_100a	1.0	1.0	1.0	360	1.0	1.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:  $\Delta E^* = 0.9$



see similar files: <http://130.149.60.45/~farbmetrik/RE21/RE21.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



input: *rgb/cmyk* -> *rgbd*  
 output: transfer to *rgbd*

TUB-test chart RE21; hue code: H\*\_d=B25Rd  
 colors and differences,  $\Delta E^*$



http://130.149.60.45/~farbmetrik/RE21/RE21L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E\*\* = 6.5

Mean color difference of this page:

Table with columns: nif, HHC\*Fd, rgb\_Fd, icr\_Fd, hsa\_Fd, rgb\*Fd, LabCH\*Fd, LabCH\*Fd, rgb\*Fd, DF\*Fd, hsa\*Fd, rgb\*Fd, LabCH\*Fd, LabCH\*Fd, rgb\*Fd. Rows include color patches like 0/668 R00Y\_100\_100a, 1/668 R25Y\_100\_100a, etc.





Table with 80 columns (m=1 to m=80) and 80 rows (n=1 to n=80). Columns are labeled with color names: Hb, Hg, Hc, Rgb, Rg, Rb, Icr, Ica, Icb, Hs, Hsa, Hsb, Lab, Lba, Lbb, Lbc, Lca, Lcb, Lcc, Df, Dfa, Dfb, Dg, Dga, Dgb, Ds, Dsa, Dsb, Dc, Dca, Dcb, Dcc, Lch, Lcha, Lchb, Lchc, Lcha, Lchb, Lchc, Lchd, Lche, Lchf, Lchg, Lchh, Lchi, Lchj, Lchk, Lchl, Lchm, Lchn, Lcho, Lchp, Lchq, Lchr, Lchs, Lcht, Lchu, Lchv, Lchw, Lchx, Lchy, Lchz, Lcha, Lchb, Lchc, Lchd, Lche, Lchf, Lchg, Lchh, Lchi, Lchj, Lchk, Lchl, Lchm, Lchn, Lcho, Lchp, Lchq, Lchr, Lchs, Lcht, Lchu, Lchv, Lchw, Lchx, Lchy, Lchz. Each cell contains numerical values representing color differences.

Mean color difference of this page: delta E\* = 4.6

input: rgb/cmyk -> rgbd output: transfer to rgbd

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/29

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\*







Table with 16 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd. Rows 81-161.

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E\* = 8.3

Mean color difference of this page:

RE21-TN; Page 17/29-F

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, AE\*

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/29

Table with 24 columns: n, HHC\*Fd, Rgb\*Fd, iet\*Fd, Hs\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, DF\*Fd, Hs\*Fd, Rgb\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, Rgb\*Fd, LabCh\*Fd, LabCh\*Fd, Rgb\*Fd, Rgb\*Fd. Rows 162-242.

delta E\* = 10.2 Mean color difference of this page:

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\* input: rgb/cmyk -> rgbd output: transfer to rgbd



http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

Mean color difference of this page:

RE21-TN; Page 20/29-F

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\*

Table with 15 columns: n, HhC\*Fd, Rgb\*Fd, iE\*Fd, Hs\*Fd, Rgb\*Fd, LabC\*Fd, LabCh\*Fd, DF\*Fd, Hs\*Fd, Rgb\*Fd, LabC\*Fd, LabCh\*Fd, Rgb\*Fd, Hs\*Fd. Contains 404 rows of color data.

Table with 10 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabC\*Fd, LabC\*Fd, rpb\*Fd, LabC\*Fd. Rows 405-485. Includes color calibration data for various color patches.

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E\* = 9.7

RE210N-TN, Page 21/29-F

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\*

L-0032030-F0







Table with 56 columns (n, HHC\*Fd, Rgb\*Fd, etc.) and 56 rows of data. The table contains numerical values for various color and luminance parameters.

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\*

RE21-10; Page 22/29-F



http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, LabCh\*Fd, rpb\*Fd. Rows 567-647.

Mean color difference of this page: delta E\* = 9.2

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\* input: rgb/cmyk -> rgbd output: transfer to rgbd

http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29



Table with 10 columns: n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, LabCH\*Fd, rpb\*Fd, LabCH\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd. Rows 648-728. Includes color difference values and a 'delta E\* = 9.3' label at the bottom right.

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\* input: rgb/cmlyk -> rrgb output: transfer to rrgb

Mean color difference of this page:

RE21-TN; Page 24/29-F





n	HC*Fd	rgb*Fd	ie*Fd	hs*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hs*Mad	rgb*Mad	LabCH*Mad	LabCH*Mad	DF*Mad	hs*Mad	rgb*Mad	LabCH*Mad
729	NW_100k	0.875	1.0	1.0	0.875	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
730	G50B_100.0124	0.875	1.0	1.0	0.875	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
731	G50B_100.0254	0.75	1.0	1.0	0.75	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
732	G50B_100.0374	0.625	1.0	1.0	0.625	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
733	G50B_100.0504	0.5	1.0	1.0	0.5	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
734	G50B_100.0624	0.375	1.0	1.0	0.375	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
735	G50B_100.0754	0.25	1.0	1.0	0.25	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
736	G50B_100.0874	0.125	1.0	1.0	0.125	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
737	G50B_100.1004	0.0	1.0	1.0	0.0	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
738	ROY_100.0124	0.875	0.875	1.0	0.875	0.875	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
739	NW_0874	0.875	0.875	0.875	0.875	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
740	G50B_087.0124	0.75	0.875	0.875	0.75	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
741	G50B_087.0254	0.625	0.875	0.875	0.625	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
742	G50B_087.0374	0.5	0.875	0.875	0.5	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
743	G50B_087.0504	0.375	0.875	0.875	0.375	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
744	G50B_087.0624	0.25	0.875	0.875	0.25	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
745	G50B_087.0754	0.125	0.875	0.875	0.125	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
746	G50B_087.0874	0.0	0.875	0.875	0.0	0.875	0.875	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
747	ROY_100.0254	0.875	0.75	0.75	0.875	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
748	ROY_100.0374	0.75	0.75	0.75	0.75	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
749	G50B_075.0124	0.625	0.75	0.75	0.625	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
750	G50B_075.0254	0.5	0.75	0.75	0.5	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
751	G50B_075.0374	0.375	0.75	0.75	0.375	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
752	G50B_075.0504	0.25	0.75	0.75	0.25	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
753	G50B_075.0624	0.125	0.75	0.75	0.125	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
754	G50B_075.0754	0.0	0.75	0.75	0.0	0.75	0.75	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
755	ROY_100.0374	0.875	0.625	1.0	0.875	0.625	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
756	ROY_100.0504	0.875	0.625	0.875	0.875	0.625	0.875	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
757	ROY_100.0624	0.75	0.625	0.625	0.75	0.625	0.625	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
758	NW_0624	0.625	0.625	0.625	0.625	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
759	G50B_062.0124	0.5	0.625	0.625	0.5	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
760	G50B_062.0254	0.375	0.625	0.625	0.375	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
761	G50B_062.0374	0.25	0.625	0.625	0.25	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
762	G50B_062.0504	0.125	0.625	0.625	0.125	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
763	G50B_062.0624	0.0	0.625	0.625	0.0	0.625	0.625	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
764	ROY_100.0504	1.0	0.5	1.0	0.5	1.0	1.0	1.0	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
765	ROY_100.0624	0.875	0.5	0.5	0.875	0.5	0.5	0.875	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
766	ROY_100.0754	0.75	0.5	0.5	0.75	0.5	0.5	0.75	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
767	ROY_100.0874	0.625	0.5	0.5	0.625	0.5	0.5	0.625	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
768	NW_0504	0.5	0.5	0.5	0.5	0.5	0.5	0.5	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
770	G50B_050.0124	0.375	0.5	0.5	0.375	0.5	0.5	0.5	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
771	G50B_050.0254	0.25	0.5	0.5	0.25	0.5	0.5	0.5	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
772	G50B_050.0374	0.125	0.5	0.5	0.125	0.5	0.5	0.5	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
773	G50B_050.0504	0.0	0.5	0.5	0.0	0.5	0.5	0.5	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
774	ROY_100.0624	1.0	0.375	0.375	1.0	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
775	ROY_100.0754	0.875	0.375	0.375	0.875	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
776	ROY_100.0874	0.75	0.375	0.375	0.75	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
777	ROY_100.1004	0.625	0.375	0.375	0.625	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
778	ROY_050.0124	0.5	0.375	0.375	0.5	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
779	NW_0374	0.375	0.375	0.375	0.375	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
780	G50B_037.0124	0.25	0.375	0.375	0.25	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
781	G50B_037.0254	0.125	0.375	0.375	0.125	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
782	G50B_037.0374	0.0	0.375	0.375	0.0	0.375	0.375	0.375	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
784	ROY_100.0754	1.0	0.25	0.25	1.0	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
785	ROY_100.1004	0.875	0.25	0.25	0.875	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
786	G50B_025.0124	0.75	0.25	0.25	0.75	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
787	G50B_025.0254	0.625	0.25	0.25	0.625	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
788	ROY_050.0374	0.5	0.25	0.25	0.5	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
789	NW_0254	0.375	0.25	0.25	0.375	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
790	G50B_025.0124	0.25	0.25	0.25	0.25	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
791	G50B_025.0254	0.0	0.25	0.25	0.0	0.25	0.25	0.25	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
792	ROY_100.0874	1.0	0.125	0.125	1.0	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
793	ROY_100.1004	0.875	0.125	0.125	0.875	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
794	ROY_050.0624	0.75	0.125	0.125	0.75	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
795	ROY_050.0754	0.625	0.125	0.125	0.625	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
796	ROY_050.0874	0.5	0.125	0.125	0.5	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
797	ROY_050.1004	0.375	0.125	0.125	0.375	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
798	ROY_025.0124	0.25	0.125	0.125	0.25	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
799	NW_0124	0.125	0.125	0.125	0.125	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
800	G50B_012.0124	0.0	0.125	0.125	0.0	0.125	0.125	0.125	325.2	0.0	0.0	95.4	95.4	0.0	0.0	0.0	0.0
801	ROY_100.1004	0.875	0.0	0.0	0.875	0.0	0.0	0.0	325.2	0.0	0.0	95.4	95.4	0			







Table with 30 columns (n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, DF\*Fd, hsa\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd, LabCh\*Fd, rpb\*Fd) and 890 rows of numerical data.

Mean color difference of this page: delta E\* = 8.7



http://130.149.60.45/~farbmetrik/RE21/RE21LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE21; hue code: H\*d=B25Rd colors and differences, ΔE\*







n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
972	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
974	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
975	NW_037a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
976	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
977	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
978	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
979	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
980	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
981	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
983	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
992	NW_057a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
994	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
995	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
996	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
998	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
999	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1000	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
1001	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
1002	NW_037a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
1003	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
1004	NW_062a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
1005	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
1006	NW_087a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
1007	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1008	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1010	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1011	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1012	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1013	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1014	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1015	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1016	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1017	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1018	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1019	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1020	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1021	NW_086a	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1022	NW_093a	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1023	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1024	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1025	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1026	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1027	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1028	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1029	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1030	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1031	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1032	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1033	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1034	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1035	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1036	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1037	NW_086a	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1038	NW_093a	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1039	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1040	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1041	NW_006a	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1042	NW_013a	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1043	NW_020a	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1044	NW_026a	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1045	NW_033a	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1046	NW_040a	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1047	NW_046a	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1048	NW_053a	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1049	NW_060a	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1050	NW_066a	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1051	NW_073a	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1052	NW_080a	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

Mean color difference of this page:

delta E\* = 1.6

input: rgb/cmyk -> rgbd  
output: transfer to rgbd

TUB-test chart RE21; hue code: H\*\_d=B25Rd  
colors and differences, ΔE\*'

RE21-70; Page 28/29-F

