

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 38 52 -28 59 331

$HIC^*_{-,Ma}$: B25R_100_100_

$rgbic^*_{-,Ma}$:



0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE22/RE22.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-RE22/RE22L0NA.TXT /PS
application for measurement of display output

TUB material: code=rh4ta

1-013030-L0 RE220-7N

TUB-test chart RE22; hue code: $H^*_- = B25R_-$
Test chart according to DIN 33872, 3D=0, de=1, sRGB

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change




Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = B25R_e$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 38 52 -90 104 300



$HIC^*_{e,Ma}$: B25R_100_100_e

$rgbic^*_{e,Ma}$:
0.0 0.27 1.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data



H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352






see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, d_{dx361M}, LAB*, d_{dx361M} (x=LabCh), r_{gb}^a, d_{dsx361M}, LAB*, d_{dsx361M} (x=LabCh), r_{gb}^a, d_{dex361M}, LAB*, d_{dex361M}) and rows of color data.



TUB-test chart RE22; hue code: H*_e=B25R_e Test chart according to DIN 33872, 3D=0, de=1, sRGB

input: rgb/cmyk -> rgb_e output: transfer to rgb_e


see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, d_s361Mi, LAB^{*}, d_{sx}361Mi (x=LabCh), R_d, r_{gb}^{*}, d_s361Mi, LAB^{*}, d_{sx}361Mi (x=LabCh), R_s, r_{gb}^{*}, d_e361Mi, LAB^{*}, d_{ex}361Mi (x=LabCh), R_e, r_{gb}^{*}, d_s361Mi, r_{gb}^{*}, d_s361Mi, r_{gb}^{*}, d_e361Mi, r_{gb}^{*}, d_s361Mi, r_{gb}^{*}, d_e361Mi. Rows 40-82.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi																					
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0					

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
139	165	175	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139	0.0 1.0 0.742 85.3	-62.5 16.8 64.8 165	0.0 1.0 0.25 0.0	0.0 1.0 0.847 85.9	-56.4 4.0 56.7 175	0.0 1.0 0.25 0.0
139	166	176	0.0 1.0 0.266 83.8	-80.2 67.6 104.9 139	0.0 1.0 0.753 85.4	-61.8 15.4 63.8 166	0.0 1.0 0.267 0.0	0.0 1.0 0.856 85.9	-55.9 3.1 56.0 176	0.0 1.0 0.267 0.0
140	167	177	0.0 1.0 0.283 83.8	-79.9 66.1 103.7 140	0.0 1.0 0.763 85.4	-61.4 14.2 63.1 167	0.0 1.0 0.283 0.0	0.0 1.0 0.864 86.0	-55.2 2.2 55.4 177	0.0 1.0 0.283 0.0
140	168	178	0.0 1.0 0.3 83.8	-79.6 64.6 102.5 140	0.0 1.0 0.772 85.5	-60.9 13.0 62.4 168	0.0 1.0 0.3 0.0	0.0 1.0 0.873 86.0	-54.6 1.3 54.7 178	0.0 1.0 0.3 0.0
141	169	179	0.0 1.0 0.316 83.9	-79.2 63.1 101.3 141	0.0 1.0 0.782 85.5	-60.4 11.8 61.7 169	0.0 1.0 0.317 0.0	0.0 1.0 0.88 86.1	-54.2 0.4 54.3 179	0.0 1.0 0.317 0.0
141	170	180	0.0 1.0 0.333 83.9	-78.8 61.7 100.1 141	0.0 1.0 0.791 85.6	-59.9 10.6 60.9 170	0.0 1.0 0.333 0.0	0.0 1.0 0.887 86.1	-53.9 -0.3 54.0 180	0.0 1.0 0.333 0.0
142	171	181	0.0 1.0 0.35 83.9	-78.4 60.2 98.9 142	0.0 1.0 0.801 85.6	-59.4 9.4 60.2 171	0.0 1.0 0.35 0.0	0.0 1.0 0.893 86.2	-53.5 -1.2 53.6 181	0.0 1.0 0.35 0.0
142	172	182	0.0 1.0 0.366 84.0	-78.0 58.8 97.7 142	0.0 1.0 0.81 85.7	-58.8 8.3 59.5 172	0.0 1.0 0.367 0.0	0.0 1.0 0.9 86.2	-53.2 -2.0 53.3 182	0.0 1.0 0.367 0.0
143	173	183	0.0 1.0 0.383 84.0	-77.6 57.2 96.4 143	0.0 1.0 0.82 85.7	-58.2 7.2 58.8 173	0.0 1.0 0.383 0.0	0.0 1.0 0.906 86.3	-52.8 -2.9 53.0 183	0.0 1.0 0.383 0.0
144	174	184	0.0 1.0 0.4 84.0	-77.1 55.4 94.9 144	0.0 1.0 0.829 85.8	-57.6 6.1 58.1 174	0.0 1.0 0.4 0.0	0.0 1.0 0.913 86.3	-52.4 -3.7 52.6 184	0.0 1.0 0.4 0.0
145	175	185	0.0 1.0 0.416 84.1	-76.6 53.6 93.5 145	0.0 1.0 0.839 85.8	-57.0 5.0 57.3 175	0.0 1.0 0.417 0.0	0.0 1.0 0.919 86.3	-52.0 -4.5 52.3 185	0.0 1.0 0.417 0.0
145	176	185	0.0 1.0 0.433 84.1	-76.1 51.8 92.1 145	0.0 1.0 0.848 85.9	-56.4 4.0 56.6 176	0.0 1.0 0.433 0.0	0.0 1.0 0.926 86.4	-51.6 -5.3 52.0 185	0.0 1.0 0.433 0.0
146	177	186	0.0 1.0 0.45 84.2	-75.6 50.0 90.6 146	0.0 1.0 0.857 86.0	-55.7 2.9 55.9 177	0.0 1.0 0.45 0.0	0.0 1.0 0.932 86.4	-51.2 -6.1 51.6 186	0.0 1.0 0.45 0.0
147	178	187	0.0 1.0 0.466 84.2	-75.0 48.3 89.2 147	0.0 1.0 0.867 86.0	-55.1 1.9 55.2 178	0.0 1.0 0.467 0.0	0.0 1.0 0.939 86.5	-50.7 -6.8 51.3 187	0.0 1.0 0.467 0.0
147	179	188	0.0 1.0 0.483 84.3	-74.4 46.6 87.8 147	0.0 1.0 0.876 86.1	-54.4 1.0 54.5 179	0.0 1.0 0.483 0.0	0.0 1.0 0.945 86.5	-50.3 -7.6 51.0 188	0.0 1.0 0.483 0.0
148	180	189	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148	0.0 1.0 0.883 86.1	-54.1 0.0 54.2 180	0.0 1.0 0.5 0.0	0.0 1.0 0.952 86.6	-49.8 -8.3 50.6 189	0.0 1.0 0.5 0.0
149	181	190	0.0 1.0 0.516 84.4	-73.2 42.9 84.8 149	0.0 1.0 0.89 86.2	-53.7 -0.8 53.8 181	0.0 1.0 0.517 0.0	0.0 1.0 0.958 86.6	-49.3 -9.1 50.3 190	0.0 1.0 0.517 0.0
150	182	191	0.0 1.0 0.533 84.4	-72.6 40.9 83.3 150	0.0 1.0 0.897 86.2	-53.3 -1.8 53.4 182	0.0 1.0 0.533 0.0	0.0 1.0 0.965 86.6	-48.9 -9.8 50.0 191	0.0 1.0 0.533 0.0
151	183	192	0.0 1.0 0.55 84.5	-71.9 39.0 81.8 151	0.0 1.0 0.905 86.2	-52.9 -2.7 53.1 183	0.0 1.0 0.55 0.0	0.0 1.0 0.971 86.7	-48.4 -10.5 49.6 192	0.0 1.0 0.55 0.0
152	184	193	0.0 1.0 0.566 84.5	-71.2 37.0 80.3 152	0.0 1.0 0.912 86.3	-52.5 -3.6 52.7 184	0.0 1.0 0.567 0.0	0.0 1.0 0.978 86.7	-47.9 -11.2 49.3 193	0.0 1.0 0.567 0.0
153	185	194	0.0 1.0 0.583 84.6	-70.5 35.2 78.8 153	0.0 1.0 0.919 86.3	-52.0 -4.5 52.3 185	0.0 1.0 0.583 0.0	0.0 1.0 0.984 86.8	-47.4 -11.9 48.9 194	0.0 1.0 0.583 0.0
154	186	195	0.0 1.0 0.6 84.6	-69.7 33.3 77.3 154	0.0 1.0 0.926 86.4	-51.6 -5.3 52.0 186	0.0 1.0 0.6 0.0	0.0 1.0 0.991 86.8	-46.8 -12.5 48.6 195	0.0 1.0 0.6 0.0
155	187	195	0.0 1.0 0.616 84.7	-68.9 31.5 75.8 155	0.0 1.0 0.933 86.4	-51.1 -6.2 51.6 187	0.0 1.0 0.617 0.0	0.0 1.0 0.997 86.9	-46.3 -13.2 48.3 195	0.0 1.0 0.617 0.0
156	188	196	0.0 1.0 0.633 84.8	-68.1 29.5 74.3 156	0.0 1.0 0.94 86.5	-50.6 -7.0 51.2 188	0.0 1.0 0.633 0.0	0.0 0.997 1.0 86.7	-45.8 -13.9 48.0 196	0.0 1.0 0.633 0.0
157	189	197	0.0 1.0 0.65 84.8	-67.4 27.4 72.8 157	0.0 1.0 0.947 86.5	-50.1 -7.9 50.8 189	0.0 1.0 0.65 0.0	0.0 0.992 1.0 86.3	-45.4 -14.5 47.8 197	0.0 1.0 0.65 0.0
159	190	198	0.0 1.0 0.666 84.9	-66.7 25.4 71.3 159	0.0 1.0 0.955 86.6	-49.6 -8.7 50.5 190	0.0 1.0 0.667 0.0	0.0 0.987 1.0 86.0	-44.9 -15.2 47.5 198	0.0 1.0 0.667 0.0
160	191	199	0.0 1.0 0.683 85.0	-65.8 23.4 69.9 160	0.0 1.0 0.962 86.6	-49.1 -9.5 50.1 191	0.0 1.0 0.683 0.0	0.0 0.983 1.0 85.6	-44.4 -15.8 47.3 199	0.0 1.0 0.683 0.0
161	192	200	0.0 1.0 0.7 85.1	-65.0 21.4 68.4 161	0.0 1.0 0.969 86.7	-48.6 -10.2 49.7 192	0.0 1.0 0.7 0.0	0.0 0.978 1.0 85.3	-44.0 -16.4 47.1 200	0.0 1.0 0.7 0.0
163	193	201	0.0 1.0 0.716 85.2	-64.0 19.5 67.0 163	0.0 1.0 0.976 86.7	-48.0 -11.0 49.4 193	0.0 1.0 0.717 0.0	0.0 0.973 1.0 85.0	-43.5 -17.0 46.8 201	0.0 1.0 0.717 0.0
164	194	202	0.0 1.0 0.733 85.2	-63.1 17.6 65.5 164	0.0 1.0 0.983 86.8	-47.5 -11.8 49.0 194	0.0 1.0 0.733 0.0	0.0 0.968 1.0 84.6	-43.0 -17.6 46.6 202	0.0 1.0 0.733 0.0
165	195	203	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165	0.0 1.0 0.99 86.8	-46.9 -12.5 48.6 195	0.0 1.0 0.75 0.0	0.0 0.963 1.0 84.3	-42.5 -18.2 46.4 203	0.0 1.0 0.75 0.0
167	196	204	0.0 1.0 0.766 85.4	-61.2 13.7 62.8 167	0.0 1.0 0.997 86.9	-46.3 -13.2 48.3 196	0.0 1.0 0.767 0.0	0.0 0.958 1.0 83.9	-42.0 -18.8 46.1 204	0.0 1.0 0.767 0.0
169	197	205	0.0 1.0 0.783 85.5	-60.4 11.5 61.5 169	0.0 0.997 1.0 86.6	-45.8 -13.9 48.0 197	0.0 1.0 0.783 0.0	0.0 0.953 1.0 83.6	-41.5 -19.4 45.9 205	0.0 1.0 0.783 0.0
170	198	206	0.0 1.0 0.8 85.6	-59.5 9.5 60.2 170	0.0 0.991 1.0 86.3	-45.3 -14.6 47.7 198	0.0 1.0 0.8 0.0	0.0 0.949 1.0 83.2	-40.9 -19.9 45.7 206	0.0 1.0 0.8 0.0
172	199	206	0.0 1.0 0.816 85.7	-58.5 7.5 59.0 172	0.0 0.986 1.0 85.9	-44.8 -15.4 47.5 199	0.0 1.0 0.817 0.0	0.0 0.944 1.0 82.9	-40.4 -20.5 45.4 206	0.0 1.0 0.817 0.0
174	200	207	0.0 1.0 0.833 85.8	-57.4 5.5 57.7 174	0.0 0.981 1.0 85.5	-44.3 -16.0 47.2 200	0.0 1.0 0.833 0.0	0.0 0.939 1.0 82.5	-39.9 -21.0 45.2 207	0.0 1.0 0.833 0.0
176	201	208	0.0 1.0 0.85 85.9	-56.3 3.7 56.4 176	0.0 0.975 1.0 85.1	-43.7 -16.7 47.0 201	0.0 1.0 0.85 0.0	0.0 0.934 1.0 82.2	-39.3 -21.5 45.0 208	0.0 1.0 0.85 0.0
177	202	209	0.0 1.0 0.866 86.0	-55.1 1.9 55.2 177	0.0 0.97 1.0 84.7	-43.2 -17.4 46.7 202	0.0 1.0 0.867 0.0	0.0 0.929 1.0 81.8	-38.8 -22.1 44.7 209	0.0 1.0 0.867 0.0
180	203	210	0.0 1.0 0.883 86.1	-54.1 0.0 54.1 180	0.0 0.965 1.0 84.4	-42.7 -18.0 46.4 203	0.0 1.0 0.883 0.0	0.0 0.924 1.0 81.5	-38.2 -22.6 44.5 210	0.0 1.0 0.883 0.0
182	204	211	0.0 1.0 0.9 86.2	-53.2 -2.1 53.2 182	0.0 0.959 1.0 84.0	-42.1 -18.7 46.2 204	0.0 1.0 0.9 0.0	0.0 0.919 1.0 81.2	-37.7 -23.0 44.3 211	0.0 1.0 0.9 0.0
184	205	212	0.0 1.0 0.916 86.3	-52.2 -4.2 52.4 184	0.0 0.954 1.0 83.6	-41.5 -19.3 45.9 205	0.0 1.0 0.917 0.0	0.0 0.915 1.0 80.8	-37.1 -23.5 44.0 212	0.0 1.0 0.917 0.0
187	206	213	0.0 1.0 0.933 86.4	-51.1 -6.3 51.5 187	0.0 0.949 1.0 83.2	-41.0 -19.9 45.7 206	0.0 1.0 0.933 0.0	0.0 0.91 1.0 80.5	-36.5 -24.0 43.8 213	0.0 1.0 0.933 0.0
189	207	214	0.0 1.0 0.95 86.5	-50.0 -8.2 50.7 189	0.0 0.943 1.0 82.9	-40.4 -20.5 45.4 207	0.0 1.0 0.95 0.0	0.0 0.905 1.0 80.1	-35.9 -24.4 43.6 214	0.0 1.0 0.95 0.0
191	208	215	0.0 1.0 0.966 86.6	-48.8 -10.1 49.8 191	0.0 0.938 1.0 82.5	-39.8 -21.1 45.2 208	0.0 1.0 0.967 0.0	0.0 0.9 1.0 79.8	-35.3 -24.9 43.3 215	0.0 1.0 0.967 0.0
194	209	216	0.0 1.0 0.983 86.7	-47.5 -11.8 48.9 194	0.0 0.933 1.0 82.1	-39.2 -21.7 44.9 209	0.0 1.0 0.983 0.0	0.0 0.895 1.0 79.4	-34.8 -25.3 43.1 216	0.0 1.0 0.983 0.0
196	210	216	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196	0.0 0.927 1.0 81.7	-38.6 -22.2 44.7 210	0.0 1.0 1.0 0.0	0.0 0.89 1.0 79.1	-34.2 -25.7 42.9 216	0.0 1.0 1.0 0.0

see similar files: <http://130.149.60.45/~farbmetrik/RE22/RE22.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE22/RE22L0NA.TXT / PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}), LAB* tables (LAB*_{ds361Mi}, LAB*_{dsx361Mi}, LAB*_{de361Mi}, LAB*_{dex361Mi}), and r_{gb}* tables (r_{gb}*_{dd361Mi}, r_{gb}*_{ds361Mi}, r_{gb}*_{ds}, r_{gb}*_{de}). Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab}, r_{gb}, LAB*) and rows for 311 different color samples. Includes sub-headers for 'x=LabCh' and 'B_d'.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22LONA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rha4ta




Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 48 rows and 24 columns. Columns include device color codes (h_{ab,d} h_{ab,s} h_{ab,e}), colorimetric data (rgb*dd361M, LAB*dsx361Mi), and device color codes (h_{ab,d} h_{ab,s} h_{ab,e}). Rows 329-341 are highlighted in pink.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*; *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours *RYGCBM_d*; *h_{ab,d}* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGCBM_e*; *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb[*]_{dd361M}</i>	<i>LAB[*]_{ddx361Mi (x=LabCh)}</i>	<i>rgb[*]_{ds361Mi}</i>	<i>LAB[*]_{dsx361Mi (x=LabCh)}</i>	<i>rgb[*]_{dd361Mi}</i>	<i>LAB[*]_{de361Mi}</i>	<i>rgb[*]_{dex361Mi (x=LabCh)}</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{dd}</i>	<i>rgb[*]_{ds}</i>	<i>rgb[*]_{de}</i>
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





TUB registration: 20130201-RE22/RE22LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/29

Table with 80 columns (m=1 to 80) and 80 rows (n=1 to 80). Columns include: m=J, H/C*Fe, r/gb*Fe, i/cr*Fe, h/s*Fe, r/gb*Fe, LabC*Fe, LabCH*Fe, DF*Fe, h/s*Fe, r/gb*Fe, LabCH*Fe. Each cell contains numerical data representing color differences and linearization parameters.

Mean color difference of this page: delta E* = 39.7

input: rgb/cmlyk -> rgbe output: transfer to rgbe



see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/29

Table with 24 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe. The table contains numerical data for each row, representing color calibration parameters.

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to rgbe

delta E* = 30.9

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

Table with columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows 405-485.

delta E* = 14.9

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

RE220-TN; Page 21/29-F

L-0132030-F0

L-0132030-F0

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/29

Table with 20 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows 486-566.

Mean color difference of this page: delta E* = 12.8

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 15 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

delta E* = 12.3

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to rgbe



TUB-test chart RE22; hue code: H*e=B25Re colors and differences, AE*'

RE220-TN; Page 23/29-F

L-0132230-F0

TUB registration: 20130201-RE22/RE22L0NA.TXT /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	83.9	0.0	325.2	1.0	95.4
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	89.7	0.0	325.2	1.0	95.4
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	325.2	1.0	95.4
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	95.4
1057	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	4.4	0.0	326.3	1.0	95.4
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	12.0	0.0	325.6	1.0	95.4
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	19.7	0.0	325.5	1.0	95.4
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	27.0	0.0	325.4	1.0	95.4
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	34.0	0.0	325.3	1.0	95.4
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	40.8	0.0	325.4	1.0	95.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	47.3	0.0	325.4	1.0	95.4
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	53.7	0.0	325.3	1.0	95.4
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	60.0	0.0	325.3	1.0	95.4
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	66.1	0.0	325.2	1.0	95.4
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	72.3	0.0	325.2	1.0	95.4
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	78.1	0.0	325.2	1.0	95.4
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	83.9	0.0	325.2	1.0	95.4
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	89.7	0.0	325.2	1.0	95.4
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	325.2	1.0	95.4
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	95.4
1073	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	4.4	0.0	325.2	1.0	95.4
1074	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	325.2	1.0	95.4
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	95.4
1076	Y06G_100_100e	0.0	1.0	1.0	0.0	0.889	1.0	86.8	-46.1	196.3	1.0	95.4
1077	B00L_100_100e	0.0	1.0	1.0	0.5	0.0	0.0	20.6	90.7	102.8	1.0	95.4
1078	B00R_100_100e	0.0	1.0	1.0	0.5	0.0	0.0	20.6	90.7	102.8	1.0	95.4
1079	B50R_100_100e	0.0	1.0	1.0	0.5	0.0	0.0	20.6	90.7	102.8	1.0	95.4

Mean color difference of this page: $\Delta E^* = 9.3$

http://130.149.60.45/~farbmetrik/RE22/RE22L0NA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

input: rgb/cmyk -> rgb
 output: transfer to rgb

see similar files: <http://130.149.60.45/~farbmetrik/RE22/RE22.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>