

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 38\ 52\ -28\ 59\ 331$



$HIC^*_{-,Ma}: B25R_100_100_$

$rgbic^*_{-,Ma}: 0.5\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22L0NP.PDF /.PS
application for measurement of display output

TUB material: code=rh4ta



TUB-test chart RE22; hue code: $H^*_- = B25R_-$
Test chart according to DIN 33872, 3D=0, de=1, sRGB

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change




Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = B25R_e$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):



$LabCh^*_{e, Ma}: 38\ 52\ -90\ 104\ 300$
 $HIC^*_{e, Ma}: B25R_100_100_e$
 $rgbic^*_{e, Ma}: 0.0\ 0.27\ 1.0\ 1.0\ 1.0$

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352

triangle lightness T^*



%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_d, LAB*) and elementary colors (r_{gb}^a, d_d, LAB*). Rows list various colorimetric data points.

1-013330-L0 RE220-71 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 4/29


TUB-test chart RE22; hue code: H*_e=B25R_e Test chart according to DIN 33872, 3D=0, de=1, sRGB

input: rgb/cmyk -> rgb_e output: transfer to rgb_e

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22L0NP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-RE22/RE22L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.605 0.0 1.0	42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.811 0.0 1.0	49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{dd361M}	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0	1.0	0.773	0.0	78.8	6.3	80.8	81.2	85	1.0	0.896	0.0	1.0	0.783	0.0	79.3	5.3	80.9	81.3	86	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.2	81.4	81.6	85	1.0	0.9	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	1.0	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0	1.0	0.982	1.0	0.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0	1.0	0.963	1.0	0.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0	1.0	0.944	1.0	0.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0	0.998	1.0	0.0	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	0.981	1.0	0.0	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	0.965	1.0	0.0	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	0.949	1.0	0.0	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	0.933	1.0	0.0	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	0.917	1.0	0.0	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	0.901	1.0	0.0	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	0.884	1.0	0.0	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	0.868	1.0	0.0	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	0.85	1.0	0.0	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	0.832	1.0	0.0	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	0.814	1.0	0.0	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.0	0.0	0.797	1.0	0.0	0.797	1.0	0.0	89.3	-40.4	86.9	95.9	115	0.583	1.0	0.0	0.779	1.0	0.0	0.779	1.0	0.0	89.0	-42.1	86.5	96.3	116	0.567	1.0	0.0	0.761	1.0	0.0	0.761	1.0	0.0	88.7	-43.8	86.1	96.6	117	0.55	1.0	0.0	0.742	1.0	0.0	0.742	1.0	0.0	88.4	-45.5	85.8	97.1	118	0.533	1.0	0.0	0.721	1.0	0.0	0.721	1.0	0.0	88.2	-47.3	85.5	97.8	119	0.517	1.0	0.0	0.7	1.0	0.0	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0

1-013630-L0 RE220-71 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 7/29

TUB-test chart RE22; hue code: $H^*_e=B25R_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

see similar files: <http://130.149.60.45/~farbmetrik/RE22/RE22.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns of colorimetric data including h_{ab,d}, h_{ab,s}, h_{ab,e}, and various LAB* and RGB* values for 48 different hue angles.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_dds361Mi (x=LabCh), C_d, r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), 210C_s, r_{gb}*_dd361Mi, LAB*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 301-311.

TUB-test chart RE22; hue code: H*_e=B25R_e
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_e
output: transfer to r_{gb}_e

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta


Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 48 rows and 24 columns. Columns include device color codes (h_{ab,d}, h_{ab,s}, h_{ab,e}), colorimetric data (rgb*dd361M, LAB*dsx361Mi), and device color codes (h_{ab,d}, h_{ab,s}, h_{ab,e}). The table is organized into three main sections: device colors, elementary colors, and maximum color M.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 40 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, LAB^{*}de361Mi, dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^add, r_{gb}^bds, r_{gb}^cde. Rows 341-400.

see similar files: http://130.149.60.45/~farbmetrik/RE22/RE22.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE22/RE22LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta





<i>nif</i>	<i>HhC*</i> Fe	<i>rgb*</i> Fe	<i>ict*</i> Fe	<i>hs*</i> Fe	<i>rgb*</i> Fe	<i>LabCH*</i> Fe	<i>rgb*</i> Fe	<i>LabCH*</i> Fe	<i>DF*</i> Fe	<i>hs*</i> Me	<i>rgb*</i> Me	<i>LabCH*</i> Me
01668	ROY1_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
06648	R25Y_100_100k	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37824	R50Y_100_100k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
62640	R75Y_100_100k	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
74720	Y00G_100_100k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55858	Y25G_100_100k	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
63966	Y50G_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
72324	Y75G_100_100k	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8772	G00B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9772	G025B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10776	G50B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11440	G75B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12880	G50B_100_100k	0.0	0.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1348	B00M_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14332	B25R_100_100k	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15656	B50R_100_100k	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16768	B75R_100_100k	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18688	ROY1_100_050k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
19706	R50Y_100_050k	1.0	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
20724	Y00G_100_050k	1.0	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
22460	Y25G_100_050k	0.75	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
23400	Y50G_100_050k	0.5	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
24340	Y75G_100_050k	0.25	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
25692	B50R_100_050k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
26688	ROY1_100_050k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
27506	ROY1_075_050k	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
28524	R50Y_075_050k	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
29542	Y00G_075_050k	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
30380	Y50G_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
31218	G00B_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
32222	G50B_075_050k	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
33186	B00R_075_050k	0.25	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
34510	B50R_075_050k	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
35506	ROY1_050_050k	0.75	0.25	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5
36324	ROY1_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
37342	R50Y_050_050k	0.5	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
38360	Y00G_050_050k	0.5	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
39198	Y50G_050_050k	0.25	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
40336	G00B_050_050k	0.0	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
41440	G50B_050_050k	0.0	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
4244	B00R_050_050k	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
43328	B50R_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
44324	ROY1_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
450	NW_00k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4691	NW_01k	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47182	NW_02k	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48273	NW_03k	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49364	NW_04k	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50455	NW_05k	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51546	NW_06k	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52637	NW_07k	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53728	NW_10k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E* = 21.3

input: rgb/cmyk -> rgbe
output: transfer to rgbe

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/29









Table with 80 columns (m=1 to m=80) and 80 rows (n=1 to n=80). Columns include: m=1, H/C*, Rgb, i/c, Fe, Hs, Fe, Rgb, Fe, LabC*Fe, LabCH*Fe, Df*, Fe, Hs, Fe, Rgb, Fe, LabC*Fe, LabCH*Fe, Delta E*. Each cell contains numerical values representing color differences and linearization data.







input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

RE220-TN; Page 1629-F

Mean color difference of this page: delta E* = 39.7



http://130.149.60.45/~farbmatrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

Table with columns: n, HHC*Fe, rGb*Fe, iEt*Fe, HsL*Fe, rGb*Fe, LabCH*Fe, iEt*Fe, HsL*Fe, rGb*Fe, LabCH*Fe, rGb*Fe, LabCH*Fe, DF*Fe, HsM*Fe, rGb*Fe, LabCH*Fe, and delta E* = 36.3. The table contains 161 rows of color calibration data.











Table with 24 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, rpb*Fe, Hs*Fe, Hs*Fe. Rows 162-242.

Mean color difference of this page: delta E* = 30.9



input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, AE*



http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

Table with 32 columns (n, HHC*Fe, rpb*Fe, iet*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe) and 32 rows of numerical data.

delta_E* = 24.5

Mean color difference of this page:

RE220-TN, Page 19/29-F

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*







Table with 26 columns: n, HHC*Fe, rgb*Fe, icr*Fe, Hs_Fe, rgb*Fe, LabCIE*Fe, LabCIE*Fe, LabCIE*Fe, LabCIE*Fe, rgb*Fe, DF*Fe, Hs*Me, rgb*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me, LabCIE*Me. Contains 404 rows of numerical data.

Mean color difference of this page: delta E* = 18.8



http://130.149.60.45/~farbmatrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

RE220-TN, Page 20/29-F

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

Table with 10 columns: n, HHC*Fc, rpb*Fc, icr*Fc, Hs*Fc, rpb*Fc, LabCh*Fc, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Me, rpb*Me, LabCh*Me, and a final column for delta E* = 14.9. The table contains 485 rows of numerical data.

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

RE220-TN; Page 21/29-F

L-0137030-F0

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/29

Table with 20 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe. Rows 486-566.

delta E* = 12.8

Mean color difference of this page:

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to rgbe

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 15 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows 567-647.

Mean color difference of this page: delta E* = 12.3

input: rgb/cmyk -> rgbe output: transfer to rgbe

Table with 728 rows and 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, LabC*Fe. Each row contains numerical data for various color and difference metrics.

Mean color difference of this page: delta E* = 12.8

input: rgb/cmyk -> rgbe output: transfer to rgbe

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29

RE220-TN, Page 24/29-F

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29

Table with 10 columns: n, HiC*Fe, rgb*Fe, iet*Fe, ias*Fe, rrgb*Fe, LabC*Fe, LabCH*Fe, DF*Fe, HaM*Fe, rrgb*Fe, LabCH*Fe, LabCH*Fe, delta E* = 11.2

input: rgb/cmyk -> rgbe output: transfer to rgbe







Table with 30 columns (n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, Hs*Fe) and 30 rows of data.





input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

RE220-TN; Page 26/29-F

L-0132530-F0





http://130.149.60.45/~farbmetrik/RE22/RE22LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

Table with 10 columns: n, HbC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC*Fe, LabC*Fe, rpb*Fe, LabC*Fe. It contains a large grid of numerical data for various color and difference measurements.



Mean color difference of this page: delta E* = 22.0

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart RE22; hue code: H*e=B25Re colors and differences, ΔE*

TUB registration: 20130201-RE22/RE22L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/RE22/RE22L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29





n	HC*Fe	rgb_Fe	iet_Fe	hs_Fe	rgb*Fe	LabCH*Fe	hs_Me	DF*Fe	rgb*Me	LabCH*Me	hs_Me
1053	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.0	0.0	0.0	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.0	0.0	0.0	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	0.0	0.0	0.0	0.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	6.2	0.066	0.066	0.066	4.4	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	12.6	0.133	0.133	0.133	12.0	0.133
1059	NW_020e	0.2	0.2	0.2	0.2	19.0	0.2	0.2	0.2	19.7	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	25.3	0.266	0.266	0.266	27.0	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	31.7	0.333	0.333	0.333	34.0	0.333
1062	NW_040e	0.4	0.4	0.4	0.4	38.1	0.4	0.4	0.4	40.8	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	44.4	0.466	0.466	0.466	47.3	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	50.8	0.533	0.533	0.533	53.7	0.533
1065	NW_060e	0.6	0.6	0.6	0.6	57.2	0.6	0.6	0.6	60.0	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	63.5	0.666	0.666	0.666	66.1	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	70.0	0.734	0.734	0.734	72.3	0.734
1068	NW_080e	0.8	0.8	0.8	0.8	76.3	0.8	0.8	0.8	78.1	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.866	0.866	85.9	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.933	0.933	92.7	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	1.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	1.0
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
1075	G50B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0
1076	Y06G_100_100e	1.0	1.0	0.0	0.0	0.0	0.889	1.0	0.889	1.0	0.889
1077	B00L_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B00R_100_100e	0.0	0.0	1.0	0.0	0.0	0.609	1.0	0.609	1.0	0.609
1079	B50R_100_100e	1.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	1.0

delta E** = 9.3

Mean color difference of this page:

input: rgb/cmyk -> rgbe
 output: transfer to rgbe

see similar files: <http://130.149.60.45/~farbmetrik/RE22/RE22.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



I-0132830-F0

RE220-TN, Page 29/29-F

TUB-test chart RE22; hue code: H*_e=B25Re
 colors and differences, ΔE^{**}