

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 38\ 52\ -28\ 59\ 331$

$HIC^*_{-,Ma}: B25R_100_100_$



$rgbic^*_{-,Ma}: 0.5\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE25/RE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE25/RE25L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rh4ta

1-013030-L0 RE250-7N

TUB-test chart RE25; hue code: $H^*_- = B25R_-$
Test chart according to DIN 33872, 3D=0, de=1, *cm*yk

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = B25R_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 26 \ 26 \ -45 \ 52 \ 300$



$HIC^*_{e, Ma}: B25R_100_100_e$

$rgbic^*_{e, Ma}: 0.04 \ 0.0 \ 1.0 \ 1.0 \ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE25/RE25.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>








TUB registration: 20150701-RE25/RE25L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta

1-013130-L0 RE250-71

TUB-test chart RE25; hue code: $H^*_e = B25R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

1-013130-F0







1-013230-L0 RE250-71

TUB-test chart RE25; hue code: $H^*_e=B25R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

1-013230-E0






1-013430-L0 RE250-71

TUB-test chart RE25; hue code: $H^*_e=B25R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 26 \ 26 \ -45 \ 52 \ 300$

$HIC^*_{e, Ma}: B25R_100_100_e$

$rgbic^*_{e, Ma}$:

0.04 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$


ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352




Data of Maximum color, M in colorimetric system Offset standard print; separation cmy6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_e: $h_{ab,de} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


device CIELAB (a^*_d, b^*_d) chroma diagram



elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{max} use for any device values rgb^*_s the equation:

$$h_{abs} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 88 rows and 10 columns. Columns include device and elementary color hue angles (h_ab,d, h_ab,s, h_ab,e), LabCh coordinates (L*, a*, b*), and RGB values (R, G, B) for various color separations (e.g., rgb*_ds361MI, rgb*_dxs361MI, rgb*_dss361MI, rgb*_dsc361MI, rgb*_d361MI, rgb*_de361MI, rgb*_dex361MI, rgb*_ds361MI, rgb*_dd361MI, rgb*_d361MI).

I-013930-L0 RE250-71 LAB*lab,0, YN=0%, XYZnw=2,4,2,5,2,6,85,1,88,8,104,3, LAB*rw=17,7,0,0,0,95,5,0,0,0,0

TUB-test chart RE25; hue code: H*_e=B25Re 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rge output: transfer to cmyke

Output: Offset standard print; separation cmyk6*: D65, page 10/36

http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dcs361M, LAB*_dcs361M(x=LabCh), rgb*_dd361M, LAB*_dex361M(x=LabCh), rgb*_dd361M, LAB*_dex361M(x=LabCh), rgb*_dd361M, LAB*_dex361M(x=LabCh). Rows 115-170.

see similar files: http://130.149.60.45/~farbmetrik/RE25/RE25.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart RE25; hue code: H*_e=B25Re 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgb output: transfer to cmyk

Output: Offset standard print; separation cmyk6*: D65, page 12/33





http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dd361MI}(x=LabCh)$	$rgb^*_{de361MI}$	$LAB^*_{de361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	rgb^*_{ds}	rgb^*_{de}									
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.7	-59.7	4.3	59.9	175	0.0	1.0	0.25
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176	0.0	1.0	0.267
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177	0.0	1.0	0.283
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178	0.0	1.0	0.3
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179	0.0	1.0	0.317
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180	0.0	1.0	0.333
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181	0.0	1.0	0.35
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182	0.0	1.0	0.367
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183	0.0	1.0	0.383
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184	0.0	1.0	0.4
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185	0.0	1.0	0.417
186	176	186	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	186	0.0	1.0	0.433
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186	0.0	1.0	0.45
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187	0.0	1.0	0.467
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188	0.0	1.0	0.483
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189	0.0	1.0	0.5
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190	0.0	1.0	0.517
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191	0.0	1.0	0.533
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192	0.0	1.0	0.55
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193	0.0	1.0	0.567
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194	0.0	1.0	0.583
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195	0.0	1.0	0.6
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195	0.0	1.0	0.617
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.633
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197	0.0	1.0	0.65
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198	0.0	1.0	0.667
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199	0.0	1.0	0.683
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200	0.0	1.0	0.7
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201	0.0	1.0	0.717
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202	0.0	1.0	0.733
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203	0.0	1.0	0.75
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	56.0	-44.2	-23.3	50.1	207	0.0	1.0	0.833
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208	0.0	1.0	0.85
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209	0.0	1.0	0.867
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210	0.0	1.0	0.883
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211	0.0	1.0	0.9
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212	0.0	1.0	0.917
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213	0.0	1.0	0.933
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214	0.0	1.0	0.95
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215	0.0	1.0	0.967
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216	0.0	1.0	0.983
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0

I-0131230-L0 RE250-71 LAB* h_{ab} , YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB* nw =17.7, 0.0, 0.0, 95.5, 0.0, 0.0
Output: Offset standard print; separation cmyk6*; D65, page 13/36

TUB-test chart RE25; hue code: H* $_{\epsilon}$ =B25Re
48 step hue circles; $rgb-LabCh$ *tables
input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$



http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF / PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

Table with columns: nuf, HHC*Fe, RgB*Fe, iCt*Fe, Hs*Fe, RgB*Fe, LabCh*Fe, RgB*Fe, LabCh*Fe, DF*Fe, Hs*Me, RgB*Me, LabCh*Me, RgB*Me, LabCh*Me. Rows include various color and registration patches like 0/668, 1/668, 2/684, etc.

Mean color difference of this page: delta E* = 12.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE25; hue code: H*_e=B25Re colors and differences, ΔE*'

http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rgb*Fe, icr*Fe, hsa*Fe, LabCh*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, DF*Fe, Hsa*Fe, rgb*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe, LabCh*Fe. Rows 81-161.

Mean color difference of this page: delta E* = 11.2

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

RE250-TN; Page 21/33-F

http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33





Table with 24 columns: n, HHC*Fe, rpb*Fe, icr*Fe, HsL*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, rpb*Fe, LabC*Fe, DF*Fe, HsM*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page:

RE250-TN, Page 22/33-F

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke



http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

input: rgb/cmyk -> rgbe output: transfer to cmyke

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows 324-404.

Mean color difference of this page: delta E* = 12.8

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/RE25/RE25LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC*Fe, LabM*Fe, LabY*Fe, LabC*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabC*Fe, LabM*Fe, LabY*Fe. Rows 405-485.

Mean color difference in this page: delta E* = 7.2

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

I-0132430-F0

RE250-TN; Page 25/33-F

I-0132430-F0

http://130.149.60.45/~farbmatrik/RE25/RE25LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hs*Fe, LabCH*Fe, LabCH*Fe. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page: delta E* = 12.8

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Me, rpb*Me, LabCH*Me, LabCH*Me. Rows 567-647.

Mean color difference of this page: delta E* = 13.3

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

I=1032630-F0

RE250-TN; Page 27/33-F

http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe. Rows list various color patches and their corresponding colorimetric values.

RE250-TN, Page 28/33-F

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmyke

Mean color difference of this page:



delta E* = 14.4

http://130.149.60.45/~farbmetrik/RE25/RE25LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 15 columns: n, H* C* M*, rg b*, i c t*, i s, F, r g b*, L a b C H*, L a b C H*, r g b*, D F*, H a M*, r g b*, L a b C H*, M e a n c o l o r d i f f e r e n c e. Rows include color names like NV_100, G50B_100, etc.

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33



Table with 15 columns: n, H* C* M*, r* g* b*, i* e* r*, i* s* a*, r* g* b*, L* a* b* C* H* M*, L* a* b* C* H* M*, r* g* b*, D* F* i*, H* a* M*, r* g* b*, L* a* b* C* H* M*. Rows 972-1052.


Mean color difference of this page: delta E* = 5.5

input: rgb/cmyk -> rgbe output: transfer to cmyk

RE250-TN, Page 32,33-F

TUB-test chart RE25; hue code: H*_e=B25Re colors and differences, ΔE*'





http://130.149.60.45/~farbmetrik/RE25/RE25L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	LabCIP*Fe	LabCIP*Fe	rgb*Fe	LabCIP*Fe	DF*Fe	Hs*Fe	rgb*Fe	LabCIP*Fe	LabCIP*Fe	DF*Fe	Hs*Fe	rgb*Me	LabCIP*Me	DF*Me	Hs*Me
1053	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.866	0.866	89.4	0.1	204.5	1.0	1.0	360	360
1054	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.933	0.933	92.2	0.0	177.8	1.0	1.0	360	360
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	1.0	1.0	95.4	0.0	61.5	1.0	1.0	360	360
1056	NW_100e	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	18.7	0.1	96.3	1.0	1.0	360	360
1057	NW_100e	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.066	0.066	22.3	0.0	151.6	1.0	1.0	360	360
1058	NW_013e	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.133	0.133	30.4	0.0	242.3	1.0	1.0	360	360
1059	NW_020e	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.2	0.2	35.6	0.0	243.3	1.0	1.0	360	360
1060	NW_026e	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.266	0.266	45.6	0.0	240.2	1.0	1.0	360	360
1061	NW_033e	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.333	0.333	51.9	0.0	234.3	1.0	1.0	360	360
1062	NW_040e	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.4	0.4	57.3	0.0	234.3	1.0	1.0	360	360
1063	NW_046e	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.466	0.466	61.7	0.0	234.5	1.0	1.0	360	360
1064	NW_053e	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.533	0.533	67.0	0.0	235.2	1.0	1.0	360	360
1065	NW_060e	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.6	0.6	72.1	0.0	233.5	1.0	1.0	360	360
1066	NW_066e	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.666	0.666	76.7	0.0	225.3	1.0	1.0	360	360
1067	NW_073e	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.734	0.734	80.9	0.0	221.2	1.0	1.0	360	360
1068	NW_080e	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.8	0.8	84.8	0.0	225.8	1.0	1.0	360	360
1069	NW_086e	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.866	0.866	89.3	0.0	125.8	1.0	1.0	360	360
1070	NW_093e	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.933	0.933	92.2	0.0	92.4	1.0	1.0	360	360
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	0.0	0.0	1.0	1.0	95.4	0.0	78.4	1.0	1.0	360	360
1072	NW_100e	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	18.7	0.1	75.2	1.0	1.0	360	360
1073	NW_100e	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.066	0.066	22.3	0.0	237.9	1.0	1.0	360	360
1074	ROY_100_100e	1.0	0.0	1.0	0.5	99.0	0.0	0.0	1.0	0.5	95.6	0.0	51.4	1.0	0.5	378	195
1075	GY0B_100_100e	0.0	1.0	1.0	0.5	210	0.0	0.0	0.0	1.0	56.0	0.0	96.5	0.0	0.841	0.0	81
1076	Y00C_100_100e	1.0	0.0	0.0	0.5	210	0.0	0.0	1.0	0.0	87.3	0.0	29.0	0.0	0.374	0.0	248
1077	BY0B_100_100e	0.0	0.0	1.0	0.5	210	0.0	0.0	0.0	1.0	44.8	0.0	74.6	0.0	0.093	0.0	254
1078	BY0B_100_100e	0.0	1.0	0.0	0.5	330	0.0	0.0	0.0	1.0	45.0	0.0	357.5	0.0	0.093	0.0	293
1079	BY0B_100_100e	1.0	0.0	1.0	1.0	34.8	0.0	0.0	0.407	0.0	45.0	0.0	75.4	0.407	0.0	34.8	293

Mean color difference of this page: delta E* = 7.6

input: rgb/cmyk -> rgbe output: transfer to cmyke

TUB-test chart RE25; hue code: H*e=B25Re colors and differences, ΔE*

