

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_ = B25R_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = B25R_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 38 52 -28 59 331

$HIC^*_{-,Ma}$: B25R_100_100_

$rgbic^*_{-,Ma}$:



0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE27/RE27.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20150701-RE27/RE27LONA.TXT /PS
application for measurement of offset print output

TUB material: code=rh4ta

1-003031-L0 RE270-7N

TUB-test chart RE27; hue code: $H^*_ = B25R_$
Test chart according to DIN 33872, 3D=0, de=0, cm_y0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B25R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9
Y _{d, Ma}	87.8	-10.2	95.4	96.0
G _{d, Ma}	50.0	-65.0	29.6	71.4
C _{d, Ma}	56.8	-25.5	-41.5	48.7
B _{d, Ma}	25.0	29.5	-40.4	50.0
M _{d, Ma}	46.1	79.3	-0.2	79.3
N _{d, Ma}	24.3	0.0	0.0	0.0
W _{d, Ma}	95.6	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 35\ 58\ -20\ 62\ 340$

$HIC^*_d, Ma: B25R_100_100_d$

$rgbic^*_d, Ma:$



0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data


H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9
R25Y_100_100 _d	53.0	53.4	54.8	76.5
R50Y_100_100 _d	64.9	28.9	68.6	74.5
R75Y_100_100 _d	78.6	4.3	84.7	84.8
Y00G_100_100 _d	87.8	-10.2	95.4	96.0
Y25G_100_100 _d	81.2	-17.0	84.3	86.0
Y50G_100_100 _d	70.6	-29.7	66.5	72.8
Y75G_100_100 _d	57.9	-48.3	45.8	66.5
G00B_100_100 _d	50.0	-65.0	29.6	71.4
G25B_100_100 _d	52.9	-48.6	-8.0	49.3
G50B_100_100 _d	56.8	-25.5	-41.5	48.7
G75B_100_100 _d	41.7	-1.2	-40.6	40.6
B00R_100_100 _d	25.0	29.5	-40.4	50.0
B25R_100_100 _d	35.6	58.6	-20.7	62.1
B50R_100_100 _d	46.1	79.3	-0.2	79.3
B75R_100_100 _d	45.9	74.2	21.1	77.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE27/RE27.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE27/RE27L0NA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B25R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 35\ 58\ -20\ 62\ 340$

$HIC^*_d, Ma: B25R_100_100_d$

$rgbic^*_d, Ma:$

0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



see similar files: <http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE27/RE27LONA.TXT /PS
 application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B25R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d, Ma} : 35 \ 58 \ -20 \ 62 \ 340$

$HIC^*_{d, Ma} : B25R_100_100_d$

$rgbic^*_{d, Ma} :$

0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



see similar files: http://130.149.60.45/~farbmetrik/RE27/RE27.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20150701-RE27/RE27LONA.TXT /PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
 hue text for the colours of this page:
 $H^*_d = B25R_d$
 triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
$R_{d, Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d, Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d, Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d, Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d, Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d, Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d, Ma}$	24.3	0.0	0.0	0.0	0
$W_{d, Ma}$	95.6	0.0	0.0	0.0	0
$R_{d, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d, CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (M_a):

$LabCh^*_d, Ma: 35\ 58\ -20\ 62\ 340$

$HIC^*_d, Ma: B25R_100_100_d$



$rgbic^*_d, Ma:$

0.5 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_H, rel = 57$
 $g^*_C, rel = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE27/RE27.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20150701-RE27/RE27LONA.TXT /PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

1-003431-L0 RE270-70

TUB-test chart RE27; hue code: $H^*_d = B25R_d$
 Test chart according to DIN 33872, 3D=0, de=0, cmy0


input: $rgb/cmyk \rightarrow rgb_d$
 output: transfer to $cmy0_d$

1-003431-F0



TUB registration: 20150701-RE27/RE27L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0 (CMY0)


see similar files: <http://130.149.60.45/~farbmetrik/RE27/RE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003531-L0 RE270-70

TUB-test chart RE27; hue code: $H^*_d=B25R_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0


input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$




http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


device CIELAB (a^*_d, b^*_d) chroma diagram



elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} + b^*_s \sin(270) \right]$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For the 48 or 360 elementary hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For any elementary hue angle $h_{ab,i}$ there is a well defined device hue angle $h_{ab,i}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

I-003631-L0 RE27-70 LAB*la0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE27; hue code: H*_d=B25Rd
 48 step hue circles; rgb^*_d -LabCh*tables

input: rgb^*_d / $cmyk$ -> rgb^*_d
 output: transfer to $cmy0_d$

Output: Offset standard print; separation cmy0*: D65, page 7/33

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,d,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	rgb^*_{dd361M}	$LAB^*_{d64M}(x=LabCh)$	$rgb^*_{d64M}(x=LabCh)$	$LAB^*_{d361M}(x=LabCh)$	$rgb^*_{d361M}(x=LabCh)$	$LAB^*_{d361M}(x=LabCh)$	rgb^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}									
32.3	30.0	25.4	1.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	37.1	64.2	74.2	60	1.0	0.288	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	92.1	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	1.0	0.883	1.0	84.6	-13.6	89.7	90.7	98	1.0	0.959	1.0	86.7	-11.4	93.5	94.2	97
101.8	105.0	109.7	1.0	0.75	1.0	80.7	-17.5	83.5	85.3	101.8	1.0	0.75	1.0	80.8	-17.4	83.6	85.4	101	1.0	0.682	1.0	80.7	-12.2	79.4	82.2	105
117.6	112.5	118.5	1.0	0.625	1.0	75.3	-24.0	77.5	79.4	107.6	1.0	0.633	1.0	75.7	-23.6	76.3	79.9	107	1.0	0.54	1.0	72.1	-28.0	69.9	75.0	112
114.0	120.0	127.2	1.0	0.5	1.0	70.6	-29.7	66.5	72.8	114.0	1.0	0.5	1.0	70.6	-29.6	66.5	72.8	114	1.0	0.432	1.0	68.0	-32.9	62.2	70.5	117
121.4	127.5	136.0	1.0	0.375	1.0	65.7	-35.5	58.3	68.3	121.4	1.0	0.383	1.0	66.1	-35.2	58.9	68.6	120	1.0	0.325	1.0	62.8	-40.6	54.0	67.6	127
135.3	135.0	144.7	1.0	0.25	1.0	58.4	-47.3	46.8	66.6	135.3	1.0	0.25	1.0	58.4	-47.3	46.9	66.6	135	1.0	0.253	1.0	58.6	-47.0	47.1	66.7	135
144.4	142.5	153.4	1.0	0.125	1.0	54.7	-53.9	38.5	66.3	144.4	1.0	0.133	1.0	55.0	-53.5	39.2	66.4	143	1.0	0.159	1.0	55.7	-52.3	40.5	68.4	142
155.5	150.0	162.2	1.0	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	1.0	0.0	1.0	50.1	-64.9	29.6	71.4	155	1.0	0.062	1.0	52.4	-59.6	34.9	68.9	152
160.7	157.5	169.0	1.0	0.125	0.0	45.5	-72.9	21.9	66.5	160.7	1.0	0.117	0.0	45.5	-72.9	22.4	66.9	160	1.0	0.035	0.0	45.5	-62.9	29.2	64.4	168
167.7	165.0	175.9	1.0	0.25	0.0	40.3	-81.2	12.7	60.3	167.7	1.0	0.25	0.0	40.3	-81.2	12.7	60.3	167	1.0	0.0	0.2	40.3	-60.5	16.2	62.8	165
176.7	172.5	182.7	1.0	0.375	0.0	35.7	-89.6	5.1	54.6	176.7	1.0	0.367	0.0	35.7	-89.6	5.1	54.6	176	1.0	0.176	0.0	35.7	-57.0	8.0	57.7	172
189.3	180.0	189.6	1.0	0.5	0.0	30.9	-97.6	0.0	49.3	189.3	1.0	0.5	0.0	30.9	-97.6	0.0	49.3	189	1.0	0.047	0.0	30.9	-53.2	0.0	53.3	180
203.2	187.5	196.4	1.0	0.625	0.0	26.2	-105.6	-1.4	42.3	203.2	1.0	0.617	0.0	26.2	-105.6	-1.4	42.3	202	1.0	0.0	0.1	26.2	-49.9	-6.0	50.3	187
217.2	195.0	203.2	1.0	0.75	0.0	21.5	-113.5	-3.6	34.5	217.2	1.0	0.75	0.0	21.5	-113.5	-3.6	34.5	217	1.0	0.0	0.0	21.5	-46.3	-12.3	48.0	195
228.3	202.5	210.1	1.0	0.875	0.0	16.8	-121.4	-6.1	26.8	228.3	1.0	0.867	0.0	16.8	-121.4	-6.1	26.8	227	1.0	0.0	0.0	16.8	-42.9	-17.3	46.4	202
238.4	210.0	216.9	1.0	1.0	0.0	12.1	-129.3	-8.7	19.3	238.4	1.0	1.0	0.0	12.1	-129.3	-8.7	19.3	238	1.0	0.0	0.0	12.1	-39.5	-22.8	45.7	210
242.9	217.5	223.8	1.0	0.875	1.0	8.4	-137.2	-11.2	14.6	242.9	1.0	0.883	1.0	8.4	-137.2	-11.2	14.6	242	1.0	0.0	0.0	8.4	-32.2	-27.4	45.3	216
249.3	225.0	230.6	1.0	0.75	1.0	5.0	-145.1	-13.7	10.9	249.3	1.0	0.75	1.0	5.0	-145.1	-13.7	10.9	249	1.0	0.0	0.0	5.0	-27.2	-31.3	45.8	223
256.9	232.5	237.5	1.0	0.625	1.0	4.6	-152.9	-16.2	8.1	256.9	1.0	0.633	1.0	4.6	-152.9	-16.2	8.1	256	1.0	0.0	0.0	4.6	-24.4	-34.4	46.8	230
268.2	240.0	244.3	1.0	0.5	1.0	4.1	-160.7	-18.7	6.2	268.2	1.0	0.5	1.0	4.1	-160.7	-18.7	6.2	268	1.0	0.0	0.0	4.1	-21.5	-37.0	47.1	232
278.6	247.5	251.2	1.0	0.375	1.0	3.7	-168.6	-21.2	4.7	278.6	1.0	0.383	1.0	3.7	-168.6	-21.2	4.7	278	1.0	0.0	0.0	3.7	-18.6	-40.0	48.0	237
289.6	255.0	258.0	1.0	0.25	1.0	3.2	-176.5	-23.7	3.4	289.6	1.0	0.25	1.0	3.2	-176.5	-23.7	3.4	289	1.0	0.0	0.0	3.2	-15.6	-42.9	48.2	244
299.0	262.5	264.8	1.0	0.125	1.0	2.8	-184.4	-26.2	2.6	299.0	1.0	0.133	1.0	2.8	-184.4	-26.2	2.6	298	1.0	0.0	0.0	2.8	-12.7	-45.7	48.4	250
306.2	270.0	271.7	1.0	0.0	1.0	2.5	-192.3	-28.7	2.3	306.2	1.0	0.0	1.0	2.5	-192.3	-28.7	2.3	306	1.0	0.0	0.0	2.5	-10.0	-48.4	48.6	258
314.7	277.5	278.8	1.0	0.125	0.0	2.0	-200.2	-31.2	1.9	314.7	1.0	0.117	0.0	2.0	-200.2	-31.2	1.9	314	1.0	0.0	0.0	2.0	-7.1	-51.2	48.8	264
322.1	285.0	285.9	1.0	0.25	0.0	1.6	-208.1	-33.7	1.6	322.1	1.0	0.25	0.0	1.6	-208.1	-33.7	1.6	322	1.0	0.0	0.0	1.6	-4.2	-54.1	49.0	271
333.3	292.5	293.0	1.0	0.375	0.0	1.2	-216.0	-36.2	1.2	333.3	1.0	0.367	0.0	1.2	-216.0	-36.2	1.2	333	1.0	0.0	0.0	1.2	-1.3	-57.0	49.1	278
340.5	300.0	300.1	1.0	0.5	0.0	0.8	-223.9	-38.7	0.8	340.5	1.0	0.5	0.0	0.8	-223.9	-38.7	0.8	340	1.0	0.0	0.0	0.8	1.6	-60.0	49.2	285
347.9	307.5	307.2	1.0	0.625	0.0	0.4	-231.8	-41.2	0.4	347.9	1.0	0.617	0.0	0.4	-231.8	-41.2	0.4	347	1.0	0.0	0.0	0.4	3.5	-63.0	49.3	292
352.5	315.0	314.3	1.0	0.75	0.0	0.1	-239.7	-43.7	0.1	352.5	1.0	0.75	0.0	0.1	-239.7	-43.7	0.1	352	1.0	0.0	0.0	0.1	6.6	-66.0	49.4	300
356.1	322.5	321.4	1.0	0.875	0.0	0.0	-247.6	-46.2	0.0	356.1	1.0	0.867	0.0	0.0	-247.6	-46.2	0.0	356	1.0	0.0	0.0	0.0	9.7	-69.0	49.5	304
359.8	330.0	328.6	1.0	1.0	0.0	0.0	-255.5	-48.7	0.0	359.8	1.0	1.0	0.0	0.0	-255.5	-48.7	0.0	359	1.0	0.0	0.0	0.0	12.8	-72.0	49.6	306
363.0	337.5	335.7	1.0	0.875	1.0	0.0	-263.4	-51.2	0.0	363.0	1.0	0.883	1.0	0.0	-263.4	-51.2	0.0	362	1.0	0.0	0.0	0.0	15.9	-75.0	49.7	308
366.4	345.0	342.8	1.0	0.75	0.0	0.0	-271.3	-53.7	0.0	366.4	1.0	0.75	0.0	0.0	-271.3	-53.7	0.0	366	1.0	0.0	0.0	0.0	19.0	-77.0	49.8	310
371.1	352.5	349.9	1.0	0.625	1.0	0.0	-279.2	-56.2	0.0	371.1	1.0	0.633	1.0	0.0	-279.2	-56.2	0.0	371	1.0	0.0	0.0	0.0	22.1	-79.0	49.9	312
375.9	360.0	357.0	1.0	0.5	0.0	0.0	-287.1	-58.7	0.0	375.9	1.0	0.5	0.0	0.0	-287.1	-58.7	0.0	375	1.0	0.0	0.0	0.0	25.2	-81.0	50.0	314
381.2	367.5	364.1	1.0	0.375	0.0	0.0	-295.0	-61.2	0.0	381.2	1.0	0.383	0.0	0.0	-295.0	-61.2	0.0	381	1.0	0.0	0.0	0.0	28.3	-83.0	50.1	316
385.6	375.0	371.2	1.0	0.25	0.0	0.0	-302.9	-63.7	0.0	385.6	1.0	0.25	0.0	0.0	-302.9	-63.7	0.0	385	1.0	0.0	0.0	0.0	31.4	-85.0	50.2	318
389.3	382.5	378.3	1.0	0.125	0.0	0.0	-310.8	-66.2	0.0	389.3	1.0	0.133	0.0	0.0	-310.8	-66.2	0.0	389	1.0	0.0	0					

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,d,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _d	rgb* _s	rgb* _e	LAB* _d dx64M (x=LabCh)	LAB* _s dx36IM	LAB* _e dex36IM	rgb* _d dx64M	rgb* _s dx36IM	rgb* _e dex36IM												
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	32.3	30.0	25.4		
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33	38.1	37.5	33.8		
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	46.8	45.0	42.1		
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	56.9	52.5	50.5		
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	67.1	60.0	58.8		
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	78.6	67.5	67.2		
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	86.2	75.0	75.6		
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	92.1	82.5	83.9		
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	96.1	90.0	92.3		
98.8	97.5	101.0	1.0	0.875	1.0	84.3	-13.9	89.2	90.3	98.8	1.0	0.807	1.0	82.4	-15.8	86.2	87.7	100	98.8	97.5	101.0		
101.8	105.0	109.7	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	101.8	1.0	0.583	1.0	80.0	-32.9	62.2	70.5	117	101.8	105.0	109.7		
107.6	112.5	118.5	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	107.6	1.0	0.434	1.0	68.0	-32.9	62.2	70.5	117	107.6	112.5	118.5		
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	0.322	1.0	62.6	-40.8	53.8	67.6	127	114.0	120.0	127.2		
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.375	0.249	1.0	58.4	-47.4	46.8	66.6	135	121.4	127.5	136.0		
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	0.122	1.0	54.6	-54.2	38.4	66.5	144	135.3	135.0	144.7		
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.125	0.033	1.0	51.2	-62.4	32.0	70.2	152	144.4	142.5	153.4		
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	0.151	50.7	-62.0	19.9	65.2	162	155.5	150.0	162.2			
160.7	157.5	169.0	0.0	1.0	0.125	50.2	-62.8	21.9	66.5	160.7	0.0	0.261	51.3	-58.5	11.8	59.8	168	160.7	157.5	169.0			
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	0.364	52.0	-55.0	3.9	55.2	175	167.7	165.0	175.9			
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	0.43	52.5	-52.2	-2.0	52.3	182	176.7	172.5	182.7			
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	0.502	53.0	-48.5	-8.1	49.3	189	189.3	180.0	189.6			
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	0.56	53.5	-45.9	-13.1	47.8	195	203.2	187.5	196.4			
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	0.626	54.1	-42.3	-18.1	46.1	203	217.2	195.0	203.2			
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	0.682	54.5	-39.6	-22.6	45.7	209	228.3	202.5	210.1			
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	0.747	55.0	-36.1	-27.2	45.3	216	238.4	210.0	216.9			
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.819	55.5	-33.2	-31.3	45.8	223	242.9	217.5	223.8			
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.904	56.1	-29.6	-36.1	46.8	230	249.3	225.0	230.6			
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.983	56.7	-26.2	-40.5	48.4	237	256.9	232.5	237.5			
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	268.2	240.0	244.3		
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	278.6	247.5	251.2		
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	289.6	255.0	258.0		
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	299.0	262.5	264.8		
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	306.2	270.0	271.7		
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	314.7	277.5	278.8		
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	322.1	285.0	285.9		
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	333.3	292.5	293.0		
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	340.5	300.0	300.1		
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	347.9	307.5	307.2	
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.0	0.0	0.0	1.0	27.8	35.8	-36.5	51.2	314	352.5	315.0	314.3	
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	356.1	322.5	321.4	
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	0.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	359.8	330.0	328.6	
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	0.0	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	363.0	337.5	335.7	
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	0.0	0.539	0.0	1.0	36.4	60.8	-18.7	63.7	342	366.4	345.0	342.8	
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	0.0	0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349	371.1	352.5	349.9	
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	0.0	0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352	375.9	360.0	357.0	
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	0.0	0.875	0.0	1.0	46.1	79.3	-0.1	79.3	359	381.2	367.5	364.1	
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	0.0	0.967	0.0	1.0	0.687	46.0	76.5	11.8	77.4	368	385.6	375.0	371.2
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	0.0	1.0	0.0	0.485	45.9	74.1	22.0	77.3	376	389.3	382.5	378.3	
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	0.0	1.0	0.0	0.255	45.7	72.2	34.4	80.0	385	392.3	390.0	385.4	

input: rgb/cmyk -> rgbd
 output: transfer to cmy0d

Output: Offset standard print; separation cmy0*: D65, page 9/33

TUB-test chart RE27; hue code: H*_d=B25Rd
 48 step hue circles; rgb-LabCh*tables

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,d,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$
 $h_{ab,d} h_{ab,s} h_{ab,e} rgb^*_d rgb^*_s rgb^*_e$

	R_d	rgb^*_d ds361MI	LAB^*_d dsx361MI (x=LabCh)	rgb^*_d ds361MI	LAB^*_d dsx361MI (x=LabCh)	rgb^*_d ds361MI	LAB^*_d dsx361MI (x=LabCh)	rgb^*_d ds361MI	LAB^*_d dsx361MI (x=LabCh)											
	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	R_s	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
32	0.0	0.0	0.096	45.5	71.4	41.2	82.4	30	R_s	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	R_e	1.0	0.0
33	0.0	0.016	0.0	45.9	69.8	45.5	83.4	33		1.0	0.0	0.218	45.6	72.0	36.1	80.6	26		1.0	0.017
34	0.0	0.033	0.0	46.3	68.8	46.1	82.8	33		1.0	0.0	0.18	45.6	71.8	37.7	81.1	27		1.0	0.033
35	0.0	0.005	0.0	46.8	67.7	46.8	82.3	34		1.0	0.0	0.014	45.6	71.6	39.4	81.7	28		1.0	0.005
36	0.0	0.066	0.0	47.3	66.6	47.4	81.8	35		1.0	0.0	0.099	45.5	71.4	41.1	82.4	29		1.0	0.067
37	0.0	0.083	0.0	47.7	65.5	48.0	81.2	36		1.0	0.0	0.053	45.5	71.2	42.9	83.1	31		1.0	0.083
38	0.0	0.1	0.0	48.2	64.4	48.5	80.7	36		1.0	0.0	0.006	45.5	71.0	44.6	83.8	32		1.0	0.1
39	0.0	0.116	0.0	48.6	63.3	49.1	80.2	37		1.0	0.021	0.0	46.0	69.6	45.7	83.3	33		1.0	0.116
40	0.0	0.133	0.0	49.2	62.1	49.8	79.6	38		1.0	0.044	0.0	46.7	68.1	46.6	82.5	34		1.0	0.133
41	0.0	0.15	0.0	49.8	60.7	50.7	79.1	39		1.0	0.068	0.0	47.4	66.6	47.5	81.8	35		1.0	0.15
42	0.0	0.166	0.0	50.5	59.2	51.6	78.6	41		1.0	0.092	0.0	48.0	65.0	48.3	81.0	36		1.0	0.166
43	0.0	0.183	0.0	51.1	57.8	52.5	78.1	42		1.0	0.116	0.0	48.7	63.5	49.1	80.2	37		1.0	0.183
44	0.0	0.2	0.0	51.7	56.3	53.3	77.5	43		1.0	0.135	0.0	49.3	62.0	49.9	79.6	38		1.0	0.2
45	0.0	0.216	0.0	52.4	54.9	54.0	77.0	44		1.0	0.151	0.0	49.9	60.7	50.8	79.1	39		1.0	0.216
46	0.0	0.233	0.0	53.0	53.4	54.8	76.5	45		1.0	0.167	0.0	50.5	59.3	51.7	78.6	41		1.0	0.233
47	0.0	0.25	0.0	53.6	51.9	55.5	76.0	46		1.0	0.183	0.0	51.1	57.9	52.5	78.1	42		1.0	0.25
48	0.0	0.266	0.0	54.4	50.4	56.5	75.7	48		1.0	0.198	0.0	51.7	56.5	53.2	77.6	43		1.0	0.266
49	0.0	0.283	0.0	55.1	48.9	57.4	75.4	49		1.0	0.214	0.0	52.3	55.1	54.0	77.1	44		1.0	0.283
50	0.0	0.3	0.0	55.8	47.4	58.4	75.2	50		1.0	0.23	0.0	52.9	53.7	54.7	76.6	45		1.0	0.3
51	0.0	0.316	0.0	56.6	45.8	59.2	74.9	52		1.0	0.246	0.0	53.5	52.3	55.4	76.1	46		1.0	0.316
52	0.0	0.333	0.0	57.3	44.2	60.1	74.6	53		1.0	0.261	0.0	54.2	51.0	56.2	75.9	47		1.0	0.333
53	0.0	0.35	0.0	58.0	42.7	60.9	74.4	54		1.0	0.274	0.0	54.8	49.8	57.0	75.6	48		1.0	0.35
54	0.0	0.366	0.0	58.8	41.1	61.7	74.1	56		1.0	0.288	0.0	55.4	48.5	57.8	75.4	49		1.0	0.366
55	0.0	0.383	0.0	59.5	39.5	62.5	74.0	57		1.0	0.302	0.0	56.0	47.2	58.5	75.2	51		1.0	0.383
56	0.0	0.4	0.0	60.3	38.1	63.5	74.1	59		1.0	0.316	0.0	56.6	45.9	59.3	75.0	52		1.0	0.4
57	0.0	0.416	0.0	61.0	36.6	64.5	74.1	60		1.0	0.33	0.0	57.2	44.6	60.0	74.8	53		1.0	0.416
58	0.0	0.433	0.0	61.8	35.1	65.4	74.2	61		1.0	0.343	0.0	57.8	43.3	60.6	74.5	54		1.0	0.433
59	0.0	0.45	0.0	62.6	33.6	66.2	74.3	63		1.0	0.357	0.0	58.4	42.0	61.3	74.3	55		1.0	0.45
60	0.0	0.466	0.0	63.3	32.0	67.1	74.4	64		1.0	0.371	0.0	59.0	40.7	61.9	74.1	56		1.0	0.466
61	0.0	0.483	0.0	64.1	30.5	67.9	74.4	65		1.0	0.385	0.0	59.6	39.5	62.7	74.1	57		1.0	0.483
62	0.0	0.5	0.0	64.9	28.9	68.6	74.5	67		1.0	0.398	0.0	60.3	38.3	63.5	74.1	58		1.0	0.5
63	0.0	0.516	0.0	65.8	27.2	69.9	75.0	68		1.0	0.412	0.0	60.9	37.1	64.2	74.2	60		1.0	0.516
64	0.0	0.533	0.0	66.8	25.5	71.1	75.6	70		1.0	0.426	0.0	61.5	35.8	65.0	74.2	61		1.0	0.533
65	0.0	0.55	0.0	67.7	23.8	72.3	76.1	71		1.0	0.439	0.0	62.1	34.6	65.7	74.3	62		1.0	0.55
66	0.0	0.566	0.0	68.7	22.0	73.5	76.7	73		1.0	0.453	0.0	62.8	33.3	66.4	74.3	63		1.0	0.566
67	0.0	0.583	0.0	69.7	20.2	74.6	77.3	74		1.0	0.467	0.0	63.4	32.1	67.1	74.4	64		1.0	0.583
68	0.0	0.6	0.0	70.6	18.3	75.6	77.8	76		1.0	0.48	0.0	64.0	30.8	67.8	74.5	65		1.0	0.6
69	0.0	0.616	0.0	71.6	16.4	76.6	78.4	77		1.0	0.494	0.0	64.6	29.5	68.4	74.5	66		1.0	0.616
70	0.0	0.633	0.0	72.5	14.8	77.6	79.0	79		1.0	0.507	0.0	65.3	28.2	69.2	74.8	67		1.0	0.633
71	0.0	0.65	0.0	73.2	13.6	78.5	79.7	80		1.0	0.519	0.0	66.0	27.0	70.1	75.2	68		1.0	0.65
72	0.0	0.666	0.0	74.0	12.3	79.5	80.4	81		1.0	0.531	0.0	66.7	25.8	71.0	75.6	70		1.0	0.666
73	0.0	0.683	0.0	74.8	11.0	80.4	81.1	82		1.0	0.543	0.0	67.4	24.6	71.9	76.0	71		1.0	0.683
74	0.0	0.7	0.0	75.6	9.6	81.3	81.9	83		1.0	0.555	0.0	68.1	23.3	72.8	76.4	72		1.0	0.7
75	0.0	0.716	0.0	76.3	8.3	82.2	82.6	84		1.0	0.568	0.0	68.8	22.0	73.6	76.8	73		1.0	0.716
76	0.0	0.733	0.0	77.1	6.9	83.0	83.3	85		1.0	0.58	0.0	69.5	20.6	74.4	77.2	74		1.0	0.733
77	0.0	0.75	0.0	77.9	5.4	83.8	84.0	86		1.0	0.592	0.0	70.2	19.3	75.2	77.6	75		1.0	0.75

Input: rgb/cmyk -> rgbd
Output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ³⁶ _s	rgb ³⁶ _d	LAB ³⁶ _s	LAB ³⁶ _d	LAB ³⁶ _e	rgb ³⁶ _s (x=LabCh)	rgb ³⁶ _d (x=LabCh)	rgb ³⁶ _e (x=LabCh)	rgb ³⁶ _s (x=LabCh)	rgb ³⁶ _d (x=LabCh)	rgb ³⁶ _e (x=LabCh)	rgb ³⁶ _s (x=LabCh)	rgb ³⁶ _d (x=LabCh)	rgb ³⁶ _e (x=LabCh)
86	75	75	1.0	0.75	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0
87	76	76	1.0	0.76	0.0	70.5	18.8	75.4	77.7	76	1.0	0.76	0.0	1.0	0.604	0.0
87	77	77	1.0	0.783	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	1.0	0.616	0.0
88	78	78	1.0	0.8	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	1.0	0.63	0.0
89	79	80	1.0	0.816	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	1.0	0.648	0.0
90	80	81	1.0	0.833	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	1.0	0.667	0.0
91	81	82	1.0	0.85	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	1.0	0.685	0.0
91	82	83	1.0	0.866	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	1.0	0.703	0.0
92	83	84	1.0	0.883	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	1.0	0.721	0.0
92	84	85	1.0	0.9	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	1.0	0.74	0.0
93	85	86	1.0	0.916	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	1.0	0.76	0.0
94	86	87	1.0	0.933	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	1.0	0.784	0.0
94	87	88	1.0	0.95	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	1.0	0.807	0.0
95	88	90	1.0	0.966	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	1.0	0.831	0.0
95	89	91	1.0	0.983	0.0	80.5	1.5	86.9	86.9	89	1.0	0.983	0.0	1.0	0.854	0.0
96	90	92	1.0	1.0	0.0	81.4	0.0	88.0	88.0	90	1.0	1.0	0.0	1.0	0.879	0.0
96	91	93	0.983	1.0	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	1.0	0.916	0.0
96	92	94	0.966	1.0	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	1.0	0.953	0.0
97	93	95	0.95	1.0	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	1.0	0.99	0.0
97	94	96	0.933	1.0	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	1.0	0.961	0.0
97	95	98	0.916	1.0	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	1.0	0.907	0.0
98	96	99	0.9	1.0	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	1.0	0.856	0.0
98	97	100	0.883	1.0	0.0	88.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	1.0	0.807	0.0
99	98	101	0.866	1.0	0.0	89.4	-12.9	91.2	92.1	98	0.867	1.0	0.0	1.0	0.759	0.0
99	99	102	0.85	1.0	0.0	90.1	-14.6	89.0	90.1	99	0.85	1.0	0.0	1.0	0.729	0.0
99	100	103	0.833	1.0	0.0	91.1	-15.1	87.4	88.7	99	0.833	1.0	0.0	1.0	0.704	0.0
100	101	105	0.816	1.0	0.0	92.2	-16.1	85.8	87.0	100	0.817	1.0	0.0	1.0	0.679	0.0
100	102	106	0.8	1.0	0.0	93.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	1.0	0.654	0.0
101	103	107	0.783	1.0	0.0	94.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	1.0	0.628	0.0
101	104	108	0.766	1.0	0.0	95.9	-20.0	80.7	83.2	104	0.767	1.0	0.0	1.0	0.605	0.0
101	105	109	0.75	1.0	0.0	97.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	1.0	0.583	0.0
102	106	110	0.733	1.0	0.0	99.4	-22.3	78.0	81.1	106	0.733	1.0	0.0	1.0	0.56	0.0
103	107	112	0.716	1.0	0.0	101.1	-23.3	76.6	80.1	107	0.717	1.0	0.0	1.0	0.538	0.0
104	108	113	0.7	1.0	0.0	102.7	-24.3	75.2	79.1	108	0.7	1.0	0.0	1.0	0.515	0.0
104	109	114	0.683	1.0	0.0	104.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	1.0	0.494	0.0
105	110	115	0.666	1.0	0.0	106.0	-26.2	72.4	77.0	110	0.667	1.0	0.0	1.0	0.474	0.0
106	111	116	0.65	1.0	0.0	107.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	1.0	0.454	0.0
107	112	117	0.633	1.0	0.0	109.9	-28.0	69.5	75.0	112	0.633	1.0	0.0	1.0	0.434	0.0
108	113	119	0.616	1.0	0.0	112.0	-28.8	68.1	74.0	113	0.617	1.0	0.0	1.0	0.414	0.0
108	114	120	0.6	1.0	0.0	114.1	-29.6	66.6	72.9	114	0.6	1.0	0.0	1.0	0.394	0.0
109	115	121	0.583	1.0	0.0	116.2	-30.4	65.5	72.3	115	0.583	1.0	0.0	1.0	0.375	0.0
110	116	122	0.566	1.0	0.0	118.3	-31.3	64.4	71.7	116	0.567	1.0	0.0	1.0	0.364	0.0
111	117	123	0.55	1.0	0.0	120.4	-32.2	63.3	71.0	117	0.55	1.0	0.0	1.0	0.344	0.0
112	118	124	0.533	1.0	0.0	122.5	-33.1	62.2	70.4	118	0.533	1.0	0.0	1.0	0.334	0.0
113	119	126	0.516	1.0	0.0	124.6	-33.7	61.1	69.8	119	0.517	1.0	0.0	1.0	0.333	0.0
114	120	127	0.5	1.0	0.0	126.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	1.0	0.322	0.0


I-0031031-L0 RE27-70 LAB*lab, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0
 Output: Offset standard print; separation cmy0*: D65, page 11/33

TUB-test chart RE27; hue code: H*_d=B25Rd
 48 step hue circles; rgb-LabCh*tables
 input: rgb/cmyk -> rgbd
 output: transfer to cmy0d



h _{ab,d}	h _{ab,s}	h _{ab,e}	RGB _{CM} i _d	LAB ^{ab} _{ds361M}	RGB _{CM} i _s	LAB ^{ab} _{ds361M}	RGB _{CM} i _e	LAB ^{ab} _{ds361M}	h _{ab,ds}	RGB _{CM} i _{ds}	LAB ^{ab} _{ds361M}	h _{ab,ds}	RGB _{CM} i _{ds}	LAB ^{ab} _{ds361M}			
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25	51.2	-58.9	12.7	60.3
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.266	51.3	-58.4	11.3	59.5
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283	51.4	-57.9	10.0	58.8
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3	51.5	-57.3	8.7	58.0
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.316	51.6	-56.8	7.4	57.3
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333	51.7	-56.2	6.1	56.5
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35	51.8	-55.5	4.9	55.8
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.366	51.9	-54.9	3.7	55.0
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383	52.0	-54.2	2.3	54.3
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4	52.2	-53.6	0.7	53.6
180	175	185	0.0	1.0	0.416	52.3	-52.8	0.8	52.9	180	0.0	1.0	0.416	52.3	-52.8	0.8	52.9
182	176	186	0.0	1.0	0.433	52.4	-52.1	2.3	52.1	182	0.0	1.0	0.433	52.4	-52.1	2.3	52.1
184	177	187	0.0	1.0	0.45	52.6	-51.3	3.8	51.4	184	0.0	1.0	0.45	52.6	-51.3	3.8	51.4
185	178	187	0.0	1.0	0.466	52.7	-50.4	5.3	50.7	185	0.0	1.0	0.466	52.7	-50.4	5.3	50.7
187	179	188	0.0	1.0	0.483	52.8	-49.6	6.6	50.0	187	0.0	1.0	0.483	52.8	-49.6	6.6	50.0
189	180	189	0.0	1.0	0.5	52.9	-48.8	8.0	49.3	189	0.0	1.0	0.5	52.9	-48.8	8.0	49.3
191	181	190	0.0	1.0	0.516	53.1	-47.9	9.5	48.9	191	0.0	1.0	0.516	53.1	-47.9	9.5	48.9
193	182	191	0.0	1.0	0.533	53.2	-47.2	10.9	48.4	193	0.0	1.0	0.533	53.2	-47.2	10.9	48.4
194	183	192	0.0	1.0	0.55	53.4	-46.4	12.3	48.0	194	0.0	1.0	0.55	53.4	-46.4	12.3	48.0
196	184	193	0.0	1.0	0.566	53.5	-45.6	13.7	47.6	196	0.0	1.0	0.566	53.5	-45.6	13.7	47.6
198	185	194	0.0	1.0	0.583	53.6	-44.7	15.0	47.1	198	0.0	1.0	0.583	53.6	-44.7	15.0	47.1
200	186	195	0.0	1.0	0.6	53.8	-43.8	16.3	46.7	200	0.0	1.0	0.6	53.8	-43.8	16.3	46.7
202	187	195	0.0	1.0	0.616	53.9	-42.8	17.5	46.3	202	0.0	1.0	0.616	53.9	-42.8	17.5	46.3
204	188	196	0.0	1.0	0.633	54.1	-42.0	18.8	46.0	204	0.0	1.0	0.633	54.1	-42.0	18.8	46.0
206	189	197	0.0	1.0	0.65	54.2	-41.2	20.1	45.9	206	0.0	1.0	0.65	54.2	-41.2	20.1	45.9
207	190	198	0.0	1.0	0.666	54.3	-40.5	21.4	45.8	207	0.0	1.0	0.666	54.3	-40.5	21.4	45.8
209	191	199	0.0	1.0	0.683	54.5	-39.7	22.7	45.7	209	0.0	1.0	0.683	54.5	-39.7	22.7	45.7
211	192	200	0.0	1.0	0.7	54.6	-38.8	23.9	45.6	211	0.0	1.0	0.7	54.6	-38.8	23.9	45.6
213	193	201	0.0	1.0	0.716	54.7	-37.9	25.1	45.5	213	0.0	1.0	0.716	54.7	-37.9	25.1	45.5
215	194	202	0.0	1.0	0.733	54.9	-37.0	26.3	45.4	215	0.0	1.0	0.733	54.9	-37.0	26.3	45.4
217	195	203	0.0	1.0	0.75	55.0	-36.0	27.4	45.3	217	0.0	1.0	0.75	55.0	-36.0	27.4	45.3
218	196	204	0.0	1.0	0.766	55.1	-35.4	28.4	45.4	218	0.0	1.0	0.766	55.1	-35.4	28.4	45.4
220	197	205	0.0	1.0	0.783	55.2	-34.7	29.4	45.5	220	0.0	1.0	0.783	55.2	-34.7	29.4	45.5
221	198	206	0.0	1.0	0.8	55.3	-34.0	30.3	45.6	221	0.0	1.0	0.8	55.3	-34.0	30.3	45.6
223	199	206	0.0	1.0	0.816	55.4	-33.3	31.3	45.7	223	0.0	1.0	0.816	55.4	-33.3	31.3	45.7
224	200	207	0.0	1.0	0.833	55.6	-32.6	32.2	45.9	224	0.0	1.0	0.833	55.6	-32.6	32.2	45.9
226	201	208	0.0	1.0	0.85	55.7	-31.8	33.1	46.0	226	0.0	1.0	0.85	55.7	-31.8	33.1	46.0
227	202	209	0.0	1.0	0.866	55.8	-31.1	34.0	46.1	227	0.0	1.0	0.866	55.8	-31.1	34.0	46.1
229	203	210	0.0	1.0	0.883	55.9	-30.4	35.0	46.3	229	0.0	1.0	0.883	55.9	-30.4	35.0	46.3
230	204	211	0.0	1.0	0.9	56.0	-29.7	35.9	46.7	230	0.0	1.0	0.9	56.0	-29.7	35.9	46.7
231	205	212	0.0	1.0	0.916	56.1	-29.1	36.9	47.0	231	0.0	1.0	0.916	56.1	-29.1	36.9	47.0
233	206	213	0.0	1.0	0.933	56.3	-28.4	37.8	47.3	233	0.0	1.0	0.933	56.3	-28.4	37.8	47.3
234	207	214	0.0	1.0	0.95	56.4	-27.7	38.8	47.7	234	0.0	1.0	0.95	56.4	-27.7	38.8	47.7
235	208	215	0.0	1.0	0.966	56.5	-27.0	39.7	48.0	235	0.0	1.0	0.966	56.5	-27.0	39.7	48.0
237	209	216	0.0	1.0	0.983	56.6	-26.2	40.6	48.3	237	0.0	1.0	0.983	56.6	-26.2	40.6	48.3
238	210	216	0.0	1.0	1.0	56.8	-25.5	41.5	48.7	238	0.0	1.0	1.0	56.8	-25.5	41.5	48.7





Data of Maximum color. M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; h_{ab},d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h _{ab} ,d	h _{ab} ,s	h _{ab} ,e	rgb* _{ds} 361MI	LAB* _{ds} 361MI	LAB* _{dsx361MI} (x=LabCh)	rgb* _{ds} 361MI	LAB* _{dsx361MI} (x=LabCh)	rgb* _{ds} 361MI	LAB* _{dsx361MI} (x=LabCh)	rgb* _{dd} 361MI	LAB* _{dsx361MI} (x=LabCh)	rgb* _{dd} 361MI	LAB* _{dsx361MI} (x=LabCh)	rgb* _{ds} 361MI	LAB* _{dsx361MI} (x=LabCh)				
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.0	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336	0.0	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337	0.0	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338	0.0	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339	0.0	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340

I-0031431-L0 RE27-70 LAB*at0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

input: rgb/cmyk -> rgbd
output: transfer to cmy0d

Output: Offset standard print; separation cmy0*, D65, page 15/33

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nrf, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabC*Fd, LabCH*Fd, DE*Fd, hAm*Fd, rpb**Fd, LabCH**Fd, LabCH*Fd, DE*Fd, hAm*Fd, rpb**Fd, LabCH**Fd. Rows include color names like R000, R001, R002, etc.

Mean color difference of this page: delta E** = 4.0

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*_d=B25Rd colors and differences, ΔE**

http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 80 rows (numbered 1-80). Each cell contains a 4x4 grid of numerical values representing color differences and registration data. The values are organized into a large grid structure.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, ΔE*

Mean color difference of this page: delta E* = 4.2

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd. Rows 81-161.

Mean color difference of this page: delta E* = 4.2

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows 162-242.

Mean color difference of this page: delta E* = 5.9

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd. Rows 405-485.

Mean color difference in this page: delta E* = 7.0

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

input: rgb/cmyk -> rgbd output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, HaM*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, delta E* = 5.0. Rows contain color calibration data for various color patches.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, Hs*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, Hs*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd. Rows 567-647.

Mean color difference of this page:

delta E* = 3.4

RE27-TO; Page 27/33-F

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

input: rgb/cmyk -> rrgb output: transfer to cmy0d

http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

input: rgb/cmyk -> rgbd output: transfer to cmy0d

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabC0*Fd, LabC0*Fd, LabC0*Fd, LabC0*Fd. Rows 729-809. Includes color difference metrics like Delta E* and Delta E**.

RE270-TN, Page 29/33-F

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, ΔE*

I-0032831-F0

I-0032831-F0

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with columns for various colorimetric and registration metrics. Columns include: n, H*F, H*V, H*E, i,F, i,V, i,E, H*F,Fd, H*V,Fd, H*E,Fd, LabCIE*Fd, LabCIE*Vd, LabCIE*Ed, LabCIE*Fv, LabCIE*Vv, LabCIE*Ev, LabCIE*Fv,Vd, LabCIE*Vv,Vd, LabCIE*Ev,Vd, D50*Fd, D50*Vd, D50*Ed, D50*Fv, D50*Vv, D50*Ev, D50*Fv,Vd, D50*Vv,Vd, D50*Ev,Vd, LabCH*Fv, LabCH*Vv, LabCH*Ev, RGB*Fv, RGB*Vv, RGB*Ev, RGB*Fv,Vd, RGB*Vv,Vd, RGB*Ev,Vd, Delta E*ab = 6.2. Rows list various color patches from 810 to 890.

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*_d=B25Rd colors and differences, ΔE*'

I=003293-1F0

http://130.149.60.45/~farbmetrik/RE27/RE27LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 10 columns: n, HIC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DPF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd. Rows include color names like NW_100d, B50R_100.025d, etc.

Mean color difference of this page: delta E* = 7.2

input: rgb/cmyk -> rgbd output: transfer to cmy0d

TUB-test chart RE27; hue code: H*d=B25Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE27/RE27L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C*Fd, rpb*Fd, iEt*Fd, iBs*Fd, rpb*Fd, LabC*H*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DPF*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd. Rows include color names like NNW_000a, NNW_012a, etc.

Mean color difference of this page: delta E*90 = 9.2

TUB-test chart RE27; hue code: H*_d=B25Rd colors and differences, AE*'

input: rgb/cmyk -> rgbd output: transfer to cmy0d

