

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B25R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 38\ 52\ -28\ 59\ 331$



$HIC^*_{-,Ma}: B25R_100_100_-$

$rgbic^*_{-,Ma}: 0.5\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20150701-RE28/RE28LONP.PDF /.PS
application for measurement of offset print output

TUB material: code=rh4ta

1-013031-L0 RE280-7N

TUB-test chart RE28; hue code: $H^*_- = B25R_-$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28\ 23\ -40\ 46\ 300$

$HIC^*_{e, Ma}: B25R_100_100_e$



$rgbic^*_{e, Ma}$:

0.0 0.1 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /.PS; transfer output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE28/RE28LONP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta

1-013131-L0 RE280-71

TUB-test chart RE28; hue code: $H^*_e=B25R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28 \ 23 \ -40 \ 46 \ 300$

$HIC^*_{e, Ma}: B25R_100_100_e$



$rgbic^*_{e, Ma}$:

0.0 0.1 1.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 28 \ 23 \ -40 \ 46 \ 300$

$HIC^*_{e, Ma}: B25R_100_100_e$

$rgbic^*_{e, Ma}$:

0.0 0.1 1.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF> / .PS; transfer output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE28/RE28LONP.PDF / .PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 300/360 = 0.83$

$H^*_e = B25R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B25R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{e, Ma}	45.6	72.2	34.4	80.0	25
Y _{e, Ma}	83.6	-3.6	90.4	90.4	92
G _{e, Ma}	50.6	-62.1	19.9	65.2	162
C _{e, Ma}	55.0	-36.2	-27.2	45.3	216
B _{e, Ma}	40.2	1.2	-40.6	40.6	271
M _{e, Ma}	31.1	47.7	-29.1	55.9	328
N _{e, Ma}	24.3	0.0	0.0	0.0	0
W _{e, Ma}	95.6	0.0	0.0	0.0	0
R _{e, CIE}	39.9	58.7	27.9	65.0	25
Y _{e, CIE}	81.2	-2.8	71.5	71.6	92
G _{e, CIE}	52.2	-42.4	13.6	44.5	162
B _{e, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 28 23 -40 46 300

$HIC^*_{e, Ma}$: B25R_100_100_e

$rgbic^*_{e, Ma}$:



0.0 0.1 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /.PS; transfer output
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20150701-RE28/RE28LONP.PDF /.PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

1-013431-L0 RE280-71

TUB-test chart RE28; hue code: $H^*_e = B25R_e$
 Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013431-F0



TUB registration: 20150701-RE28/RE28L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0 (CMY0)


see similar files: <http://130.149.60.45/~farbmetrik/RE28/RE28.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-013531-L0 RE280-71


TUB-test chart RE28; hue code: $H^*_e=B25R_e$
Test chart according to DIN 33872, 3D=0, $d_e=1$, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$




Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


$J=Y_d$ Yellow
 b^*_d device CIELAB (a^*_d, b^*_d) chroma diagram



b^*_e elementary CIELAB (a^*_e, b^*_e) chroma diagram



b^*_s standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} + b^*_s \sin(270) \right]$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For the 48 or 360 elementary hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$

$$h_{360ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For any elementary hue angle $h_{ab,i}$ there is a well defined device hue angle $h_{ab,ds}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours: RYGBCM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (LAB, RGB, CMY, M, Y, C), elementary colors (LAB, RGB, CMY, M, Y, C), and maximum color (LAB, RGB, CMY, M, Y, C). Rows represent various color and registration data points.

Input: rgb/cmyk -> rgbe
Output: transfer to cmy0e
Output: Offset standard print; separation cmy0; D65, page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgb*, ddx64M, LAB* ddx64M (x=LabCh), LAB* ddx36IM, LAB* dex36IM, and rgb*, ddx36IM, LAB* dex36IM. The table contains 392 rows of color data.

Output: Offset standard print; separation cmy0*, D65, page 9/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

I-013831-L0 RE280-71 LAB*lab0, YN=0%, XY,Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE28; hue code: H*_e=B25Re 48 step hue circles; rgb-LabCh*tables


http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, L*a*b*, d*361MI (x=LabCh), L*a*b*, d*361MI (x=LabCh), L*a*b*, d*361MI (x=LabCh), L*a*b*, d*361MI (x=LabCh), L*a*b*, d*361MI (x=LabCh), L*a*b*, d*361MI (x=LabCh). Rows 32-86.

Output: Offset standard print; separation cmy0*: D65, page 10/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e



Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	LAB* _d x361M (x=LabCh)	LAB* _s x361M (x=LabCh)	LAB* _e x361M (x=LabCh)	rgb* _d s361M	rgb* _s s361M	rgb* _e s361M	rgb* _d ds361M	rgb* _s ds361M	rgb* _e ds361M	rgb* _d ds361M	rgb* _s ds361M	rgb* _e ds361M
114	120	127	0.5 1.0 0.0	70.6 -29.7 66.5	72.8 114	0.399	1.0 0.0	66.7 -34.5 59.9	69.2 120	0.5 1.0 0.0	0.322	1.0 0.0	62.6 -40.8 53.8	67.6 127
115	121	128	0.483 1.0 0.0	69.9 -30.5 65.4	72.2 115	0.382	1.0 0.0	66.0 -35.2 58.8	68.6 121	0.483 1.0 0.0	0.312	1.0 0.0	62.0 -41.8 52.9	67.5 128
116	122	129	0.466 1.0 0.0	69.3 -31.4 64.3	71.6 116	0.37	1.0 0.0	65.4 -36.1 57.9	68.3 122	0.467 1.0 0.0	0.301	1.0 0.0	61.4 -42.8 51.9	67.3 129
117	123	130	0.45 1.0 0.0	68.6 -32.2 63.2	71.0 117	0.361	1.0 0.0	64.9 -37.0 57.1	68.1 123	0.45 1.0 0.0	0.291	1.0 0.0	60.8 -43.8 50.9	67.2 130
117	124	131	0.433 1.0 0.0	68.0 -33.0 62.1	70.4 117	0.352	1.0 0.0	64.4 -37.9 56.4	68.0 124	0.433 1.0 0.0	0.28	1.0 0.0	60.2 -44.7 49.9	67.0 131
118	125	133	0.416 1.0 0.0	67.3 -33.8 61.0	69.8 118	0.343	1.0 0.0	63.8 -38.8 55.6	67.9 125	0.417 1.0 0.0	0.27	1.0 0.0	59.6 -45.6 48.9	66.9 133
119	126	134	0.4 1.0 0.0	66.7 -34.5 59.9	69.2 119	0.334	1.0 0.0	63.3 -39.7 54.8	67.8 126	0.4 1.0 0.0	0.259	1.0 0.0	58.4 -47.4 46.8	66.6 135
120	127	135	0.383 1.0 0.0	66.0 -35.2 58.8	68.6 120	0.325	1.0 0.0	62.8 -40.6 54.0	67.6 127	0.383 1.0 0.0	0.249	1.0 0.0	58.4 -47.4 46.8	66.6 135
122	128	136	0.366 1.0 0.0	65.2 -36.4 57.6	68.2 122	0.316	1.0 0.0	62.3 -41.5 53.2	67.5 128	0.367 1.0 0.0	0.233	1.0 0.0	57.9 -48.3 45.8	66.6 136
124	129	137	0.35 1.0 0.0	64.2 -38.2 56.2	67.9 124	0.307	1.0 0.0	61.7 -42.3 52.4	67.4 129	0.35 1.0 0.0	0.217	1.0 0.0	57.4 -49.2 44.7	66.6 137
126	130	138	0.333 1.0 0.0	63.2 -39.8 54.7	67.7 126	0.298	1.0 0.0	61.2 -43.1 51.5	67.3 130	0.333 1.0 0.0	0.201	1.0 0.0	57.0 -50.0 43.7	66.5 138
127	131	140	0.316 1.0 0.0	62.2 -41.4 53.2	67.5 127	0.289	1.0 0.0	60.7 -44.0 50.7	67.2 131	0.317 1.0 0.0	0.185	1.0 0.0	56.5 -50.9 42.7	66.5 140
129	132	141	0.3 1.0 0.0	61.3 -43.0 51.7	67.3 129	0.28	1.0 0.0	60.2 -44.8 49.8	67.0 132	0.3 1.0 0.0	0.169	1.0 0.0	56.0 -51.7 41.6	66.5 141
131	133	142	0.283 1.0 0.0	60.3 -44.5 50.1	67.0 131	0.271	1.0 0.0	59.6 -45.5 48.9	66.9 133	0.283 1.0 0.0	0.153	1.0 0.0	55.5 -52.5 40.5	66.4 142
133	134	143	0.266 1.0 0.0	59.3 -45.9 48.5	66.8 133	0.262	1.0 0.0	59.1 -46.3 48.0	66.8 134	0.267 1.0 0.0	0.137	1.0 0.0	55.1 -53.3 39.4	66.4 143
135	135	144	0.25 1.0 0.0	58.4 -47.3 46.8	66.6 135	0.253	1.0 0.0	58.6 -47.0 47.1	66.7 135	0.25 1.0 0.0	0.122	1.0 0.0	54.6 -54.2 38.4	66.5 144
136	136	145	0.233 1.0 0.0	57.9 -48.3 45.8	66.5 136	0.241	1.0 0.0	58.1 -47.8 46.3	66.6 136	0.233 1.0 0.0	0.108	1.0 0.0	54.1 -55.4 37.6	67.0 145
137	137	147	0.216 1.0 0.0	57.4 -49.2 44.7	66.5 137	0.227	1.0 0.0	57.7 -48.6 45.4	66.6 137	0.217 1.0 0.0	0.095	1.0 0.0	53.6 -56.6 36.7	67.6 147
138	138	148	0.2 1.0 0.0	56.9 -50.1 43.6	66.5 138	0.213	1.0 0.0	57.3 -49.4 44.5	66.6 138	0.2 1.0 0.0	0.082	1.0 0.0	53.1 -57.8 35.8	68.1 148
140	139	149	0.183 1.0 0.0	56.4 -51.0 42.5	66.4 140	0.2 1.0 0.0	56.9 -50.1 43.6	66.5 139	0.183 1.0 0.0	0.183 1.0 0.0	0.069	1.0 0.0	52.6 -59.0 34.9	68.6 149
141	140	150	0.166 1.0 0.0	55.9 -51.9 41.4	66.4 141	0.186	1.0 0.0	56.5 -50.8 42.7	66.5 140	0.167 1.0 0.0	0.056	1.0 0.0	52.1 -60.1 34.0	69.2 150
142	141	151	0.15 1.0 0.0	55.4 -52.7 40.3	66.4 142	0.172	1.0 0.0	56.1 -51.6 41.8	66.5 141	0.15 1.0 0.0	0.043	1.0 0.0	51.7 -61.3 33.0	69.7 151
143	142	152	0.133 1.0 0.0	54.9 -53.5 39.1	66.3 143	0.159	1.0 0.0	55.7 -52.3 40.9	66.4 142	0.133 1.0 0.0	0.03	1.0 0.0	51.2 -62.4 32.0	70.2 152
145	143	154	0.116 1.0 0.0	54.4 -54.7 38.0	66.6 145	0.145	1.0 0.0	55.3 -52.9 40.0	66.4 143	0.117 1.0 0.0	0.016	1.0 0.0	50.7 -63.5 30.9	70.8 154
146	144	155	0.1 1.0 0.0	53.7 -56.2 37.0	67.3 146	0.131	1.0 0.0	54.9 -53.6 39.0	66.4 144	0.1 1.0 0.0	0.003	1.0 0.0	50.2 -64.6 29.9	71.3 155
148	145	157	0.083 1.0 0.0	53.1 -57.7 35.9	68.0 148	0.119	1.0 0.0	54.5 -54.5 38.2	66.6 145	0.083 1.0 0.0	0.0	1.0 0.0	0.021 50.1	64.6 28.3 70.6 156
149	146	157	0.066 1.0 0.0	52.5 -59.2 34.7	68.7 149	0.107	1.0 0.0	54.1 -55.5 37.5	67.1 146	0.067 1.0 0.0	0.0	1.0 0.0	0.049 50.3	64.2 26.5 69.5 157
151	147	158	0.049 1.0 0.0	51.9 -60.7 33.5	69.4 151	0.096	1.0 0.0	53.7 -56.5 36.8	67.5 147	0.05 1.0 0.0	0.0	1.0 0.0	0.077 50.4	63.7 24.8 68.4 158
152	148	159	0.033 1.0 0.0	51.3 -62.2 32.2	70.0 152	0.085	1.0 0.0	53.2 -57.6 36.0	68.0 148	0.033 1.0 0.0	0.0	1.0 0.0	0.104 50.5	63.1 23.1 67.3 159
154	149	161	0.016 1.0 0.0	50.6 -63.6 30.9	70.7 154	0.074	1.0 0.0	52.8 -58.6 35.3	68.4 149	0.017 1.0 0.0	0.0	1.0 0.0	0.13 50.6	62.6 21.5 66.3 161
155	150	162	0.0 1.0 0.0	50.0 -65.0 29.6	71.4 155	0.062	1.0 0.0	52.4 -59.6 34.5	68.9 150	0.0 1.0 0.0	0.0	1.0 0.0	0.151 50.7	62.0 19.9 65.2 162
156	151	163	0.0 1.0 0.0	0.016 50.1	64.7 28.5 70.7 156	0.051	1.0 0.0	52.0 -60.6 33.6	69.4 151	0.0 1.0 0.0	0.017	0.0 1.0	0.167 50.8	61.6 18.7 64.4 163
156	152	164	0.0 1.0 0.0	0.033 50.1	64.5 27.4 70.1 156	0.04	1.0 0.0	51.5 -61.6 32.8	69.8 152	0.0 1.0 0.0	0.033	0.0 1.0	0.183 50.9	61.1 17.5 63.6 164
157	153	164	0.0 1.0 0.0	0.05 50.2	64.2 26.4 69.4 157	0.028	1.0 0.0	51.1 -62.5 31.9	70.3 153	0.0 1.0 0.0	0.05	0.0 1.0	0.2 51.0	60.6 16.3 62.8 164
158	154	165	0.0 1.0 0.0	0.066 50.3	63.9 25.4 68.8 158	0.017	1.0 0.0	50.7 -63.5 31.0	70.7 154	0.0 1.0 0.0	0.067	0.0 1.0	0.216 51.0	60.0 15.1 62.0 165
159	155	166	0.0 1.0 0.0	0.083 50.3	63.6 24.4 68.1 159	0.006	1.0 0.0	50.3 -64.4 30.1	71.2 155	0.0 1.0 0.0	0.083	0.0 1.0	0.232 51.1	59.5 14.0 61.2 166
159	156	167	0.0 1.0 0.0	0.1 50.4	63.3 23.4 67.5 159	0.0	1.0 0.0	0.012 50.1	64.7 28.9 71.0 156	0.0 1.0 0.0	0.1	0.0 1.0	0.248 51.2	58.9 12.9 60.4 167
160	157	168	0.0 1.0 0.0	0.116 50.5	62.9 22.4 66.8 160	0.0	1.0 0.0	0.035 50.2	64.4 27.4 70.0 157	0.0 1.0 0.0	0.117	0.0 1.0	0.261 51.3	58.5 11.8 59.8 168
161	158	169	0.0 1.0 0.0	0.133 50.5	62.5 21.2 66.1 161	0.0	1.0 0.0	0.059 50.3	64.0 25.9 69.1 158	0.0 1.0 0.0	0.133	0.0 1.0	0.274 51.4	58.1 10.8 59.2 169
162	159	170	0.0 1.0 0.0	0.15 50.6	62.1 19.9 65.2 162	0.0	1.0 0.0	0.083 50.4	63.5 24.4 68.2 159	0.0 1.0 0.0	0.15	0.0 1.0	0.287 51.5	57.7 9.7 58.6 170
163	160	171	0.0 1.0 0.0	0.166 50.7	61.6 18.7 64.4 163	0.0	1.0 0.0	0.107 50.5	63.1 23.0 67.2 160	0.0 1.0 0.0	0.167	0.0 1.0	0.3 51.5	57.3 8.7 58.1 171
164	161	172	0.0 1.0 0.0	0.183 50.8	61.1 17.4 63.6 164	0.0	1.0 0.0	0.129 50.6	62.6 21.6 66.3 161	0.0 1.0 0.0	0.183	0.0 1.0	0.313 51.6	56.9 7.7 57.5 172
164	162	173	0.0 1.0 0.0	0.2 50.9	60.6 16.2 62.7 164	0.0	1.0 0.0	0.147 50.7	62.1 20.2 65.4 162	0.0 1.0 0.0	0.2	0.0 1.0	0.325 51.7	56.4 6.8 56.9 173
165	163	174	0.0 1.0 0.0	0.216 51.0	60.1 15.0 61.9 165	0.0	1.0 0.0	0.165 50.8	61.6 18.9 64.5 163	0.0 1.0 0.0	0.217	0.0 1.0	0.338 51.8	55.9 5.8 56.3 174
166	164	175	0.0 1.0 0.0	0.233 51.1	59.5 13.9 61.1 166	0.0	1.0 0.0	0.183 50.9	61.1 17.5 63.7 164	0.0 1.0 0.0	0.233	0.0 1.0	0.351 51.9	55.5 4.9 55.8 175
167	165	175	0.0 1.0 0.0	0.25 51.2	58.9 12.7 60.3 167	0.0	1.0 0.0	0.2 51.0	60.5 16.2 62.8 165	0.0 1.0 0.0	0.25	0.0 1.0	0.364 52.0	55.0 3.9 55.2 175

Output: Offset standard print; separation cmy0*, D65, page 12/33

input: rgb/cmyk → rgb
 output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colors RYGBM; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, rgb*_ds361MI, LAB*_ds361MI (x=LabCh), rgb*_dd361MI, LAB*_dd361MI (x=LabCh), rgb*_de361MI, LAB*_de361MI (x=LabCh), rgb*_dd361MI, LAB*_dd361MI (x=LabCh), rgb*_de361MI, LAB*_de361MI (x=LabCh). Rows 167-238.

LAB*at0, YN=0%, XY,Znw=3.6,4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE28; hue code: H*_e=B25Re 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbe output: transfer to cmy0e

Output: Offset standard print; separation cmy0*, D65, page 13/33

http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d_s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns: h_ab,d, h_ab,s, h_ab,e, LAB*_*dx361MI, LAB*_*ds361MI, LAB*_*dx361MI (x=LabCh), LAB*_*ds361MI (x=LabCh), LAB*_*de361MI, LAB*_*de361MI (x=LabCh), LAB*_*dex361MI, LAB*_*dex361MI (x=LabCh), LAB*_*dd361MI, LAB*_*dd361MI (x=LabCh), LAB*_*dd361MI, LAB*_*dd361MI (x=LabCh). Rows 238-289.

LAB*_*a0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE28; hue code: H*_e=B25Re input: rgb/cmyk -> rgbe output: transfer to cmy0e 48 step hue circles; rgb-LabCh*tables

Output: Offset standard print; separation cmy0; D65, page 14/33

http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color. M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{ab} *	Lab ^s _{dxs361MI} (x=LabCh)	rgb ^{ab} *	Lab ^s _{dxs361MI} (x=LabCh)	rgb ^{ab} *	Lab ^s _{dxs361MI} (x=LabCh)	rgb ^{ab} *	Lab ^s _{dxs361MI} (x=LabCh)	rgb ^{ab} *	Lab ^s _{dxs361MI} (x=LabCh)	
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25	1.0
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.603	1.0
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.593	1.0
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.583	1.0
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.573	1.0
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.562	1.0
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.552	1.0
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.542	1.0
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.532	1.0
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.522	1.0
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.512	1.0
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.502	1.0
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.491	1.0
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.48	1.0
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.469	1.0
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.458	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.447	1.0
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.435	1.0
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.424	1.0
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.413	1.0
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.401	1.0
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.39	1.0
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.378	1.0
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.367	1.0
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.357	1.0
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.346	1.0
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.335	1.0
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.324	1.0
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.313	1.0
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.303	1.0
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.292	1.0
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.281	1.0
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.27	1.0
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.26	1.0
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.249	1.0
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.236	1.0
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.223	1.0
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.211	1.0
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.198	1.0
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.186	1.0
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.0	0.173	1.0
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336	0.0	0.161	1.0
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337	0.0	0.148	1.0
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338	0.0	0.136	1.0
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339	0.0	0.122	1.0
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.106	1.0

I-0131431-L0 RE280-71 LAB*lab, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart RE28; hue code: H_e=B25Re
 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb
 output: transfer to cmy0e

Output: Offset standard print; separation cmy0*, D65, page 15/33

http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,d,s = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dxc361M (x=LabCh), rgb*_dd361M, LAB*_dxc361M (x=LabCh), rgb*_dd361Mi, LAB*_dxc361Mi (x=LabCh), rgb*_dd361M, LAB*_dxc361M (x=LabCh), rgb*_dd361Mi, LAB*_dxc361Mi (x=LabCh). Rows 340-366.

I=0131531=L0 RE280-71 LAB*lab0, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart RE28; hue code: H*_e=B25Re 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb output: transfer to cmy0e

Output: Offset standard print; separation cmy0*, D65, page 16/33




http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM), and various colorimetric parameters (LAB*, RGB*, CMYK, etc.) for 392 different color patches.

Output: Offset standard print; separation cmy0*: D65, page 17/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nif, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows include color names like R000, R001, R002, etc., and numerical data for each.

Mean color difference of this page: delta E* = 20.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*

Table with 18 columns: nuf, HHC*Fe, RgB*Fe, iCt*Fe, iBs*Fe, iHs*Fe, LabCh*Fe, rGb*Fe, rBp*Fe, LabCh*Fe, iCt*Fe, iBs*Fe, iHs*Fe, rGb*Fe, rBp*Fe, DE*Fe, HaMe, LabCh*Fe, rGb*Fe, rBp*Fe. The table contains numerical data for various color and registration parameters.

Mean color difference of this page: delta E* = 13.3

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*_e=B25Re colors and differences, ΔE*'

http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Color calibration table with columns: #, H#C*Fe, rgB*Fe, iet*Fe, Hs*Fa, rgB*Fe, LabC*Fe, rgB*Fe, LabC*Fe, DF*Fe, Hs*Fa, rgB*Fe, LabC*Fe. Rows 1-80 represent various color patches.

Mean color difference of this page: delta E* = 10.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rgp*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, delta E* = 12.0

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmatrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

Table with 24 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabCH*Fe. Each row represents a color patch with its corresponding colorimetric and registration data.

Mean color difference of this page: delta E* = 13.7

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

Table with 15 columns: n, HIC*Fe, rpb*Fe, icr*Fe, Hss*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, rpb*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe. It contains numerical data for 323 different color patches.

RE280-T, Page 23/33-F





TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Mean color difference of this page:

delta E** = 16.2





http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe. Rows 324-404.





Mean color difference of this page: delta E* = 15.7

see similar files: http://130.149.60.45/~farbmetrik/RE28/RE28.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE280-TN; Page 24/33-F

I-0132331-F0



http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe. Rows 405-485.





Mean color difference of this page: delta E* = 15.9

RE280-TN; Page 25/33-F

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*

I-0132431-F0

I-0132431-F0



http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, DF*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows include color names like R00Y, R35Y, R50Y, etc.

Mean color difference of this page:

delta E* = 14.5

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, AE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, hsa*Me, rpb*Me, LabCH*Me, LabCH*Me. Rows 567-647.

Mean color difference of this page: delta E* = 13.8

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, AE*


http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows include color codes like R001, R002, etc.

Mean color difference of this page: delta E* = 15.7

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33



Table with 10 columns: n, H*E*, r*gb, i*ct, i*Fe, i*Fe, i*Fe, i*Fe, i*Fe, i*Fe. Rows list various color patches and their corresponding colorimetric values.




Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE280-TN, Page 29/33-F

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*





http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 10 columns: n, H#C*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC*Fe, LabCh*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCh*Fe, LabC*Fe. Rows include color patches like B50R_100_012a, B50R_100_025a, etc.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE280-TN, Page 31/33-F

TUB-test chart RE28; hue code: H*e=B25Re colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE28/RE28LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H* C* M*, r* g* b*, i* e* r*, i* s* a*, r* g* b*, L* a* b* C* M*, L* a* b* C* M*, r* g* b*, D* F* % Fe, H* a* M* e, r* g* b* % Fe, L* a* b* C* M*, Fe, LabCH* M* % Fe, LabCH* M* % Fe. Rows 972-1052.

Mean color difference of this page: delta E*90 = 9.2

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE28; hue code: H*_e=B25Re colors and differences, AE*'



http://130.149.60.45/~farbmetrik/RE28/RE28L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

n	HC*Fe	rgb*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_059e	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599	0.599
1065	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1068	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1069	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1070	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1071	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1072	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1073	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	BM_100_100e	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
1078	BS0R_100_100e	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
1079	BS0R_100_100e	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 10.3