

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_ = B50R_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = B50R_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_.,Ma	47.9	65.3	50.5	82.6
Y_.,Ma	90.3	-10.2	91.7	92.3
G_.,Ma	50.9	-62.8	34.9	71.9
C_.,Ma	58.6	-30.3	-45.0	54.2
B_.,Ma	25.7	31.0	-44.4	54.2
M_.,Ma	48.1	75.2	-8.3	75.7
N_.,Ma	18.0	0.0	0.0	0.0
W_.,Ma	95.4	0.0	0.0	0.0
R_.,CIE	39.9	58.7	27.9	65.0
Y_.,CIE	81.2	-2.8	71.5	71.6
G_.,CIE	52.2	-42.4	13.6	44.5
B_.,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 49 73 -9 74 353

$HIC^*_{-,Ma}$: B50R_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_H,rel = 57$
 $g^*_C,rel = 58$

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31L0NP.PDF /.PS
application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_d = B50R_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = B50R_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	50.4	76.9	64.5	100.4	40
Y _{d, Ma}	92.6	-20.7	90.7	93.0	102
G _{d, Ma}	83.6	-82.7	79.8	115.0	136
C _{d, Ma}	86.8	-46.1	-13.5	48.1	196
B _{d, Ma}	30.3	76.0	-103.5	128.5	306
M _{d, Ma}	57.2	94.3	-58.4	110.9	328
N _{d, Ma}	0.0	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 57\ 94\ -58\ 110\ 328$

$HIC^*_d, Ma: B50R_100_100_d$

$rgbic^*_d, Ma:$



1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: <http://130.149.60.45/~farbmetrik/RE31/RE31.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE31/RE31L0NP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns of colorimetric data (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, d_{dx361M}, LAB*, d_{dx361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*, d_{361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*, d_{361M} (x=LabCh), r_{gb}^a, d_{361M}, LAB*, d_{361M} (x=LabCh)). Rows represent various color patches from 40.0 to 400.0.



TUB-test chart RE31; hue code: H*d=B50R_d
Test chart according to DIN 33872, 3D=0, de=0, sRGB

input: rgb/cmyk -> rgb_d
output: transfer to rgb_d


see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31L0NP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta


Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 28 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB*_sddx361Mi (x=LabCh), R_d, r_{gb}^{*}ds361Mi, LAB*_sdsx361Mi (x=LabCh), R_s, r_{gb}^{*}de361Mi, LAB*_sdex361Mi (x=LabCh), R_e, r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, r_{gb}^add, r_{gb}^ade, r_{gb}^ads, r_{gb}^ade

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, d_s361Mi, LAB^{*}, d_sx361Mi, r_{gb}^{*}, d_e361Mi, LAB^{*}, d_ex361Mi, Y_d, Y_s, Y_e) and rows for 48 color patches (82-128).



see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rh4t4





Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd361M}, LAB*_{ddx361Mi (x=LabCh)}, r_{gb}*_{ds361Mi}, LAB*_{dsx361Mi (x=LabCh)}, r_{gb}*_{dd361Mi}, r_{gb}*_{de361Mi}, LAB*_{dex361Mi (x=LabCh)}, r_{gb}*_{dd361Mi}, r_{gb}*_{dd}, r_{gb}*_{ds}, r_{gb}*_{de}. Rows 139-196.

see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}), LAB* tables (LAB*_{ds361Mi}, LAB*_{dsx361Mi}, LAB*_{de361Mi}, LAB*_{dex361Mi}), and r_{gb}* tables (r_{gb}*_{dd361Mi}, r_{gb}*_{ds361Mi}, r_{gb}*_{ds}, r_{gb}*_{de361Mi}, r_{gb}*_{dex361Mi}, r_{gb}*_{ds}). Rows 196-301.

TUB-test chart RE31; hue code: H*d=B50R_d
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_d
output: transfer to r_{gb}_d

see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta


Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab}, r_{gb}, LAB*) and rows for 311 different color samples. The table is organized into three main sections: device colors (B_d), elementary colors (B_e), and a combined section (B_d and B_e).

see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, LAB^{*}dd361Mi, r_{gb}^add, r_{gb}^sds, r_{gb}^ede. Rows 311-341.

see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

1-0031230-L0 RE310-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0



Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart RE31; hue code: H*d=B50Rd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_d
output: transfer to rgb_d

see similar files: http://130.149.60.45/~farbmetrik/RE31/RE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-RE31/RE31LONP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



<http://130.149.60.45/~farbmetrik/RE31/RE31L0NP.PDF> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/29

input: *rgb/cmyk* -> *rgbd*
output: transfer to *rgbd*

Table with columns: nrf, HHC*Fd, rpb_Fd, icr_Fd, hsa_Fd, rpb*Fd, LabCH*Fd, DF*Fd, hAm*Fd, rpb**Ma, LabCH**Ma, and 1000 numerical values. The table contains 1000 rows of data for various color patches, with a final column labeled 'delta E** = 0.9'.

Mean color difference of this page:





Table with columns: nlf, HfC*Fd, R00Y_100_100a, R05Y_100_100a, R10Y_100_100a, etc. This is the first section of a large data table.

Table with columns: iEt_Fd, iEt_B, iEt_S, iEt_L, etc. This is the second section of the large data table.

Table with columns: LabCh*Fd, LabCh*B, LabCh*S, LabCh*L, etc. This is the third section of the large data table.

Table with columns: rgb*B, rgb*S, rgb*L, etc. This is the fourth section of the large data table.



Table with columns: DF*Fd, DF*B, DF*S, DF*L, etc. This is the fifth section of the large data table.

Table with columns: LabCh*Ma, LabCh*B, LabCh*S, LabCh*L, etc. This is the sixth section of the large data table.

Table with columns: rGb*Ma, rGb*B, rGb*S, rGb*L, etc. This is the seventh section of the large data table.

delta E** = 6.5

Mean color difference of this page:







Table with 80 columns (H#F to RGB*Ma) and 80 rows (0 to 80). Each cell contains numerical values representing color differences and linearization data.

input: rgb/cmlyk -> rgbd output: transfer to rgbd

Mean color difference of this page: delta E* = 4.6

RE310-TN, Page 1629-F

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*





Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCb*Fd, LabCb*Fd, rpb*Fd, LabCb*Fd, LabCb*Fd, rpb*Fd, LabCb*Fd, LabCb*Fd, rpb*Fd, LabCb*Fd. Rows 81-161.

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E* = 8.3

Mean color difference of this page:

RE310-TN, Page 17/29-F

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*

L-0031630-F0

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/29

Table with 24 columns: n, HHC*Fd, Rgb*Fd, iCr*Fd, iBs*Fd, Lab*Cb*Fd, Lab*Cb*Fd, Rgb*Fd, Rgb*Fd, Lab*Cb*Fd, Lab*Cb*Fd, Rgb*Fd, Rgb*Fd, Lab*Cb*Fd, Lab*Cb*Fd, Rgb*Fd, Rgb*Fd, Lab*Cb*Fd, Lab*Cb*Fd, Rgb*Fd, Rgb*Fd, Lab*Cb*Fd, Lab*Cb*Fd, Rgb*Fd, Rgb*Fd. Rows 162-242.

delta E* = 10.2

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to rgbd

RE31-TN, Page 18/29-F

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*

Table with columns: n, HHC*Fd, rpb*Fd, iet*Fd, lsa*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd, DF*Fd, rpb*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd. Rows 324-404.

Table with columns: n, HHC*Fd, rpb*Fd, iet*Fd, lsa*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd, DF*Fd, rpb*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd. Rows 324-404.

Table with columns: n, HHC*Fd, rpb*Fd, iet*Fd, lsa*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd, DF*Fd, rpb*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd. Rows 324-404.

Table with columns: n, HHC*Fd, rpb*Fd, iet*Fd, lsa*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd, DF*Fd, rpb*Fd, rpb**Fd, LabCb**Fd, LabCb*Fd. Rows 324-404.

input: rgb/cmyk -> rrgb

output: transfer to rrgb

delta E** = 10.1

Mean color difference of this page:

RE310-TN; Page 20/29-F

TUB-test chart RE31; hue code: H*d=B50Rd

colors and differences, ΔE*

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd. Rows contain numerical data for various color and hue differences.

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E* = 9.7

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*

RE310-TN; Page 21/29-F

L-0032030-F0

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCb*Fd, LabCb*Fd, LabCb*Fd, LabCb*Fd. Rows contain numerical data for various color and grayscale patches.

delta E** = 9.2

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*

RE31-TN; Page 23/29-F









Table with 728 rows and 10 columns (n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd). Each row contains numerical data for various color patches.

Mean color difference of this page: delta E* = 9.3

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29

input: rgb/cmyk -> rgbd output: transfer to rgbd





http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/29

input: rgb/cmyk -> rgbd output: transfer to rgbd





Table with 25 columns: n, H#C*Fd, rgp*_Fd, iEr*_Fd, iAs*_Fd, iBg*_Fd, LabC*F*Fd, LabM*F*Fd, LabY*F*Fd, rgp*_Fd, iEr*_Fd, iAs*_Fd, iBg*_Fd, LabC*F*Fd, LabM*F*Fd, LabY*F*Fd, Df*F*Fd, iAs*H*Ad, iBg*H*Ad, rGb*H*Ad, LabC*H*Ad, LabM*H*Ad, LabY*H*Ad, Df*H*Ad, iAs*H*Ad, iBg*H*Ad, rGb*H*Ad. Rows list various color calibration and registration data points.

RE310-70N, Page 25/29-F

TUB-test chart RE31; hue code: H*_d=B50Rd

colors and differences, ΔE*

L-0032430-F0

Mean color difference of this page: delta E** = 7.3







Table with 100 columns (n, HHC*Fd, rpb*Fd, etc.) and 890 rows of numerical data. Includes a 'Mean color difference of this page:' label at the bottom right of the table area.

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart RE31; hue code: H*d=B50Rd colors and differences, ΔE*

RE310-TN; Page 26/29-F











Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd. Rows include various color and grayscale patches like B50R_001_0124, B50R_002_0124, etc.

Mean color difference of this page: delta E* = 11.4

http://130.149.60.45/~farbmetrik/RE31/RE31LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

input: rgb/cmlyk -> rgbd output: transfer to rgbd







n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCH*Fd	DF*Fd	hsa_Md	rgb*Md	LabCH*Md	LabCH*Yd
972	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
973	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
974	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
975	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
976	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
977	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
978	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
979	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
980	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
981	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
982	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
983	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
984	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
985	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
986	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
987	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
988	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
989	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
990	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
991	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
992	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
993	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
994	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
995	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
996	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
997	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
998	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
999	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1000	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1001	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1002	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1003	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1004	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1005	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1006	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1007	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
1008	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1009	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1010	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1011	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1012	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1013	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1014	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1015	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1016	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
1017	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1018	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1019	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1020	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1021	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1022	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1023	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1024	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1025	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
1026	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1027	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1028	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1029	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1030	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1031	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1032	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1033	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1034	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
1035	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1036	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1037	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1038	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1039	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1040	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1041	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1042	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1043	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4
1044	NW_0004	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	95.4
1045	NW_0124	0.125	0.125	0.125	0.125	11.9	0.00	0.00	0.00	0.00	0.00	95.4
1046	NW_0254	0.25	0.25	0.25	0.25	23.8	0.00	0.00	0.00	0.00	0.00	95.4
1047	NW_0374	0.375	0.375	0.375	0.375	35.7	0.00	0.00	0.00	0.00	0.00	95.4
1048	NW_0504	0.5	0.5	0.5	0.5	47.7	0.00	0.00	0.00	0.00	0.00	95.4
1049	NW_0624	0.625	0.625	0.625	0.625	59.6	0.00	0.00	0.00	0.00	0.00	95.4
1050	NW_0754	0.75	0.75	0.75	0.75	71.5	0.00	0.00	0.00	0.00	0.00	95.4
1051	NW_0874	0.875	0.875	0.875	0.875	83.4	0.00	0.00	0.00	0.00	0.00	95.4
1052	NW_1004	1.0	1.0	1.0	1.0	95.4	0.00	0.00	0.00	0.00	0.00	95.4


Mean color difference of this page:

delta E* = 1.6

input: rgb/cmyk -> rgbd
output: transfer to rgbd


TUB-test chart RE31; hue code: H*_d=B50Rd
colors and differences, ΔE*
RE310-TIN; Page 28/29-F





TUB registration: 20130201-RE31/RE31L0NP.PDF /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta




n	HC*Fd	rgb*Fd	ict*Fd	hsa*Fd	rgb**Fd	LabCH*Fd	hsa**Fd	LabCH**Fd	DF*Fd	hsa**Md	rgb**Md	LabCH**Md
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1056	NW_0066d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0
1058	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0
1059	NW_0266d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0
1060	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0
1061	NW_0333d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0
1062	NW_0466d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0
1063	NW_0466d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0
1064	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0
1065	NW_0666d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0
1066	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0
1067	NW_0734d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0
1068	NW_0866d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0
1069	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0
1070	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0
1071	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1072	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1074	ROY_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B08_100_100d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08_100_100d	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^* = 1.0$

http://130.149.60.45/~farbmetrik/RE31/RE31L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

input: rgb/cmyk -> rgbd
 output: transfer to rgbd



see similar files: <http://130.149.60.45/~farbmetrik/RE31/RE31.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

