

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_- = B50R_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = B50R_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 49\ 73\ -9\ 74\ 353$

$HIC^*_{-,Ma}: B50R\_100\_100_-$



$rgbic^*_{-,Ma}: 1.0\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness  $T^*$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4

%Gamut  
 $u^*_{rel} = 92$   
%Regularity  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE37/RE37L0FA.TXT /PS  
application for measurement of offset print output

TUB material: code=rh4ta

1-103031-L0 RE370-7N

TUB-test chart RE37; hue code:  $H^*_- = B50R_-$   
Test chart according to DIN 33872, 3D=1, de=0,  $cm_y0^*$

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 359/360 = 0.99$

$H^*_d = B50R_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 46\ 79\ 0\ 79\ 359$

$HIC^*_d, Ma: B50R\_100\_100_d$

$rgbic^*_d, Ma:$

1.0 0.0 1.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$


ORS20a; adapted (a) CIELAB data

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE37/RE37L0FA.TXT /.PS  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
TUB material: code=rh4ta



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 359/360 = 0.99$

$H^*_d = B50R_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness  $T^*$



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 46\ 79\ 0\ 79\ 359$

$HIC^*_d, Ma: B50R\_100\_100_d$

$rgbic^*_d, Ma:$

1.0 0.0 1.0 1.0 1.0

triangle lightness  $T^*$

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_H, rel = 57$

$g^*_C, rel = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT> /PS  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE37/RE37L0FA.TXT /PS  
 application for measurement of offset print output, separation  $cmY0^*$  (CMY0)  
 TUB material: code=rh4ta

1-103231-L0 RE370-72

TUB-test chart RE37; hue code:  $H^*_d=B50R_d$   
 Test chart according to DIN 33872, 3D=1, de=0,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
 output: 3D-linearization to  $cmY0^*_{dd}$

1-103231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 359/360 = 0.99$

$H^*_d = B50R_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 46\ 79\ 0\ 79\ 359$

$HIC^*_{d, Ma}: B50R\_100\_100_d$

$rgbic^*_{d, Ma}: 1.0\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness  $T^*$

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1



see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE37/RE37L0FA.TXT /.PS  
 application for measurement of offset print output, separation  $cmY0^*$  (CMY0)

TUB material: code=rh4ta

1-103331-L0 RE370-72

TUB-test chart RE37; hue code:  $H^*_d = B50R_d$   
 Test chart according to DIN 33872, 3D=1, de=0,  $cmY0^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
 output: 3D-linearization to  $cmY0^*_{dd}$

1-103331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 359/360 = 0.99$

$H^*_d = B50R_d$


Data for any device (d) or elementary (e) colour:

$HIC^*_d$

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness  $T^*$



**ORS20a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 46\ 79\ 0\ 79\ 359$

$HIC^*_d, Ma: B50R\_100\_100_d$

$rgbic^*_d, Ma:$

1.0 0.0 1.0 1.0 1.0

triangle lightness  $T^*$

% Gamut

$u^*_{rel} = 92$



% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**


$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15





TUB registration: 20150701-RE37/RE37L0FA.TXT /.PS TUB material: code=rh4ta  
application for measurement of offset print output, separation  $cmY0^*$  (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103531-L0 RE370-72

TUB-test chart RE37; hue code:  $H_d^* = B50R_d$   
Test chart according to DIN 33872, 3D=1,  $de=0$ ,  $cmY0^*$




input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearization to  $cmY0^*_{dd}$

1=103531=F0





Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



**Notes to the CIELAB chroma diagrams ( $a^*_s, b^*_s$ ), ( $a^*_d, b^*_d$ ), ( $a^*_e, b^*_e$ )**

- For the  $rgb^*_s$ -input values the CIELAB data  $LCH^*_s$  and  $LAB^*_s$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_s$  the equation:  

$$h_{ab,s} = \arctan \left[ \frac{r^*_s \cos(30) + g^*_s \cos(150)}{r^*_s \sin(30) + g^*_s \sin(150)} + b^*_s \sin(270) \right]$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,si} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$$
  

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$$
- For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_s$  produce the output of the device-independent elementary hues





http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 9/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, rg<sub>b</sub>%, dg<sub>b</sub>%, ds<sub>b</sub>%, de<sub>b</sub>%, LAB\* dx36IM, LAB\* dex36IM, LAB\* dx36IM, LAB\* dex36IM, rg<sub>b</sub>%, dg<sub>b</sub>%, ds<sub>b</sub>%, de<sub>b</sub>%.

Output: Offset standard print; separation cmy0\*, D65, page 9/33. Input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0\*dd





Data of Maximum color. M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;

Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with 16 columns:  $h_{ab,d}$ ,  $h_{ab,s}$ ,  $h_{ab,e}$ ,  $rgb^*_d$ ,  $rgb^*_s$ ,  $rgb^*_e$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $rgb^*_dd361MI$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $rgb^*_dd361MI$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $rgb^*_dd361MI$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $LAB^*_ds361M$ ,  $rgb^*_dd361MI$ . Rows 114-167.

I-1031131-L0 RE370-72 LAB\*at0, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8,LAB\*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart RE37; hue code: H\*d=B50Rd 48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0\*dd

Output: Offset standard print; separation cmy0\*; D65, page 12/33



http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization  
 F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0\*; D65 for input or output; Six hue angles of the 60 degree standard colors RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$	$LAB^*_d$	$LAB^*_s$	$LAB^*_e$	$rgb^*_d$	$rgb^*_s$	$rgb^*_e$							
167	165	175	0.0	1.0	0.25	51.0	60.5	16.2	62.8	165	0.0	1.0	0.25	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267	0.0	1.0	0.376	52.0	-54.5	3.0	54.6	176	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283	0.0	1.0	0.385	52.1	-54.1	2.1	54.3	177	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3	0.0	1.0	0.394	52.2	-53.8	1.3	53.9	178	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317	0.0	1.0	0.403	52.2	-53.4	0.4	53.5	179	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333	0.0	1.0	0.412	52.3	-53.0	-0.3	53.1	180	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35	0.0	1.0	0.421	52.4	-52.6	-1.2	52.7	181	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383	0.0	1.0	0.439	52.5	-51.8	-2.8	51.9	183	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4	0.0	1.0	0.448	52.6	-51.3	-3.6	51.6	184	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433	0.0	1.0	0.466	52.7	-50.4	-5.2	50.8	185	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45	0.0	1.0	0.475	52.8	-49.9	-5.9	50.4	186	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467	0.0	1.0	0.484	52.9	-49.5	-6.7	50.0	187	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483	0.0	1.0	0.493	52.9	-49.0	-7.4	49.6	188	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	190	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517	0.0	1.0	0.51	53.1	-48.2	-8.9	49.1	190	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533	0.0	1.0	0.519	53.1	-47.8	-9.6	48.9	191	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55	0.0	1.0	0.527	53.2	-47.4	-10.3	48.7	192	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567	0.0	1.0	0.535	53.3	-47.1	-11.0	48.4	193	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583	0.0	1.0	0.543	53.4	-46.7	-11.7	48.2	194	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6	0.0	1.0	0.552	53.4	-46.3	-12.4	48.0	195	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633	0.0	1.0	0.568	53.6	-45.4	-13.7	47.6	196	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65	0.0	1.0	0.576	53.6	-45.0	-14.4	47.4	197	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667	0.0	1.0	0.585	53.7	-44.6	-15.0	47.2	198	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683	0.0	1.0	0.593	53.8	-44.1	-15.7	47.0	199	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7	0.0	1.0	0.601	53.8	-43.7	-16.3	46.7	200	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717	0.0	1.0	0.609	53.9	-43.2	-16.9	46.5	201	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733	0.0	1.0	0.618	54.0	-42.7	-17.5	46.3	202	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767	0.0	1.0	0.634	54.1	-41.9	-18.8	46.1	204	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783	0.0	1.0	0.642	54.2	-41.6	-19.4	46.0	205	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8	0.0	1.0	0.65	54.2	-41.2	-20.1	46.0	206	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817	0.0	1.0	0.658	54.3	-40.8	-20.7	45.9	206	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833	0.0	1.0	0.666	54.4	-40.4	-21.3	45.9	207	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85	0.0	1.0	0.674	54.4	-40.0	-21.9	45.8	208	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883	0.0	1.0	0.691	54.6	-39.2	-23.2	45.7	210	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9	0.0	1.0	0.699	54.6	-38.8	-23.8	45.6	211	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917	0.0	1.0	0.707	54.7	-38.4	-24.3	45.6	212	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933	0.0	1.0	0.715	54.8	-37.9	-24.9	45.5	213	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95	0.0	1.0	0.723	54.8	-37.5	-25.5	45.5	214	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967	0.0	1.0	0.731	54.9	-37.0	-26.1	45.4	215	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	0.0	1.0	1.0

I-1031231-L0 RE370-72 LAB\*at0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0  
 Output: Offset standard print; separation cmy0\*, D65, page 13/33

TUB-test chart RE37; hue code: H\*\_d=B50Rd  
 48 step hue circles; rgb-LabCh\*tables  
 input: rgb/cmyk -> rgbdd  
 output: 3D-linearization to cmy0\*dd











ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmy0*_sep,Fid	rgb*Fid	hsa,Fid	LabC*Fid	delta
0/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0
1/657	R13Y_100_100ad	0.0	0.125	1.0	0.0	48.6	63.3	49.1	80.2	37.7	0.0
2/666	R25Y_100_100ad	0.0	0.25	1.0	0.0	53.0	54.8	76.5	54.8	76.5	0.0
3/675	R38Y_100_100ad	0.0	0.375	1.0	0.0	58.8	41.1	61.7	74.1	56.3	0.0
4/684	R50Y_100_100ad	0.0	0.5	1.0	0.0	64.5	28.9	68.6	74.5	67.1	0.0
5/693	R63Y_100_100ad	0.0	0.625	1.0	0.0	72.8	14.8	77.6	79.1	79.1	0.0
6/702	R75Y_100_100ad	0.0	0.75	1.0	0.0	87.6	4.3	84.7	84.8	87.6	0.0
7/711	R88Y_100_100ad	0.0	0.875	1.0	0.0	83.7	-3.8	90.5	92.4	92.4	0.0
8/720	Y00G_100_100ad	1.0	0.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
9/639	Y13G_100_100ad	0.875	1.0	0.0	0.0	84.5	-13.6	89.7	90.7	98.6	0.0
10/658	Y25G_100_100ad	0.75	1.0	0.0	0.0	81.2	-17.0	84.3	86.0	101.4	0.0
11/477	Y38G_100_100ad	0.625	1.0	0.0	0.0	76.6	-23.6	76.2	72.8	114.0	0.0
12/396	Y50G_100_100ad	0.5	1.0	0.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.0
13/315	Y63G_100_100ad	0.375	1.0	0.0	0.0	65.2	-36.4	57.6	62.2	122.3	0.0
14/234	Y75G_100_100ad	0.25	1.0	0.0	0.0	57.9	-48.3	45.8	66.5	136.5	0.0
15/153	Y88G_100_100ad	0.125	1.0	0.0	0.0	54.4	-54.7	38.0	66.6	145.1	0.0
16/72	G00C_100_100ad	0.0	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0
17/73	G13C_100_100ad	0.0	0.125	1.0	0.0	50.5	-62.9	22.4	66.8	160.4	0.0
18/74	G25C_100_100ad	0.0	0.25	1.0	0.0	51.1	-59.5	13.9	61.1	166.8	0.0
19/75	G38C_100_100ad	0.0	0.375	1.0	0.0	52.9	-54.9	3.7	55.0	176.1	0.0
20/76	G50C_100_100ad	0.0	0.5	1.0	0.0	54.1	-48.0	49.3	49.3	189.3	0.0
21/77	G63C_100_100ad	0.0	0.625	1.0	0.0	58.8	-42.0	18.8	46.0	204.1	0.0
22/78	G75C_100_100ad	0.0	0.75	1.0	0.0	76.6	-35.4	-28.4	45.4	218.7	0.0
23/79	G88C_100_100ad	0.0	0.875	1.0	0.0	83.7	-35.0	46.3	46.3	229.0	0.0
24/70	C00B_100_100ad	0.0	1.0	0.0	0.0	56.8	-25.5	-41.5	46.7	238.4	0.0
25/71	C13B_100_100ad	0.0	0.875	1.0	0.0	54.3	-21.4	-41.4	46.6	242.6	0.0
26/63	C25B_100_100ad	0.0	0.75	1.0	0.0	50.9	-16.2	-41.2	44.2	248.4	0.0
27/65	C38B_100_100ad	0.0	0.625	1.0	0.0	46.8	-9.8	-40.9	42.1	256.4	0.0
28/44	C50B_100_100ad	0.0	0.5	1.0	0.0	41.7	-1.2	-40.6	40.6	268.2	0.0
29/35	C63B_100_100ad	0.0	0.375	1.0	0.0	37.0	6.6	-40.2	40.8	279.3	0.0
30/26	C75B_100_100ad	0.0	0.25	1.0	0.0	32.2	15.3	-40.3	43.1	290.8	0.0
31/17	C88B_100_100ad	0.0	0.125	1.0	0.0	28.4	22.8	-40.3	46.3	299.5	0.0
32/8	B00M_100_100ad	0.0	1.0	0.0	0.0	25.0	29.5	-40.4	50.0	306.2	0.0
33/89	B13M_100_100ad	0.125	1.0	0.0	0.0	27.7	35.6	-36.7	51.1	314.1	0.0
34/170	B25M_100_100ad	0.25	1.0	0.0	0.0	28.7	41.2	-33.1	52.9	321.1	0.0
35/251	B38M_100_100ad	0.375	1.0	0.0	0.0	32.5	51.2	-26.5	57.7	332.6	0.0
36/332	B50M_100_100ad	0.5	1.0	0.0	0.0	35.6	58.6	-20.7	62.1	340.5	0.0
37/413	B63M_100_100ad	0.625	1.0	0.0	0.0	38.3	65.8	-13.7	67.2	348.2	0.0
38/494	B75M_100_100ad	0.75	1.0	0.0	0.0	42.1	71.6	-8.7	72.1	353.0	0.0
39/575	B88M_100_100ad	0.875	1.0	0.0	0.0	44.3	75.4	-4.7	75.6	356.3	0.0
40/656	M00R_100_100ad	1.0	0.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8	0.0
41/655	M13R_100_100ad	1.0	0.0	0.875	1.0	45.9	78.3	3.8	78.4	2.8	0.0
42/654	M25R_100_100ad	1.0	0.0	0.75	1.0	45.9	77.3	8.0	77.7	5.9	0.0
43/653	M38R_100_100ad	1.0	0.0	0.625	1.0	46.0	75.7	14.4	77.1	10.8	0.0
44/652	M50R_100_100ad	1.0	0.0	0.5	1.0	45.9	74.2	21.1	77.1	15.9	0.0
45/651	M63R_100_100ad	1.0	0.0	0.375	1.0	45.8	72.9	28.7	78.4	21.5	0.0
46/650	M75R_100_100ad	1.0	0.0	0.25	1.0	45.6	72.1	35.3	80.3	26.1	0.0
47/649	M88R_100_100ad	1.0	0.0	0.125	1.0	45.5	71.4	40.4	82.1	29.5	0.0
48/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0
49/0	NV_000ad	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	0.0
50/91	NV_013ad	0.125	0.125	0.125	0.125	23.2	0.0	0.0	0.0	0.0	0.0
51/182	NV_025ad	0.25	0.25	0.25	0.25	22.5	0.0	0.0	0.0	0.0	0.0
52/273	NV_038ad	0.375	0.375	0.375	0.375	21.0	0.0	0.0	0.0	0.0	0.0
53/564	NV_050ad	0.5	0.5	0.5	0.5	20.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063ad	0.625	0.625	0.625	0.625	18.9	0.0	0.0	0.0	0.0	0.0
55/546	NV_075ad	0.75	0.75	0.75	0.75	18.1	0.0	0.0	0.0	0.0	0.0
56/637	NV_088ad	0.875	0.875	0.875	0.875	17.6	0.0	0.0	0.0	0.0	0.0
57/728	NV_100ad	1.0	1.0	1.0	1.0	16.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd  
output: 3D-linearization to cmy0\*\*dd

TUB-test chart RE37; hue code: H\*\_d=B50Rd  
colors and differences, ΔE\*\*

Table with columns: n/f, H/C/F, r/g/b, i/c/t, h/s, r/g/b, LabC/H, LabC/H, cmyk, cmyk, r/g/b, h/s, LabC/H, LabC/H, delta. The table contains 45 rows of color calibration data.

input: rgb/cmyk -> r/g/b  
output: 3D-linearization to cmy0\*\*d

Mean color difference of this page: delta







http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 21/33

Table with 16 columns: n, HHC\*F0d, rpb\_F0d, icr\_F0d, hsa\_F0d, rpb\*F0d, LabC0\*F0d, cmy0\*\_sep\_F0d, hsa\*F0d, rpb\*F0d, LabC0\*F0d, delta, and LabC0\*F0d. It contains color calibration data for various color patches.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0\*dd

TUB-test chart RE37; hue code: H\*d=B50Rd colors and differences, AE\*<sup>\*</sup>

I-1032031-F0



http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 23/33

Table with 32 columns: n, HHC\*F0d, rgb\_F0d, icr\_F0d, hsa\_F0d, rgb\*F0d, LabC0\*F0d, LabC0\*F0d, cmy\*sep\_F0d, hsa\*F0d, rgb\*F0d, LabC0\*F0d, LabC0\*F0d, delta. Rows 243-323.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0\*dd

http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 24/33

Table with 20 columns: n, HHC\*Fid, rpb\*Fid, icr\*Fid, Hs\*Fid, rpb\*Fid, LabC0\*Fid, LabC1\*Fid, LabC2\*Fid, LabC3\*Fid, LabC4\*Fid, LabC5\*Fid, LabC6\*Fid, LabC7\*Fid, LabC8\*Fid, LabC9\*Fid, LabC10\*Fid, LabC11\*Fid, LabC12\*Fid, LabC13\*Fid, LabC14\*Fid, LabC15\*Fid, LabC16\*Fid, LabC17\*Fid, LabC18\*Fid, LabC19\*Fid, LabC20\*Fid, LabC21\*Fid, LabC22\*Fid, LabC23\*Fid, LabC24\*Fid, LabC25\*Fid, LabC26\*Fid, LabC27\*Fid, LabC28\*Fid, LabC29\*Fid, LabC30\*Fid, LabC31\*Fid, LabC32\*Fid, LabC33\*Fid, LabC34\*Fid, LabC35\*Fid, LabC36\*Fid, LabC37\*Fid, LabC38\*Fid, LabC39\*Fid, LabC40\*Fid, LabC41\*Fid, LabC42\*Fid, LabC43\*Fid, LabC44\*Fid, LabC45\*Fid, LabC46\*Fid, LabC47\*Fid, LabC48\*Fid, LabC49\*Fid, LabC50\*Fid, LabC51\*Fid, LabC52\*Fid, LabC53\*Fid, LabC54\*Fid, LabC55\*Fid, LabC56\*Fid, LabC57\*Fid, LabC58\*Fid, LabC59\*Fid, LabC60\*Fid, LabC61\*Fid, LabC62\*Fid, LabC63\*Fid, LabC64\*Fid, LabC65\*Fid, LabC66\*Fid, LabC67\*Fid, LabC68\*Fid, LabC69\*Fid, LabC70\*Fid, LabC71\*Fid, LabC72\*Fid, LabC73\*Fid, LabC74\*Fid, LabC75\*Fid, LabC76\*Fid, LabC77\*Fid, LabC78\*Fid, LabC79\*Fid, LabC80\*Fid, LabC81\*Fid, LabC82\*Fid, LabC83\*Fid, LabC84\*Fid, LabC85\*Fid, LabC86\*Fid, LabC87\*Fid, LabC88\*Fid, LabC89\*Fid, LabC90\*Fid, LabC91\*Fid, LabC92\*Fid, LabC93\*Fid, LabC94\*Fid, LabC95\*Fid, LabC96\*Fid, LabC97\*Fid, LabC98\*Fid, LabC99\*Fid, LabC100\*Fid, LabC101\*Fid, LabC102\*Fid, LabC103\*Fid, LabC104\*Fid, LabC105\*Fid, LabC106\*Fid, LabC107\*Fid, LabC108\*Fid, LabC109\*Fid, LabC110\*Fid, LabC111\*Fid, LabC112\*Fid, LabC113\*Fid, LabC114\*Fid, LabC115\*Fid, LabC116\*Fid, LabC117\*Fid, LabC118\*Fid, LabC119\*Fid, LabC120\*Fid, LabC121\*Fid, LabC122\*Fid, LabC123\*Fid, LabC124\*Fid, LabC125\*Fid, LabC126\*Fid, LabC127\*Fid, LabC128\*Fid, LabC129\*Fid, LabC130\*Fid, LabC131\*Fid, LabC132\*Fid, LabC133\*Fid, LabC134\*Fid, LabC135\*Fid, LabC136\*Fid, LabC137\*Fid, LabC138\*Fid, LabC139\*Fid, LabC140\*Fid, LabC141\*Fid, LabC142\*Fid, LabC143\*Fid, LabC144\*Fid, LabC145\*Fid, LabC146\*Fid, LabC147\*Fid, LabC148\*Fid, LabC149\*Fid, LabC150\*Fid, LabC151\*Fid, LabC152\*Fid, LabC153\*Fid, LabC154\*Fid, LabC155\*Fid, LabC156\*Fid, LabC157\*Fid, LabC158\*Fid, LabC159\*Fid, LabC160\*Fid, LabC161\*Fid, LabC162\*Fid, LabC163\*Fid, LabC164\*Fid, LabC165\*Fid, LabC166\*Fid, LabC167\*Fid, LabC168\*Fid, LabC169\*Fid, LabC170\*Fid, LabC171\*Fid, LabC172\*Fid, LabC173\*Fid, LabC174\*Fid, LabC175\*Fid, LabC176\*Fid, LabC177\*Fid, LabC178\*Fid, LabC179\*Fid, LabC180\*Fid, LabC181\*Fid, LabC182\*Fid, LabC183\*Fid, LabC184\*Fid, LabC185\*Fid, LabC186\*Fid, LabC187\*Fid, LabC188\*Fid, LabC189\*Fid, LabC190\*Fid, LabC191\*Fid, LabC192\*Fid, LabC193\*Fid, LabC194\*Fid, LabC195\*Fid, LabC196\*Fid, LabC197\*Fid, LabC198\*Fid, LabC199\*Fid, LabC200\*Fid, LabC201\*Fid, LabC202\*Fid, LabC203\*Fid, LabC204\*Fid, LabC205\*Fid, LabC206\*Fid, LabC207\*Fid, LabC208\*Fid, LabC209\*Fid, LabC210\*Fid, LabC211\*Fid, LabC212\*Fid, LabC213\*Fid, LabC214\*Fid, LabC215\*Fid, LabC216\*Fid, LabC217\*Fid, LabC218\*Fid, LabC219\*Fid, LabC220\*Fid, LabC221\*Fid, LabC222\*Fid, LabC223\*Fid, LabC224\*Fid, LabC225\*Fid, LabC226\*Fid, LabC227\*Fid, LabC228\*Fid, LabC229\*Fid, LabC230\*Fid, LabC231\*Fid, LabC232\*Fid, LabC233\*Fid, LabC234\*Fid, LabC235\*Fid, LabC236\*Fid, LabC237\*Fid, LabC238\*Fid, LabC239\*Fid, LabC240\*Fid, LabC241\*Fid, LabC242\*Fid, LabC243\*Fid, LabC244\*Fid, LabC245\*Fid, LabC246\*Fid, LabC247\*Fid, LabC248\*Fid, LabC249\*Fid, LabC250\*Fid, LabC251\*Fid, LabC252\*Fid, LabC253\*Fid, LabC254\*Fid, LabC255\*Fid, LabC256\*Fid, LabC257\*Fid, LabC258\*Fid, LabC259\*Fid, LabC260\*Fid, LabC261\*Fid, LabC262\*Fid, LabC263\*Fid, LabC264\*Fid, LabC265\*Fid, LabC266\*Fid, LabC267\*Fid, LabC268\*Fid, LabC269\*Fid, LabC270\*Fid, LabC271\*Fid, LabC272\*Fid, LabC273\*Fid, LabC274\*Fid, LabC275\*Fid, LabC276\*Fid, LabC277\*Fid, LabC278\*Fid, LabC279\*Fid, LabC280\*Fid, LabC281\*Fid, LabC282\*Fid, LabC283\*Fid, LabC284\*Fid, LabC285\*Fid, LabC286\*Fid, LabC287\*Fid, LabC288\*Fid, LabC289\*Fid, LabC290\*Fid, LabC291\*Fid, LabC292\*Fid, LabC293\*Fid, LabC294\*Fid, LabC295\*Fid, LabC296\*Fid, LabC297\*Fid, LabC298\*Fid, LabC299\*Fid, LabC300\*Fid, LabC301\*Fid, LabC302\*Fid, LabC303\*Fid, LabC304\*Fid, LabC305\*Fid, LabC306\*Fid, LabC307\*Fid, LabC308\*Fid, LabC309\*Fid, LabC310\*Fid, LabC311\*Fid, LabC312\*Fid, LabC313\*Fid, LabC314\*Fid, LabC315\*Fid, LabC316\*Fid, LabC317\*Fid, LabC318\*Fid, LabC319\*Fid, LabC320\*Fid, LabC321\*Fid, LabC322\*Fid, LabC323\*Fid, LabC324\*Fid, LabC325\*Fid, LabC326\*Fid, LabC327\*Fid, LabC328\*Fid, LabC329\*Fid, LabC330\*Fid, LabC331\*Fid, LabC332\*Fid, LabC333\*Fid, LabC334\*Fid, LabC335\*Fid, LabC336\*Fid, LabC337\*Fid, LabC338\*Fid, LabC339\*Fid, LabC340\*Fid, LabC341\*Fid, LabC342\*Fid, LabC343\*Fid, LabC344\*Fid, LabC345\*Fid, LabC346\*Fid, LabC347\*Fid, LabC348\*Fid, LabC349\*Fid, LabC350\*Fid, LabC351\*Fid, LabC352\*Fid, LabC353\*Fid, LabC354\*Fid, LabC355\*Fid, LabC356\*Fid, LabC357\*Fid, LabC358\*Fid, LabC359\*Fid, LabC360\*Fid, LabC361\*Fid, LabC362\*Fid, LabC363\*Fid, LabC364\*Fid, LabC365\*Fid, LabC366\*Fid, LabC367\*Fid, LabC368\*Fid, LabC369\*Fid, LabC370\*Fid, LabC371\*Fid, LabC372\*Fid, LabC373\*Fid, LabC374\*Fid, LabC375\*Fid, LabC376\*Fid, LabC377\*Fid, LabC378\*Fid, LabC379\*Fid, LabC380\*Fid, LabC381\*Fid, LabC382\*Fid, LabC383\*Fid, LabC384\*Fid, LabC385\*Fid, LabC386\*Fid, LabC387\*Fid, LabC388\*Fid, LabC389\*Fid, LabC390\*Fid, LabC391\*Fid, LabC392\*Fid, LabC393\*Fid, LabC394\*Fid, LabC395\*Fid, LabC396\*Fid, LabC397\*Fid, LabC398\*Fid, LabC399\*Fid, LabC400\*Fid, LabC401\*Fid, LabC402\*Fid, LabC403\*Fid, LabC404\*Fid

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0\*dd

RE370-TN; Page 24/33-F

TUB-test chart RE37; hue code: H\*d=B50Rd colors and differences, ΔE\*

TUB registration: 20150701-RE37/RE37L0FA.TXT /.PS  
application for measurement of offset print output, separation cmy0\* (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization  
F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 25/33

Table with columns: n, HHC\*Field, rgb\_Field, icr\_Field, fcs\_Field, rpb\*Field, LabCM\*Field, cmy\*sep.Field, delta, HAn\*Lab, rpb\*Mid, LabCM\*Mid, LabCM\*Mid. Rows 405-485.

Mean color difference of this page:

I=1032431-F0

RE37-IN; Page 25/33-F

TUB-test chart RE37; hue code: H\*\_d=B50Rd  
colors and differences, ΔE\*  
input: rgb/cmyk -> rgbdd  
output: 3D-linearization to cmy0\*dd

see similar files: http://130.149.60.45/~farbmetrik/RE37/RE37.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





Table with columns: n, HHC\*Fid, rpb\_Fid, icr\_Fid, hsa\_Fid, rpb\*Fid, LabCM\*Fid, cmy0\*\_sep\_Fid, rpb\*\_Fid, LabCM\*\_Fid, LabCM\*\_Fid, rpb\*\_Fid, LabCM\*\_Fid, delta. Rows 567-647.

Mean color difference of this page:

input: rgb/cmyk -> rgbd  
output: 3D-linearization to cmy0\*dd

RE370-TN, Page 27/33-F

TUB-test chart RE37; hue code: H\*d=B50Rd  
colors and differences, AE\*  
I-1032631-F0





http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 28/33

Table with 15 columns: n, HHC\*Fid, rcp\_Fid, icr\_Fid, Hrs\_Fid, rcp\*Fid, LabC\*Fid, LabC\*Fid, cmy\*sep\_Fid, cmy\*sep\_Fid, rcp\*Fid, LabC\*Fid, LabC\*Fid, rcp\*Fid, LabC\*Fid. Rows 648-728.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0\*dd

TUB-test chart RE37; hue code: H\*\_d=B50Rd colors and differences, ΔE\*<sub>ab</sub>



http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 29/33

input: rgb/cmyk -> rgbd  
output: 3D-linearization to cmy0\*dd

Table with 16 columns: n, H#C\*Fad, H#C\*Fad, rpb\_Fad, iet\_Fad, iet\_Fad, H#C\*Fad, H#C\*Fad, rpb\_Fad, LabC0\*Fad, LabC0\*Fad, cmy0\*\_sep\_Fad, cmy0\*\_sep\_Fad, rpb\_Fad, rpb\_Fad, LabC0\*Fad, LabC0\*Fad. The table contains 809 rows of data, each representing a color patch and its measurements.

Mean color difference of this page: delta

TUB-test chart RE37; hue code: H\*\_d=B50Rd colors and differences, AE\*  
RE370-TN; Page 29/33-F



http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 31/33

Table with 15 columns: n, H#C\*Fad, rpb\*Fad, icr\*Fad, hsa\*Fad, rpb\*Fad, LabC\*Fad, cmyk\*sep,Fad, rpb\*Fad, hsa\*Fad, LabC\*Fad, delta, rpb\*Fad, hsa\*Fad, LabC\*Fad. Rows 891-971.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0\*dd

RE370-TN, Page 31/33-F

TUB-test chart RE37; hue code: H\*\_d=B50Rd colors and differences, ΔE\*<sub>a</sub>\*

http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 32/33

Table with 15 columns: n, HC\*Fid, rpb\_Fid, icr\_Fid, Hsa\_Fid, rpb\*Fid, LabC\*Fid, LabC\*Fid, cmy0\*\_sep,Fid, cmy0\*\_sep,Fid, Hsa,d, rpb\*d, LabC\*Fid, LabC\*Fid, delta. It contains 152 rows of color calibration data.

Mean color difference of this page:


input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0\*dd

RE370-TN, Page 32/33-F

TUB-test chart RE37; hue code: H\*\_d=B50Rd colors and differences, AE\*\_\*



I-1033131-F0





TUB registration: 20150701-RE37/RE37L0FA.TXT /.PS  
 application for measurement of offset print output, separation cmy0\* (CMY0)

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/RE37/RE37L0FA.TXT /.PS; 3D-linearization  
 F: 3D-linearization RE37/RE37LE30FA.DAT in file (F), page 33/33

n	HHC*Fid	rgb*Fid	icc*Fid	Hs_Fid	rgb*Fid	LabC0*Fid	cmyp*sep_Fid	cmyp*Fid	Hs_Jdd	rgb*Jdd	LabC0*Jdd	Hs_Kdd	cmyp*Kdd	cmyp*Fid	Hs_Jdd	rgb*Jdd	LabC0*Jdd	cmyp*Kdd	cmyp*Fid	
1053	NW_086ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006ad	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_013ad	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_026ad	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033ad	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040ad	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046ad	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053ad	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_057ad	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574	0.574
1065	NW_066ad	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_069ad	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693	0.693
1067	NW_073ad	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_080ad	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086ad	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093ad	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	ROX_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	ROX_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1075	GS0B_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y00G_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1077	B00C_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B00R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page:  
 delta

TUB-test chart RE37; hue code: H\*\_d=B50Rd  
 colors and differences, ΔE\*  
 input: rgb/cmyk -> rgbdd  
 output: 3D-linearization to cmy0\*dd

see similar files: <http://130.149.60.45/~farbmetrik/RE37/RE37.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

