

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_ = B50R_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = B50R_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 49 73 -9 74 353

$HIC^*_{-,Ma}$: B50R_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /.PS; start output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE38/RE38LONP.PDF /.PS
application for measurement of offset print output

TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 31\ 47\ -29\ 55\ 328$

$HIC^*_{e, Ma}: B50R_100_100_e$



$rgbic^*_{e, Ma}$:

0.32 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /.PS; transfer output
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE38/RE38LONP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013131-L0 RE380-71

TUB-test chart RE38; hue code: $H^*_e=B50R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 31\ 47\ -29\ 55\ 328$

$HIC^*_{e, Ma}: B50R_100_100_e$



$rgbic^*_{e, Ma}$:

0.32 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF> / .PS; transfer output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE38/RE38LONP.PDF /.PS
 application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta

1-013231-L0 RE380-71

TUB-test chart RE38; hue code: $H^*_e = B50R_e$
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 31\ 47\ -29\ 55\ 328$

$HIC^*_{e, Ma}: B50R_100_100_e$

$rgbic^*_{e, Ma}$:

0.32 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/RE38/RE38.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE38/RE38LONP.PDF /.PS
 application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rh4ta

1-013331-L0 RE380-71

TUB-test chart RE38; hue code: $H^*_e = B50R_e$
 Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 31\ 47\ -29\ 55\ 328$

$HIC^*_{e, Ma}: B50R_{100_{100}_e}$

$rgbic^*_{e, Ma}$:



0.32 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /.PS; transfer output
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20150701-RE38/RE38LONP.PDF /.PS
 application for measurement of offset print output, separation cmy0 (CMY0)
 TUB material: code=rh4ta

1-013431-L0 RE380-71

TUB-test chart RE38; hue code: $H^*_e = B50R_e$
 Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmy0_e$

1-013431-F0




Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
O=R_d orange-red
M=M_d magenta-red
V=B_d violet-blue



Y_e yellow
G_e green
C_e blue-green
B_e blue



standard CIELAB (a*, b*) chroma diagram



Notes to the CIELAB chroma diagrams (a*, b*, s), (a*, s, b*), (a*, b*, s*)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:
$$h_{ab,s} = \arctan \left[r^*_s \cos(30) + g^*_s \cos(150) \right] / \left[r^*_s \sin(30) + g^*_s \sin(150) \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,ij} = h_{ab,si} + j \left[h_{ab,si+1} - h_{ab,si} \right] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,ij} = h_{ab,si} + j \left[h_{ab,si+1} - h_{ab,si} \right] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,ej} = h_{ab,ei} + j \left[h_{ab,ei+1} - h_{ab,ei} \right] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,ej} = h_{ab,ei} + j \left[h_{ab,ei+1} - h_{ab,ei} \right] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,i}$ there is a well defined device hue angle $h_{ab,ds}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/RE38/RE38L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

	R_d	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$											
32	1.0	0.0	0.0	0.096	45.5	71.4	41.2	82.4	30	R_s	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	R_c	1.0	0.0	0.0	0.0	
33	1.0	0.016	0.0	0.055	45.5	71.2	42.8	83.1	31	1.0	0.017	0.0	0.0	0.218	45.6	72.0	36.1	80.6	26	1.0	0.017	0.0	0.0	
34	1.0	0.033	0.0	0.013	45.5	71.0	44.4	83.7	32	1.0	0.033	0.0	0.0	0.0	0.18	45.6	71.8	37.7	81.1	27	1.0	0.033	0.0	
35	1.0	0.005	0.0	0.015	0.0	45.9	70.0	45.5	83.5	33	1.0	0.005	0.0	1.0	0.0	0.142	45.6	71.6	39.4	81.7	28	1.0	0.005	0.0
36	1.0	0.066	0.0	0.036	0.0	46.5	68.0	46.3	82.8	34	1.0	0.067	0.0	1.0	0.0	0.099	45.5	71.4	41.1	82.4	29	1.0	0.067	0.0
37	1.0	0.083	0.0	0.057	0.0	47.1	67.3	47.1	82.1	35	1.0	0.083	0.0	1.0	0.0	0.053	45.5	71.2	42.9	83.1	31	1.0	0.083	0.0
38	1.0	0.1	0.0	0.079	0.0	47.6	65.9	47.9	81.4	36	1.0	0.1	0.0	1.0	0.0	0.006	45.5	71.0	44.6	83.8	32	1.0	0.1	0.0
39	1.0	0.116	0.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.116	0.0	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33	1.0	0.116	0.0
40	1.0	0.133	0.0	0.121	0.0	48.8	63.1	49.3	80.1	38	1.0	0.133	0.0	1.0	0.044	0.0	46.7	68.1	46.6	82.5	34	1.0	0.133	0.0
41	1.0	0.15	0.0	0.137	0.0	49.4	61.8	50.1	79.6	39	1.0	0.15	0.0	1.0	0.068	0.0	47.4	66.6	47.5	81.8	35	1.0	0.15	0.0
42	1.0	0.166	0.0	0.151	0.0	49.9	60.6	50.9	79.1	40	1.0	0.166	0.0	1.0	0.092	0.0	48.0	65.0	48.3	81.0	36	1.0	0.166	0.0
43	1.0	0.183	0.0	0.166	0.0	50.5	59.4	51.6	78.7	41	1.0	0.183	0.0	1.0	0.116	0.0	48.7	63.5	49.1	80.2	37	1.0	0.183	0.0
44	1.0	0.2	0.0	0.18	0.0	51.0	58.1	52.3	78.2	42	1.0	0.2	0.0	1.0	0.135	0.0	49.3	62.0	49.9	79.6	38	1.0	0.2	0.0
45	1.0	0.216	0.0	0.194	0.0	51.6	56.9	53.0	77.8	43	1.0	0.216	0.0	1.0	0.151	0.0	49.9	60.7	50.8	79.1	39	1.0	0.216	0.0
46	1.0	0.233	0.0	0.209	0.0	52.1	55.6	53.7	77.3	44	1.0	0.233	0.0	1.0	0.167	0.0	50.5	59.3	51.7	78.6	41	1.0	0.233	0.0
47	1.0	0.25	0.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.25	0.0	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	1.0	0.25	0.0
48	1.0	0.266	0.0	0.237	0.0	53.2	53.1	55.0	76.4	46	1.0	0.266	0.0	1.0	0.198	0.0	51.7	56.5	53.2	77.6	43	1.0	0.266	0.0
49	1.0	0.283	0.0	0.251	0.0	53.7	51.8	55.6	76.0	47	1.0	0.283	0.0	1.0	0.214	0.0	52.3	55.1	54.0	77.1	44	1.0	0.283	0.0
50	1.0	0.3	0.0	0.264	0.0	54.3	50.7	56.3	75.8	48	1.0	0.3	0.0	1.0	0.23	0.0	52.9	53.7	54.7	76.6	45	1.0	0.3	0.0
51	1.0	0.316	0.0	0.276	0.0	54.8	49.6	57.1	75.6	49	1.0	0.316	0.0	1.0	0.246	0.0	53.5	52.3	55.4	76.1	46	1.0	0.316	0.0
52	1.0	0.333	0.0	0.288	0.0	55.4	48.5	57.8	75.4	50	1.0	0.333	0.0	1.0	0.261	0.0	54.2	51.0	56.2	75.9	47	1.0	0.333	0.0
53	1.0	0.35	0.0	0.301	0.0	55.9	47.3	58.5	75.2	51	1.0	0.35	0.0	1.0	0.274	0.0	54.8	49.8	57.0	75.6	48	1.0	0.35	0.0
54	1.0	0.366	0.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.366	0.0	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	1.0	0.366	0.0
55	1.0	0.383	0.0	0.326	0.0	57.0	45.0	59.8	74.8	53	1.0	0.383	0.0	1.0	0.302	0.0	56.0	47.2	58.5	75.2	51	1.0	0.383	0.0
56	1.0	0.4	0.0	0.338	0.0	57.6	43.9	60.4	74.6	54	1.0	0.4	0.0	1.0	0.316	0.0	56.6	45.9	59.3	75.0	52	1.0	0.4	0.0
57	1.0	0.416	0.0	0.35	0.0	58.1	42.7	61.0	74.4	55	1.0	0.416	0.0	1.0	0.33	0.0	57.2	44.6	60.0	74.8	53	1.0	0.416	0.0
58	1.0	0.433	0.0	0.363	0.0	58.6	41.5	61.5	74.2	56	1.0	0.433	0.0	1.0	0.343	0.0	57.8	43.3	60.6	74.5	54	1.0	0.433	0.0
59	1.0	0.45	0.0	0.375	0.0	59.2	40.3	62.1	74.0	57	1.0	0.45	0.0	1.0	0.357	0.0	58.4	42.0	61.3	74.3	55	1.0	0.45	0.0
60	1.0	0.466	0.0	0.387	0.0	59.8	39.3	62.8	74.1	58	1.0	0.467	0.0	1.0	0.371	0.0	59.0	40.7	61.9	74.1	56	1.0	0.467	0.0
61	1.0	0.483	0.0	0.4	0.0	60.3	38.2	63.5	74.1	59	1.0	0.483	0.0	1.0	0.385	0.0	59.6	39.5	62.7	74.1	57	1.0	0.483	0.0
62	1.0	0.5	0.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.5	0.0	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	1.0	0.5	0.0
63	1.0	0.516	0.0	0.424	0.0	61.4	36.0	64.9	74.2	61	1.0	0.516	0.0	1.0	0.412	0.0	60.9	37.1	64.2	74.2	61	1.0	0.516	0.0
64	1.0	0.533	0.0	0.436	0.0	62.0	34.9	65.6	74.3	62	1.0	0.533	0.0	1.0	0.426	0.0	61.5	35.8	65.0	74.2	62	1.0	0.533	0.0
65	1.0	0.55	0.0	0.449	0.0	62.6	33.7	66.2	74.3	63	1.0	0.55	0.0	1.0	0.439	0.0	62.1	34.6	65.7	74.3	62	1.0	0.55	0.0
66	1.0	0.566	0.0	0.461	0.0	63.1	32.6	66.9	74.4	64	1.0	0.567	0.0	1.0	0.453	0.0	62.8	33.3	66.4	74.3	63	1.0	0.567	0.0
67	1.0	0.583	0.0	0.473	0.0	63.7	31.5	67.5	74.4	65	1.0	0.583	0.0	1.0	0.467	0.0	63.4	32.1	67.1	74.4	64	1.0	0.583	0.0
68	1.0	0.6	0.0	0.486	0.0	64.2	30.3	68.0	74.5	66	1.0	0.6	0.0	1.0	0.48	0.0	64.0	30.8	67.8	74.5	65	1.0	0.6	0.0
69	1.0	0.616	0.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.616	0.0	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	1.0	0.616	0.0
70	1.0	0.633	0.0	0.509	0.0	65.4	28.0	69.4	74.8	68	1.0	0.633	0.0	1.0	0.507	0.0	65.3	28.2	69.2	74.8	67	1.0	0.633	0.0
71	1.0	0.65	0.0	0.52	0.0	66.1	26.9	70.2	75.2	69	1.0	0.65	0.0	1.0	0.519	0.0	66.0	27.0	70.1	75.2	68	1.0	0.65	0.0
72	1.0	0.666	0.0	0.531	0.0	66.7	25.8	71.0	75.6	70	1.0	0.667	0.0	1.0	0.531	0.0	66.7	25.8	71.0	75.6	70	1.0	0.667	0.0
73	1.0	0.683	0.0	0.542	0.0	67.3	24.7	71.8	75.9	71	1.0	0.683	0.0	1.0	0.543	0.0	67.4	24.6	71.9	76.0	71	1.0	0.683	0.0
74	1.0	0.7	0.0	0.553	0.0	67.9	23.6	72.6	76.3	72	1.0	0.7	0.0	1.0	0.555	0.0	68.1	23.3	72.8	76.4	72	1.0	0.7	0.0
75	1.0	0.716	0.0	0.564	0.0	68.6	22.4	73.3	76.6	73	1.0	0.716	0.0	1.0	0.568	0.0	68.8	22.0	73.6	76.8	73	1.0	0.716	0.0
76	1.0	0.733	0.0	0.574	0.0	69.2	21.2	74.0	77.0	74	1.0	0.733	0.0	1.0	0.58	0.0	69.5	20.6	74.4	77.2	74	1.0	0.733	0.0
77	1.0	0.75	0.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: transfer to $cmy0_e$

Output: Offset standard print; separation cmy0*, D65, page 10/33

http://130.149.60.45/~farbmetrik/RE38/RE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;





Table with 10 columns: h_ab,d, h_ab,s, h_ab,e, rgb*_dd361M, LAB*_dxc361M(x=LabCh), rgb*_dd361M, LAB*_dxc361M(x=LabCh), rgb*_dd361M, LAB*_dxc361M(x=LabCh), rgb*_dd361M, LAB*_dxc361M(x=LabCh). Rows 340-366.

I=0131531=L0 RE380-71 LAB*ta0, YN=0%, XY,Znw=3.6,4.2,6.1,85.4,89.1,104.8, LAB*rw=24.4,0.0,0.0,95.6,0.0,0.0

TUB-test chart RE38; hue code: H*_e=B50R_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_e output: transfer to cmy0_e

Output: Offset standard print; separation cmy0*, D65, page 16/33



http://130.149.60.45/~farbmetrik/RE38/RE38L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Table with columns: nif, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, DF*Fe, Hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe. Rows include color names like R000, R13Y, R25C, etc.

Mean color difference of this page: delta E* = 20.9

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50R_e colors and differences, ΔE*

nif	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hsa*Me	rgb*Me	LabCh*Me	DF*Me	hsa*Me	rgb*Me	LabCh*Me	DF*Me	hsa*Me
0/648	ROXY_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
1/668	R25Y_100_100k	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
2/684	R50Y_100_100k	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
3/702	R75Y_100_100k	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
4/720	Y00C_100_100k	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
5/558	Y25C_100_100k	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
6/396	Y50C_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
7/234	Y75C_100_100k	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
8/72	CO0B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
9/72	CO0B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
10/76	G05B_100_100k	0.0	1.0	0.5	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
11/80	G10B_100_100k	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
12/44	G15B_100_100k	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
13/8	B00M_100_100k	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
14/332	B25R_100_100k	0.5	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
15/652	B50R_100_100k	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
16/652	B75R_100_100k	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
17/648	ROXY_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
18/688	ROXY_100_050k	1.0	0.5	0.5	1.0	0.5	0.627	70.6	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	25.4	
19/706	R50Y_100_050k	1.0	0.75	0.5	1.0	0.699	0.5	0.0	0.0	32.3	83.9	44.8	70.9	83.9	375	1.0	0.0	0.0	375
20/724	Y00C_100_050k	0.75	1.0	0.5	1.0	0.939	0.5	89.6	-1.8	48.2	45.2	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
21/400	G00B_100_050k	0.5	1.0	0.5	1.0	0.875	72.3	-31.0	91.6	32.6	33.8	127.2	32.6	33.8	127.2	32.6	33.8	127.2	
22/548	B00R_100_050k	0.5	1.0	0.5	1.0	0.875	72.3	-31.0	91.6	32.6	33.8	127.2	32.6	33.8	127.2	32.6	33.8	127.2	
23/548	B00R_100_050k	0.5	1.0	0.5	1.0	0.875	72.3	-31.0	91.6	32.6	33.8	127.2	32.6	33.8	127.2	32.6	33.8	127.2	
24/692	B50R_100_050k	1.0	0.5	0.5	1.0	0.633	23.8	-14.5	27.9	328.6	17.3	288	35.3	35.3	17.3	288	35.3	35.3	
26/688	ROXY_100_050k	1.0	0.5	0.5	1.0	0.627	70.6	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	25.4	40.0	
27/506	ROXY_075_050k	0.75	0.25	0.5	1.0	0.5	0.377	52.8	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	25.4	
28/524	R50Y_075_050k	0.75	0.5	0.5	1.0	0.449	0.25	60.1	19.1	31.7	37.0	58.8	31.7	37.0	58.8	31.7	37.0	58.8	
29/542	Y00C_075_050k	0.75	0.75	0.5	1.0	0.689	0.25	71.8	-1.8	48.2	45.2	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
30/318	Y50C_075_050k	0.5	0.75	0.5	1.0	0.411	0.75	0.25	61.3	-20.4	26.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
31/218	G00B_075_050k	0.25	0.75	0.5	1.0	0.25	0.75	0.25	55.3	-31.0	9.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
32/222	G50B_075_050k	0.25	0.75	0.5	1.0	0.25	0.75	0.25	55.3	-31.0	9.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
33/186	B00R_075_050k	0.25	0.75	0.5	1.0	0.25	0.75	0.25	55.3	-31.0	9.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
34/510	B50R_075_050k	0.25	0.75	0.5	1.0	0.411	0.25	0.75	0.25	55.3	-31.0	9.9	32.6	33.8	127.2	32.6	33.8	127.2	
35/506	ROXY_075_050k	0.75	0.25	0.5	1.0	0.5	0.377	52.8	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	25.4	
36/324	ROXY_050_050k	0.5	0.0	0.5	1.0	0.5	0.127	35.0	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	25.4	
37/342	R50Y_050_050k	0.5	0.25	0.5	1.0	0.199	0.0	42.3	19.1	31.7	37.0	58.8	31.7	37.0	58.8	31.7	37.0	58.8	
38/360	Y00C_050_050k	0.5	0.5	0.5	1.0	0.439	0.0	54.0	-1.8	48.2	45.2	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
39/198	Y50C_050_050k	0.25	0.5	0.5	1.0	0.161	0.5	0.0	43.5	-20.4	26.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
40/36	G00B_050_050k	0.0	0.5	0.5	1.0	0.0	0.5	0.075	37.5	-31.0	9.9	32.6	33.8	127.2	32.6	33.8	127.2	32.6	
41/40	G50B_050_050k	0.0	0.5	0.5	1.0	0.0	0.5	0.373	39.7	-18.1	-13.6	22.6	21.7	27.9	32.6	33.8	127.2	32.6	
42/4	B00R_050_050k	0.0	0.5	0.5	1.0	0.0	0.229	0.5	32.3	0.0	-20.3	20.3	21.7	27.9	32.6	33.8	127.2	32.6	
43/328	B50R_050_050k	0.5	0.0	0.5	1.0	0.16	0.0	0.5	27.7	23.8	-14.5	27.9	32.6	33.8	127.2	32.6	33.8	127.2	
44/324	ROXY_050_050k	0.5	0.0	0.5	1.0	0.5	0.0	0.127	35.0	36.1	17.2	40.0	25.4	40.0	25.4	40.0	25.4	40.0	
45/0	NW_00k	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
46/91	NW_01k	0.125	0.125	0.125	1.0	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025k	0.25	0.25	0.25	1.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_050k	0.375	0.375	0.375	1.0	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_065k	0.625	0.625	0.625	1.0	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
50/455	NW_08k	0.625	0.625	0.625	1.0	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_08k	0.625	0.625	0.625	1.0	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
52/637	NW_100k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
53/728	NW_100k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: $\Delta E^* = 13.3$

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50Re
colors and differences, ΔE^*

http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 10 columns: #, H#C*Fe, rgB*Fe, iet*Fe, H#S*Fe, rgB*Fe, LabC*Fe, H#M*Fe, DF*Fe, H#A*Fe, rgB*Fe, LabC*Fe. Rows 1-80 contain color calibration data for various printing conditions.

Mean color difference of this page: delta E* = 10.9

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE* input: rgb/cmyk -> rgbe output: transfer to cmy0e

http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fe, rgB*Fe, icT*Fe, HsL*Fe, rgB*Fe, LabCH*Fe, HsL*Fe, rgB*Fe, LabCH*Fe, DF*Fe, HsL*Fe, rgB*Fe, LabCH*Fe, HsL*Fe, rgB*Fe. Rows 81-161.





Mean color difference of this page: delta E* = 12.0



TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE380-TN, Page 21/33-F

I-10313-F0







http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33





Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabC0*Fe, LabC0*Fe, rpb*Fe, LabC0*Fe, DF*Fe, Hs*Fe, rpb*Fe, LabC0*Fe, LabC0*Fe. Rows 324-404.

Mean color difference of this page: delta E* = 15.7

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, AE*





http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33





input: rgb/cmyk -> rgbe output: transfer to cmy0e

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, rpb*Fe, LabCH*Fe, DF*Fe, HaM*Fe, rpb*Fe, LabCH*Fe. Rows 405-485.

Mean color difference in this page: delta E* = 15.9

RE380-TN; Page 25/33-F

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33





Table with columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Me, LabCH*Me, rpb*Me, LabCH*Me. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page:

delta E* = 14.5

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e



http://130.149.60.45/~farbmatrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

RE380-TN; Page 27/33-F

Table with 15 columns: n, HHC*Fe, rpb*Fe, iet*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, rpb*Fe. Rows 567-647.

Mean color difference of this page: delta E* = 13.8




http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, DF*Fe, Hs*Me, rpb*Me, LabCH*Me, LabCH*Me, rpb*Me. Rows include color names like R001, R002, etc.

Mean color difference of this page: delta E* = 15.7

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*



http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

Table with 10 columns: n, H* C* M*, rg b*, i c t*, i s*, h s*, F*, Lab C* M* L*, Lab C* M* L*, D P*, H a M*, r g b*, Lab C* M* L*, Lab C* M* L*, and Delta E*. Rows list various color patches and their corresponding colorimetric values.

Mean color difference of this page:

input: rgb/cmyk -> rgbe output: transfer to cmy0e

RE380-TN, Page 29/33-F

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

Table with 15 columns: n, HHC*Fe, rpb*Fe, icr*Fe, Hs*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe, rpb*Fe, DF*Fe, Hs*Fe, LabCh*Fe, rpb*Fe, LabCh*Fe. Rows include color names like NV, BOOR, YOCG, etc.

Mean color difference of this page: delta E* = 12.1

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

<http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

n	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	DF*Fe	Ha*Me	rgb*Me	LabCh*Me	DF*Me	Delta E*
891	NW_100k	1.0	1.0	1.0	1.0	95.6	0.0	0.0	1.0	95.6	0.0	0.0
892	NW_100k.012k	1.0	0.875	1.0	0.915	87.5	0.0	0.0	1.0	87.5	0.0	0.0
893	B50R_100.025k	1.0	0.75	1.0	0.83	75.0	0.0	0.0	1.0	75.0	0.0	0.0
894	B50R_100.037k	1.0	0.625	1.0	0.705	62.5	0.0	0.0	1.0	62.5	0.0	0.0
895	B50R_100.050k	1.0	0.5	1.0	0.58	50.0	0.0	0.0	1.0	50.0	0.0	0.0
896	B50R_100.062k	1.0	0.375	1.0	0.46	37.5	0.0	0.0	1.0	37.5	0.0	0.0
897	B50R_100.075k	1.0	0.25	1.0	0.34	25.0	0.0	0.0	1.0	25.0	0.0	0.0
898	B50R_100.087k	1.0	0.125	1.0	0.215	12.5	0.0	0.0	1.0	12.5	0.0	0.0
899	B50R_100.100k	1.0	0.0	1.0	0.09	0.0	0.0	0.0	1.0	0.0	0.0	0.0
900	GOB1_100.012k	0.875	1.0	0.875	0.875	87.5	0.0	0.0	0.875	87.5	0.0	0.0
901	NW_087k	0.875	0.875	0.875	0.875	87.5	0.0	0.0	0.875	87.5	0.0	0.0
902	B50R_087.012k	0.875	0.75	0.875	0.75	75.0	0.0	0.0	0.875	75.0	0.0	0.0
903	B50R_087.025k	0.875	0.625	0.875	0.625	62.5	0.0	0.0	0.875	62.5	0.0	0.0
904	B50R_087.037k	0.875	0.5	0.875	0.5	50.0	0.0	0.0	0.875	50.0	0.0	0.0
905	B50R_087.050k	0.875	0.375	0.875	0.375	37.5	0.0	0.0	0.875	37.5	0.0	0.0
906	B50R_087.062k	0.875	0.25	0.875	0.25	25.0	0.0	0.0	0.875	25.0	0.0	0.0
907	B50R_087.075k	0.875	0.125	0.875	0.125	12.5	0.0	0.0	0.875	12.5	0.0	0.0
908	B50R_087.087k	0.875	0.0	0.875	0.0	0.0	0.0	0.0	0.875	0.0	0.0	0.0
909	GOB1_087.012k	0.75	1.0	0.75	0.75	75.0	0.0	0.0	0.75	75.0	0.0	0.0
910	GOB1_087.025k	0.75	0.875	0.75	0.875	87.5	0.0	0.0	0.75	87.5	0.0	0.0
911	B50R_075.012k	0.75	0.75	0.75	0.75	75.0	0.0	0.0	0.75	75.0	0.0	0.0
912	B50R_075.025k	0.75	0.625	0.75	0.625	62.5	0.0	0.0	0.75	62.5	0.0	0.0
913	B50R_075.037k	0.75	0.5	0.75	0.5	50.0	0.0	0.0	0.75	50.0	0.0	0.0
914	B50R_075.050k	0.75	0.375	0.75	0.375	37.5	0.0	0.0	0.75	37.5	0.0	0.0
915	B50R_075.062k	0.75	0.25	0.75	0.25	25.0	0.0	0.0	0.75	25.0	0.0	0.0
916	B50R_075.075k	0.75	0.125	0.75	0.125	12.5	0.0	0.0	0.75	12.5	0.0	0.0
917	B50R_075.087k	0.75	0.0	0.75	0.0	0.0	0.0	0.0	0.75	0.0	0.0	0.0
918	GOB1_087.037k	0.625	1.0	0.625	0.625	62.5	0.0	0.0	0.625	62.5	0.0	0.0
919	GOB1_087.050k	0.625	0.875	0.625	0.875	87.5	0.0	0.0	0.625	87.5	0.0	0.0
920	GOB1_087.062k	0.625	0.75	0.625	0.75	75.0	0.0	0.0	0.625	75.0	0.0	0.0
921	NW_062k	0.625	0.625	0.625	0.625	62.5	0.0	0.0	0.625	62.5	0.0	0.0
922	B50R_062.012k	0.625	0.5	0.625	0.5	50.0	0.0	0.0	0.625	50.0	0.0	0.0
923	B50R_062.025k	0.625	0.375	0.625	0.375	37.5	0.0	0.0	0.625	37.5	0.0	0.0
924	B50R_062.037k	0.625	0.25	0.625	0.25	25.0	0.0	0.0	0.625	25.0	0.0	0.0
925	B50R_062.050k	0.625	0.125	0.625	0.125	12.5	0.0	0.0	0.625	12.5	0.0	0.0
926	B50R_062.062k	0.625	0.0	0.625	0.0	0.0	0.0	0.0	0.625	0.0	0.0	0.0
927	GOB1_100.050k	0.5	1.0	0.5	0.5	50.0	0.0	0.0	0.5	50.0	0.0	0.0
928	GOB1_087.037k	0.5	0.875	0.5	0.875	87.5	0.0	0.0	0.5	87.5	0.0	0.0
929	GOB1_075.025k	0.5	0.75	0.5	0.75	75.0	0.0	0.0	0.5	75.0	0.0	0.0
930	NW_050k	0.5	0.5	0.5	0.5	50.0	0.0	0.0	0.5	50.0	0.0	0.0
931	B50R_050.012k	0.5	0.375	0.5	0.375	37.5	0.0	0.0	0.5	37.5	0.0	0.0
932	B50R_050.025k	0.5	0.25	0.5	0.25	25.0	0.0	0.0	0.5	25.0	0.0	0.0
933	B50R_050.037k	0.5	0.125	0.5	0.125	12.5	0.0	0.0	0.5	12.5	0.0	0.0
934	B50R_050.050k	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
935	B50R_050.062k	0.375	1.0	0.375	0.375	37.5	0.0	0.0	0.375	37.5	0.0	0.0
936	GOB1_100.062k	0.375	0.875	0.375	0.875	87.5	0.0	0.0	0.375	87.5	0.0	0.0
937	GOB1_087.050k	0.375	0.75	0.375	0.75	75.0	0.0	0.0	0.375	75.0	0.0	0.0
938	GOB1_075.037k	0.375	0.625	0.375	0.625	62.5	0.0	0.0	0.375	62.5	0.0	0.0
939	GOB1_062.025k	0.375	0.5	0.375	0.5	50.0	0.0	0.0	0.375	50.0	0.0	0.0
940	NW_037k	0.375	0.375	0.375	0.375	37.5	0.0	0.0	0.375	37.5	0.0	0.0
941	B50R_037.012k	0.375	0.25	0.375	0.25	25.0	0.0	0.0	0.375	25.0	0.0	0.0
942	B50R_037.025k	0.375	0.125	0.375	0.125	12.5	0.0	0.0	0.375	12.5	0.0	0.0
943	B50R_037.037k	0.375	0.0	0.375	0.0	0.0	0.0	0.0	0.375	0.0	0.0	0.0
944	GOB1_100.075k	0.25	1.0	0.25	0.25	25.0	0.0	0.0	0.25	25.0	0.0	0.0
945	GOB1_087.062k	0.25	0.875	0.25	0.875	87.5	0.0	0.0	0.25	87.5	0.0	0.0
946	GOB1_075.050k	0.25	0.75	0.25	0.75	75.0	0.0	0.0	0.25	75.0	0.0	0.0
947	GOB1_062.037k	0.25	0.625	0.25	0.625	62.5	0.0	0.0	0.25	62.5	0.0	0.0
948	GOB1_050.025k	0.25	0.5	0.25	0.5	50.0	0.0	0.0	0.25	50.0	0.0	0.0
949	GOB1_037.012k	0.25	0.375	0.25	0.375	37.5	0.0	0.0	0.25	37.5	0.0	0.0
950	GOB1_025.012k	0.25	0.25	0.25	0.25	25.0	0.0	0.0	0.25	25.0	0.0	0.0
951	NW_025k	0.25	0.25	0.25	0.25	25.0	0.0	0.0	0.25	25.0	0.0	0.0
952	B50R_025.012k	0.25	0.125	0.25	0.125	12.5	0.0	0.0	0.25	12.5	0.0	0.0
953	B50R_025.025k	0.25	0.0	0.25	0.0	0.0	0.0	0.0	0.25	0.0	0.0	0.0
954	GOB1_100.087k	0.125	1.0	0.125	0.125	12.5	0.0	0.0	0.125	12.5	0.0	0.0
955	GOB1_087.075k	0.125	0.875	0.125	0.875	87.5	0.0	0.0	0.125	87.5	0.0	0.0
956	GOB1_075.062k	0.125	0.75	0.125	0.75	75.0	0.0	0.0	0.125	75.0	0.0	0.0
957	GOB1_062.050k	0.125	0.625	0.125	0.625	62.5	0.0	0.0	0.125	62.5	0.0	0.0
958	GOB1_050.037k	0.125	0.5	0.125	0.5	50.0	0.0	0.0	0.125	50.0	0.0	0.0
959	GOB1_037.025k	0.125	0.375	0.125	0.375	37.5	0.0	0.0	0.125	37.5	0.0	0.0
960	GOB1_025.012k	0.125	0.25	0.125	0.25	25.0	0.0	0.0	0.125	25.0	0.0	0.0
961	NW_012k	0.125	0.125	0.125	0.125	12.5	0.0	0.0	0.125	12.5	0.0	0.0
962	B50R_012.012k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
963	GOB1_100.100k	0.0	0.875	0.0	0.875	87.5	0.0	0.0	0.0	87.5	0.0	0.0
964	GOB1_087.087k	0.0	0.75	0.0	0.75	75.0	0.0	0.0	0.0	75.0	0.0	0.0
965	GOB1_075.075k	0.0	0.625	0.0	0.625	62.5	0.0	0.0	0.0	62.5	0.0	0.0
966	GOB1_062.062k	0.0	0.5	0.0	0.5	50.0	0.0	0.0	0.0	50.0	0.0	0.0
967	GOB1_050.050k	0.0	0.375	0.0	0.375	37.5	0.0	0.0	0.0	37.5	0.0	0.0
968	GOB1_037.037k	0.0	0.25	0.0	0.25	25.0	0.0	0.0	0.0	25.0	0.0	0.0
969	GOB1_025.025k	0.0	0.125	0.0	0.125	12.5	0.0	0.0	0.0	12.5	0.0	0.0
970	GOB1_012.012k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
971	NW_000k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

RE380-TN, Page 31/33-F

TUB-test chart RE38; hue code: H*e=B50R_e
colors and differences, ΔE*

input: rgb/cmyk -> rgbe
output: transfer to cmy0_e

delta E* = 15.4

http://130.149.60.45/~farbmetrik/RE38/RE38LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H* C* F*, r* g* b*, i* e* F*, i* s* F*, r* g* b* F*, Lab C* H* F*, Lab C* H* F* Fe, r* g* b* F* Fe, Lab C* H* F* Fe, DPF* Fe, H* a* M* e, r* g* b* M* e, Lab C* H* F* M* e. Rows 972-1052.

Mean color difference of this page: delta E*90 = 9.2

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

I-1013131-F0

RE380-TN, Page 32,33-F



http://130.149.60.45/~farbmetrik/RE38/RE38L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1057	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1058	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1064	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1065	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1067	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1068	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1069	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1070	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1071	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1072	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1073	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1074	ROY_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B06M_100_100e	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
1078	B50R_100_100e	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0
1079	B50R_100_100e	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0

Mean color difference of this page: delta E* = 10.3

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart RE38; hue code: H*e=B50Re colors and differences, ΔE*