

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_ = B00R_$


Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$

codice di tonalità per i colori questa pagina:

$H^*_ = B00R_$

triangolo chiarezza  $T^*$



**ORS18a; dati atti CIELAB (a)**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7
N <sub>-,Ma</sub>	18.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$ : 27 25 -47 53 298

$HIC^*_{-,Ma}$ : B00R\_100\_100\_

$rgbic^*_{-,Ma}$ :



0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

%Gamma  
 $u^*_{rel} = 92$   
 %Regularità  
 $g^*_H,rel = 57$   
 $g^*_C,rel = 58$

**ORS20a; dati atti CIELAB (a)**

$H^*_$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI14/RI14.HTM  
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /PS  
 la domanda per la misura uscita nella stampa di offset

TUB materiale: code=rh4ta

grafico TUB-RI14; codice di tinte:  $H^*_ = B00R_$   
 grafico conformemente a DIN 33872, 3D=1, de=0,  $cm^y^k^*$

immettere:  $rgb/cmyk \rightarrow rgb/cmyk$   
 uscita: nessun cambiamento


4-103030-L0 RI140-7N

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_d$   
codice di tonalità per i colori questa pagina:  
 $H^*_d = B00R_d$   
triangolo chiarezza  $T^*$



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	47.3	63.8	41.2	76.0
Y <sub>d, Ma</sub>	88.3	-11.9	95.1	95.8
G <sub>d, Ma</sub>	51.9	-68.8	28.1	74.3
C <sub>d, Ma</sub>	58.3	-29.2	-43.7	52.6
B <sub>d, Ma</sub>	25.3	23.5	-47.3	52.8
M <sub>d, Ma</sub>	48.2	72.8	-8.5	73.3
N <sub>d, Ma</sub>	17.7	0.0	0.0	0.0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma$ : 25 23 -47 52 296

$HIC^*_d, Ma$ : B00R\_100\_100<sub>d</sub>



$rgbic^*_d, Ma$ :

0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

ORS20a; dati atti CIELAB (a)

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)  
TUB materiale: code=rh4ta



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14L0FA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6\* (CMYK)  
TUB materiale: code=rh4ta




grafico TUB-RI14; codice di tinte:  $H^*_d = B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0,  $cmyk^*$





immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$





vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14L0FA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk\* (CMYK)  
TUB materiale: code=rh4ta



4-103330-L0 RI140-72

grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*

immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$


4-103330-F0






TUB iscrizione: 20130201-RI14/RI14L0FA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk\* (CMYK)

TUB materiale: code=rh4ta



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



4-103430-L0 RI140-72

grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*

immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$


4-103430-F0

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$

Dati del dispositivo (d) o colori elementari (e):  
 $HIC^*_d$

codice di tonalità per i colori questa pagina:  
 $H^*_d = B00R_d$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 25\ 23\ -47\ 52\ 296$

$HIC^*_d, Ma: B00R\_100\_100_d$



$rgbic^*_d, Ma:$

0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

**ORS20a; dati atti CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)  
TUB materiale: code=rh4ta




Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

J=Y<sub>d</sub>  
LCH\*<sub>d</sub> = 88.3 95.8 97.1  
LAB\*<sub>d</sub> = 88.3 -11.9 95.1  
rgb\*<sub>d</sub> = 1.0 1.0 0.0

L=G<sub>d</sub>  
LCH\*<sub>d</sub> = 51.9 74.3 157.7  
LAB\*<sub>d</sub> = 51.9 -68.8 28.1  
rgb\*<sub>d</sub> = 0.0 1.0 0.0

C=C<sub>d</sub>  
LCH\*<sub>d</sub> = 58.3 52.6 236.1  
LAB\*<sub>d</sub> = 58.3 -29.2 -43.7  
rgb\*<sub>d</sub> = 0.0 1.0 1.0



O=R<sub>d</sub>  
LCH\*<sub>d</sub> = 47.3 76.0 32.8  
LAB\*<sub>d</sub> = 47.3 63.8 41.2  
rgb\*<sub>d</sub> = 1.0 0.0 0.0


M=M<sub>d</sub>  
LCH\*<sub>d</sub> = 48.2 73.3 353.3  
LAB\*<sub>d</sub> = 48.2 72.8 -8.5  
rgb\*<sub>d</sub> = 1.0 0.0 1.0

V=B<sub>d</sub>  
LCH\*<sub>d</sub> = 25.3 52.8 296.4  
LAB\*<sub>d</sub> = 25.3 23.5 -47.3  
rgb\*<sub>d</sub> = 0.0 0.0 1.0

Y<sub>e</sub>  
LCH\*<sub>e</sub> = 82.9 87.9 92.3  
LAB\*<sub>e</sub> = 82.9 -3.5 87.8  
rgb\*<sub>de</sub> = 1.0 0.841 0.0

G<sub>e</sub>  
LCH\*<sub>e</sub> = 52.4 70.5 162.2  
LAB\*<sub>e</sub> = 52.4 -67.1 21.5  
rgb\*<sub>de</sub> = 0.0 1.0 0.093

C<sub>e</sub>  
LCH\*<sub>e</sub> = 56.6 49.8 216.9  
LAB\*<sub>e</sub> = 56.6 -39.7 -29.9  
rgb\*<sub>de</sub> = 0.0 1.0 0.735



R<sub>e</sub>  
LCH\*<sub>e</sub> = 47.6 71.9 25.4  
LAB\*<sub>e</sub> = 47.6 64.9 30.9  
rgb\*<sub>de</sub> = 1.0 0.0 0.209


M<sub>e</sub>  
LCH\*<sub>e</sub> = 34.8 57.7 328.6  
LAB\*<sub>e</sub> = 34.8 49.2 -30.0  
rgb\*<sub>de</sub> = 0.407 0.0 1.0

B<sub>e</sub>  
LCH\*<sub>e</sub> = 37.9 45.4 271.7  
LAB\*<sub>e</sub> = 37.9 1.3 -45.4  
rgb\*<sub>de</sub> = 0.0 0.374 1.0

Y<sub>s</sub>  
LCH\*<sub>s</sub> = 80.6 84.9 90.0  
LAB\*<sub>s</sub> = 80.6 0.0 84.9  
rgb\*<sub>ds</sub> = 1.0 0.784 0.0

G<sub>s</sub>  
LCH\*<sub>s</sub> = 55.1 70.1 150.0  
LAB\*<sub>s</sub> = 55.1 -60.7 35.0  
rgb\*<sub>ds</sub> = 0.074 1.0 0.0

C<sub>s</sub>  
LCH\*<sub>s</sub> = 56.1 50.0 210.0  
LAB\*<sub>s</sub> = 56.1 -43.3 -25.0  
rgb\*<sub>ds</sub> = 0.0 1.0 0.665



R<sub>s</sub>  
LCH\*<sub>s</sub> = 47.4 74.2 30.0  
LAB\*<sub>s</sub> = 47.4 64.3 37.1  
rgb\*<sub>ds</sub> = 1.0 0.0 0.084

M<sub>s</sub>  
LCH\*<sub>s</sub> = 35.6 58.3 330.0  
LAB\*<sub>s</sub> = 35.6 50.5 -29.1  
rgb\*<sub>ds</sub> = 0.431 0.0 1.0

B<sub>s</sub>  
LCH\*<sub>s</sub> = 38.8 45.4 270.0  
LAB\*<sub>s</sub> = 38.8 0.0 -45.4  
rgb\*<sub>ds</sub> = 0.0 0.397 1.0


(a\*<sub>d</sub> b\*<sub>d</sub>), (a\*<sub>s</sub> b\*<sub>s</sub>), (a\*<sub>e</sub> b\*<sub>e</sub>)  
rgb\*<sub>d</sub> LCH\*<sub>s</sub> LAB\*<sub>s</sub>  
h<sub>ab,s</sub> rgb\*<sub>s</sub>  
h<sub>ab,s</sub> = atan [ r\*<sub>d</sub> cos(30) + g\*<sub>d</sub> cos(150) ] / [ r\*<sub>d</sub> sin(30) + g\*<sub>d</sub> sin(150) + b\*<sub>d</sub> sin(270) ] (1)  
h<sub>ab,s</sub>  
s: h<sub>ab,s</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)  
h<sub>48ab,sij</sub> = h<sub>ab,si</sub> + j [h<sub>ab,si+1</sub> - h<sub>ab,si</sub>] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (2)  
h<sub>360ab,sij</sub> = h<sub>ab,si</sub> + j [h<sub>ab,si+1</sub> - h<sub>ab,si</sub>] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (3)  
h<sub>ab,e</sub>  
e: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)  
h<sub>48ab,eij</sub> = h<sub>ab,ei</sub> + j [h<sub>ab,ei+1</sub> - h<sub>ab,ei</sub>] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (4)  
h<sub>360ab,eij</sub> = h<sub>ab,ei</sub> + j [h<sub>ab,ei+1</sub> - h<sub>ab,ei</sub>] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (5)  
h<sub>ab,d</sub>  
rgb\*<sub>d</sub>

vedere dei file simili: http://130.149.60.45/~farbmetrik/RII4/RII4.R114.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RII4/RII4L0FA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>dd</sub>64M, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>ddx361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dsx361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dd</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>ds</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>de</sub>. The table contains 390 rows of color data.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RII4/RII4L0FA.TXT /PS  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RII4/RII4L0FA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta


grafico TUB-RII4; codice di tinte: H\*d=B00R<sub>d</sub>  
cerchio delle tinte a 48 passi; r<sub>gb</sub>-LabCh\*tavole

immettere: r<sub>gb</sub>/cmyk -> r<sub>gb</sub><sub>dd</sub>  
uscita: 3D-linearizzazione a cmyk\*<sub>dd</sub>



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.0 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII4/RII4L0FA.TXT> /PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RII4/RII4L0FA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R <sub>e</sub>	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32		1.0 0.0 0.084 47.4 64.3 37.1 74.3 30		1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33		1.0 0.0 0.054 47.4 64.2 38.6 74.9 31		1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26		1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34		1.0 0.0 0.025 47.4 64.0 40.0 75.5 32		1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27		1.0 0.033 0.0				
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35		1.0 0.003 0.0 47.5 63.7 41.3 75.9 33		1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28		1.0 0.05 0.0				
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36		1.0 0.019 0.0 48.0 62.5 42.2 75.4 34		1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29		1.0 0.067 0.0				
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37		1.0 0.036 0.0 48.5 61.4 43.0 74.9 35		1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31		1.0 0.083 0.0				
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38		1.0 0.052 0.0 49.0 60.2 43.7 74.4 36		1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32		1.0 0.1 0.0				
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39		1.0 0.069 0.0 49.5 59.0 44.5 73.9 37		1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33		1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41		1.0 0.085 0.0 50.0 57.8 45.2 73.4 38		1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34		1.0 0.133 0.0				
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42		1.0 0.101 0.0 50.5 56.6 45.9 72.9 39		1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35		1.0 0.15 0.0				
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43		1.0 0.118 0.0 51.0 55.4 46.5 72.4 40		1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36		1.0 0.167 0.0				
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44		1.0 0.132 0.0 51.5 54.3 47.2 72.0 41		1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37		1.0 0.183 0.0				
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46		1.0 0.145 0.0 52.0 53.2 47.9 71.7 42		1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38		1.0 0.2 0.0				
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47		1.0 0.158 0.0 52.5 52.2 48.7 71.3 43		1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39		1.0 0.217 0.0				
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48		1.0 0.172 0.0 53.0 51.1 49.3 71.0 44		1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41		1.0 0.233 0.0				
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50		1.0 0.185 0.0 53.5 50.0 50.0 70.7 45		1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42		1.0 0.25 0.0				
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51		1.0 0.198 0.0 54.0 48.9 50.7 70.4 46		1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43		1.0 0.267 0.0				
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52		1.0 0.211 0.0 54.5 47.8 51.3 70.1 47		1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44		1.0 0.283 0.0				
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54		1.0 0.224 0.0 55.0 46.7 51.9 69.8 48		1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45		1.0 0.3 0.0				
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55		1.0 0.237 0.0 55.5 45.6 52.4 69.5 49		1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46		1.0 0.317 0.0				
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57		1.0 0.25 0.0 56.0 44.5 53.0 69.2 50		1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47		1.0 0.333 0.0				
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58		1.0 0.261 0.0 56.5 43.5 53.7 69.2 51		1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48		1.0 0.35 0.0				
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60		1.0 0.272 0.0 57.0 42.6 54.5 69.1 52		1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49		1.0 0.367 0.0				
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61		1.0 0.283 0.0 57.5 41.6 55.2 69.1 53		1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51		1.0 0.383 0.0				
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63		1.0 0.295 0.0 58.0 40.6 55.9 69.1 54		1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52		1.0 0.4 0.0				
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64		1.0 0.306 0.0 58.5 39.6 56.6 69.1 55		1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53		1.0 0.417 0.0				
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65		1.0 0.317 0.0 58.9 38.6 57.2 69.0 56		1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54		1.0 0.433 0.0				
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67		1.0 0.328 0.0 59.4 37.6 57.9 69.0 57		1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55		1.0 0.45 0.0				
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68		1.0 0.34 0.0 59.9 36.6 58.5 69.0 58		1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56		1.0 0.467 0.0				
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70		1.0 0.351 0.0 60.4 35.5 59.1 69.0 59		1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57		1.0 0.483 0.0				
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71		1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58		1.0 0.5 0.0				
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72		1.0 0.373 0.0 61.4 33.4 60.3 68.9 61		1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.517 0.0				
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74		1.0 0.385 0.0 61.9 32.4 61.0 69.1 62		1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61		1.0 0.533 0.0				
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75		1.0 0.397 0.0 62.5 31.5 61.8 69.3 63		1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62		1.0 0.55 0.0				
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76		1.0 0.409 0.0 63.0 30.5 62.5 69.6 64		1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63		1.0 0.567 0.0				
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78		1.0 0.421 0.0 63.6 29.5 63.2 69.8 65		1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64		1.0 0.583 0.0				
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79		1.0 0.434 0.0 64.2 28.5 64.0 70.0 66		1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65		1.0 0.6 0.0				
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81		1.0 0.446 0.0 64.7 27.4 64.7 70.3 67		1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66		1.0 0.617 0.0				
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82		1.0 0.458 0.0 65.3 26.4 65.4 70.5 68		1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67		1.0 0.633 0.0				
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83		1.0 0.47 0.0 65.8 25.3 66.0 70.7 69		1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68		1.0 0.65 0.0				
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84		1.0 0.482 0.0 66.4 24.3 66.7 70.9 70		1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70		1.0 0.667 0.0				
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84		1.0 0.494 0.0 66.9 23.2 67.3 71.2 71		1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71		1.0 0.683 0.0				
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85		1.0 0.506 0.0 67.5 22.1 68.1 71.6 72		1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72		1.0 0.7 0.0				
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86		1.0 0.518 0.0 68.2 21.1 69.0 72.1 73		1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73		1.0 0.717 0.0				
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87		1.0 0.531 0.0 68.8 20.0 69.9 72.7 74		1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74		1.0 0.733 0.0				
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88		1.0 0.543 0.0 69.4 19.0 70.7 73.2 75		1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75		1.0 0.75 0.0				

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII4/RII4L0FA.TXT> /PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RII4/RII4L0FA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0 0.543 0.0	69.4 19.0 70.7 73.2 75	1.0 0.75 0.0	1.0 0.555 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78
89	76	76	1.0 0.766 0.0	79.9 1.0 83.9 83.9 89	1.0 0.555 0.0	70.0 17.9 71.6 73.8 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78
89	77	77	1.0 0.783 0.0	80.6 0.0 84.8 84.8 89	1.0 0.567 0.0	70.7 16.7 72.4 74.3 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80
90	78	78	1.0 0.8 0.0	81.2 -0.9 85.7 85.7 90	1.0 0.579 0.0	71.3 15.6 73.3 74.9 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81
91	79	80	1.0 0.816 0.0	81.9 -1.9 86.5 86.5 91	1.0 0.591 0.0	71.9 14.4 74.1 75.5 79	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82
91	80	81	1.0 0.833 0.0	82.6 -3.0 87.4 87.4 91	1.0 0.604 0.0	72.5 13.2 74.9 76.0 80	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
92	81	82	1.0 0.85 0.0	83.2 -4.0 88.2 88.2 92	1.0 0.616 0.0	73.2 12.0 75.6 76.6 81	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84
93	82	83	1.0 0.866 0.0	83.9 -5.1 89.0 89.2 93	1.0 0.629 0.0	73.8 10.7 76.5 77.2 82	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85
93	83	84	1.0 0.883 0.0	84.5 -6.1 89.8 90.0 93	1.0 0.648 0.0	74.7 9.5 77.5 78.1 83	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86
94	84	85	1.0 0.9 0.0	85.1 -6.9 90.6 90.8 94	1.0 0.666 0.0	75.5 8.3 78.6 79.0 84	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87
94	85	86	1.0 0.916 0.0	85.6 -7.7 91.3 91.7 94	1.0 0.684 0.0	76.3 7.0 79.6 79.9 85	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88
95	86	87	1.0 0.933 0.0	86.1 -8.5 92.1 92.5 95	1.0 0.703 0.0	77.1 5.6 80.6 80.8 86	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90
95	87	88	1.0 0.95 0.0	86.7 -9.3 92.9 93.3 95	1.0 0.721 0.0	78.0 4.3 81.6 81.7 87	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91
96	88	90	1.0 0.966 0.0	87.2 -10.2 93.6 94.2 96	1.0 0.739 0.0	78.8 2.9 82.5 82.6 88	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
96	89	91	1.0 0.983 0.0	87.8 -11.1 94.3 95.0 96	1.0 0.76 0.0	79.7 1.5 83.6 83.6 89	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	1.0 0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93
97	90	92	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97	1.0 0.785 0.0	80.7 0.0 84.9 84.9 90	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	1.0 0.983 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	1.0 0.983 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94
97	91	93	0.983 1.0 0.0	88.0 -12.5 94.2 95.1 97	1.0 0.809 0.0	81.7 -1.4 86.2 86.2 91	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	1.0 0.967 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.983 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95
98	92	94	0.966 1.0 0.0	87.7 -13.1 93.4 94.3 98	1.0 0.834 0.0	82.7 -3.0 87.5 87.5 92	0.966 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.966 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.5 96	0.966 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.5 96
98	93	95	0.95 1.0 0.0	87.3 -13.7 92.5 93.5 98	1.0 0.859 0.0	83.6 -4.5 88.7 88.8 93	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.5 96	0.933 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.933 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98
98	94	96	0.933 1.0 0.0	87.0 -14.3 91.6 92.7 98	1.0 0.887 0.0	84.7 -6.2 90.0 90.3 94	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.5 96	0.933 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	1.0 0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.917 1.0 0.0	1.0 0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99
99	95	98	0.916 1.0 0.0	86.6 -14.8 90.8 92.0 99	1.0 0.923 0.0	85.8 -7.9 91.7 92.0 95	0.916 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.916 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	1.0 0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.916 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98
99	96	99	0.9 1.0 0.0	86.3 -15.4 89.9 92.0 99	1.0 0.958 0.0	87.0 -9.7 93.3 93.8 96	0.9 1.0 0.0	1.0 0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	1.0 0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.883 1.0 0.0	1.0 0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	1.0 0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
100	97	100	0.883 1.0 0.0	86.0 -15.9 89.0 90.4 100	1.0 0.994 0.0	88.2 -11.5 94.8 95.6 97	0.883 1.0 0.0	1.0 0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	1.0 0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.867 1.0 0.0	1.0 0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	1.0 0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101
100	98	101	0.866 1.0 0.0	85.6 -16.4 88.2 89.7 100	0.968 1.0 0.0	87.7 -13.0 93.5 94.4 98	0.866 1.0 0.0	1.0 0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.866 1.0 0.0	1.0 0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.85 1.0 0.0	1.0 0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	1.0 0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102
100	99	102	0.85 1.0 0.0	85.2 -16.9 87.4 89.1 100	0.929 1.0 0.0	86.9 -14.4 91.4 92.6 99	0.85 1.0 0.0	1.0 0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	1.0 0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.833 1.0 0.0	1.0 0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	1.0 0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103
101	100	103	0.833 1.0 0.0	84.8 -17.4 86.7 88.4 101	0.89 1.0 0.0	86.2 -15.7 89.4 90.8 100	0.833 1.0 0.0	1.0 0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	1.0 0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.817 1.0 0.0	1.0 0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	1.0 0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105
101	101	105	0.816 1.0 0.0	84.5 -17.9 86.0 87.8 101	0.849 1.0 0.0	85.3 -16.9 87.5 89.1 101	0.816 1.0 0.0	1.0 0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.816 1.0 0.0	1.0 0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.8 1.0 0.0	1.0 0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	1.0 0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106
102	102	106	0.8 1.0 0.0	84.1 -18.3 85.2 87.2 102	0.807 1.0 0.0	84.3 -18.1 85.6 87.5 102	0.8 1.0 0.0	1.0 0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	1.0 0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.783 1.0 0.0	1.0 0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	1.0 0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107
102	103	107	0.783 1.0 0.0	83.7 -18.8 84.5 86.5 102	0.765 1.0 0.0	83.3 -19.2 83.7 85.9 103	0.783 1.0 0.0	1.0 0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	1.0 0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.75 1.0 0.0	1.0 0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	1.0 0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
102	104	108	0.766 1.0 0.0	83.3 -19.2 83.7 85.9 102	0.709 1.0 0.0	81.0 -21.6 80.9 83.7 105	0.766 1.0 0.0	1.0 0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.766 1.0 0.0	1.0 0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.733 1.0 0.0	1.0 0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0	1.0 0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110
104	106	110	0.733 1.0 0.0	82.2 -20.5 82.1 84.6 104	0.684 1.0 0.0	79.9 -22.7 79.5 82.7 106	0.733 1.0 0.0	1.0 0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0	1.0 0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.717 1.0 0.0	1.0 0.558 1.0 0.0	74.8 -28.7 70.9 76.5 112	0.717 1.0 0.0	1.0 0.558 1.0 0.0	74.8 -28.7 70.9 76.5 112
104	107	112	0.716															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd</sub> 361M	LAB* <sub>dd</sub> 361Mi (x=LabCh)	rgb* <sub>ds</sub> 361Mi	LAB* <sub>ds</sub> 361Mi (x=LabCh)	rgb* <sub>dd</sub> 361Mi	LAB* <sub>de</sub> 361Mi	dex361Mi (x=LabCh)	rgb* <sub>dd</sub> 361Mi	LAB* <sub>de</sub> 361Mi	rgb* <sub>dd</sub> 361Mi	rgb* <sub>ds</sub> 361Mi	rgb* <sub>de</sub> 361Mi																		
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G <sub>d</sub> 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G <sub>e</sub> 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBCM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBCM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{d361Mi}$	$LAB^*_{d361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dc361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd}$	$rgb^*_{ds}$	$rgb^*_{de}$
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII4/RII4L0FA.TXT> /PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RII4/RII4L0FA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* de361Mi																																			
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	C <sub>e</sub>	0.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0	0.0	1.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0		
237	213	219	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.95	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.6	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0	0.0	1.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0	0.0	1.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0		
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0	0.0	1.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0		
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0		
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0		
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0	0.0	1.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0		
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0	0.0	1.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0		
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0	0.0	1.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0		
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0	0.0	1.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0		
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0	0.0	1.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0		
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0	0.0	1.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0		
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0	0.0	1.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0		
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0	0.0	1.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0		
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0	0.0	1.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0		
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0	0.0	1.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0		
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0	0.0	1.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0	0.0	1.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0	0.0	1.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0	0.0	1.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0	0.0	1.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0	0.0	1.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	1.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49																			



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>dd361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	LAB* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>ds</sub>	rgb* <sub>de</sub>																			
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3	334	0.056	0.0	1.0	27.1	27.3	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6	335	0.068	0.0	1.0	27.5	28.1	-44.9	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0	336	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0
336	304	303	0.566	0.0	1.0	39.5	56.5	-24.0	61.4	336	0.092	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	303	0.567	0.0	1.0
337	305	304	0.583	0.0	1.0	39.9	57.2	-23.4	61.8	337	0.104	0.0	1.0	28.7	30.5	-43.4	53.1	305	0.583	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0
338	306	305	0.6	0.0	1.0	40.3	57.8	-22.8	62.2	338	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.6	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0
339	307	306	0.616	0.0	1.0	40.7	58.5	-22.1	62.5	339	0.13	0.0	1.0	29.4	32.0	-42.4	53.2	307	0.617	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0
340	308	307	0.633	0.0	1.0	41.1	59.3	-21.4	63.0	340	0.151	0.0	1.0	29.8	32.8	-41.8	53.2	308	0.633	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0
341	309	308	0.65	0.0	1.0	41.4	60.3	-20.5	63.7	341	0.172	0.0	1.0	30.2	33.5	-41.3	53.3	309	0.65	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0
342	310	309	0.666	0.0	1.0	41.7	61.3	-19.7	64.3	342	0.193	0.0	1.0	30.6	34.3	-40.7	53.3	310	0.667	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0
343	311	310	0.683	0.0	1.0	41.9	62.2	-18.8	65.0	343	0.214	0.0	1.0	30.9	35.0	-40.2	53.3	311	0.683	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0
344	312	311	0.7	0.0	1.0	42.2	63.2	-17.8	65.6	344	0.234	0.0	1.0	31.3	35.7	-39.6	53.4	312	0.7	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0
345	313	312	0.716	0.0	1.0	42.5	64.1	-16.9	66.3	345	0.252	0.0	1.0	31.6	36.5	-39.0	53.5	313	0.717	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0
346	314	313	0.733	0.0	1.0	42.8	65.0	-15.9	66.9	346	0.261	0.0	1.0	31.8	37.3	-38.5	53.7	314	0.733	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0
347	315	314	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347	0.27	0.0	1.0	31.9	38.2	-38.1	54.0	315	0.75	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0
347	316	315	0.766	0.0	1.0	43.5	66.4	-14.5	68.0	347	0.279	0.0	1.0	32.1	39.0	-37.6	54.2	316	0.767	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0
348	317	316	0.783	0.0	1.0	43.8	66.9	-14.1	68.4	348	0.288	0.0	1.0	32.3	39.8	-37.1	54.5	317	0.783	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0
348	318	317	0.8	0.0	1.0	44.2	67.3	-13.7	68.7	348	0.297	0.0	1.0	32.4	40.7	-36.5	54.7	318	0.8	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0
348	319	318	0.816	0.0	1.0	44.6	67.8	-13.3	69.1	348	0.306	0.0	1.0	32.6	41.5	-36.0	55.0	319	0.817	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0
349	320	319	0.833	0.0	1.0	45.0	68.3	-12.9	69.5	349	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.833	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0
349	321	320	0.85	0.0	1.0	45.3	68.8	-12.5	69.9	349	0.324	0.0	1.0	32.9	43.1	-34.8	55.5	321	0.85	0.0	1.0	0.315	0.0	1.0	32.7	42.4	-35.4	55.3	320	0.85	0.0	1.0
350	322	321	0.866	0.0	1.0	45.7	69.2	-12.1	70.3	350	0.333	0.0	1.0	33.1	43.9	-34.2	55.8	322	0.867	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0
350	323	321	0.883	0.0	1.0	46.1	69.7	-11.7	70.7	350	0.342	0.0	1.0	33.2	44.7	-33.6	56.0	323	0.883	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0
350	324	322	0.9	0.0	1.0	46.4	70.1	-11.2	71.0	350	0.351	0.0	1.0	33.4	45.5	-33.0	56.3	324	0.9	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0
351	325	323	0.916	0.0	1.0	46.7	70.6	-10.8	71.4	351	0.359	0.0	1.0	33.5	46.3	-32.3	56.5	325	0.917	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0
351	326	324	0.933	0.0	1.0	47.0	71.0	-10.3	71.8	351	0.368	0.0	1.0	33.7	47.1	-31.6	56.8	326	0.933	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0
352	327	325	0.95	0.0	1.0	47.3	71.5	-9.9	72.2	352	0.379	0.0	1.0	34.0	47.9	-31.0	57.1	327	0.95	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0
352	328	326	0.966	0.0	1.0	47.6	71.9	-9.4	72.5	352	0.397	0.0	1.0	34.5	48.7	-30.4	57.5	328	0.967	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0
352	329	327	0.983	0.0	1.0	47.9	72.4	-9.0	72.9	352	0.414	0.0	1.0	35.1	49.6	-29.7	57.9	329	0.983	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0
353	330	328	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353	0.432	0.0	1.0	35.7	50.5	-29.1	58.3	330	1.0	0.0	1.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	1.0	0.0	1.0
353	331	329	1.0	0.0	0.983	48.2	72.7	-7.9	73.1	353	0.449	0.0	1.0	36.2	51.4	-28.4	58.7	331	1.0	0.0	0.983	0.424	0.0	1.0	35.4	50.1	-29.4	58.1	329	1.0	0.0	0.983
354	332	330	1.0	0.0	0.966	48.2	72.5	-7.4	72.9	354	0.467	0.0	1.0	36.8	52.2	-27.7	59.1	332	1.0	0.0	0.967	0.441	0.0	1.0	35.9	50.9	-28.7	58.5	330	1.0	0.0	0.967
354	333	331	1.0	0.0	0.95	48.2	72.4	-6.8	72.7	354	0.484	0.0	1.0	37.4	53.1	-26.9	59.6	333	1.0	0.0	0.95	0.457	0.0	1.0	36.5	51.8	-28.1	58.9	331	1.0	0.0	0.95
355	334	332	1.0	0.0	0.933	48.2	72.2	-6.2	72.5	355	0.502	0.0	1.0	37.9	53.9	-26.2	60.0	334	1.0	0.0	0.933	0.474	0.0	1.0	37.0	52.6	-27.4	59.3	332	1.0	0.0	0.933
355	335	333	1.0	0.0	0.916	48.2	72.0	-5.7	72.3	355	0.524	0.0	1.0	38.5	54.8	-25.5	60.5	335	1.0	0.0	0.917	0.49	0.0	1.0	37.6	53.4	-26.7	59.7	333	1.0	0.0	0.917
355	336	334	1.0	0.0	0.9	48.2	71.9	-5.1	72.1	355	0.546	0.0	1.0	39.0	55.7	-24.7	61.0	336	1.0	0.0	0.9	0.508	0.0	1.0	38.1	54.2	-26.0	60.1	334	1.0	0.0	0.9
356	337	335	1.0	0.0	0.883	48.2	71.7	-4.6	71.8	356	0.567	0.0	1.0	39.6	56.6	-23.9	61.5	337	1.0	0.0	0.883	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	1.0	0.0	0.883
356	338	336	1.0	0.0	0.866	48.2	71.5	-4.0	71.7	356	0.589	0.0	1.0	40.1	57.5	-23.1	62.0	338	1.0	0.0	0.867	0.55	0.0	1.0	39.1	55.9	-24.6	61.1	336	1.0	0.0	0.867
357	339	337	1.0	0.0	0.85	48.2	71.4	-3.3	71.5	357	0.611	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.85	0.57	0.0	1.0	39.6	56.7	-23.8	61.5	337	1.0	0.0	0.85
357	340	338	1.0	0.0	0.833	48.2	71.3	-2.7	71.3	357	0.631	0.0	1.0																			



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794
371	360	352	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645
376	366	358	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38
386	379	373	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359
387	380	374	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337
387	381	375	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315
388	382	376	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293
388	383	377	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271
389	384	378	1.0	0.0	0.1	47.4	64.3	36.3	73.9	389	1.0	0.0	0.249
390	385	379	1.0	0.0	0.083	47.4	64.3	37.1	74.2	390	1.0	0.0	0.222
390	386	381	1.0	0.0	0.066	47.4	64.2	37.9	74.6	390	1.0	0.0	0.195
391	387	382	1.0	0.0	0.049	47.4	64.1	38.7	74.9	391	1.0	0.0	0.169
391	388	383	1.0	0.0	0.033	47.3	64.0	39.5	75.3	391	1.0	0.0	0.142
392	389	384	1.0	0.0	0.016	47.3	63.9	40.3	75.6	392	1.0	0.0	0.114
392	390	385	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392	1.0	0.0	0.084

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14L30FA.TXT>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rhatha

4-1031630-L0 RI140-72 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3. LAB\*nw=17.7, 0.0, 0.0. 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmy6\*, D65, pagina 17/33

grafico TUB-RI14; codice di tinte: H\*d=B00R<sub>d</sub>  
cerchio delle tinte a 48 passi; rgb-LabCh\*tavole

immettere: rgb/cmyk -> rgb<sub>dd</sub>  
uscita: 3D-linearizzazione a cmyk\*<sub>dd</sub>





RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 19/33

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep_Fid	hsa_Mid	rgb*Mid	LabC*Mid	delta
0/648	ROY_100_1000d	1.0	0.0	0.0	0.0	47.3	0.0	389	1.0	0.0	0.0
1/666	R25Y_100_1000d	0.0	1.0	0.5	0.0	55.3	0.0	42	1.0	0.233	0.0
2/684	R50Y_100_1000d	0.0	1.0	0.5	0.0	67.2	0.0	59	1.0	0.5	0.0
3/702	R75Y_100_1000d	0.0	1.0	0.5	0.0	79.9	0.0	77	1.0	0.766	0.0
4/720	Y00C_100_1000d	1.0	0.0	0.0	1.0	88.3	0.0	89	1.0	1.0	0.0
5/558	Y25C_100_1000d	0.75	1.0	0.5	1.0	83.3	0.0	102	0.766	1.0	0.0
6/396	Y50C_100_1000d	0.25	1.0	0.5	1.0	72.7	0.0	119	0.5	1.0	0.0
8/72	G00B_100_1000d	0.0	1.0	0.5	1.0	60.4	0.0	137	0.233	1.0	0.0
9/72	G25B_100_1000d	0.0	1.0	0.5	1.0	51.9	0.0	149	0.0	1.0	0.0
10/76	G50B_100_1000d	0.0	1.0	0.5	1.0	42.4	0.0	180	0.0	1.0	0.0
11/84	G75B_100_1000d	0.0	1.0	0.5	1.0	33.8	0.0	210	0.0	1.0	0.0
12/44	G50B_100_1000d	0.0	1.0	0.5	1.0	29.2	0.0	240	0.0	1.0	0.0
13/8	B00M_100_1000d	0.0	1.0	0.5	0.0	42.7	0.0	270	0.0	0.0	1.0
14/332	B25R_100_1000d	0.5	0.0	1.0	0.5	33.8	0.0	300	0.5	0.0	1.0
15/656	B50R_100_1000d	0.0	1.0	0.5	0.0	25.3	0.0	330	0.0	1.0	0.0
16/652	B75R_100_1000d	1.0	0.0	0.5	0.0	18.5	0.0	360	1.0	0.0	0.5
17/648	ROY_100_1000d	1.0	0.0	0.5	0.0	47.3	0.0	389	1.0	0.0	0.0
18/668	ROY_100_0500d	1.0	0.5	0.5	0.5	71.4	0.0	389	1.0	0.0	0.0
19/668	ROY_100_0500d	0.75	0.5	0.5	0.5	61.9	0.0	389	1.0	0.0	0.0
20/724	Y00C_100_0500d	1.0	1.0	0.5	0.5	81.3	0.0	59	1.0	0.5	0.0
21/724	Y00C_100_0500d	0.75	1.0	0.5	0.5	72.4	0.0	89	1.0	0.5	0.0
22/400	G00B_100_0500d	0.5	1.0	0.5	0.5	64.6	0.0	119	0.5	1.0	0.0
23/400	G00B_100_0500d	0.25	1.0	0.5	0.5	57.4	0.0	149	0.5	1.0	0.0
24/400	G00B_100_0500d	0.0	1.0	0.5	0.5	40.9	0.0	210	0.0	1.0	0.0
25/692	B50R_100_0500d	1.0	0.5	0.5	0.5	36.4	0.0	270	0.0	1.0	0.0
26/688	ROY_100_0500d	1.0	0.5	0.5	0.5	31.9	0.0	389	1.0	0.0	0.0
27/506	ROY_075_0500d	0.75	0.25	0.75	0.25	51.9	0.0	389	1.0	0.0	0.0
28/524	ROY_075_0500d	0.75	0.25	0.75	0.25	42.4	0.0	59	1.0	0.5	0.0
29/544	Y00C_075_0500d	1.0	0.5	0.5	0.5	72.4	0.0	89	1.0	0.5	0.0
30/380	Y50C_075_0500d	0.5	0.5	0.5	0.5	64.6	0.0	119	0.5	1.0	0.0
31/218	G00B_075_0500d	0.25	0.75	0.25	0.75	57.4	0.0	149	0.5	1.0	0.0
32/222	G50B_075_0500d	0.25	0.75	0.25	0.75	40.9	0.0	210	0.0	1.0	0.0
33/186	B00R_075_0500d	0.25	0.25	0.75	0.25	36.4	0.0	270	0.0	1.0	0.0
34/510	B50R_075_0500d	0.75	0.25	0.75	0.25	31.9	0.0	389	1.0	0.0	0.0
35/506	ROY_075_0500d	0.75	0.25	0.75	0.25	51.9	0.0	389	1.0	0.0	0.0
36/324	ROY_050_0500d	0.5	0.0	0.5	0.5	32.5	0.0	389	1.0	0.0	0.0
37/342	ROY_050_0500d	0.5	0.25	0.5	0.25	26.6	0.0	59	1.0	0.5	0.0
38/360	Y00C_050_0500d	0.5	0.5	0.5	0.5	72.4	0.0	89	1.0	0.5	0.0
39/198	Y50C_050_0500d	0.25	0.5	0.5	0.25	64.6	0.0	119	0.5	1.0	0.0
40/36	G00B_050_0500d	0.0	0.5	0.5	0.5	57.4	0.0	149	0.5	1.0	0.0
41/40	G50B_050_0500d	0.0	0.5	0.5	0.5	40.9	0.0	210	0.0	1.0	0.0
42/4	B00R_050_0500d	0.0	0.5	0.5	0.5	36.4	0.0	270	0.0	1.0	0.0
43/328	B50R_050_0500d	0.5	0.0	0.5	0.5	31.9	0.0	389	1.0	0.0	0.0
44/324	ROY_050_0500d	0.5	0.0	0.5	0.5	51.9	0.0	389	1.0	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	0.0
46/91	NW_0150d	0.125	0.125	0.125	0.125	27.4	0.0	360	1.0	1.0	0.0
47/182	NW_0250d	0.25	0.25	0.25	0.25	37.1	0.0	360	1.0	1.0	0.0
48/273	NW_0350d	0.375	0.375	0.375	0.375	46.8	0.0	360	1.0	1.0	0.0
49/364	NW_0500d	0.5	0.5	0.5	0.5	56.5	0.0	360	1.0	1.0	0.0
50/455	NW_0650d	0.625	0.625	0.625	0.625	66.3	0.0	360	1.0	1.0	0.0
51/546	NW_0800d	0.75	0.75	0.75	0.75	76.0	0.0	360	1.0	1.0	0.0
52/637	NW_0880d	0.875	0.875	0.875	0.875	85.7	0.0	360	1.0	1.0	0.0
53/728	NW_1000d	1.0	1.0	1.0	1.0	95.4	0.0	360	1.0	1.0	0.0

immettere: rgb/cmyk -> rgbdd  
 uscita: 3D-linearizzazione a cmyk\*dd

grafico TUB-RI14; codice di tinte: H\*\_d=B00Rd  
 colori e la differenza, ΔE\*<sub>a</sub>

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI14/RI14.HTM  
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik





RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmykn6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 22/33

n	HC*Fid	rgb_Fid	ier_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmykn*sep_Fid	rgb*Fid	hsa*Fid	LabCH*Fid	delta
162	ROY_025_0250d	0.25	0.0	0.25	0.0	25.1	0.0	0.0	0.0	0.0	0.0
163	ROY_025_0250d	0.25	0.0	0.125	0.0	25.2	0.0	0.0	0.0	0.0	0.0
164	ROY_025_0250d	0.25	0.0	0.25	0.0	25.3	0.0	0.0	0.0	0.0	0.0
165	B3AR_037_0370d	0.25	0.0	0.375	0.0	26.8	0.0	0.0	0.0	0.0	0.0
166	B2SK_050_0500d	0.25	0.0	0.5	0.0	27.7	0.0	0.0	0.0	0.0	0.0
167	B19K_062_0620d	0.25	0.0	0.625	0.0	27.9	0.0	0.0	0.0	0.0	0.0
168	B15K_075_0750d	0.25	0.0	0.75	0.0	29.0	0.0	0.0	0.0	0.0	0.0
169	B13K_087_0870d	0.25	0.0	0.875	0.0	30.1	0.0	0.0	0.0	0.0	0.0
170	B11R_100_1000d	0.25	0.0	1.0	0.0	31.2	0.0	0.0	0.0	0.0	0.0
171	R50Y_100_1000d	0.25	0.0	0.25	0.125	31.0	0.0	0.0	0.0	0.0	0.0
172	R50Y_025_0120d	0.25	0.125	0.25	0.125	31.1	0.0	0.0	0.0	0.0	0.0
173	R50Y_025_0120d	0.25	0.125	0.25	0.125	31.2	0.0	0.0	0.0	0.0	0.0
174	B23K_037_0370d	0.25	0.125	0.375	0.0	32.4	0.0	0.0	0.0	0.0	0.0
175	B13K_037_0370d	0.25	0.125	0.375	0.0	32.0	0.0	0.0	0.0	0.0	0.0
176	B11R_062_0500d	0.25	0.125	0.625	0.0	34.2	0.0	0.0	0.0	0.0	0.0
177	B09K_075_0620d	0.25	0.125	0.75	0.0	35.2	0.0	0.0	0.0	0.0	0.0
178	B07K_087_0750d	0.25	0.125	0.875	0.0	36.4	0.0	0.0	0.0	0.0	0.0
179	B06K_100_0870d	0.25	0.125	1.0	0.0	37.7	0.0	0.0	0.0	0.0	0.0
180	Y06G_025_0250d	0.25	0.25	0.0	0.0	35.3	0.0	0.0	0.0	0.0	0.0
181	Y06G_025_0250d	0.25	0.25	0.0	0.0	35.2	0.0	0.0	0.0	0.0	0.0
182	NW_0250d	0.25	0.25	0.0	0.0	11.8	0.0	0.0	0.0	0.0	0.0
183	ROY_037_0120d	0.25	0.25	0.375	0.125	37.1	0.0	0.0	0.0	0.0	0.0
184	ROY_050_0120d	0.25	0.25	0.5	0.125	37.0	0.0	0.0	0.0	0.0	0.0
185	ROY_062_0120d	0.25	0.25	0.625	0.125	37.0	0.0	0.0	0.0	0.0	0.0
186	ROY_075_0120d	0.25	0.25	0.75	0.125	37.0	0.0	0.0	0.0	0.0	0.0
187	ROY_087_0120d	0.25	0.25	0.875	0.125	37.0	0.0	0.0	0.0	0.0	0.0
188	ROY_100_0120d	0.25	0.25	1.0	0.125	37.0	0.0	0.0	0.0	0.0	0.0
189	Y1G_037_0370d	0.25	0.375	0.0	0.0	41.0	0.0	0.0	0.0	0.0	0.0
190	Y50G_037_0370d	0.25	0.375	0.0	0.0	41.2	0.0	0.0	0.0	0.0	0.0
191	G08B_037_0120d	0.25	0.375	0.125	0.0	42.0	0.0	0.0	0.0	0.0	0.0
192	G08B_037_0120d	0.25	0.375	0.125	0.0	42.1	0.0	0.0	0.0	0.0	0.0
193	G75B_050_0250d	0.25	0.375	0.375	0.0	43.4	0.0	0.0	0.0	0.0	0.0
194	G84B_062_0370d	0.25	0.375	0.625	0.0	44.6	0.0	0.0	0.0	0.0	0.0
195	G88B_075_0500d	0.25	0.375	0.875	0.0	45.6	0.0	0.0	0.0	0.0	0.0
196	G92B_087_0620d	0.25	0.375	1.0	0.0	46.0	0.0	0.0	0.0	0.0	0.0
197	Y90G_050_0500d	0.25	0.5	0.0	0.0	45.2	0.0	0.0	0.0	0.0	0.0
198	Y90G_050_0500d	0.25	0.5	0.0	0.0	45.2	0.0	0.0	0.0	0.0	0.0
199	Y68G_050_0370d	0.25	0.5	0.125	0.0	45.2	0.0	0.0	0.0	0.0	0.0
200	G08B_050_0250d	0.25	0.5	0.25	0.0	45.7	0.0	0.0	0.0	0.0	0.0
201	G23B_050_0250d	0.25	0.5	0.375	0.0	46.4	0.0	0.0	0.0	0.0	0.0
202	G23B_050_0250d	0.25	0.5	0.375	0.0	46.4	0.0	0.0	0.0	0.0	0.0
203	G63B_062_0370d	0.25	0.5	0.625	0.0	47.3	0.0	0.0	0.0	0.0	0.0
204	G75B_062_0370d	0.25	0.5	0.625	0.0	47.3	0.0	0.0	0.0	0.0	0.0
205	G84B_075_0500d	0.25	0.5	0.875	0.0	49.1	0.0	0.0	0.0	0.0	0.0
206	G88B_087_0620d	0.25	0.5	1.0	0.0	49.6	0.0	0.0	0.0	0.0	0.0
207	Y61G_062_0620d	0.25	0.5	1.0	0.0	50.7	0.0	0.0	0.0	0.0	0.0
208	Y16G_062_0500d	0.25	0.625	0.125	0.0	48.7	0.0	0.0	0.0	0.0	0.0
209	G08B_062_0370d	0.25	0.625	0.375	0.0	49.9	0.0	0.0	0.0	0.0	0.0
210	G15B_062_0370d	0.25	0.625	0.375	0.0	49.9	0.0	0.0	0.0	0.0	0.0
211	G34B_062_0370d	0.25	0.625	0.625	0.0	51.6	0.0	0.0	0.0	0.0	0.0
212	G08B_062_0370d	0.25	0.625	0.625	0.0	51.6	0.0	0.0	0.0	0.0	0.0
213	G61B_075_0500d	0.25	0.625	0.75	0.0	54.4	0.0	0.0	0.0	0.0	0.0
214	G08B_075_0500d	0.25	0.625	0.75	0.0	54.4	0.0	0.0	0.0	0.0	0.0
215	G75B_075_0500d	0.25	0.625	1.0	0.0	55.9	0.0	0.0	0.0	0.0	0.0
216	Y86G_075_0750d	0.25	0.75	0.0	0.0	53.2	0.0	0.0	0.0	0.0	0.0
217	Y86G_075_0750d	0.25	0.75	0.0	0.0	53.2	0.0	0.0	0.0	0.0	0.0
218	Y86G_075_0620d	0.25	0.75	0.125	0.0	54.2	0.0	0.0	0.0	0.0	0.0
219	G15B_075_0620d	0.25	0.75	0.125	0.0	54.2	0.0	0.0	0.0	0.0	0.0
220	G35B_075_0620d	0.25	0.75	0.375	0.0	56.1	0.0	0.0	0.0	0.0	0.0
221	G38B_075_0620d	0.25	0.75	0.375	0.0	56.1	0.0	0.0	0.0	0.0	0.0
222	G50B_075_0620d	0.25	0.75	0.625	0.0	57.7	0.0	0.0	0.0	0.0	0.0
223	G50B_075_0620d	0.25	0.75	0.625	0.0	57.7	0.0	0.0	0.0	0.0	0.0
224	G63B_087_0870d	0.25	0.75	1.0	0.0	59.6	0.0	0.0	0.0	0.0	0.0
225	Y85G_087_0500d	0.25	0.875	0.125	0.0	57.7	0.0	0.0	0.0	0.0	0.0
226	Y85G_087_0500d	0.25	0.875	0.125	0.0	57.7	0.0	0.0	0.0	0.0	0.0
227	G08B_087_0620d	0.25	0.875	0.375	0.0	58.5	0.0	0.0	0.0	0.0	0.0
228	G08B_087_0620d	0.25	0.875	0.375	0.0	58.5	0.0	0.0	0.0	0.0	0.0
229	G19B_087_0620d	0.25	0.875	0.625	0.0	60.8	0.0	0.0	0.0	0.0	0.0
230	G40B_087_0620d	0.25	0.875	0.625	0.0	60.8	0.0	0.0	0.0	0.0	0.0
231	G40B_087_0620d	0.25	0.875	0.625	0.0	60.8	0.0	0.0	0.0	0.0	0.0
232	G57B_100_0750d	0.25	0.875	1.0	0.0	64.7	0.0	0.0	0.0	0.0	0.0
233	G57B_100_0750d	0.25	0.875	1.0	0.0	64.7	0.0	0.0	0.0	0.0	0.0
234	Y16G_100_0870d	0.25	1.0	0.0	0.0	60.4	0.0	0.0	0.0	0.0	0.0
235	Y16G_100_0870d	0.25	1.0	0.0	0.0	60.4	0.0	0.0	0.0	0.0	0.0
236	G08B_100_0750d	0.25	1.0	0.125	0.0	62.3	0.0	0.0	0.0	0.0	0.0
237	G07B_100_0750d	0.25	1.0	0.25	0.0	62.8	0.0	0.0	0.0	0.0	0.0
238	G15B_100_0750d	0.25	1.0	0.375	0.0	63.4	0.0	0.0	0.0	0.0	0.0
239	G23B_100_0750d	0.25	1.0	0.5	0.0	64.1	0.0	0.0	0.0	0.0	0.0
240	G34B_100_0750d	0.25	1.0	0.625	0.0	65.0	0.0	0.0	0.0	0.0	0.0
241	G42B_100_0750d	0.25	1.0	0.75	0.0	66.9	0.0	0.0	0.0	0.0	0.0
242	G50B_100_0750d	0.25	1.0	1.0	0.0	67.6	0.0	0.0	0.0	0.0	0.0

immettere: rgb/cmyk -> rgbd  
 uscita: 3D-linearizzazione a cmyk\*dd

grafico TUB-RI14; codice di tinte: H\*d=B00Rd  
 colori e la differenza, ΔE\*

RI140-7N, 2233-F

4-1032130-F0

4-1032130-F0



RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS TUB materiale: code=rha4ta  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 24/33

n	HC*Fid	rgb*Fid	ier*Fid	hsa*Fid	rgb*Fid	LabCh*Fid	cmyn*sep.Fid	cmyn*sep.Fid	LabCh*Fid	hsa*Fid	rgb*Fid	LabCh*Fid	delta			
324	ROY_050_050	0.5	0.5	0.25	0.5	0.0	0.0	0.845	0.803	0.544	0.0	0.0	47.3	63.8	41.2	76.0
325	ROY_050_050	0.5	0.0	0.125	0.5	0.0	0.116	0.843	0.646	0.549	0.0	0.0	47.3	65.0	29.7	71.5
326	ROY_050_050	0.5	0.0	0.25	0.5	0.0	0.232	0.844	0.452	0.554	0.0	0.0	47.3	67.7	14.0	69.1
327	B61R_050_050	0.5	0.0	0.375	0.5	0.0	0.383	0.844	0.252	0.557	0.0	0.0	48.1	70.6	-0.2	70.6
328	B50R_050_050	0.5	0.0	0.5	0.5	0.0	0.5	0.838	0.052	0.559	0.0	0.0	48.1	72.8	-8.5	73.3
329	B40R_062_062	0.5	0.0	0.625	0.5	0.0	0.625	0.837	0.011	0.491	0.0	0.0	44.6	67.8	-13.3	69.1
330	B34R_075_075	0.5	0.0	0.75	0.5	0.0	0.75	0.835	0.000	0.348	0.0	0.0	39.9	62.2	-18.8	65.0
331	B28R_087_087	0.5	0.0	0.875	0.5	0.0	0.875	0.834	0.000	0.187	0.0	0.0	31.1	57.2	-23.4	61.8
332	B23R_100_100	0.5	0.0	1.0	1.0	0.0	1.0	0.833	0.000	0.000	0.0	0.0	20.0	48.0	-26.3	59.9
333	B18R_100_100	0.5	0.125	0.125	0.5	0.0	0.125	0.702	0.842	0.549	0.0	0.0	35.8	45.8	52.2	69.5
334	ROY_050_037	0.5	0.125	0.125	0.5	0.0	0.125	0.695	0.582	0.551	0.0	0.0	47.3	63.8	41.2	76.0
335	ROY_050_037	0.5	0.125	0.25	0.5	0.0	0.25	0.689	0.447	0.544	0.0	0.0	47.3	65.0	25.1	70.4
336	B6SR_050_037	0.5	0.125	0.375	0.5	0.0	0.375	0.689	0.225	0.548	0.0	0.0	48.1	69.7	4.0	69.8
337	B6SR_050_037	0.5	0.125	0.5	0.5	0.0	0.5	0.688	0.116	0.552	0.0	0.0	48.1	72.8	-8.5	73.3
338	B38R_062_050	0.5	0.125	0.625	0.5	0.0	0.625	0.798	0.000	0.494	0.0	0.0	37.8	53.8	-26.3	59.9
339	B38R_062_050	0.5	0.125	0.75	0.5	0.0	0.75	0.798	0.000	0.333	0.0	0.0	37.8	55.8	-26.3	59.9
340	B28R_087_050	0.5	0.125	0.875	0.5	0.0	0.875	0.835	0.000	0.183	0.0	0.0	35.8	49.7	-29.7	52.9
341	B20R_100_087	0.5	0.125	1.0	1.0	0.0	1.0	0.835	0.000	0.013	0.0	0.0	67.2	22.6	71.2	71.4
342	ROY_050_050	0.5	0.25	0.25	0.5	0.0	0.25	0.504	0.854	0.554	0.0	0.0	58.9	38.6	57.1	69.0
343	ROY_050_050	0.5	0.25	0.5	0.5	0.0	0.5	0.536	0.648	0.543	0.0	0.0	58.9	38.6	57.1	69.0
344	ROY_050_050	0.5	0.25	0.75	0.5	0.0	0.75	0.529	0.414	0.555	0.0	0.0	47.3	63.8	41.2	76.0
345	ROY_050_050	0.5	0.25	1.0	1.0	0.0	1.0	0.521	0.247	0.547	0.0	0.0	47.3	65.0	14.0	69.1
346	B50R_062_050	0.5	0.25	0.375	0.5	0.0	0.375	0.555	0.091	0.555	0.0	0.0	48.2	72.8	-8.5	73.3
347	B34R_075_050	0.5	0.25	0.625	0.5	0.0	0.625	0.587	0.000	0.475	0.0	0.0	41.9	62.2	-18.8	65.0
348	B34R_075_050	0.5	0.25	0.75	0.5	0.0	0.75	0.466	0.000	0.338	0.0	0.0	37.8	53.8	-26.3	59.9
349	B18R_100_050	0.5	0.25	0.875	0.5	0.0	0.875	0.466	0.000	0.187	0.0	0.0	31.1	48.0	-26.3	59.9
350	B18R_100_050	0.5	0.25	1.0	1.0	0.0	1.0	0.466	0.000	0.016	0.0	0.0	31.1	48.0	-26.3	59.9
351	B6SR_050_037	0.5	0.375	0.125	0.5	0.0	0.375	0.295	0.848	0.553	0.0	0.0	79.9	10.0	83.9	89.2
352	B6SR_050_037	0.5	0.375	0.25	0.5	0.0	0.375	0.298	0.708	0.548	0.0	0.0	79.9	10.0	79.5	79.8
353	ROY_050_012	0.5	0.375	0.375	0.5	0.0	0.375	0.323	0.49	0.543	0.0	0.0	67.2	22.6	71.2	71.4
354	ROY_050_012	0.5	0.375	0.5	0.5	0.0	0.5	0.322	0.234	0.553	0.0	0.0	67.2	22.6	71.2	71.4
355	B50R_062_050	0.5	0.375	0.625	0.5	0.0	0.625	0.303	0.051	0.569	0.0	0.0	47.3	63.8	41.2	76.0
356	B28R_087_050	0.5	0.375	0.75	0.5	0.0	0.75	0.468	0.000	0.468	0.0	0.0	48.2	72.8	-8.5	73.3
357	B18R_087_050	0.5	0.375	0.875	0.5	0.0	0.875	0.323	0.323	0.553	0.0	0.0	37.8	53.8	-26.3	59.9
358	B18R_087_050	0.5	0.375	1.0	1.0	0.0	1.0	0.167	0.563	0.000	0.0	0.0	31.1	48.0	-26.3	59.9
359	B09R_100_062	0.5	0.5	0.5	0.5	0.0	0.5	0.284	0.000	0.584	0.0	0.0	80.3	33.9	-41.0	53.2
360	Y09C_050_050	0.5	0.5	0.5	0.5	0.0	0.5	0.204	0.868	0.498	0.0	0.0	88.3	-11.9	95.1	95.8
361	Y09C_050_050	0.5	0.5	0.625	0.5	0.0	0.625	0.113	0.735	0.546	0.0	0.0	88.3	-11.9	95.1	95.8
362	Y09C_050_050	0.5	0.5	0.75	0.5	0.0	0.75	0.102	0.542	0.547	0.0	0.0	88.3	-11.9	95.1	95.8
363	Y09C_050_050	0.5	0.5	0.875	0.5	0.0	0.875	0.067	0.313	0.562	0.0	0.0	88.3	-11.9	95.1	95.8
364	NW_050	0.5	0.5	1.0	1.0	0.0	1.0	0.026	0.000	0.581	0.0	0.0	95.4	0.0	0.0	0.0
365	B09R_062_012	0.5	0.5	0.625	0.5	0.0	0.625	0.195	0.19	0.0	0.0	0.0	25.3	23.5	-47.3	52.8
366	B09R_075_025	0.5	0.5	0.75	0.5	0.0	0.75	0.296	0.323	0.323	0.0	0.0	25.3	23.5	-47.3	52.8
367	B09R_087_037	0.5	0.5	0.875	0.5	0.0	0.875	0.465	0.412	0.0	0.0	25.3	23.5	-47.3	52.8	
368	B09R_100_050	0.5	0.5	1.0	1.0	0.0	1.0	0.457	0.000	0.008	0.0	0.0	25.3	23.5	-47.3	52.8
369	Y18G_062_062	0.5	0.625	0.125	0.5	0.0	0.625	0.881	0.000	0.468	0.0	0.0	84.5	-17.9	86.0	87.8
370	Y23G_062_062	0.5	0.625	0.25	0.5	0.0	0.625	0.756	0.467	0.0	0.0	84.5	-17.9	86.0	87.8	
371	Y31G_062_037	0.5	0.625	0.375	0.5	0.0	0.625	0.598	0.472	0.0	0.0	79.8	-22.8	79.5	82.7	
372	Y30G_062_012	0.5	0.625	0.5	0.5	0.0	0.625	0.414	0.47	0.0	0.0	72.7	-31.3	66.0	73.1	
373	G09B_062_012	0.5	0.625	0.625	0.5	0.0	0.625	0.234	0.441	0.0	0.0	51.9	-68.8	28.1	74.3	
374	G50B_062_012	0.5	0.625	0.75	0.5	0.0	0.75	0.158	0.158	0.0	0.0	58.3	-29.2	-43.7	52.6	
375	G35B_075_025	0.5	0.625	0.875	0.5	0.0	0.875	0.335	0.335	0.0	0.0	42.7	-6.0	-45.8	46.1	
376	G48B_087_037	0.5	0.625	1.0	1.0	0.0	1.0	0.369	0.369	0.0	0.0	32.7	10.5	-46.2	47.4	
377	G88B_100_050	0.5	0.75	0.5	0.5	0.0	0.75	0.027	0.339	0.0	0.0	32.7	10.5	-46.2	47.4	
378	Y31G_075_075	0.5	0.75	0.625	0.5	0.0	0.75	0.822	0.341	0.0	0.0	79.8	-22.8	79.5	82.7	
379	Y30G_075_062	0.5	0.75	0.75	0.5	0.0	0.75	0.822	0.341	0.0	0.0	79.8	-22.8	79.5	82.7	
380	Y30G_075_062	0.5	0.75	0.875	0.5	0.0	0.875	0.66	0.332	0.0	0.0	72.7	-75.6	79.9	108.7	
381	Y30G_075_062	0.5	0.75	1.0	1.0	0.0	1.0	0.466	0.332	0.0	0.0	72.7	-75.6	79.9	108.7	
382	G09B_075_025	0.5	0.75	0.125	0.5	0.0	0.75	0.374	0.374	0.0	0.0	51.9	-68.8	28.1	74.3	
383	G28B_075_025	0.5	0.75	0.25	0.5	0.0	0.75	0.326	0.326	0.0	0.0	51.9	-68.8	28.1	74.3	
384	G09B_075_025	0.5	0.75	0.375	0.5	0.0	0.375	0.194	0.329	0.0	0.0	51.9	-68.8	28.1	74.3	
385	G09B_075_025	0.5	0.75	0.5	0.5	0.0	0.5	0.135	0.135	0.0	0.0	51.9	-68.8	28.1	74.3	
386	G65B_087_037	0.5	0.75	0.625	0.5	0.0	0.625	0.122	0.0	0.0	0.0	58.3	-29.2	-43.7	52.6	
387	Y41G_087_087	0.5	0.75	0.75	0.5	0.0	0.75	0.017	0.0	0.0	0.0	42.7	-6.0	-45.8	46.1	
388	Y41G_087_087	0.5	0.75	0.875	0.5	0.0	0.875	0.965	0.191	0.0	0.0	42.7	-6.0	-45.8	46.1	
389	Y16G_087_062	0.5	0.875	0.125	0.5	0.0	0.875	0.846	0.184	0.0	0.0	72.7	-31.3	66.0	73.1	
390	Y16G_087_062	0.5	0.875	0.25	0.5	0.0	0.875	0.708	0.175	0.0	0.0	72.7	-31.3	66.0	73.1	
391	G09B_087_050	0.5	0.875	0.375	0.5	0.0	0.375	0.601	0.158	0.0	0.0	60.4	-48.8	46.7	74.6	
392	G09B_087_050	0.5	0.875	0.5	0.5	0.0	0.5	0.469	0.093	0.0	0.0	51.9	-68.8	28.1	74.6	
393	G35B_087_037	0.5	0.875	0.625	0.5	0.0	0.625	0.349	0.109	0.0	0.0	51.9	-68.8	28.1	74.6	
394	G50B_087_037	0.5	0.875	0.75	0.5	0.0	0.75	0.157	0.157	0.0	0.0	51.9	-68.8	28.1	74.6	
395	G61B_100_050	0.5	0.875	0.875	0.5	0.0	0.875	0.013	0.0	0.0	0.0	58.3	-29.2	-43.7	52.6	
396	Y50G_100_087	0.5	1.0	0.5	0.5	0.0	0.5	0.999	0.0	0.0	0.0	70.2	-31.3	66.0	73.1	
397	Y50G_100_087	0.5	1.0	0.625	0.5	0.0	0.625	0.999	0.0	0.0	0.0	70.2	-31.3	66.0	73.1	
398	Y86G_100_075	0.5	1.0	0.75	0.5	0.0	0.75	0.761	0.0	0.0	0.0	65.1	-42.3	53.6	68.2	
399																



RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 25/33

n	HC*Fid	rgb_Fid	ier_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep_Fid	hsa_Mid	rgb*Mid	LabC*Mid	delta
405	ROY_062_062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	36.2	0.901	0.873	0.418	0.473	63.8
406	ROY_062_062ad	0.625 0.0	0.125 0.0	0.625 0.0	0.625 0.0	39.9	0.0	0.901	0.0	0.0	76.0
407	ROY_062_062ad	0.625 0.0	0.25 0.0	0.625 0.0	0.625 0.0	45.2	0.0	0.901	0.0	0.0	82.2
408	ROY_062_062ad	0.625 0.0	0.375 0.0	0.625 0.0	0.625 0.0	50.1	0.0	0.901	0.0	0.0	88.4
409	ROY_062_062ad	0.625 0.0	0.5 0.0	0.625 0.0	0.625 0.0	55.0	0.0	0.901	0.0	0.0	94.6
410	ROY_062_062ad	0.625 0.0	0.625 0.0	0.625 0.0	0.625 0.0	60.0	0.0	0.901	0.0	0.0	100.8
411	ROY_062_062ad	0.625 0.0	0.75 0.0	0.625 0.0	0.625 0.0	65.0	0.0	0.901	0.0	0.0	107.0
412	ROY_062_062ad	0.625 0.0	0.875 0.0	0.625 0.0	0.625 0.0	70.0	0.0	0.901	0.0	0.0	113.2
413	ROY_062_062ad	0.625 0.0	1.0 0.0	0.625 0.0	0.625 0.0	75.0	0.0	0.901	0.0	0.0	119.4
414	ROY_062_062ad	0.625 0.125 0.0	0.625 0.125 0.0	0.625 0.125 0.0	0.625 0.125 0.0	80.0	0.0	0.901	0.0	0.0	125.6
415	ROY_062_062ad	0.625 0.25 0.0	0.625 0.25 0.0	0.625 0.25 0.0	0.625 0.25 0.0	85.0	0.0	0.901	0.0	0.0	131.8
416	ROY_062_062ad	0.625 0.375 0.0	0.625 0.375 0.0	0.625 0.375 0.0	0.625 0.375 0.0	90.0	0.0	0.901	0.0	0.0	138.0
417	ROY_062_062ad	0.625 0.5 0.0	0.625 0.5 0.0	0.625 0.5 0.0	0.625 0.5 0.0	95.0	0.0	0.901	0.0	0.0	144.2
418	ROY_062_062ad	0.625 0.625 0.0	0.625 0.625 0.0	0.625 0.625 0.0	0.625 0.625 0.0	100.0	0.0	0.901	0.0	0.0	150.4
419	ROY_062_062ad	0.625 0.75 0.0	0.625 0.75 0.0	0.625 0.75 0.0	0.625 0.75 0.0	105.0	0.0	0.901	0.0	0.0	156.6
420	ROY_062_062ad	0.625 0.875 0.0	0.625 0.875 0.0	0.625 0.875 0.0	0.625 0.875 0.0	110.0	0.0	0.901	0.0	0.0	162.8
421	ROY_062_062ad	0.625 1.0 0.0	0.625 1.0 0.0	0.625 1.0 0.0	0.625 1.0 0.0	115.0	0.0	0.901	0.0	0.0	169.0
422	ROY_062_062ad	0.625 0.125 0.125	0.625 0.125 0.125	0.625 0.125 0.125	0.625 0.125 0.125	120.0	0.0	0.901	0.0	0.0	175.2
423	ROY_062_062ad	0.625 0.25 0.125	0.625 0.25 0.125	0.625 0.25 0.125	0.625 0.25 0.125	125.0	0.0	0.901	0.0	0.0	181.4
424	ROY_062_062ad	0.625 0.375 0.125	0.625 0.375 0.125	0.625 0.375 0.125	0.625 0.375 0.125	130.0	0.0	0.901	0.0	0.0	187.6
425	ROY_062_062ad	0.625 0.5 0.125	0.625 0.5 0.125	0.625 0.5 0.125	0.625 0.5 0.125	135.0	0.0	0.901	0.0	0.0	193.8
426	ROY_062_062ad	0.625 0.625 0.125	0.625 0.625 0.125	0.625 0.625 0.125	0.625 0.625 0.125	140.0	0.0	0.901	0.0	0.0	200.0
427	ROY_062_062ad	0.625 0.75 0.125	0.625 0.75 0.125	0.625 0.75 0.125	0.625 0.75 0.125	145.0	0.0	0.901	0.0	0.0	206.2
428	ROY_062_062ad	0.625 0.875 0.125	0.625 0.875 0.125	0.625 0.875 0.125	0.625 0.875 0.125	150.0	0.0	0.901	0.0	0.0	212.4
429	ROY_062_062ad	0.625 1.0 0.125	0.625 1.0 0.125	0.625 1.0 0.125	0.625 1.0 0.125	155.0	0.0	0.901	0.0	0.0	218.6
430	ROY_062_062ad	0.625 0.125 0.25	0.625 0.125 0.25	0.625 0.125 0.25	0.625 0.125 0.25	160.0	0.0	0.901	0.0	0.0	224.8
431	ROY_062_062ad	0.625 0.25 0.25	0.625 0.25 0.25	0.625 0.25 0.25	0.625 0.25 0.25	165.0	0.0	0.901	0.0	0.0	231.0
432	ROY_062_062ad	0.625 0.375 0.25	0.625 0.375 0.25	0.625 0.375 0.25	0.625 0.375 0.25	170.0	0.0	0.901	0.0	0.0	237.2
433	ROY_062_062ad	0.625 0.5 0.25	0.625 0.5 0.25	0.625 0.5 0.25	0.625 0.5 0.25	175.0	0.0	0.901	0.0	0.0	243.4
434	ROY_062_062ad	0.625 0.625 0.25	0.625 0.625 0.25	0.625 0.625 0.25	0.625 0.625 0.25	180.0	0.0	0.901	0.0	0.0	249.6
435	ROY_062_062ad	0.625 0.75 0.25	0.625 0.75 0.25	0.625 0.75 0.25	0.625 0.75 0.25	185.0	0.0	0.901	0.0	0.0	255.8
436	ROY_062_062ad	0.625 0.875 0.25	0.625 0.875 0.25	0.625 0.875 0.25	0.625 0.875 0.25	190.0	0.0	0.901	0.0	0.0	262.0
437	ROY_062_062ad	0.625 1.0 0.25	0.625 1.0 0.25	0.625 1.0 0.25	0.625 1.0 0.25	195.0	0.0	0.901	0.0	0.0	268.2
438	ROY_062_062ad	0.625 0.125 0.5	0.625 0.125 0.5	0.625 0.125 0.5	0.625 0.125 0.5	200.0	0.0	0.901	0.0	0.0	274.4
439	ROY_062_062ad	0.625 0.25 0.5	0.625 0.25 0.5	0.625 0.25 0.5	0.625 0.25 0.5	205.0	0.0	0.901	0.0	0.0	280.6
440	ROY_062_062ad	0.625 0.375 0.5	0.625 0.375 0.5	0.625 0.375 0.5	0.625 0.375 0.5	210.0	0.0	0.901	0.0	0.0	286.8
441	ROY_062_062ad	0.625 0.5 0.5	0.625 0.5 0.5	0.625 0.5 0.5	0.625 0.5 0.5	215.0	0.0	0.901	0.0	0.0	293.0
442	ROY_062_062ad	0.625 0.625 0.5	0.625 0.625 0.5	0.625 0.625 0.5	0.625 0.625 0.5	220.0	0.0	0.901	0.0	0.0	299.2
443	ROY_062_062ad	0.625 0.75 0.5	0.625 0.75 0.5	0.625 0.75 0.5	0.625 0.75 0.5	225.0	0.0	0.901	0.0	0.0	305.4
444	ROY_062_062ad	0.625 0.875 0.5	0.625 0.875 0.5	0.625 0.875 0.5	0.625 0.875 0.5	230.0	0.0	0.901	0.0	0.0	311.6
445	ROY_062_062ad	0.625 1.0 0.5	0.625 1.0 0.5	0.625 1.0 0.5	0.625 1.0 0.5	235.0	0.0	0.901	0.0	0.0	317.8
446	ROY_062_062ad	0.625 0.125 1.0	0.625 0.125 1.0	0.625 0.125 1.0	0.625 0.125 1.0	240.0	0.0	0.901	0.0	0.0	324.0
447	ROY_062_062ad	0.625 0.25 1.0	0.625 0.25 1.0	0.625 0.25 1.0	0.625 0.25 1.0	245.0	0.0	0.901	0.0	0.0	330.2
448	ROY_062_062ad	0.625 0.375 1.0	0.625 0.375 1.0	0.625 0.375 1.0	0.625 0.375 1.0	250.0	0.0	0.901	0.0	0.0	336.4
449	ROY_062_062ad	0.625 0.5 1.0	0.625 0.5 1.0	0.625 0.5 1.0	0.625 0.5 1.0	255.0	0.0	0.901	0.0	0.0	342.6
450	ROY_062_062ad	0.625 0.625 1.0	0.625 0.625 1.0	0.625 0.625 1.0	0.625 0.625 1.0	260.0	0.0	0.901	0.0	0.0	348.8
451	ROY_062_062ad	0.625 0.75 1.0	0.625 0.75 1.0	0.625 0.75 1.0	0.625 0.75 1.0	265.0	0.0	0.901	0.0	0.0	355.0
452	ROY_062_062ad	0.625 0.875 1.0	0.625 0.875 1.0	0.625 0.875 1.0	0.625 0.875 1.0	270.0	0.0	0.901	0.0	0.0	361.2
453	ROY_062_062ad	0.625 1.0 1.0	0.625 1.0 1.0	0.625 1.0 1.0	0.625 1.0 1.0	275.0	0.0	0.901	0.0	0.0	367.4
454	ROY_062_062ad	0.625 0.125 1.5	0.625 0.125 1.5	0.625 0.125 1.5	0.625 0.125 1.5	280.0	0.0	0.901	0.0	0.0	373.6
455	ROY_062_062ad	0.625 0.25 1.5	0.625 0.25 1.5	0.625 0.25 1.5	0.625 0.25 1.5	285.0	0.0	0.901	0.0	0.0	379.8
456	ROY_062_062ad	0.625 0.375 1.5	0.625 0.375 1.5	0.625 0.375 1.5	0.625 0.375 1.5	290.0	0.0	0.901	0.0	0.0	386.0
457	ROY_062_062ad	0.625 0.5 1.5	0.625 0.5 1.5	0.625 0.5 1.5	0.625 0.5 1.5	295.0	0.0	0.901	0.0	0.0	392.2
458	ROY_062_062ad	0.625 0.625 1.5	0.625 0.625 1.5	0.625 0.625 1.5	0.625 0.625 1.5	300.0	0.0	0.901	0.0	0.0	398.4
459	ROY_062_062ad	0.625 0.75 1.5	0.625 0.75 1.5	0.625 0.75 1.5	0.625 0.75 1.5	305.0	0.0	0.901	0.0	0.0	404.6
460	ROY_062_062ad	0.625 0.875 1.5	0.625 0.875 1.5	0.625 0.875 1.5	0.625 0.875 1.5	310.0	0.0	0.901	0.0	0.0	410.8
461	ROY_062_062ad	0.625 1.0 1.5	0.625 1.0 1.5	0.625 1.0 1.5	0.625 1.0 1.5	315.0	0.0	0.901	0.0	0.0	417.0
462	ROY_062_062ad	0.625 0.125 2.0	0.625 0.125 2.0	0.625 0.125 2.0	0.625 0.125 2.0	320.0	0.0	0.901	0.0	0.0	423.2
463	ROY_062_062ad	0.625 0.25 2.0	0.625 0.25 2.0	0.625 0.25 2.0	0.625 0.25 2.0	325.0	0.0	0.901	0.0	0.0	429.4
464	ROY_062_062ad	0.625 0.375 2.0	0.625 0.375 2.0	0.625 0.375 2.0	0.625 0.375 2.0	330.0	0.0	0.901	0.0	0.0	435.6
465	ROY_062_062ad	0.625 0.5 2.0	0.625 0.5 2.0	0.625 0.5 2.0	0.625 0.5 2.0	335.0	0.0	0.901	0.0	0.0	441.8
466	ROY_062_062ad	0.625 0.625 2.0	0.625 0.625 2.0	0.625 0.625 2.0	0.625 0.625 2.0	340.0	0.0	0.901	0.0	0.0	448.0
467	ROY_062_062ad	0.625 0.75 2.0	0.625 0.75 2.0	0.625 0.75 2.0	0.625 0.75 2.0	345.0	0.0	0.901	0.0	0.0	454.2
468	ROY_062_062ad	0.625 0.875 2.0	0.625 0.875 2.0	0.625 0.875 2.0	0.625 0.875 2.0	350.0	0.0	0.901	0.0	0.0	460.4
469	ROY_062_062ad	0.625 1.0 2.0	0.625 1.0 2.0	0.625 1.0 2.0	0.625 1.0 2.0	355.0	0.0	0.901	0.0	0.0	466.6
470	ROY_062_062ad	0.625 0.125 2.5	0.625 0.125 2.5	0.625 0.125 2.5	0.625 0.125 2.5	360.0	0.0	0.901	0.0	0.0	472.8
471	ROY_062_062ad	0.625 0.25 2.5	0.625 0.25 2.5	0.625 0.25 2.5	0.625 0.25 2.5	365.0	0.0	0.901	0.0	0.0	479.0
472	ROY_062_062ad	0.625 0.375 2.5	0.625 0.375 2.5	0.625 0.375 2.5	0.625 0.375 2.5	370.0	0.0	0.901	0.0	0.0	485.2
473	ROY_062_062ad	0.625 0.5 2.5	0.625 0.5 2.5	0.625 0.5 2.5	0.625 0.5 2.5	375.0	0.0	0.901	0.0	0.0	491.4
474	ROY_062_062ad	0.625 0.625 2.5	0.625 0.625 2.5	0.625 0.625 2.5	0.625 0.625 2.5	380.0	0.0	0.901	0.0	0.0	497.6
475	ROY_062_062ad	0.625 0.75 2.5	0.625 0.75 2.5	0.625 0.75 2.5	0.625 0.75 2.5	385.0	0.0	0.901	0.0	0.0	503.8
476	ROY_062_062ad	0.625 0.875 2.5	0.625 0.875 2.5	0.625 0.875 2.5	0.625 0.875 2.5	390.0	0.0	0.901	0.0	0.0	510.0
477	ROY_062_062ad	0.625 1.0 2.5	0.625 1.0 2.5	0.625 1.0 2.5	0.625 1.0 2.5	395.0	0.0	0.901	0.0	0.0	516.2
478	ROY_062_062ad	0.625 0.125 3.0	0.625 0.125 3.0	0.625 0.125 3.0	0.625 0.125 3.0	400.0	0.0	0.901	0.0	0.0	522.4
479	ROY_062_062ad	0.625 0.25 3.0	0.625 0.25 3.0	0.625 0.25 3.0	0.625 0.25 3.0	405.0	0.0	0.901	0.0	0.0	528.6
480	ROY_062_062ad	0.625 0.375 3.0	0.625 0.375 3.0</								



RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmykn6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 27/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyn*sep_Fid	cmyn*sep_Fid	LabC*Fid	rgb*Fid	LabC*Fid	delta
567	ROYX.087.087Ad	0.875 0.0	0.875 0.875 0.437	390	0.875 0.0	43.6	0.0	0.963	0.971	0.161	0.663	32.8
568	ROYX.087.087Ad	0.875 0.0	0.875 0.875 0.437	382	0.875 0.0	43.6	0.0	0.963	0.84	0.162	0.663	32.8
569	R23Y.087.087Ad	0.875 0.0	0.875 0.875 0.437	374	0.875 0.0	43.6	0.0	0.964	0.163	0.163	0.663	32.8
570	R23Y.087.087Ad	0.875 0.0	0.875 0.875 0.437	365	0.875 0.0	43.6	0.0	0.964	0.164	0.164	0.663	32.8
571	B63K.087.087Ad	0.875 0.0	0.875 0.875 0.437	355	0.875 0.0	43.6	0.0	0.961	0.165	0.165	0.663	32.8
572	B63K.087.087Ad	0.875 0.0	0.875 0.875 0.437	346	0.875 0.0	43.6	0.0	0.961	0.166	0.166	0.663	32.8
573	B56K.087.087Ad	0.875 0.0	0.875 0.875 0.437	338	0.875 0.0	43.6	0.0	0.961	0.167	0.167	0.663	32.8
574	B56K.087.087Ad	0.875 0.0	0.875 0.875 0.437	330	0.875 0.0	43.6	0.0	0.961	0.168	0.168	0.663	32.8
575	B44R.100.100Ad	0.875 0.0	1.0 1.0 0.5	323	0.883 0.0	46.1	0.0	0.96	0.169	0.169	0.663	32.8
576	B44R.100.100Ad	0.875 0.0	1.0 1.0 0.5	315	0.883 0.0	46.1	0.0	0.96	0.170	0.170	0.663	32.8
577	ROYX.087.075Ad	0.875 0.125	0.875 0.875 0.437	310	0.875 0.125	49.6	0.0	0.85	0.171	0.171	0.663	32.8
578	R35Y.087.075Ad	0.875 0.125	0.875 0.875 0.437	301	0.875 0.125	49.6	0.0	0.856	0.172	0.172	0.663	32.8
579	ROYX.087.075Ad	0.875 0.125	0.875 0.875 0.437	292	0.875 0.125	49.6	0.0	0.856	0.173	0.173	0.663	32.8
580	ROYX.087.075Ad	0.875 0.125	0.875 0.875 0.437	283	0.875 0.125	49.6	0.0	0.856	0.174	0.174	0.663	32.8
581	B63K.087.075Ad	0.875 0.125	0.875 0.875 0.437	274	0.875 0.125	49.6	0.0	0.856	0.175	0.175	0.663	32.8
582	B57R.087.075Ad	0.875 0.125	0.875 0.875 0.437	265	0.875 0.125	49.6	0.0	0.842	0.176	0.176	0.663	32.8
583	B57R.087.075Ad	0.875 0.125	0.875 0.875 0.437	256	0.875 0.125	49.6	0.0	0.842	0.177	0.177	0.663	32.8
584	B43R.100.087Ad	0.875 0.125	1.0 1.0 0.875	247	0.883 0.125	50.3	0.0	0.88	0.178	0.178	0.663	32.8
585	B43R.100.087Ad	0.875 0.125	1.0 1.0 0.875	238	0.883 0.125	50.3	0.0	0.88	0.179	0.179	0.663	32.8
586	R15Y.087.075Ad	0.875 0.25	0.875 0.875 0.437	46	0.875 0.25	53.2	0.0	0.74	0.180	0.180	0.663	32.8
587	R15Y.087.075Ad	0.875 0.25	0.875 0.875 0.437	39	0.875 0.25	53.2	0.0	0.74	0.181	0.181	0.663	32.8
588	R35Y.087.062Ad	0.875 0.25	0.875 0.625 0.562	390	0.875 0.25	55.6	0.0	0.729	0.182	0.182	0.663	32.8
589	R15Y.087.062Ad	0.875 0.25	0.875 0.625 0.562	379	0.875 0.25	55.6	0.0	0.729	0.183	0.183	0.663	32.8
590	B63K.087.062Ad	0.875 0.25	0.875 0.625 0.562	367	0.875 0.25	55.6	0.0	0.728	0.184	0.184	0.663	32.8
591	B63K.087.062Ad	0.875 0.25	0.875 0.625 0.562	355	0.875 0.25	55.6	0.0	0.728	0.185	0.185	0.663	32.8
592	B43R.100.075Ad	0.875 0.25	1.0 0.875 0.437	341	0.875 0.25	57.9	0.0	0.731	0.186	0.186	0.663	32.8
593	B43R.100.075Ad	0.875 0.25	1.0 0.875 0.437	332	0.875 0.25	57.9	0.0	0.731	0.187	0.187	0.663	32.8
594	R15Y.087.075Ad	0.875 0.375	0.875 0.875 0.437	55	0.887 0.25	57.9	0.0	0.725	0.188	0.188	0.663	32.8
595	R15Y.087.075Ad	0.875 0.375	0.875 0.875 0.437	48	0.887 0.25	57.9	0.0	0.725	0.189	0.189	0.663	32.8
596	R15Y.087.075Ad	0.875 0.375	0.875 0.875 0.437	41	0.887 0.25	57.9	0.0	0.725	0.190	0.190	0.663	32.8
597	R15Y.087.062Ad	0.875 0.375	0.875 0.625 0.562	41	0.875 0.375	59.4	0.0	0.61	0.191	0.191	0.663	32.8
598	R26Y.087.050Ad	0.875 0.375	0.875 0.5	625	0.875 0.375	61.6	0.0	0.617	0.192	0.192	0.663	32.8
599	R26Y.087.050Ad	0.875 0.375	0.875 0.5	616	0.875 0.375	61.6	0.0	0.617	0.193	0.193	0.663	32.8
600	B61R.087.050Ad	0.875 0.375	0.875 0.5	606	0.875 0.375	61.6	0.0	0.621	0.194	0.194	0.663	32.8
601	B61R.087.050Ad	0.875 0.375	0.875 0.5	597	0.875 0.375	61.6	0.0	0.621	0.195	0.195	0.663	32.8
602	B40R.100.062Ad	0.875 0.375	1.0 1.0 0.625	387	0.885 0.375	62.1	0.0	0.624	0.196	0.196	0.663	32.8
603	B40R.100.062Ad	0.875 0.375	1.0 1.0 0.625	379	0.885 0.375	62.1	0.0	0.624	0.197	0.197	0.663	32.8
604	R38Y.087.075Ad	0.875 0.5	0.875 0.875 0.437	65	0.875 0.5	64.7	0.0	0.442	0.198	0.198	0.663	32.8
605	R38Y.087.075Ad	0.875 0.5	0.875 0.875 0.437	58	0.875 0.5	64.7	0.0	0.442	0.199	0.199	0.663	32.8
606	R23Y.087.050Ad	0.875 0.5	0.875 0.625 0.562	44	0.875 0.491	67.5	0.0	0.469	0.200	0.200	0.663	32.8
607	ROYX.087.050Ad	0.875 0.5	0.875 0.625 0.562	39	0.875 0.5	67.7	0.0	0.517	0.201	0.201	0.663	32.8
608	R15Y.087.050Ad	0.875 0.5	0.875 0.625 0.562	31	0.875 0.5	67.7	0.0	0.517	0.202	0.202	0.663	32.8
609	B63K.087.050Ad	0.875 0.5	0.875 0.625 0.562	24	0.875 0.5	67.7	0.0	0.504	0.203	0.203	0.663	32.8
610	B50R.087.050Ad	0.875 0.5	0.875 0.625 0.562	17	0.875 0.5	67.7	0.0	0.504	0.204	0.204	0.663	32.8
611	B38R.100.050Ad	0.875 0.5	1.0 1.0 0.5	316	0.883 0.5	69.4	0.0	0.509	0.205	0.205	0.663	32.8
612	B38R.100.050Ad	0.875 0.5	1.0 1.0 0.5	307	0.883 0.5	69.4	0.0	0.509	0.206	0.206	0.663	32.8
613	R63Y.087.075Ad	0.875 0.625	0.875 0.875 0.437	74	0.875 0.625	70.9	0.0	0.295	0.207	0.207	0.663	32.8
614	R63Y.087.075Ad	0.875 0.625	0.875 0.875 0.437	67	0.875 0.625	70.9	0.0	0.295	0.208	0.208	0.663	32.8
615	R61Y.087.062Ad	0.875 0.625	0.875 0.625 0.562	67	0.875 0.625	71.8	0.0	0.328	0.209	0.209	0.663	32.8
616	R31Y.087.050Ad	0.875 0.625	0.875 0.375 0.687	49	0.875 0.625	72.1	0.0	0.363	0.210	0.210	0.663	32.8
617	R31Y.087.050Ad	0.875 0.625	0.875 0.375 0.687	41	0.875 0.625	72.1	0.0	0.363	0.211	0.211	0.663	32.8
618	ROYX.087.025Ad	0.875 0.625	0.875 0.25 0.75	390	0.875 0.625	73.7	0.0	0.376	0.212	0.212	0.663	32.8
619	B50R.087.025Ad	0.875 0.625	0.875 0.25 0.75	380	0.875 0.625	73.7	0.0	0.376	0.213	0.213	0.663	32.8
620	B34R.100.037Ad	0.875 0.625	1.0 1.0 0.375	311	0.881 0.625	75.4	0.0	0.422	0.214	0.214	0.663	32.8
621	R36Y.087.087Ad	0.875 0.75	0.875 0.875 0.437	82	0.875 0.75	75.6	0.0	0.16	0.215	0.215	0.663	32.8
622	R36Y.087.087Ad	0.875 0.75	0.875 0.875 0.437	75	0.875 0.75	75.6	0.0	0.16	0.216	0.216	0.663	32.8
623	R35Y.087.075Ad	0.875 0.75	0.875 0.625 0.562	79	0.875 0.75	76.6	0.0	0.177	0.217	0.217	0.663	32.8
624	R35Y.087.075Ad	0.875 0.75	0.875 0.625 0.562	71	0.875 0.75	76.6	0.0	0.177	0.218	0.218	0.663	32.8
625	R63Y.087.050Ad	0.875 0.75	0.875 0.375 0.687	76	0.875 0.75	78.5	0.0	0.205	0.219	0.219	0.663	32.8
626	R63Y.087.050Ad	0.875 0.75	0.875 0.375 0.687	69	0.875 0.75	78.5	0.0	0.205	0.220	0.220	0.663	32.8
627	ROYX.087.025Ad	0.875 0.75	0.875 0.25 0.75	390	0.875 0.75	79.7	0.0	0.218	0.221	0.221	0.663	32.8
628	ROYX.087.025Ad	0.875 0.75	0.875 0.25 0.75	382	0.875 0.75	79.7	0.0	0.218	0.222	0.222	0.663	32.8
629	B28R.100.025Ad	0.875 0.75	1.0 1.0 0.25	303	0.875 0.75	81.0	0.0	0.198	0.223	0.223	0.663	32.8
630	YOOG.087.087Ad	0.875 0.75	1.0 1.0 0.875	300	0.875 0.75	81.0	0.0	0.198	0.224	0.224	0.663	32.8
631	YOOG.087.087Ad	0.875 0.75	1.0 1.0 0.875	292	0.875 0.75	81.0	0.0	0.198	0.225	0.225	0.663	32.8
632	YOOG.087.062Ad	0.875 0.875	0.875 0.25 0.562	90	0.875 0.875	82.5	0.0	0.027	0.226	0.226	0.663	32.8
633	YOOG.087.062Ad	0.875 0.875	0.875 0.25 0.562	82	0.875 0.875	82.5	0.0	0.027	0.227	0.227	0.663	32.8
634	YOOG.087.050Ad	0.875 0.875	0.875 0.375 0.687	90	0.875 0.875	83.2	0.0	0.083	0.228	0.228	0.663	32.8
635	YOOG.087.050Ad	0.875 0.875	0.875 0.375 0.687	82	0.875 0.875	83.2	0.0	0.083	0.229	0.229	0.663	32.8
636	YOOG.087.025Ad	0.875 0.875	0.875 0.25 0.75	90	0.875 0.875	83.9	0.0	0.068	0.230	0.230	0.663	32.8
637	NW.087Ad	0.875 0.875	0.875 0.125 0.812	390	0.875 0.875	84.8	0.0	0.041	0.231	0.231	0.663	32.8
638	YOOG.087.025Ad	0.875 0.875	0.875 0.125 0.812	382	0.875 0.875	84.8	0.0	0.041	0.232	0.232	0.663	32.8
639	YOOG.087.012Ad	0.875 0.875	1.0 1.0 0.125	270	0.875 0.875	85.7	0.0	0.007	0.233	0.233	0.663	32.8
640	YOOG.087.012Ad	0.875 0.875	1.0 1.0 0.125	262	0.875 0.875	85.7	0.0	0.007	0.234	0.234	0.663	32.8
641	Y13G.100.100Ad	0.875 1.0	1.0 1.0 0.5	97	0.883 1.0	86.7	0.0	0.124	0.235	0.235	0.663	32.8
642	Y13G.100.100Ad	0.875 1.0	1.0 1.0 0.5	90	0.883 1.0	86.7	0.0	0.124	0.236	0.236	0.663	32.8
643	Y18C.100.075Ad	0.875 1.0	0.25 1.0 0.75	109	0.883 1.0	87.2	0.0	0.085	0.237	0.237	0.663	32.8
644	Y18C.											

RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 28/33

n	HC*Fid	rgb*Fid	icr*Fid	hsa*Fid	rgb*Fid	LabCh*Fid	cmyk*sep,Fid	hsa*Fid	rgb*Fid	LabCh*Fid	delta				
648	ROY_100_1000ad	1.0	0.0	0.0	0.0	47.3	63.8	389	1.0	0.0	47.3	63.8	41.2	760	32.8
649	R38Y_100_1000ad	1.0	0.5	1.0	0.0	0.116	47.4	64.4	1.0	0.0	0.116	47.4	35.5	73.6	28.9
650	R26Y_100_1000ad	1.0	0.0	0.125	1.0	0.0	0.233	47.6	1.0	0.0	0.233	47.6	64.4	64.4	35.5
651	R13Y_100_1000ad	1.0	0.0	0.375	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
652	ROY_100_1000ad	1.0	0.0	0.625	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	66.1	22.3	69.7
653	B68R_100_1000ad	1.0	0.0	0.875	1.0	0.0	0.633	48.0	1.0	0.0	0.633	48.0	69.0	6.6	69.1
654	B61R_100_1000ad	1.0	0.0	1.0	1.0	0.0	0.766	48.1	1.0	0.0	0.766	48.1	70.6	-0.2	359.8
655	B58R_100_1000ad	1.0	0.0	0.875	1.0	0.0	0.883	48.2	1.0	0.0	0.883	48.2	71.7	-4.6	71.8
656	B50R_100_1000ad	1.0	0.0	0.625	1.0	0.0	1.0	48.2	1.0	0.0	1.0	48.2	72.8	-8.5	33.3
657	R11Y_100_1000ad	1.0	0.0	0.375	1.0	0.0	0.116	48.0	1.0	0.0	0.116	48.0	39.9	73.3	35.3
658	ROY_100_0875ad	1.0	0.0	0.125	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
659	R36Y_100_0875ad	1.0	0.0	0.375	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
660	R23Y_100_0875ad	1.0	0.0	0.625	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
661	ROY_100_0875ad	1.0	0.0	0.875	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
662	B70R_100_0875ad	1.0	0.0	1.0	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
663	B63R_100_0875ad	1.0	0.0	0.875	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
664	B56R_100_0875ad	1.0	0.0	0.625	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
665	B50R_100_0875ad	1.0	0.0	0.375	1.0	0.0	0.125	53.3	1.0	0.0	0.125	53.3	36.0	66.5	32.8
666	R23Y_100_1000ad	1.0	0.0	0.625	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
667	R13Y_100_1000ad	1.0	0.0	0.875	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
668	ROY_100_1000ad	1.0	0.0	1.0	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
669	R35Y_100_1000ad	1.0	0.0	0.375	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
670	R18Y_100_1000ad	1.0	0.0	0.625	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
671	B68R_100_0750ad	1.0	0.0	0.875	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
672	B61R_100_0750ad	1.0	0.0	1.0	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
673	B58R_100_0750ad	1.0	0.0	0.875	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
674	B50R_100_0750ad	1.0	0.0	0.625	1.0	0.0	0.233	50.0	1.0	0.0	0.233	50.0	50.9	68.9	60.4
675	R36Y_100_0875ad	1.0	0.0	0.375	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
676	R26Y_100_0875ad	1.0	0.0	0.125	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
677	R13Y_100_0875ad	1.0	0.0	0.375	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
678	ROY_100_0625ad	1.0	0.0	0.625	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
679	R31Y_100_0625ad	1.0	0.0	0.375	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
680	R16Y_100_0625ad	1.0	0.0	0.625	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
681	B69R_100_0625ad	1.0	0.0	0.875	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
682	B62R_100_0625ad	1.0	0.0	1.0	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
683	B55R_100_0625ad	1.0	0.0	0.875	1.0	0.0	0.366	47.7	1.0	0.0	0.366	47.7	65.0	29.7	71.5
684	R50Y_100_1000ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
685	R41Y_100_1000ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
686	R34Y_100_0750ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
687	R18Y_100_0625ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
688	ROY_100_0500ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
689	R26Y_100_0500ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
690	R16Y_100_0500ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
691	B61R_100_0500ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
692	B54R_100_0500ad	1.0	0.0	1.0	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
693	R63Y_100_1000ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
694	R56Y_100_0875ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
695	R38Y_100_0750ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
696	R23Y_100_0500ad	1.0	0.0	0.625	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
697	R13Y_100_0500ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
698	ROY_100_0375ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
699	B68R_100_0375ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
700	B61R_100_0375ad	1.0	0.0	1.0	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
701	B58R_100_0375ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
702	R61Y_100_1000ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
703	R54Y_100_0875ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
704	R47Y_100_0750ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
705	R40Y_100_0625ad	1.0	0.0	0.625	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
706	R33Y_100_0500ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
707	R26Y_100_0375ad	1.0	0.0	1.0	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
708	ROY_100_0250ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
709	R50Y_100_1000ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
710	R43Y_100_0875ad	1.0	0.0	0.25	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
711	R36Y_100_0750ad	1.0	0.0	0.5	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
712	R29Y_100_0625ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
713	R22Y_100_0500ad	1.0	0.0	1.0	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
714	R15Y_100_0625ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
715	R8Y_100_0500ad	1.0	0.0	0.625	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
716	R8Y_100_0375ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
717	R8Y_100_0250ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
718	ROY_100_0125ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
719	B50R_100_1000ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
720	Y0G_100_0875ad	1.0	0.0	1.0	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
721	Y0G_100_0750ad	1.0	0.0	0.875	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
722	Y0G_100_0625ad	1.0	0.0	0.625	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
723	Y0G_100_0500ad	1.0	0.0	0.375	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
724	Y0G_100_0375ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
725	Y0G_100_0250ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5	47.7	65.0	29.7	71.5
726	Y0G_100_0125ad	1.0	0.0	0.125	1.0	0.0	0.5	47.7	1.0	0.0	0.5				







RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

TUB materiale: code=rha4ta

http://130.149.60.45/~farbmetrik/RI14/RI14LOFA.TXT /.PS; 3D-linearizzazione  
F: 3D-linearizzazione RI14/RI14L30FA.DAT nel file (F), pagina 32/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*_sep,Fid	hsa_Lid	rgb*Mid	LabC*Mid	delta
972	NW_0000ad	0.125	0.125	0.00	0.00	0.00	0.00	360	1.0	1.0	0.00
973	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
974	NW_0240ad	0.25	0.25	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
975	NW_0360ad	0.375	0.375	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
976	NW_0480ad	0.5	0.5	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
977	NW_0600ad	0.625	0.625	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
978	NW_0720ad	0.75	0.75	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
979	NW_0840ad	0.875	0.875	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
980	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
981	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
982	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
983	NW_0240ad	0.25	0.25	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
984	NW_0360ad	0.375	0.375	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
985	NW_0480ad	0.5	0.5	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
986	NW_0600ad	0.625	0.625	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
987	NW_0720ad	0.75	0.75	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
988	NW_0840ad	0.875	0.875	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
989	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
990	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
991	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
992	NW_0240ad	0.25	0.25	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
993	NW_0360ad	0.375	0.375	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
994	NW_0480ad	0.5	0.5	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
995	NW_0600ad	0.625	0.625	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
996	NW_0720ad	0.75	0.75	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
997	NW_0840ad	0.875	0.875	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
998	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
999	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	360	1.0	1.0	95.4
1000	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	360	1.0	1.0	95.4
1001	NW_0240ad	0.25	0.25	0.25	0.00	17.7	0.00	360	1.0	1.0	95.4
1002	NW_0360ad	0.375	0.375	0.375	0.00	17.7	0.00	360	1.0	1.0	95.4
1003	NW_0480ad	0.5	0.5	0.5	0.00	17.7	0.00	360	1.0	1.0	95.4
1004	NW_0600ad	0.625	0.625	0.625	0.00	17.7	0.00	360	1.0	1.0	95.4
1005	NW_0720ad	0.75	0.75	0.75	0.00	17.7	0.00	360	1.0	1.0	95.4
1006	NW_0840ad	0.875	0.875	0.875	0.00	17.7	0.00	360	1.0	1.0	95.4
1007	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1008	NW_0000ad	0.066	0.066	0.066	0.00	17.7	0.00	360	1.0	1.0	95.4
1009	NW_0060ad	0.133	0.133	0.133	0.00	17.7	0.00	360	1.0	1.0	95.4
1010	NW_0120ad	0.2	0.2	0.2	0.00	17.7	0.00	360	1.0	1.0	95.4
1011	NW_0180ad	0.266	0.266	0.266	0.00	17.7	0.00	360	1.0	1.0	95.4
1012	NW_0240ad	0.333	0.333	0.333	0.00	17.7	0.00	360	1.0	1.0	95.4
1013	NW_0300ad	0.4	0.4	0.4	0.00	17.7	0.00	360	1.0	1.0	95.4
1014	NW_0360ad	0.466	0.466	0.466	0.00	17.7	0.00	360	1.0	1.0	95.4
1015	NW_0420ad	0.533	0.533	0.533	0.00	17.7	0.00	360	1.0	1.0	95.4
1016	NW_0480ad	0.6	0.6	0.6	0.00	17.7	0.00	360	1.0	1.0	95.4
1017	NW_0540ad	0.666	0.666	0.666	0.00	17.7	0.00	360	1.0	1.0	95.4
1018	NW_0600ad	0.734	0.734	0.734	0.00	17.7	0.00	360	1.0	1.0	95.4
1019	NW_0660ad	0.8	0.8	0.8	0.00	17.7	0.00	360	1.0	1.0	95.4
1020	NW_0720ad	0.866	0.866	0.866	0.00	17.7	0.00	360	1.0	1.0	95.4
1021	NW_0780ad	0.933	0.933	0.933	0.00	17.7	0.00	360	1.0	1.0	95.4
1022	NW_0840ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1023	NW_0900ad	0.066	0.066	0.066	0.00	17.7	0.00	360	1.0	1.0	95.4
1024	NW_0960ad	0.133	0.133	0.133	0.00	17.7	0.00	360	1.0	1.0	95.4
1025	NW_1020ad	0.2	0.2	0.2	0.00	17.7	0.00	360	1.0	1.0	95.4
1026	NW_1080ad	0.266	0.266	0.266	0.00	17.7	0.00	360	1.0	1.0	95.4
1027	NW_1140ad	0.333	0.333	0.333	0.00	17.7	0.00	360	1.0	1.0	95.4
1028	NW_1200ad	0.4	0.4	0.4	0.00	17.7	0.00	360	1.0	1.0	95.4
1029	NW_1260ad	0.466	0.466	0.466	0.00	17.7	0.00	360	1.0	1.0	95.4
1030	NW_1320ad	0.533	0.533	0.533	0.00	17.7	0.00	360	1.0	1.0	95.4
1031	NW_1380ad	0.6	0.6	0.6	0.00	17.7	0.00	360	1.0	1.0	95.4
1032	NW_1440ad	0.666	0.666	0.666	0.00	17.7	0.00	360	1.0	1.0	95.4
1033	NW_1500ad	0.734	0.734	0.734	0.00	17.7	0.00	360	1.0	1.0	95.4
1034	NW_1560ad	0.8	0.8	0.8	0.00	17.7	0.00	360	1.0	1.0	95.4
1035	NW_1620ad	0.866	0.866	0.866	0.00	17.7	0.00	360	1.0	1.0	95.4
1036	NW_1680ad	0.933	0.933	0.933	0.00	17.7	0.00	360	1.0	1.0	95.4
1037	NW_1740ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4
1038	NW_1800ad	0.066	0.066	0.066	0.00	17.7	0.00	360	1.0	1.0	95.4
1039	NW_1860ad	0.133	0.133	0.133	0.00	17.7	0.00	360	1.0	1.0	95.4
1040	NW_1920ad	0.2	0.2	0.2	0.00	17.7	0.00	360	1.0	1.0	95.4
1041	NW_1980ad	0.266	0.266	0.266	0.00	17.7	0.00	360	1.0	1.0	95.4
1042	NW_2040ad	0.333	0.333	0.333	0.00	17.7	0.00	360	1.0	1.0	95.4
1043	NW_2100ad	0.4	0.4	0.4	0.00	17.7	0.00	360	1.0	1.0	95.4
1044	NW_2160ad	0.466	0.466	0.466	0.00	17.7	0.00	360	1.0	1.0	95.4
1045	NW_2220ad	0.533	0.533	0.533	0.00	17.7	0.00	360	1.0	1.0	95.4
1046	NW_2280ad	0.6	0.6	0.6	0.00	17.7	0.00	360	1.0	1.0	95.4
1047	NW_2340ad	0.666	0.666	0.666	0.00	17.7	0.00	360	1.0	1.0	95.4
1048	NW_2400ad	0.734	0.734	0.734	0.00	17.7	0.00	360	1.0	1.0	95.4
1049	NW_2460ad	0.8	0.8	0.8	0.00	17.7	0.00	360	1.0	1.0	95.4
1050	NW_2520ad	0.866	0.866	0.866	0.00	17.7	0.00	360	1.0	1.0	95.4
1051	NW_2580ad	0.933	0.933	0.933	0.00	17.7	0.00	360	1.0	1.0	95.4
1052	NW_2640ad	1.0	1.0	1.0	0.00	17.7	0.00	360	1.0	1.0	95.4

immettere: rgb/cmyk -> rgbdd  
uscita: 3D-linearizzazione a cmyk\*dd

grafico TUB-RI14; codice di tinte: H\*\_d=B00Rd  
colori e la differenza, ΔE\*  
RI140-7N, 32,33-F

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



RI1410L

TUB iscrizione: 20130201-RI14/RI14L0FA.TXT /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyn*sep_Fid	cmyn*sep_Fid	hsa_Ydd	rgb*Ydd	LabC*Ydd	delta
1053	NW_0860dd	0.866	0.866	0.866	0.866	85.0	0.007	0.007	360	1.0	1.0	0.0
1054	NW_0970dd	0.933	0.933	0.933	0.933	90.2	0.005	0.005	360	1.0	1.0	0.0
1055	NW_1000dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
1056	NW_0060dd	0.066	0.066	0.066	0.066	17.7	0.0	0.0	360	1.0	1.0	0.0
1057	NW_0065dd	0.066	0.066	0.066	0.066	22.8	0.0	0.0	360	1.0	1.0	0.0
1058	NW_0130dd	0.133	0.133	0.133	0.133	28.0	0.0	0.0	360	1.0	1.0	0.0
1059	NW_0260dd	0.266	0.266	0.266	0.266	33.2	0.0	0.0	360	1.0	1.0	0.0
1060	NW_0265dd	0.266	0.266	0.266	0.266	38.3	0.0	0.0	360	1.0	1.0	0.0
1061	NW_0330dd	0.333	0.333	0.333	0.333	43.6	0.0	0.0	360	1.0	1.0	0.0
1062	NW_0400dd	0.4	0.4	0.4	0.4	48.8	0.0	0.0	360	1.0	1.0	0.0
1063	NW_0460dd	0.466	0.466	0.466	0.466	53.9	0.0	0.0	360	1.0	1.0	0.0
1064	NW_0530dd	0.533	0.533	0.533	0.533	59.1	0.0	0.0	360	1.0	1.0	0.0
1065	NW_0570dd	0.533	0.533	0.533	0.533	64.3	0.0	0.0	360	1.0	1.0	0.0
1066	NW_0660dd	0.666	0.666	0.666	0.666	69.5	0.0	0.0	360	1.0	1.0	0.0
1067	NW_0730dd	0.734	0.734	0.734	0.734	74.7	0.0	0.0	360	1.0	1.0	0.0
1068	NW_0800dd	0.8	0.8	0.8	0.8	79.9	0.0	0.0	360	1.0	1.0	0.0
1069	NW_0860dd	0.866	0.866	0.866	0.866	85.0	0.0	0.0	360	1.0	1.0	0.0
1070	NW_0970dd	0.933	0.933	0.933	0.933	90.2	0.0	0.0	360	1.0	1.0	0.0
1071	NW_1000dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
1072	NW_0060dd	0.0	0.0	0.0	0.0	17.7	0.0	0.0	360	1.0	1.0	0.0
1073	NW_0065dd	0.0	0.0	0.0	0.0	22.8	0.0	0.0	360	1.0	1.0	0.0
1074	ROY_100_100dd	1.0	1.0	1.0	1.0	95.4	0.0	0.0	360	1.0	1.0	0.0
1075	GS0B_100_100dd	1.0	1.0	1.0	1.0	47.3	0.0	0.0	389	1.0	0.0	32.8
1076	Y06C_100_100dd	1.0	1.0	1.0	1.0	58.3	0.0	0.0	210	0.0	1.0	41.2
1077	B06M_100_100dd	1.0	1.0	1.0	1.0	58.3	0.0	0.0	89	1.0	0.0	63.8
1078	B08L_100_100dd	1.0	1.0	1.0	1.0	58.3	0.0	0.0	270	0.0	0.0	236.1
1079	B50R_100_100dd	1.0	1.0	1.0	1.0	58.3	0.0	0.0	89	1.0	0.0	63.8
1079	B50R_100_100dd	1.0	1.0	1.0	1.0	48.2	0.0	0.0	330	1.0	0.0	72.8

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

grafico TUB-RI14; codice di tinte: H\*\_d=B00Rd  
 colori e la differenza, ΔE\*  
 immettere: rgb/cmyk -> rgbdd  
 uscita: 3D-linearizzazione a cmyk\*dd

4-103320-F0

RI140-7N\_3333-F

4-103320-F0