

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_ = B00R_$


Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$

codice di tonalità per i colori questa pagina:

$H^*_ = B00R_$

triangolo chiarezza  $T^*$



**ORS18a; dati atti CIELAB (a)**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7
N <sub>-,Ma</sub>	18.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$ : 27 25 -47 53 298

$HIC^*_{-,Ma}$ : B00R\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; dati atti CIELAB (a)**

$H^*_$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
 la domanda per la misura uscita nella stampa di offset

TUB materiale: code=rh4ta

grafico TUB-RI14; codice di tinte:  $H^*_ = B00R_$   
 grafico conformemente a DIN 33872, 3D=1, de=0,  $cm^*_{yk}$


immettere:  $rgb/cmyk \rightarrow rgb/cmyk$   
 uscita: nessun cambiamento

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_d$   
codice di tonalità per i colori questa pagina:  
 $H^*_d = B00R_d$   
triangolo chiarezza  $T^*$



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{d,Ma}$ : 25 23 -47 52 296



$HIC^*_{d,Ma}$ : B00R\_100\_100<sub>d</sub>

$rgbic^*_{d,Ma}$ :  
0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

ORS20a; dati atti CIELAB (a)

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)  
TUB materiale: code=rh4ta

grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*

immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14L0FP.PDF /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk\* (CMYK)  
TUB materiale: code=rh4ta




grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*





immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$





vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14L0FP.PDF /.PS TUB materiale: code=rh4ta  
la domanda per la misura uscita nella stampa di offset, separazione cmyk\* (CMYK)




4-103330-L0 RI140-72

grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*

immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$

4-103330-F0







C

V

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14L0FP.PDF /.PS TUB materiale: code=rh4ta  
la domanda per la misura uscita nella stampa di offset, separazione cmyk\* (CMYK)



V

C

4-103430-L0 RI140-72

grafico TUB-RI14; codice di tinte:  $H^*_d=B00R_d$   
grafico conformemente a DIN 33872, 3D=1, de=0, cmyk\*

immettere:  $rgb/cmyk \rightarrow rgb_{dd}$   
uscita: 3D-linearizzazione a  $cmyk^*_{dd}$

4-103430-F0

C M Y O L V


V

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$

Dati del dispositivo (d) o colori elementari (e):  
 $HIC^*_d$

codice di tonalità per i colori questa pagina:  
 $H^*_d = B00R_d$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 25\ 23\ -47\ 52\ 296$

$HIC^*_d, Ma: B00R\_100\_100_d$



$rgbic^*_d, Ma:$

0.0 0.0 1.0 1.0 1.0

triangolo chiarezza  $T^*$

**ORS20a; dati atti CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11






%Gamma  
 $u^*_{rel} = 92$   
%Regularità  
 $g^*_H, rel = 57$   
 $g^*_C, rel = 58$

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6\* (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



(a\*<sub>d</sub> b\*<sub>d</sub>), (a\*<sub>s</sub> b\*<sub>s</sub>), (a\*<sub>e</sub> b\*<sub>e</sub>)  
 rgb\*<sub>d</sub> LCH\*<sub>d</sub> LAB\*<sub>d</sub>  

$$h_{ab,s} = atan [ r*_d cos(30) + g*_d cos(150) ] / [ r*_d sin(30) + g*_d sin(150) + b*_d sin(270) ] \quad (1)$$

$$h_{ab,s} = atan [ r*_s cos(30) + g*_s cos(150) ] / [ r*_s sin(30) + g*_s sin(150) + b*_s sin(270) ] \quad (2)$$



$$h_{ab,e} = atan [ r*_e cos(30) + g*_e cos(150) ] / [ r*_e sin(30) + g*_e sin(150) + b*_e sin(270) ] \quad (3)$$

$$h_{ab,d} = atan [ r*_d cos(30) + g*_d cos(150) ] / [ r*_d sin(30) + g*_d sin(150) + b*_d sin(270) ] \quad (4)$$

$$h_{ab,e} = atan [ r*_e cos(30) + g*_e cos(150) ] / [ r*_e sin(30) + g*_e sin(150) + b*_e sin(270) ] \quad (5)$$

vedere dei file simili: http://130.149.60.45/~farbmetrik/RII4/RII4L0FP.PDF /PS; 3D-linearizzazione  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik


TUB iscrizione: 20130201-RII4/RII4L0FP.PDF /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta





Data of maximum color M in colorimetric system offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>dd</sub>64M, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>ddx361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dsx361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>3</sup>\*<sub>dd</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>ds</sub>, r<sub>gb</sub><sup>3</sup>\*<sub>de</sub>. The table contains 392 rows of color data.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RII4/RII4L30FP.DAT nel file (F), pagina 8/33  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RII4/RII4LOFP.PDF /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta


grafico TUB-RII4; codice di tinte: H\*d=B00R<sub>d</sub>  
cerchio delle tinte a 48 passi; r<sub>gb</sub>-LabCh\*tavole

immettere: r<sub>gb</sub>/cmyk -> r<sub>gb</sub><sub>dd</sub>  
uscita: 3D-linearizzazione a cmyk\*<sub>dd</sub>




Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.0 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII4/RII4LOFP.PDF> / .PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RII4/RII4LOFP.PDF / .PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta




Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM <sub>d</sub> : h <sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3;			Six hue angles of the elementary colours RYGBM <sub>e</sub> : h <sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6															
h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* d361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* de361Mi	R <sub>e</sub>	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R <sub>e</sub>	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32		1.0 0.0 0.0	0.084 47.4 64.3 37.1 74.3 30		1.0 0.0 0.0	0.0 0.0 0.0		1.0 0.0 0.0	0.209 47.6 64.9 30.9 71.9 25		1.0 0.0 0.0			
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33		1.0 0.0 0.0	0.054 47.4 64.2 38.6 74.9 31		1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26		1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26		1.0 0.017 0.0			
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34		1.0 0.0 0.0	0.025 47.4 64.0 40.0 75.5 32		1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27		1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27		1.0 0.033 0.0			
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35		1.0 0.003 0.0	47.5 63.7 41.3 75.9 33		1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28		1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28		1.0 0.05 0.0			
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36		1.0 0.019 0.0	48.0 62.5 42.2 75.4 34		1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29		1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29		1.0 0.067 0.0			
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37		1.0 0.036 0.0	48.5 61.4 43.0 74.9 35		1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31		1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31		1.0 0.083 0.0			
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38		1.0 0.052 0.0	49.0 60.2 43.7 74.4 36		1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32		1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32		1.0 0.1 0.0			
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39		1.0 0.069 0.0	49.5 59.0 44.5 73.9 37		1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33		1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33		1.0 0.117 0.0			
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41		1.0 0.085 0.0	50.0 57.8 45.2 73.4 38		1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34		1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34		1.0 0.133 0.0			
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42		1.0 0.101 0.0	50.5 56.6 45.9 72.9 39		1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35		1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35		1.0 0.15 0.0			
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43		1.0 0.118 0.0	51.0 55.4 46.5 72.4 40		1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36		1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36		1.0 0.167 0.0			
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44		1.0 0.132 0.0	51.5 54.3 47.2 72.0 41		1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37		1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37		1.0 0.183 0.0			
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46		1.0 0.145 0.0	52.0 53.2 47.9 71.7 42		1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38		1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38		1.0 0.2 0.0			
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47		1.0 0.158 0.0	52.5 52.2 48.7 71.3 43		1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39		1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39		1.0 0.217 0.0			
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48		1.0 0.172 0.0	53.0 51.1 49.3 71.0 44		1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41		1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41		1.0 0.233 0.0			
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50		1.0 0.185 0.0	53.5 50.0 50.0 70.7 45		1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42		1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42		1.0 0.25 0.0			
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51		1.0 0.198 0.0	54.0 48.9 50.7 70.4 46		1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43		1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43		1.0 0.267 0.0			
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52		1.0 0.211 0.0	54.5 47.8 51.3 70.1 47		1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44		1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44		1.0 0.283 0.0			
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54		1.0 0.224 0.0	55.0 46.7 51.9 69.8 48		1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45		1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45		1.0 0.3 0.0			
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55		1.0 0.237 0.0	55.5 45.6 52.4 69.5 49		1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46		1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46		1.0 0.317 0.0			
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57		1.0 0.25 0.0	56.0 44.5 53.0 69.2 50		1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47		1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47		1.0 0.333 0.0			
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58		1.0 0.261 0.0	56.5 43.5 53.7 69.2 51		1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48		1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48		1.0 0.35 0.0			
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60		1.0 0.272 0.0	57.0 42.6 54.5 69.1 52		1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49		1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49		1.0 0.367 0.0			
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61		1.0 0.283 0.0	57.5 41.6 55.2 69.1 53		1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51		1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51		1.0 0.383 0.0			
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63		1.0 0.295 0.0	58.0 40.6 55.9 69.1 54		1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52		1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52		1.0 0.4 0.0			
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64		1.0 0.306 0.0	58.5 39.6 56.6 69.1 55		1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53		1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53		1.0 0.417 0.0			
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65		1.0 0.317 0.0	58.9 38.6 57.2 69.0 56		1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54		1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54		1.0 0.433 0.0			
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67		1.0 0.328 0.0	59.4 37.6 57.9 69.0 57		1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55		1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55		1.0 0.45 0.0			
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68		1.0 0.34 0.0	59.9 36.6 58.5 69.0 58		1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56		1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56		1.0 0.467 0.0			
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70		1.0 0.351 0.0	60.4 35.5 59.1 69.0 59		1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57		1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57		1.0 0.483 0.0			
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71		1.0 0.362 0.0	60.9 34.5 59.7 68.9 60		1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58		1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58		1.0 0.5 0.0			
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72		1.0 0.373 0.0	61.4 33.4 60.3 68.9 61		1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.517 0.0			
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74		1.0 0.385 0.0	61.9 32.4 61.0 69.1 62		1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61		1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61		1.0 0.533 0.0			
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75		1.0 0.397 0.0	62.5 31.5 61.8 69.3 63		1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62		1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62		1.0 0.55 0.0			
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76		1.0 0.409 0.0	63.0 30.5 62.5 69.6 64		1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63		1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63		1.0 0.567 0.0			
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78		1.0 0.421 0.0	63.6 29.5 63.2 69.8 65		1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64		1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64		1.0 0.583 0.0			
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79		1.0 0.434 0.0	64.2 28.5 64.0 70.0 66		1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65		1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65		1.0 0.6 0.0			
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81		1.0 0.446 0.0	64.7 27.4 64.7 70.3 67		1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66		1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66		1.0 0.617 0.0			
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82		1.0 0.458 0.0	65.3 26.4 65.4 70.5 68		1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67		1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67		1.0 0.633 0.0			
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83		1.0 0.47 0.0	65.8 25.3 66.0 70.7 69		1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68		1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68		1.0 0.65 0.0			
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84		1.0 0.482 0.0	66.4 24.3 66.7 70.9 70		1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70		1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70		1.0 0.667 0.0			
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84		1.0 0.494 0.0	66.9 23.2 67.3 71.2 71		1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71		1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71		1.0 0.683 0.0			

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* d361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	Y <sub>d</sub>	Y <sub>s</sub>	Y <sub>e</sub>
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0 0.543 0.0	69.4 19.0 70.7 73.2 75	1.0 0.75 0.0	1.0 0.555 0.0	69.8 18.3 71.3 73.6 75	1.0 0.75 0.0	83.0	84.9	83.0
89	76	76	1.0 0.766 0.0	79.9 1.0 83.9 83.9 89	1.0 0.555 0.0	70.0 17.9 71.6 73.8 76	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0	88.0	86.2	84.1
89	77	77	1.0 0.783 0.0	80.6 0.0 84.8 84.8 89	1.0 0.567 0.0	70.7 16.7 72.4 74.3 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	87.0	88.8	89.2
90	78	78	1.0 0.8 0.0	81.2 -0.9 85.7 85.7 90	1.0 0.579 0.0	71.3 15.6 73.3 74.9 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	92.0	90.3	88.2
91	79	80	1.0 0.816 0.0	81.9 -1.9 86.5 86.5 91	1.0 0.591 0.0	71.9 14.4 74.1 75.5 79	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	91.0	89.6	87.9
91	80	81	1.0 0.833 0.0	82.6 -3.0 87.4 87.4 91	1.0 0.604 0.0	72.5 13.2 74.9 76.0 80	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	90.0	88.9	87.9
92	81	82	1.0 0.85 0.0	83.2 -4.0 88.2 88.3 92	1.0 0.616 0.0	73.2 12.0 75.6 76.6 81	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	89.0	88.9	87.9
93	82	83	1.0 0.866 0.0	83.9 -5.1 89.0 89.2 93	1.0 0.629 0.0	73.8 10.7 76.5 77.2 82	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	88.0	88.9	87.9
93	83	84	1.0 0.883 0.0	84.5 -6.1 89.8 90.0 93	1.0 0.648 0.0	74.7 9.5 77.5 78.1 83	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	87.0	88.9	87.9
94	84	85	1.0 0.9 0.0	85.1 -6.9 90.6 90.8 94	1.0 0.666 0.0	75.5 8.3 78.6 79.0 84	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	86.0	88.9	87.9
94	85	86	1.0 0.916 0.0	85.6 -7.7 91.3 91.7 94	1.0 0.684 0.0	76.3 7.0 79.6 79.9 85	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	85.0	88.9	87.9
95	86	87	1.0 0.933 0.0	86.1 -8.5 92.1 92.5 95	1.0 0.703 0.0	77.1 5.6 80.6 80.8 86	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	84.0	88.9	87.9
95	87	88	1.0 0.95 0.0	86.7 -9.3 92.9 93.3 95	1.0 0.721 0.0	78.0 4.3 81.6 81.7 87	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	83.0	88.9	87.9
96	88	90	1.0 0.966 0.0	87.2 -10.2 93.6 94.2 96	1.0 0.739 0.0	78.8 2.9 82.5 82.6 88	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	82.0	88.9	87.9
96	89	91	1.0 0.983 0.0	87.8 -11.1 94.3 95.0 96	1.0 0.76 0.0	79.7 1.5 83.6 83.6 89	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	81.0	88.9	87.9
97	90	92	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97	1.0 0.785 0.0	80.7 0.0 84.9 84.9 90	1.0 1.0 0.0	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 1.0 0.0	80.0	88.9	87.9
97	91	93	0.983 1.0 0.0	88.0 -12.5 94.2 95.1 97	1.0 0.809 0.0	81.7 -1.4 86.2 86.2 91	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	79.0	88.9	87.9
98	92	94	0.966 1.0 0.0	87.7 -13.1 93.4 94.3 98	1.0 0.834 0.0	82.7 -3.0 87.5 87.5 92	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0	78.0	88.9	87.9
98	93	95	0.95 1.0 0.0	87.3 -13.7 92.5 93.5 98	1.0 0.859 0.0	83.6 -4.5 88.7 88.8 93	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	77.0	88.9	87.9
98	94	96	0.933 1.0 0.0	87.0 -14.3 91.6 92.7 98	1.0 0.887 0.0	84.7 -6.2 90.0 90.3 94	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.5 96	0.933 1.0 0.0	76.0	88.9	87.9
99	95	98	0.916 1.0 0.0	86.6 -14.8 90.8 92.0 99	1.0 0.923 0.0	85.8 -7.9 91.7 92.0 95	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	75.0	88.9	87.9
99	96	99	0.9 1.0 0.0	86.3 -15.4 89.9 91.2 99	1.0 0.958 0.0	87.0 -9.7 93.3 93.8 96	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	74.0	88.9	87.9
100	97	100	0.883 1.0 0.0	86.0 -15.9 89.0 90.4 100	1.0 0.994 0.0	88.2 -11.5 94.8 95.6 97	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	73.0	88.9	87.9
100	98	101	0.866 1.0 0.0	85.6 -16.4 88.2 89.7 100	0.968 1.0 0.0	87.7 -13.0 93.5 94.4 98	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	72.0	88.9	87.9
100	99	102	0.85 1.0 0.0	85.2 -16.9 87.4 89.1 100	0.929 1.0 0.0	86.9 -14.4 91.4 92.6 99	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	71.0	88.9	87.9
101	100	103	0.833 1.0 0.0	84.8 -17.4 86.7 88.4 101	0.89 1.0 0.0	86.2 -15.7 89.4 90.8 100	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	70.0	88.9	87.9
101	101	105	0.816 1.0 0.0	84.5 -17.9 86.0 87.8 101	0.849 1.0 0.0	85.3 -16.9 87.5 89.1 101	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	69.0	88.9	87.9
102	102	106	0.8 1.0 0.0	84.1 -18.3 85.2 87.2 102	0.807 1.0 0.0	84.3 -18.1 85.6 87.5 102	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	68.0	88.9	87.9
102	103	107	0.783 1.0 0.0	83.7 -18.8 84.5 86.5 102	0.765 1.0 0.0	83.3 -19.2 83.7 85.9 103	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	67.0	88.9	87.9
102	104	108	0.766 1.0 0.0	83.3 -19.2 83.7 85.9 102	0.734 1.0 0.0	82.2 -20.4 82.2 84.7 104	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0	66.0	88.9	87.9
103	105	109	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103	0.709 1.0 0.0	81.0 -21.6 80.9 83.7 105	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	65.0	88.9	87.9
104	106	110	0.733 1.0 0.0	82.2 -20.5 82.1 84.6 104	0.684 1.0 0.0	79.9 -22.7 79.5 82.7 106	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0	64.0	88.9	87.9
104	107	112	0.716 1.0 0.0	81.4 -21.3 81.2 84.0 104	0.658 1.0 0.0	78.7 -23.8 78.2 81.7 107	0.717 1.0 0.0	0.558 1.0 0.0	74.8 -28.7 70.9 76.5 112	0.717 1.0 0.0	63.0	88.9	87.9
105	108	113	0.7 1.0 0.0	80.6 -22.0 80.3 83.3 105	0.633 1.0 0.0	77.5 -24.9 76.8 80.8 108	0.7 1.0 0.0	0.537 1.0 0.0	74.1 -29.7 69.2 75.3 113	0.7 1.0 0.0	62.0	88.9	87.9
106	109	114	0.683 1.0 0.0	79.8 -22.8 79.5 82.7 106	0.613 1.0 0.0	76.7 -25.9 75.4 79.7 109	0.683 1.0 0.0	0.517 1.0 0.0	73.4 -30.6 67.5 74.1 114	0.683 1.0 0.0	61.0	88.9	87.9
106	110	115	0.666 1.0 0.0	79.0 -23.5 78.6 82.0 106	0.595 1.0 0.0	76.1 -26.8 74.0 78.7 110	0.667 1.0 0.0	0.496 1.0 0.0	72.7 -31.5 65.8 73.0 115	0.667 1.0 0.0	60.0	88.9	87.9
107	111	116	0.65 1.0 0.0	78.2 -24.2 77.7 81.4 107	0.578 1.0 0.0	75.5 -27.7 72.5 77.7 111	0.65 1.0 0.0	0.475 1.0 0.0	72.0 -32.5 64.5 72.3 116	0.65 1.0 0.0	59.0	88.9	87.9
107	112	117	0.633 1.0 0.0	77.4 -24.9 76.8 80.7 107	0.56 1.0 0.0	74.9 -28.6 71.1 76.6 112	0.633 1.0 0.0	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117	0.633 1.0 0.0	58.0	88.9	87.9
108	113	119	0.616 1.0 0.0	76.8 -25.7 75.6 79.9 108	0.542 1.0 0.0	74.2 -29.4 69.6 75.6 113	0.617 1.0 0.0	0.434 1.0 0.0	70.7 -34.4 61.9 70.9 119	0.617 1.0 0.0	57.0	88.9	87.9
109	114	120	0.6 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.525 1.0 0.0	73.6 -30.2 68.1 74.6 114	0.6 1.0 0.0	0.413 1.0 0.0	70.1 -35.3 60.6 70.2 120	0.6 1.0 0.0	56.0	88.9	87.9
110	115	121	0.583 1.0 0.0	75.6 -27.5 72.9 78.0 110	0.507 1.0 0.0	73.0 -31.0 66.7 73.5 115	0.583 1.0 0.0	0.393 1.0 0.0	69.5 -36.1 59.2 69.4 121	0.583 1.0 0.0	55.0	88.9	87.9
111	116	122	0.566 1.0 0.0	75.0 -28.3 71.6 77.0 111	0.489 1.0 0.0	72.5 -31.8 65.4 72.8 116	0.567 1.0 0.0	0.373 1.0 0.0	68.8 -37.0 58.0 68.8 122	0.567 1.0 0.0	54.0	88.9	87.9
112	117	123	0.55 1.0 0.0	74.5 -29.1 70.2 76.0 112	0.471 1.0 0.0	71.9 -32.7 64.3 72.2 117	0.55 1.0 0.0	0.362 1.0 0.0	68.1 -38.1 57.1 68.7 123	0.55 1.0 0.0	53.0	88.9	87.9
113	118	124	0.533 1.0 0.0	73.9 -29.9 68.8 75.0 113	0.454 1.0 0.0	71.4 -33.5 63.2 71.5 118	0.533 1.0 0.0	0.35 1.0 0.0	67.3 -39.2 56.2 68.6 124	0.533 1.0 0.0	52.0	88.9	87.9
114	119	126	0.516 1.0 0.0	73.3 -30.6 67.4 74.1 114	0.436 1.0 0.0	70.8 -34.3 62.0 70.9 119	0.517 1.0 0.0	0.338 1.0 0.0	66.6 -40.3 55.3 68.5 126	0.517 1.0 0.0	51.0	88.9	87.9
115	120	127	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115	0.418 1.0 0.0	70.3 -35.1 60.9 70.3 120	0.5 1.0 0.0	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127	0.5 1.0 0.0	50.0	88.9	87.9



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.LOFP.PDF> / .PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB iscrizione: 20130201-RI14/RI14LOFP.PDF / .PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

4-1031030-L0 RI140-72 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3. LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmy6\*, D65, pagina 11/33

grafico TUB-RI14; codice di tinte: H\*d=B00Rd  
cerchio delle tinte a 48 passi; rgb-LabCh\*tavole

immettere: rgb/cmyk -> rgb<sub>dd</sub>  
uscita: 3D-linearizzazione a cmyk\*<sub>dd</sub>



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361M$	$LAB^*_{dd}361Mi$ (x=LabCh)	$rgb^*_{ds}361Mi$	$LAB^*_{ds}361Mi$ (x=LabCh)	$rgb^*_{dd}361Mi$	$LAB^*_{de}361Mi$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd}361Mi$	$rgb^*_{dd}361Mi$	$rgb^*_{ds}361Mi$	$rgb^*_{de}361Mi$
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	0.074	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.8	-65.0	16.0	67.0	166	0.0	1.0	0.167
167	161	172	0.0	1.0	0.183	52.9	-64.5	14.7	66.1	167	0.0	1.0	0.183
168	162	173	0.0	1.0	0.2	53.0	-63.9	13.4	65.3	168	0.0	1.0	0.2
169	163	174	0.0	1.0	0.216	53.1	-63.3	12.2	64.4	169	0.0	1.0	0.217
170	164	175	0.0	1.0	0.233	53.2	-62.6	11.0	63.6	170	0.0	1.0	0.233
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
La domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM <sub>d</sub> : h <sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3;			Six hue angles of the elementary colours RYGBCM <sub>e</sub> : h <sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																							
h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* d361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* de361Mi														
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176	0.0	1.0	0.267	53.8	-59.2	3.3	59.4	176
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177	0.0	1.0	0.283	53.8	-58.7	2.3	58.9	177
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178	0.0	1.0	0.3	53.9	-58.3	1.4	58.4	178
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179	0.0	1.0	0.317	54.0	-57.7	0.4	57.8	179
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180	0.0	1.0	0.333	54.1	-57.2	-0.4	57.3	180
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181	0.0	1.0	0.35	54.1	-56.8	-1.3	56.9	181
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182	0.0	1.0	0.367	54.2	-56.4	-2.2	56.5	182
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183	0.0	1.0	0.383	54.2	-56.0	-3.1	56.2	183
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184	0.0	1.0	0.4	54.3	-55.7	-3.9	55.9	184
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185	0.0	1.0	0.417	54.3	-55.3	-4.8	55.6	185
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	185	0.0	1.0	0.433	54.4	-54.9	-5.6	55.3	185
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186	0.0	1.0	0.45	54.4	-54.4	-6.5	54.9	186
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187	0.0	1.0	0.467	54.5	-54.0	-7.3	54.6	187
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188	0.0	1.0	0.483	54.6	-53.6	-8.1	54.3	188
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189	0.0	1.0	0.5	54.6	-53.1	-8.9	54.0	189
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190	0.0	1.0	0.517	54.7	-52.6	-9.7	53.6	190
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191	0.0	1.0	0.533	54.7	-52.2	-10.5	53.3	191
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192	0.0	1.0	0.55	54.8	-51.7	-11.2	53.0	192
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193	0.0	1.0	0.567	54.8	-51.2	-12.0	52.7	193
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194	0.0	1.0	0.583	54.9	-50.8	-12.7	52.5	194
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195	0.0	1.0	0.6	55.0	-50.4	-13.5	52.3	195
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195	0.0	1.0	0.617	55.0	-50.0	-14.3	52.1	195
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.633	55.1	-49.6	-15.0	51.9	196
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197	0.0	1.0	0.65	55.2	-49.2	-15.7	51.7	197
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198	0.0	1.0	0.667	55.3	-48.7	-16.5	51.6	198
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199	0.0	1.0	0.683	55.3	-48.3	-17.2	51.4	199
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200	0.0	1.0	0.7	55.4	-47.9	-17.9	51.2	200
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201	0.0	1.0	0.717	55.5	-47.4	-18.6	51.0	201
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202	0.0	1.0	0.733	55.6	-46.9	-19.3	50.9	202
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203	0.0	1.0	0.75	55.6	-46.5	-19.9	50.7	203
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204	0.0	1.0	0.767	55.7	-46.0	-20.6	50.5	204
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.783	55.8	-45.5	-21.3	50.3	205
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206	0.0	1.0	0.8	55.8	-45.0	-21.9	50.2	206
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206	0.0	1.0	0.817	55.9	-44.6	-22.6	50.2	206
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	56.0	-44.2	-23.0	50.1	207	0.0	1.0	0.833	56.0	-44.2	-23.0	50.1	207
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208	0.0	1.0	0.85	56.0	-43.8	-24.0	50.1	208
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209	0.0	1.0	0.867	56.1	-43.4	-24.7	50.1	209
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210	0.0	1.0	0.883	56.2	-43.0	-25.4	50.0	210
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211	0.0	1.0	0.9	56.3	-42.5	-26.0	50.0	211
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212	0.0	1.0	0.917	56.3	-42.1	-26.7	50.0	212
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213	0.0	1.0	0.933	56.4	-41.6	-27.3	49.9	213
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214	0.0	1.0	0.95	56.5	-41.1	-28.0	49.9	214
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215	0.0	1.0	0.967	56.5	-40.7	-28.6	49.9	215
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216	0.0	1.0	0.983	56.6	-40.2	-29.2	49.8	216
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0	56.7	-39.7	-29.9	49.8	216

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.LOFP.PDF> / .PS  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF / .PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds	rgb* de																																	
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	C <sub>d</sub>	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	C <sub>s</sub>	0.0	1.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	C <sub>e</sub>	0.0	1.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.983	1.0
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236		0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211		0.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217		0.0	0.983	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.967	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237		0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212		0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218		0.0	0.967	1.0	0.0	1.0	0.951	1.0	0.0	1.0	0.951	1.0		
237	213	219	0.0	0.951	1.0	57.1	-27.5	-43.8	51.8	237		0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213		0.0	0.951	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219		0.0	0.951	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.933	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238		0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214		0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220		0.0	0.933	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.917	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238		0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215		0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221		0.0	0.917	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239		0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216		0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222		0.0	0.9	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240		0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217		0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223		0.0	0.883	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240		0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218		0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224		0.0	0.867	1.0	0.0	1.0	0.851	1.0	0.0	1.0	0.851	1.0		
241	219	225	0.0	0.851	1.0	54.5	-23.9	-44.0	50.1	241		0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219		0.0	0.851	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225		0.0	0.851	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0		
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242		0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220		0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226		0.0	0.833	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.817	1.0		
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242		0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221		0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227		0.0	0.817	1.0	0.0	1.0	0.767	1.0	0.0	1.0	0.767	1.0		
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243		0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222		0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227		0.0	0.8	1.0	0.0	1.0	0.733	1.0	0.0	1.0	0.733	1.0		
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244		0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223		0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228		0.0	0.783	1.0	0.0	1.0	0.717	1.0	0.0	1.0	0.717	1.0		
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245		0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224		0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229		0.0	0.767	1.0	0.0	1.0	0.667	1.0	0.0	1.0	0.667	1.0		
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245		0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225		0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230		0.0	0.75	1.0	0.0	1.0	0.633	1.0	0.0	1.0	0.633	1.0		
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246		0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226		0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231		0.0	0.733	1.0	0.0	1.0	0.617	1.0	0.0	1.0	0.617	1.0		
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247		0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227		0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232		0.0	0.717	1.0	0.0	1.0	0.583	1.0	0.0	1.0	0.583	1.0		
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248		0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228		0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233		0.0	0.7	1.0	0.0	1.0	0.567	1.0	0.0	1.0	0.567	1.0		
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249		0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229		0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234		0.0	0.683	1.0	0.0	1.0	0.551	1.0	0.0	1.0	0.551	1.0		
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250		0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230		0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235		0.0	0.667	1.0	0.0	1.0	0.531	1.0	0.0	1.0	0.531	1.0		
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251		0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231		0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236		0.0	0.65	1.0	0.0	1.0	0.517	1.0	0.0	1.0	0.517	1.0		
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252		0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232		0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237		0.0	0.633	1.0	0.0	1.0	0.501	1.0	0.0	1.0	0.501	1.0	
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253		0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233		0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237		0.0	0.617	1.0	0.0	1.0	0.483	1.0	0.0	1.0	0.483	1.0	
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254		0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234		0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238		0.0	0.6	1.0	0.0	1.0	0.467	1.0	0.0	1.0	0.467	1.0	
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255		0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235		0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239		0.0	0.583	1.0	0.0	1.0	0.441	1.0	0.0	1.0	0.441	1.0	
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257		0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236		0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240		0.0	0.567	1.0	0.0	1.0	0.421	1.0	0.0	1.0	0.421	1.0	
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258		0.0	1.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237		0.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241		0.0	0.55	1.0	0.0	1.0	0.401	1.0	0.0	1.0	0.401	1.0
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259		0.0	1.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238		0.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242		0.0	0.533	1.0	0.0	1.0	0.383	1.0	0.0	1.0	0.383	1.0
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261		0.0	1.0	0.916	1.0	56.3	-26.3	-43.8	51.2	239		0.0	0.517	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243		0.0	0.517	1.0	0.0	1.0	0.367	1.0	0.0	1.0	0.367	1.0
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262		0.0	1.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240		0.0	0.5	1.0	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244		0.0	0.5	1.0	0.0	1.0	0.341	1.0	0.0	1.0	0.341	1.0
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263		0.0	1.0	0.861																															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM<sub>d</sub>;  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}$	$rgb^*_{ds}$	$rgb^*_{de}$	LAB* <sub>d</sub> (x=LabCh)						LAB* <sub>s</sub> (x=LabCh)						LAB* <sub>e</sub> (x=LabCh)															
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0	
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0	
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0	
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0	
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0	
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0	
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0	
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0	
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0	
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1	1.0	
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0	
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0	
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0	
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0	
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.7	-45.3	45.4	270	0.0	0.017	1.0	
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	$B_d$	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	$270B_s$	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	$271B_e$	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0	1.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0	
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0	
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0	
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0	
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0	
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0	
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0	
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0	
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0	
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0	
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0	
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0	
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0	0.0	0.215	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0	
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0	
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0	
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0	
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0	
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	0.0	0.147	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0	
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	0.0	0.134	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0	
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	0.0	0.118	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0	
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	0.0	0.098	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0	
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0	
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	0.0	0.059	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0	
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0	0.0	0.04	1.0	26.4	21.6	-47.2	52.0	294	0.4	0.0	1.0	
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295	0.417	0.0	1.0	0											



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>dd361Mi (x=LabCh)</sub>	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	LAB* <sub>dex361Mi (x=LabCh)</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>ds361Mi</sub>	rgb* <sub>de361Mi</sub>																															
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3	334	0.056	0.0	1.0	27.1	27.3	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6	335	0.068	0.0	1.0	27.5	28.1	-44.9	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0	336	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0
336	304	304	0.566	0.0	1.0	39.5	56.5	-24.0	61.4	336	0.092	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0
337	305	304	0.583	0.0	1.0	39.9	57.2	-23.4	61.8	337	0.104	0.0	1.0	28.7	30.5	-43.4	53.1	305	0.583	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0
338	306	305	0.6	0.0	1.0	40.3	57.8	-22.8	62.2	338	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.6	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0
339	307	306	0.616	0.0	1.0	40.7	58.5	-22.1	62.5	339	0.13	0.0	1.0	29.4	32.0	-42.4	53.2	307	0.617	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0
340	308	307	0.633	0.0	1.0	41.1	59.3	-21.4	63.0	340	0.151	0.0	1.0	29.8	32.8	-41.8	53.2	308	0.633	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0
341	309	308	0.65	0.0	1.0	41.4	60.3	-20.5	63.7	341	0.172	0.0	1.0	30.2	33.5	-41.3	53.3	309	0.65	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0
342	310	309	0.666	0.0	1.0	41.7	61.3	-19.7	64.3	342	0.193	0.0	1.0	30.6	34.3	-40.7	53.3	310	0.667	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0
343	311	310	0.683	0.0	1.0	41.9	62.2	-18.8	65.0	343	0.214	0.0	1.0	30.9	35.0	-40.2	53.3	311	0.683	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0
344	312	311	0.7	0.0	1.0	42.2	63.2	-17.8	65.6	344	0.234	0.0	1.0	31.3	35.7	-39.6	53.4	312	0.7	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0
345	313	312	0.716	0.0	1.0	42.5	64.1	-16.9	66.3	345	0.252	0.0	1.0	31.6	36.5	-39.0	53.5	313	0.717	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0
346	314	313	0.733	0.0	1.0	42.8	65.0	-15.9	66.9	346	0.261	0.0	1.0	31.8	37.3	-38.5	53.7	314	0.733	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0
347	315	314	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347	0.27	0.0	1.0	31.9	38.2	-38.1	54.0	315	0.75	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0
347	316	315	0.766	0.0	1.0	43.5	66.4	-14.5	68.0	347	0.279	0.0	1.0	32.1	39.0	-37.6	54.2	316	0.767	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0
348	317	316	0.783	0.0	1.0	43.8	66.9	-14.1	68.4	348	0.288	0.0	1.0	32.3	39.8	-37.1	54.5	317	0.783	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0
348	318	317	0.8	0.0	1.0	44.2	67.3	-13.7	68.7	348	0.297	0.0	1.0	32.4	40.7	-36.5	54.7	318	0.8	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0
348	319	318	0.816	0.0	1.0	44.6	67.8	-13.3	69.1	348	0.306	0.0	1.0	32.6	41.5	-36.0	55.0	319	0.817	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0
349	320	319	0.833	0.0	1.0	45.0	68.3	-12.9	69.5	349	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.833	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0
349	321	320	0.85	0.0	1.0	45.3	68.8	-12.5	69.9	349	0.324	0.0	1.0	32.9	43.1	-34.8	55.5	321	0.85	0.0	1.0	0.315	0.0	1.0	32.7	42.4	-35.4	55.3	320	0.85	0.0	1.0	0.315	0.0	1.0	32.7	42.4	-35.4	55.3	320	0.85	0.0	1.0
350	322	321	0.866	0.0	1.0	45.7	69.2	-12.1	70.3	350	0.333	0.0	1.0	33.1	43.9	-34.2	55.8	322	0.867	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0
350	323	321	0.883	0.0	1.0	46.1	69.7	-11.7	70.7	350	0.342	0.0	1.0	33.2	44.7	-33.6	56.0	323	0.883	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0
350	324	322	0.9	0.0	1.0	46.4	70.1	-11.2	71.0	350	0.351	0.0	1.0	33.4	45.5	-33.0	56.3	324	0.9	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0
351	325	323	0.916	0.0	1.0	46.7	70.6	-10.8	71.4	351	0.359	0.0	1.0	33.5	46.3	-32.3	56.5	325	0.917	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0
351	326	324	0.933	0.0	1.0	47.0	71.0	-10.3	71.8	351	0.368	0.0	1.0	33.7	47.1	-31.6	56.8	326	0.933	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0
352	327	325	0.95	0.0	1.0	47.3	71.5	-9.9	72.2	352	0.379	0.0	1.0	34.0	47.9	-31.0	57.1	327	0.95	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0
352	328	326	0.966	0.0	1.0	47.6	71.9	-9.4	72.5	352	0.397	0.0	1.0	34.5	48.7	-30.4	57.5	328	0.967	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0
352	329	327	0.983	0.0	1.0	47.9	72.4	-9.0	72.9	352	0.414	0.0	1.0	35.1	49.6	-29.7	57.9	329	0.983	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0
353	330	328	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353	0.432	0.0	1.0	35.7	50.5	-29																											

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	rgb* dc361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* dc
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794
371	360	357	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761
372	361	358	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735
373	362	359	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712
374	363	360	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69
375	364	357	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667
376	365	358	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645
376	366	359	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623
377	367	360	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601
378	368	361	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399
385	378	371	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38
386	379	372	1.0	0.0	0.183	47.5	64.8	32.2	72.4	386	1.0	0.0	0.359
387	380	373	1.0	0.0	0.166	47.5	64.7	33.0	72.7	387	1.0	0.0	0.337
387	381	374	1.0	0.0	0.15	47.5	64.6	33.9	72.9	387	1.0	0.0	0.315
388	382	375	1.0	0.0	0.133	47.4	64.5	34.7	73.2	388	1.0	0.0	0.293
388	383	376	1.0	0.0	0.116	47.4	64.4	35.5	73.6	388	1.0	0.0	0.271
389	384	377	1.0	0.0	0.1	47.4	64.3	36.3	73.9	389	1.0	0.0	0.249
390	385	378	1.0	0.0	0.083	47.4	64.3	37.1	74.2	390	1.0	0.0	0.222
390	386	379	1.0	0.0	0.066	47.4	64.2	37.9	74.6	390	1.0	0.0	0.195
391	387	380	1.0	0.0	0.049	47.4	64.1	38.7	74.9	391	1.0	0.0	0.169
391	388	381	1.0	0.0	0.033	47.3	64.0	39.5	75.3	391	1.0	0.0	0.142
392	389	382	1.0	0.0	0.016	47.3	63.9	40.3	75.6	392	1.0	0.0	0.114
392	390	383	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392	1.0	0.0	0.084

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6\* (CMYK)  
TUB materiale: code=rh4ta

4-1031630-L0 RI140-72 LAB\*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3. LAB\*nw=17.7, 0.0, 0.0. 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmy6\*, D65, pagina 17/33

grafico TUB-RI14; codice di tinte: H\*d=B00Rd  
cerchio delle tinte a 48 passi; rgb-LabCh\*tavole

immettere: rgb/cmyk -> rgbdd  
uscita: 3D-linearizzazione a cmyk\*dd





RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFP.PDF /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FP.DAT nel file (F), pagina 19/33

ref	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep,Fid	cmyp*_sep,Fid	hsa*Fid	rgb*Fid	LabC*Fid	delta
0/648	ROY_100_1000d	1.0	0.0	0.0	0.0	47.3	63.8	41.2	32.8	76.0	32.8	0.0
1/666	R25Y_100_1000d	0.0	0.5	390	0.0	55.3	45.8	52.2	69.5	48.7	71.4	0.0
2/684	R50Y_100_1000d	0.0	0.5	60	0.0	67.2	22.6	67.6	71.2	71.4	71.4	0.0
3/702	R75Y_100_1000d	0.0	0.5	76	0.0	83.9	83.9	83.9	83.9	83.9	83.9	0.0
4/720	Y00C_100_1000d	0.0	0.0	104	0.0	88.3	-11.9	95.1	95.8	97.1	95.8	0.0
5/558	Y25C_100_1000d	0.75	0.0	104	0.0	88.3	-19.2	83.7	83.7	83.7	83.7	0.0
6/396	Y50C_100_1000d	0.25	0.0	104	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.0
7/234	Y75C_100_1000d	0.0	0.5	136	0.0	60.4	-48.8	46.7	67.6	67.6	67.6	0.0
8/72	CO0B_100_1000d	0.0	0.0	150	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0
9/72	CO0B_100_1000d	0.0	0.0	150	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0
10/76	G25B_100_1000d	0.0	0.5	180	0.0	54.8	-51.0	-12.3	52.5	193.7	193.7	0.0
11/80	G50B_100_1000d	0.0	0.5	210	0.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0
12/44	G75B_100_1000d	0.0	0.5	240	0.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0
13/8	BO0M_100_1000d	0.0	0.0	270	0.0	33.5	23.5	-47.3	52.8	296.4	296.4	0.0
14/332	B25R_100_1000d	0.5	0.0	104	0.0	37.8	53.8	-26.3	59.9	335.9	335.9	0.0
15/656	B50R_100_1000d	0.0	0.0	104	0.0	48.2	72.8	-8.5	73.3	353.3	353.3	0.0
16/652	B75R_100_1000d	0.0	0.5	360	0.0	47.7	67.7	14.0	69.1	11.6	11.6	0.0
17/648	ROY_100_1000d	1.0	0.0	390	0.0	47.3	63.8	41.2	76.0	32.8	32.8	0.0
18/668	ROY_100_0500d	1.0	0.5	390	0.0	51.9	20.6	38.0	32.8	38.0	32.8	0.0
19/608	R50Y_100_0500d	0.75	0.5	390	0.0	81.3	11.3	33.8	35.6	71.4	71.4	0.0
20/724	Y00C_100_0500d	1.0	0.0	120	0.0	91.9	-5.9	47.5	47.9	97.1	97.1	0.0
21/400	G00B_100_0500d	0.5	1.0	120	0.0	84.1	-15.6	33.0	36.5	115.3	115.3	0.0
22/400	G50B_100_0500d	0.5	1.0	120	0.0	75.7	-34.4	14.0	37.1	157.7	157.7	0.0
23/400	G00R_100_0500d	0.5	1.0	120	0.0	70.6	14.6	-23.6	26.3	296.4	296.4	0.0
24/692	B00R_100_0500d	0.5	0.5	330	0.0	60.4	11.7	-31.6	56.6	353.3	353.3	0.0
25/692	B50R_100_0500d	1.0	0.5	330	0.0	71.4	31.9	20.6	38.0	32.8	32.8	0.0
26/688	ROY_100_0500d	1.0	0.5	390	0.0	51.9	20.6	38.0	32.8	38.0	32.8	0.0
27/506	ROY_075_0500d	0.75	0.25	390	0.0	51.9	20.6	38.0	32.8	38.0	32.8	0.0
28/524	R50Y_075_0500d	0.75	0.5	60	0.0	61.9	11.3	33.8	35.6	71.4	71.4	0.0
29/542	Y00C_075_0500d	0.75	0.25	60	0.0	72.4	-5.9	47.5	47.9	97.1	97.1	0.0
30/380	Y50C_075_0500d	0.5	0.5	120	0.0	64.6	-15.6	33.0	36.5	115.3	115.3	0.0
31/218	G00B_075_0500d	0.25	0.75	150	0.0	57.4	-34.4	14.0	37.1	157.7	157.7	0.0
32/222	G50B_075_0500d	0.25	0.75	150	0.0	57.4	-14.6	-23.6	26.3	296.4	296.4	0.0
33/186	BO0R_075_0500d	0.25	0.25	270	0.0	40.9	11.7	-23.6	26.4	296.4	296.4	0.0
34/510	B50R_075_0500d	0.75	0.25	330	0.0	52.4	36.4	-4.2	36.6	353.3	353.3	0.0
35/506	ROY_075_0500d	0.75	0.25	390	0.0	51.9	20.6	38.0	32.8	38.0	32.8	0.0
36/324	ROY_050_0500d	0.5	0.0	390	0.0	32.5	31.9	20.6	38.0	32.8	32.8	0.0
37/342	R50Y_050_0500d	0.5	0.5	60	0.0	42.4	11.3	33.8	35.6	71.4	71.4	0.0
38/360	Y00C_050_0500d	0.5	0.5	60	0.0	53.0	-5.9	47.5	47.9	97.1	97.1	0.0
39/198	Y50C_050_0500d	0.25	0.5	120	0.0	45.2	-15.6	33.0	36.5	115.3	115.3	0.0
40/36	G00B_050_0500d	0.0	0.5	150	0.0	34.8	-34.4	14.0	37.1	157.7	157.7	0.0
41/40	G50B_050_0500d	0.0	0.5	150	0.0	34.8	-14.6	-23.6	26.3	296.4	296.4	0.0
42/4	BO0R_050_0500d	0.0	0.5	270	0.0	21.5	11.7	-23.6	26.4	296.4	296.4	0.0
43/328	B50R_050_0500d	0.5	0.5	330	0.0	32.9	36.4	-4.2	36.6	353.3	353.3	0.0
44/324	ROY_050_0500d	0.5	0.0	390	0.0	32.5	31.9	20.6	38.0	32.8	32.8	0.0
45/0	NW_0000d	0.0	0.0	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_0150d	0.125	0.125	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_0250d	0.25	0.25	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_0350d	0.375	0.375	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_0500d	0.5	0.5	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_0650d	0.625	0.625	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_0800d	0.75	0.75	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_0880d	0.875	0.875	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_1000d	1.0	1.0	360	0.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0

immettere: rgb/cmyk -> rgbdd  
 uscita: 3D-linearizzazione a cmyk\*dd

grafico TUB-RI14; codice di tinte: H\*\_d=B00Rd  
 colori e la differenza, ΔE\*<sub>a</sub>

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI14/RI14.HTM  
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik



RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

TUB materiale: code=rha4ta

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	5.1	9.5	32.8	cmyk*_sep,Fid	delta	rgb*Fid	hsa,Fid	LabC*Fid	41.2	76.0	32.8	
81	BOYR_012_012,0ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.0	21.4	7.9	35.3	0.0	0.484	0.874	389	0.0	0.0	47.2	63.8	32.8
82	BOYR_012_012,2ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.0	21.5	9.1	35.3	0.0	0.484	0.874	390	0.0	0.0	47.3	63.8	32.8
83	B2SK_025_025,0ad	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	0.0	22.7	13.4	35.3	0.0	0.484	0.874	391	0.0	0.0	47.2	72.8	35.3
84	B1SK_037_037,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	23.3	13.4	35.3	0.0	0.484	0.874	392	0.0	0.0	47.2	72.8	35.3
85	B1LK_050_050,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	24.4	17.8	35.3	0.0	0.599	0.721	393	0.0	0.0	37.8	42.4	35.3
86	BOYR_062_062,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	25.6	24.4	35.3	0.0	0.689	0.814	394	0.0	0.0	31.2	35.6	35.3
87	BOYR_075_075,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	26.7	24.4	35.3	0.0	0.868	0.47	395	0.0	0.0	30.3	33.9	35.3
88	BOYR_087_087,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	28.0	24.4	35.3	0.0	0.915	0.338	396	0.0	0.0	29.4	32.1	35.3
89	BOYR_100_100,0ad	0.125 0.0	1.0 0.0	1.0 0.0	1.0 0.0	0.0	29.0	31.2	35.3	0.0	0.882	0.189	397	0.0	0.0	29.0	32.1	35.3
90	YOOC_012_012,0ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.0	26.5	0.0	306.0	0.0	0.057	0.518	398	0.0	0.0	88.3	-11.9	306.0
91	YOOC_025_025,0ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.0	27.4	0.0	306.0	0.0	0.037	0.041	399	0.0	0.0	95.4	0.0	306.0
92	BOYR_025_012,0ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.0	28.3	2.9	296.4	0.0	0.377	0.807	400	0.0	0.0	25.3	23.5	296.4
93	BOYR_037_025,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	29.3	5.8	296.4	0.0	0.542	0.608	401	0.0	0.0	25.3	23.5	296.4
94	BOYR_050_037,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	30.2	8.8	296.4	0.0	0.684	0.638	402	0.0	0.0	25.3	23.5	296.4
95	BOYR_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	31.2	11.7	296.4	0.0	0.697	0.475	403	0.0	0.0	25.3	23.5	296.4
96	BOYR_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	32.1	14.6	296.4	0.0	0.807	0.756	404	0.0	0.0	25.3	23.5	296.4
97	BOYR_087_075,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	34.1	17.6	296.4	0.0	0.851	0.196	405	0.0	0.0	25.3	23.5	296.4
98	BOYR_100_087,0ad	0.125 0.0	1.0 0.0	1.0 0.0	1.0 0.0	0.0	34.1	20.5	296.4	0.0	0.887	0.837	406	0.0	0.0	25.3	23.5	296.4
99	YOOC_025_025,0ad	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	0.0	31.4	-7.8	155.7	0.0	0.397	0.815	407	0.0	0.0	72.7	31.3	155.7
100	YOOC_025_012,0ad	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	0.0	31.7	-8.6	155.7	0.0	0.412	0.793	408	0.0	0.0	51.9	-68.8	155.7
101	YOOC_025_012,2ad	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	0.0	32.5	-5.4	155.7	0.0	0.718	0.557	409	0.0	0.0	58.3	-29.2	155.7
102	G7SB_037_025,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	33.6	-1.5	266.1	0.0	0.292	0.797	410	0.0	0.0	42.7	-6.0	266.1
103	G8AB_050_037,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	34.2	5.9	266.1	0.0	0.607	0.607	411	0.0	0.0	35.7	5.1	266.1
104	G8BB_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	34.9	5.2	266.1	0.0	0.649	0.464	412	0.0	0.0	30.8	13.6	266.1
105	G8CB_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	35.6	8.3	266.1	0.0	0.538	0.644	413	0.0	0.0	28.7	10.5	266.1
106	G8DB_087_075,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	35.9	11.7	266.1	0.0	0.586	0.816	414	0.0	0.0	28.7	10.5	266.1
107	G9AB_100_087,0ad	0.125 0.0	1.0 0.0	1.0 0.0	1.0 0.0	0.0	35.9	14.6	266.1	0.0	0.608	0.816	415	0.0	0.0	28.7	10.5	266.1
108	Y8BC_037_037,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	35.5	15.8	266.1	0.0	0.709	0.622	416	0.0	0.0	61.9	-42.3	266.1
109	G0B_037_025,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	35.9	20.1	266.1	0.0	0.559	0.692	417	0.0	0.0	51.9	-68.8	266.1
110	G2SB_037_025,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	36.7	-12.7	30.1	0.0	0.282	0.703	418	0.0	0.0	58.3	-29.2	30.1
111	G3SB_037_025,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	37.5	37.5	30.1	0.0	0.055	0.055	419	0.0	0.0	58.3	-29.2	30.1
112	G6SB_050_050,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	39.4	-6.2	266.1	0.0	0.217	0.606	420	0.0	0.0	42.7	-16.6	266.1
113	G7SB_050_050,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	39.4	-6.2	266.1	0.0	0.217	0.606	421	0.0	0.0	42.7	-16.6	266.1
114	G8AB_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	40.2	5.0	266.1	0.0	0.469	0.469	422	0.0	0.0	38.2	0.8	266.1
115	G8AB_087_075,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	40.9	3.8	266.1	0.0	0.565	0.469	423	0.0	0.0	35.7	5.1	266.1
116	Y7G_050_050,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	41.6	7.3	266.1	0.0	0.624	0.624	424	0.0	0.0	33.9	8.3	266.1
117	Y7G_050_050,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	39.0	-24.4	30.1	0.0	0.808	0.608	425	0.0	0.0	60.4	-46.7	30.1
118	G1SB_050_037,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	40.2	-25.8	10.5	0.0	0.649	0.56	426	0.0	0.0	51.9	-68.8	10.5
119	G1SB_050_037,0ad	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	0.0	40.9	-22.3	1.4	0.0	0.477	0.565	427	0.0	0.0	51.9	-68.8	1.4
120	G3AB_050_037,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	41.8	-15.9	9.8	0.0	0.207	0.587	428	0.0	0.0	58.3	-29.2	9.8
121	G3AB_050_037,0ad	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	0.0	41.8	-15.9	9.8	0.0	0.207	0.587	429	0.0	0.0	58.3	-29.2	9.8
122	G6B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	42.6	-10.2	24.3	0.0	0.408	0.408	430	0.0	0.0	42.6	-10.2	24.3
123	G6B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	42.6	-10.2	24.3	0.0	0.408	0.408	431	0.0	0.0	42.6	-10.2	24.3
124	G7SB_087_075,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	46.5	-4.5	33.7	0.0	0.183	0.307	432	0.0	0.0	42.7	0.0	33.7
125	G7SB_087_075,0ad	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	0.0	46.5	-4.5	33.7	0.0	0.183	0.307	433	0.0	0.0	42.7	0.0	33.7
126	Y8G_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	44.5	-32.3	27.0	0.0	0.882	0.465	434	0.0	0.0	59.0	-1.1	27.0
127	G1B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	44.5	-32.3	27.0	0.0	0.715	0.421	435	0.0	0.0	59.0	-1.1	27.0
128	G1B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	45.1	-31.3	5.5	0.0	0.384	0.44	436	0.0	0.0	54.8	-51.0	5.5
129	G2SB_062_037,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	46.0	-21.5	30.9	0.0	0.162	0.455	437	0.0	0.0	58.3	-29.2	30.9
130	G2SB_062_037,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	46.0	-21.5	30.9	0.0	0.162	0.455	438	0.0	0.0	58.3	-29.2	30.9
131	G5B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	47.0	-19.2	15.8	0.0	0.272	0.446	439	0.0	0.0	49.6	-16.6	15.8
132	G5B_062_050,0ad	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	0.0	47.0	-19.2	15.8	0.0	0.272	0.446	440	0.0	0.0	49.6	-16.6	15.8
133	G6SB_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	51.3	-12.4	33.2	0.0	0.18	0.272	441	0.0	0.0	46.1	-11.3	33.2
134	G6SB_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	51.3	-12.4	33.2	0.0	0.18	0.272	442	0.0	0.0	46.1	-11.3	33.2
135	Y8SG_075_075,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	52.2	-5.8	39.1	0.0	0.356	0.356	443	0.0	0.0	46.1	-11.3	39.1
136	Y8SG_075_075,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	48.0	-30.6	50.5	0.0	0.024	0.024	444	0.0	0.0	38.1	-53.6	50.5
137	G0B_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	48.8	-43.0	17.3	0.0	0.77	0.273	445	0.0	0.0	31.9	-68.8	17.3
138	G0B_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	48.8	-43.0	17.3	0.0	0.77	0.273	446	0.0	0.0	31.9	-68.8	17.3
139	G0B_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	49.4	-40.3	9.2	0.0	0.697	0.306	447	0.0	0.0	32.9	-54.3	9.2
140	G0B_075_062,0ad	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	0.0	50.2	-38.4	3.4	0.0	0.907	0.306	448	0.0	0.0			













RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS TUB materiale: code=rha4ta  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFP.PDF /.PS; 3D-linearizzazione  
F: 3D-linearizzazione RI14/RI14L30FP.DAT nel file (F), pagina 2/33

n	HC*Fid	rgb_Fid	ier_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyn*sep_Fid	hsa_Mid	rgb*Mid	LabC*Mid	delta
486	ROY_075_075Mid	0.75	0.0	0.75	0.75	0.0	0.924	0.912	0.285	0.473	63.8
487	R35Y_075_075Mid	0.75	0.0	0.125	0.75	0.0	0.924	0.771	0.286	47.5	76.0
488	R15Y_075_075Mid	0.75	0.0	0.25	0.75	0.0	0.931	0.636	0.289	47.3	64.6
489	ROY_075_075Mid	0.75	0.0	0.375	0.75	0.0	0.928	0.483	0.291	47.7	65.7
490	B6SK_075_075Mid	0.75	0.0	0.5	0.75	0.0	0.928	0.327	0.294	47.7	67.7
491	B57K_075_075Mid	0.75	0.0	0.625	0.75	0.0	0.926	0.189	0.292	48.1	69.7
492	B50K_075_075Mid	0.75	0.0	0.75	0.75	0.0	0.929	0.074	0.293	48.2	71.4
493	B43K_087_087Mid	0.75	0.0	0.875	0.75	0.0	0.950	0.000	0.294	48.5	73.3
494	B38K_100_100Mid	0.75	0.0	1.0	0.75	0.0	0.999	0.000	0.295	48.5	75.3
495	R15Y_075_075Mid	0.75	0.125	0.0	0.75	0.125	0.81	0.936	0.285	48.1	71.5
496	ROY_075_062Mid	0.75	0.125	0.125	0.75	0.125	0.792	0.701	0.257	48.1	71.5
497	R35Y_075_062Mid	0.75	0.125	0.25	0.75	0.125	0.793	0.598	0.26	47.3	68.8
498	R15Y_075_062Mid	0.75	0.125	0.375	0.75	0.125	0.797	0.483	0.268	47.3	68.8
499	ROY_075_062Mid	0.75	0.125	0.5	0.75	0.125	0.797	0.331	0.268	47.7	66.3
500	B6SK_075_062Mid	0.75	0.125	0.625	0.75	0.125	0.8	0.194	0.271	48.0	68.8
501	B57K_075_062Mid	0.75	0.125	0.75	0.75	0.125	0.802	0.084	0.277	48.2	71.1
502	B50K_075_062Mid	0.75	0.125	0.875	0.75	0.125	0.851	0.000	0.189	48.0	68.8
503	B43K_087_087Mid	0.75	0.125	1.0	0.75	0.125	0.873	0.000	0.000	47.8	71.1
504	B38K_100_100Mid	0.75	0.125	1.0	0.75	0.125	0.916	0.000	0.000	48.0	71.1
505	R15Y_075_062Mid	0.75	0.25	0.0	0.75	0.25	0.667	0.941	0.29	48.0	68.8
506	R35Y_075_062Mid	0.75	0.25	0.125	0.75	0.25	0.683	0.753	0.27	47.5	76.0
507	R15Y_075_050Mid	0.75	0.25	0.375	0.75	0.25	0.672	0.561	0.252	47.6	63.8
508	ROY_075_050Mid	0.75	0.25	0.5	0.75	0.25	0.671	0.465	0.256	47.6	65.8
509	B6SK_075_050Mid	0.75	0.25	0.625	0.75	0.25	0.671	0.324	0.264	47.6	65.8
510	B57K_075_050Mid	0.75	0.25	0.75	0.75	0.25	0.671	0.183	0.267	47.7	64.0
511	B50K_075_050Mid	0.75	0.25	0.875	0.75	0.25	0.678	0.084	0.274	48.1	70.6
512	B43K_087_087Mid	0.75	0.25	1.0	0.75	0.25	0.696	0.000	0.274	48.2	72.8
513	B38K_100_100Mid	0.75	0.25	1.0	0.75	0.25	0.742	0.000	0.274	48.2	72.8
514	R35Y_075_062Mid	0.75	0.375	0.0	0.75	0.375	0.514	0.94	0.293	47.2	67.2
515	R15Y_075_062Mid	0.75	0.375	0.125	0.75	0.375	0.532	0.79	0.279	47.2	67.2
516	R35Y_075_050Mid	0.75	0.375	0.25	0.75	0.375	0.556	0.613	0.263	47.8	69.8
517	R15Y_075_050Mid	0.75	0.375	0.375	0.75	0.375	0.546	0.436	0.25	47.3	63.8
518	ROY_075_050Mid	0.75	0.375	0.5	0.75	0.375	0.546	0.259	0.25	47.7	65.8
519	B6SK_075_050Mid	0.75	0.375	0.625	0.75	0.375	0.546	0.184	0.269	48.1	69.7
520	B57K_075_050Mid	0.75	0.375	0.75	0.75	0.375	0.546	0.078	0.273	48.1	69.7
521	B50K_075_050Mid	0.75	0.375	0.875	0.75	0.375	0.546	0.000	0.199	48.0	69.8
522	B43K_087_087Mid	0.75	0.375	1.0	0.75	0.375	0.633	0.000	0.000	47.7	69.8
523	B38K_100_100Mid	0.75	0.375	1.0	0.75	0.375	0.633	0.000	0.000	47.7	69.8
524	R15Y_075_062Mid	0.75	0.5	0.0	0.75	0.5	0.345	0.94	0.291	47.0	79.5
525	R35Y_075_062Mid	0.75	0.5	0.125	0.75	0.5	0.353	0.822	0.283	47.2	75.6
526	R15Y_075_050Mid	0.75	0.5	0.25	0.75	0.5	0.389	0.66	0.274	47.2	71.4
527	ROY_075_050Mid	0.75	0.5	0.375	0.75	0.5	0.417	0.496	0.265	47.0	69.8
528	B6SK_075_050Mid	0.75	0.5	0.625	0.75	0.5	0.41	0.305	0.26	47.3	63.8
529	B57K_075_050Mid	0.75	0.5	0.75	0.75	0.5	0.406	0.183	0.272	47.7	67.7
530	B50K_075_050Mid	0.75	0.5	0.875	0.75	0.5	0.401	0.06	0.28	48.2	72.8
531	B43K_087_087Mid	0.75	0.5	1.0	0.75	0.5	0.418	0.000	0.188	47.0	69.8
532	B38K_100_100Mid	0.75	0.5	1.0	0.75	0.5	0.418	0.000	0.000	47.0	69.8
533	R15Y_075_062Mid	0.75	0.625	0.0	0.75	0.625	0.193	0.941	0.29	48.1	85.9
534	R35Y_075_062Mid	0.75	0.625	0.125	0.75	0.625	0.211	0.838	0.282	47.1	83.9
535	R15Y_075_050Mid	0.75	0.625	0.25	0.75	0.625	0.223	0.546	0.277	47.0	79.5
536	ROY_075_050Mid	0.75	0.625	0.375	0.75	0.625	0.224	0.368	0.28	47.2	71.4
537	B6SK_075_050Mid	0.75	0.625	0.5	0.75	0.625	0.229	0.03	0.298	47.8	63.8
538	B57K_075_050Mid	0.75	0.625	0.625	0.75	0.625	0.229	0.000	0.187	47.2	71.4
539	B50K_075_050Mid	0.75	0.625	0.75	0.75	0.625	0.333	0.000	0.000	47.2	71.4
540	B43K_087_087Mid	0.75	0.625	0.875	0.75	0.625	0.395	0.000	0.000	47.2	71.4
541	B38K_100_100Mid	0.75	0.625	1.0	0.75	0.625	0.395	0.000	0.000	47.2	71.4
542	ROY_075_062Mid	0.75	0.75	0.0	0.75	0.75	0.000	0.941	0.29	48.3	91.2
543	R35Y_075_062Mid	0.75	0.75	0.125	0.75	0.75	0.000	0.833	0.282	47.1	85.9
544	R15Y_075_062Mid	0.75	0.75	0.25	0.75	0.75	0.000	0.707	0.282	47.1	85.9
545	ROY_075_062Mid	0.75	0.75	0.375	0.75	0.75	0.000	0.599	0.282	47.1	85.9
546	B6SK_075_062Mid	0.75	0.75	0.5	0.75	0.75	0.000	0.469	0.282	47.1	85.9
547	B57K_075_062Mid	0.75	0.75	0.625	0.75	0.75	0.000	0.349	0.282	47.1	85.9
548	B50K_075_062Mid	0.75	0.75	0.75	0.75	0.75	0.000	0.229	0.282	47.1	85.9
549	B43K_087_087Mid	0.75	0.75	0.875	0.75	0.75	0.000	0.119	0.282	47.1	85.9
550	B38K_100_100Mid	0.75	0.75	1.0	0.75	0.75	0.000	0.000	0.282	47.1	85.9
551	R15Y_075_062Mid	0.75	0.875	0.0	0.75	0.875	0.000	0.941	0.29	48.3	91.2
552	R35Y_075_062Mid	0.75	0.875	0.125	0.75	0.875	0.000	0.833	0.282	47.1	85.9
553	R15Y_075_050Mid	0.75	0.875	0.25	0.75	0.875	0.000	0.707	0.282	47.1	85.9
554	ROY_075_050Mid	0.75	0.875	0.375	0.75	0.875	0.000	0.599	0.282	47.1	85.9
555	B6SK_075_050Mid	0.75	0.875	0.5	0.75	0.875	0.000	0.469	0.282	47.1	85.9
556	B57K_075_050Mid	0.75	0.875	0.625	0.75	0.875	0.000	0.349	0.282	47.1	85.9
557	B50K_075_050Mid	0.75	0.875	0.75	0.75	0.875	0.000	0.229	0.282	47.1	85.9
558	B43K_087_087Mid	0.75	0.875	0.875	0.75	0.875	0.000	0.119	0.282	47.1	85.9
559	B38K_100_100Mid	0.75	0.875	1.0	0.75	0.875	0.000	0.000	0.282	47.1	85.9
560	R15Y_075_062Mid	0.75	1.0	0.0	0.75	1.0	0.000	0.941	0.29	48.3	91.2
561	R35Y_075_062Mid	0.75	1.0	0.125	0.75	1.0	0.000	0.833	0.282	47.1	85.9
562	R15Y_075_050Mid	0.75	1.0	0.25	0.75	1.0	0.000	0.707	0.282	47.1	85.9
563	ROY_075_050Mid	0.75	1.0	0.375	0.75	1.0	0.000	0.599	0.282	47.1	85.9
564	B6SK_075_050Mid	0.75	1.0	0.5	0.75	1.0	0.000	0.469	0.282	47.1	85.9
565	B57K_075_050Mid	0.75	1.0	0.625	0.75	1.0	0.000	0.349	0.282	47.1	85.9
566	B50K_075_050Mid	0.75	1.0	0.75	0.75	1.0	0.000	0.229	0.282	47.1	85.9
567	B43K_087_087Mid	0.75	1.0	0.875	0.75	1.0	0.000	0.119	0.282	47.1	85.9
568	B38K_100_100Mid	0.75	1.0	1.0	0.75	1.0	0.000	0.000	0.282	47.1	85.9
569	R15Y_075_062Mid	0.75	1.0	0.125	0.75	1.0	0.000	0.833	0.282	47.1	85.9
570	R35Y_075_062Mid	0.75	1.0	0.25	0.75	1.0	0.000	0.707	0.282	47.1	85.9
571	R15Y_075_050Mid	0.75	1.0	0.375	0.75	1.0	0.000	0.599	0.282	47.1	85.9
572	ROY_075_050Mid	0.75	1.0	0.5	0.75	1.0	0.000	0.469	0.282	47.1	85.9
573	B6SK_075_050Mid	0.75	1.0	0.625	0.75	1.0	0.000	0.349	0.282	47.1	85.9
574	B57K_075_050Mid	0.75	1.0	0.75	0.75	1.0	0.000	0.229	0.282	47.1	85.9
575	B50K_075_050Mid	0.75	1.0	0.875	0.75	1.0	0.000	0.119	0.282	47.1	85.9
576	B43K_087_087Mid	0.75	1.0	1.0	0.75	1.0	0.000	0.000	0.282	47.1	85.9
577	B38K_100_100Mid	0.75	1.0	1.0	0.75	1.0	0.000	0.000	0.000	47.1	85.9
578	R15Y_075_062Mid	0.75	1.0	0.125	0.75	1.0	0.000	0.833	0.282	47.1	85.9
579	R35Y_075_062Mid	0.75	1.0	0.25	0.75	1.0	0.000	0.707	0.282	47.1	85.9
580	R15Y_075_050Mid	0.75	1.0	0.375	0.75	1.0	0.000	0.599	0.282	47.1	85.9
581	ROY_075_050Mid	0.75	1.0	0.5	0.75	1.0	0.000	0.469	0.282	47.1	85.9
582	B6SK_075_050Mid	0.75	1.0	0.625	0.75	1.0	0.000	0.349	0.282	47.1	85.9
583	B57K_075_050Mid	0.75	1.0	0.75</							

RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFP.PDF /.PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FP.DAT nel file (F), pagina 27/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep,Fid	rgb*Fid	hsa,Fid	LabC*Fid	cmyn6*_Fid	rgb*Fid	hsa,Fid	LabC*Fid	delta			
567	ROYX.087.087Ad	0.875 0.0	0.875 0.875 0.437	390	0.875 0.0	43.6	0.963	0.161	0.971	0.161	0.0	0.0	47.3	63.8	41.2	76.0	32.8	
568	R3YX.087.087Ad	0.875 0.0	0.125 0.875 0.437	382	0.875 0.0	0.116	0.963	0.84	0.963	0.84	0.0	0.0	0.133	64.5	34.7	73.2	28.3	
569	R2YX.087.087Ad	0.875 0.0	0.25 0.875 0.437	374	0.875 0.0	0.264	0.963	0.162	0.963	0.162	0.0	0.0	0.266	67.2	27.9	71.0	23.2	
570	R1YX.087.087Ad	0.875 0.0	0.375 0.875 0.437	366	0.875 0.0	0.434	0.963	0.164	0.963	0.164	0.0	0.0	0.416	65.7	19.2	69.5	16.0	
571	B6R.087.087Ad	0.875 0.0	0.5 0.875 0.437	358	0.875 0.0	0.51	0.963	0.164	0.963	0.164	0.0	0.0	0.583	47.9	68.6	9.4	69.2	7.8
572	B6R.087.087Ad	0.875 0.0	0.625 0.875 0.437	350	0.875 0.0	0.641	0.963	0.166	0.963	0.166	0.0	0.0	0.733	48.1	70.3	1.3	70.0	1.0
573	B5R.087.087Ad	0.875 0.0	0.75 0.875 0.437	342	0.875 0.0	0.758	0.963	0.166	0.963	0.166	0.0	0.0	0.866	48.2	71.5	-4.0	71.7	356.7
574	B5R.087.087Ad	0.875 0.0	0.875 0.875 0.437	334	0.875 0.0	0.844	0.963	0.163	0.963	0.163	0.0	0.0	1.0	48.2	72.8	-8.5	73.3	355.3
575	B4R.100.100Ad	0.875 0.0	1.0 1.0 0.5	326	0.883 0.0	1.0	0.96	0.035	0.174	0.035	0.174	0.0	0.0	0.883	0.0	46.1	70.7	350.4
576	B4R.100.100Ad	0.875 0.0	0.875 0.875 0.437	318	0.875 0.0	0.461	0.96	0.0	0.0	0.0	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
577	ROYX.087.075Ad	0.875 0.125	0.125 0.875 0.75	310	0.875 0.125	0.125	0.85	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
578	R3YX.087.075Ad	0.875 0.125	0.25 0.875 0.75	302	0.875 0.125	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
579	R2YX.087.075Ad	0.875 0.125	0.375 0.875 0.75	294	0.875 0.125	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
580	R1YX.087.075Ad	0.875 0.125	0.5 0.875 0.75	286	0.875 0.125	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
581	B6R.087.075Ad	0.875 0.125	0.625 0.875 0.75	278	0.875 0.125	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
582	B5R.087.075Ad	0.875 0.125	0.75 0.875 0.75	270	0.875 0.125	0.758	0.856	0.971	0.162	0.162	0.0	0.0	0.866	48.2	47.2	71.9	41.0	
583	B5R.087.075Ad	0.875 0.125	0.875 0.875 0.75	262	0.875 0.125	0.844	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
584	B4R.100.087Ad	0.875 0.125	1.0 1.0 0.875	254	0.883 0.125	1.0	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
585	B4R.100.087Ad	0.875 0.125	0.875 0.875 0.437	246	0.875 0.125	0.461	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
586	R1YX.087.075Ad	0.875 0.25	0.125 0.875 0.75	238	0.875 0.25	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
587	R3YX.087.062Ad	0.875 0.25	0.25 0.875 0.625	230	0.875 0.25	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
588	R2YX.087.062Ad	0.875 0.25	0.375 0.875 0.625	222	0.875 0.25	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
589	R1YX.087.062Ad	0.875 0.25	0.5 0.875 0.625	214	0.875 0.25	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
590	B6R.087.062Ad	0.875 0.25	0.625 0.875 0.625	206	0.875 0.25	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
591	B5R.087.062Ad	0.875 0.25	0.75 0.875 0.625	198	0.875 0.25	0.758	0.856	0.971	0.162	0.162	0.0	0.0	0.866	48.2	47.2	71.9	41.0	
592	B5R.087.062Ad	0.875 0.25	0.875 0.875 0.625	190	0.875 0.25	0.844	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
593	B4R.100.075Ad	0.875 0.25	1.0 1.0 0.875	182	0.883 0.25	1.0	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
594	R1YX.087.075Ad	0.875 0.375	0.125 0.875 0.75	174	0.875 0.375	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
595	R3YX.087.075Ad	0.875 0.375	0.25 0.875 0.75	166	0.875 0.375	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
596	R2YX.087.075Ad	0.875 0.375	0.375 0.875 0.75	158	0.875 0.375	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
597	R1YX.087.075Ad	0.875 0.375	0.5 0.875 0.75	150	0.875 0.375	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
598	R2YX.087.050Ad	0.875 0.375	0.625 0.875 0.75	142	0.875 0.375	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
599	R1YX.087.050Ad	0.875 0.375	0.75 0.875 0.75	134	0.875 0.375	0.758	0.856	0.971	0.162	0.162	0.0	0.0	0.866	48.2	47.2	71.9	41.0	
600	B6R.087.050Ad	0.875 0.375	0.875 0.875 0.75	126	0.875 0.375	0.844	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
601	B5R.087.050Ad	0.875 0.375	1.0 1.0 0.875	118	0.883 0.375	1.0	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
602	B5R.087.050Ad	0.875 0.375	0.125 0.875 0.75	110	0.875 0.375	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
603	R3YX.087.050Ad	0.875 0.5	0.125 0.875 0.75	102	0.875 0.5	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
604	R2YX.087.050Ad	0.875 0.5	0.25 0.875 0.75	94	0.875 0.5	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
605	R1YX.087.050Ad	0.875 0.5	0.375 0.875 0.75	86	0.875 0.5	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
606	R2YX.087.050Ad	0.875 0.5	0.5 0.875 0.75	78	0.875 0.5	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
607	ROYX.087.050Ad	0.875 0.5	0.625 0.875 0.75	70	0.875 0.5	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
608	R1YX.087.050Ad	0.875 0.5	0.75 0.875 0.75	62	0.875 0.5	0.758	0.856	0.971	0.162	0.162	0.0	0.0	0.866	48.2	47.2	71.9	41.0	
609	B6R.087.050Ad	0.875 0.5	0.875 0.875 0.75	54	0.875 0.5	0.844	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
610	B5R.087.050Ad	0.875 0.5	1.0 1.0 0.875	46	0.883 0.5	1.0	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
611	B5R.087.050Ad	0.875 0.5	0.125 0.875 0.75	38	0.875 0.5	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
612	R3YX.087.050Ad	0.875 0.625	0.125 0.875 0.75	30	0.875 0.625	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
613	R2YX.087.050Ad	0.875 0.625	0.25 0.875 0.75	22	0.875 0.625	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
614	R1YX.087.050Ad	0.875 0.625	0.375 0.875 0.75	14	0.875 0.625	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
615	ROYX.087.050Ad	0.875 0.625	0.5 0.875 0.75	6	0.875 0.625	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
616	R3YX.087.050Ad	0.875 0.625	0.625 0.875 0.75	-2	0.875 0.625	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
617	ROYX.087.025Ad	0.875 0.625	0.75 0.875 0.75	-10	0.875 0.625	0.758	0.856	0.971	0.162	0.162	0.0	0.0	0.866	48.2	47.2	71.9	41.0	
618	ROYX.087.025Ad	0.875 0.625	0.875 0.875 0.75	-18	0.875 0.625	0.844	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
619	B3R.100.105Ad	0.875 0.625	1.0 1.0 0.875	-26	0.883 0.625	1.0	0.856	0.971	0.162	0.162	0.0	0.0	1.0	48.2	47.2	71.9	41.0	
620	B3R.100.105Ad	0.875 0.625	0.125 0.875 0.75	-34	0.875 0.625	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
621	R3YX.087.087Ad	0.875 0.75	0.125 0.875 0.75	-42	0.875 0.75	0.125	0.856	0.971	0.162	0.162	0.0	0.0	0.133	48.2	47.2	71.9	41.0	
622	R2YX.087.087Ad	0.875 0.75	0.25 0.875 0.75	-50	0.875 0.75	0.264	0.856	0.971	0.162	0.162	0.0	0.0	0.266	48.2	47.2	71.9	41.0	
623	R1YX.087.087Ad	0.875 0.75	0.375 0.875 0.75	-58	0.875 0.75	0.434	0.856	0.971	0.162	0.162	0.0	0.0	0.416	48.2	47.2	71.9	41.0	
624	B6R.087.087Ad	0.875 0.75	0.5 0.875 0.75	-66	0.875 0.75	0.51	0.856	0.971	0.162	0.162	0.0	0.0	0.583	48.2	47.2	71.9	41.0	
625	B6R.087.087Ad	0.875 0.75	0.625 0.875 0.75	-74	0.875 0.75	0.641	0.856	0.971	0.162	0.162	0.0	0.0	0.733	48.2	47.2	71.9	41.0	
626	B5R.087.087Ad	0.875 0.75	0.75 0.875 0.75	-82	0.875 0.75	0.758												

RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF / .PS TUB materiale: code=rha4ta  
 la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

http://130.149.60.45/~farbmetrik/RI14/RI14LOFP.PDF / .PS; 3D-linearizzazione  
 F: 3D-linearizzazione RI14/RI14L30FP.DAT nel file (F), pagina 28/33

n	HC*Fid	rgb*Fid	icr*Fid	hsa*Fid	rgb*Fid	LabC*Fid	cmyk*sep,Fid	delta	hsa*Fid	rgb*Fid	LabC*Fid	LabC*Fid	LabC*Fid
648	ROY_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	389	1.0	0.0	47.3	63.8
649	R38Y_100_100ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	383	1.0	0.0	0.116	47.4
650	R26Y_100_100ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	377	1.0	0.0	0.233	47.6
651	R13Y_100_100ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	368	1.0	0.0	0.506	47.7
652	ROY_100_100ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.5	47.7
653	B68R_100_100ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	351	1.0	0.0	0.633	48.0
654	B61R_100_100ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	342	1.0	0.0	0.766	48.1
655	B55R_100_100ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	336	1.0	0.0	0.883	48.2
656	B50R_100_100ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	1.0	48.2
657	RI1Y_100_100ad	1.0	1.0	0.5	3.0	1.0	0.0	0.0	36	1.0	0.0	0.116	48.0
658	ROY_100_087ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.133	47.3
659	R36Y_100_087ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	382	1.0	0.0	0.266	47.7
660	R23Y_100_087ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	375	1.0	0.0	0.540	47.7
661	ROY_100_087ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	365	1.0	0.0	0.583	47.9
662	B70R_100_087ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	354	1.0	0.0	0.633	48.1
663	B63R_100_087ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	344	1.0	0.0	0.733	48.1
664	B56R_100_087ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	337	1.0	0.0	0.866	48.2
665	B50R_100_087ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	1.0	48.2
666	R23Y_100_100ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	42	1.0	0.0	0.233	48.1
667	RI1Y_100_087ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	37	1.0	0.0	0.133	47.5
668	ROY_100_075ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.15	47.5
669	R33Y_100_075ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	382	1.0	0.0	0.316	47.7
670	RI1Y_100_075ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	371	1.0	0.0	0.5	47.7
671	ROY_100_075ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.5	47.7
672	B68R_100_075ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	348	1.0	0.0	0.683	48.1
673	B61R_100_075ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	340	1.0	0.0	0.733	48.1
674	B55R_100_075ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	332	1.0	0.0	0.85	48.2
675	B50R_100_075ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	1.0	48.2
676	R36Y_100_087ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	51	1.0	0.0	0.366	48.1
677	R26Y_100_087ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	44	1.0	0.0	0.266	48.1
678	ROY_100_062ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	37	1.0	0.0	0.15	47.3
679	R13Y_100_062ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	380	1.0	0.0	0.183	47.3
680	RI1Y_100_062ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	367	1.0	0.0	0.383	47.7
681	B69R_100_062ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	352	1.0	0.0	0.5	47.6
682	B62R_100_062ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	339	1.0	0.0	0.616	48.0
683	B55R_100_062ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	0.733	48.1
684	B50Y_100_062ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	320	1.0	0.0	0.85	48.2
685	R41Y_100_087ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	59	1.0	0.0	0.5	47.6
686	R31Y_100_075ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	54	1.0	0.0	0.146	46.0
687	RI8Y_100_062ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	48	1.0	0.0	0.316	46.0
688	ROY_100_050ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	39	1.0	0.0	0.183	50.1
689	R26Y_100_050ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.473	63.8
690	ROY_100_050ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	377	1.0	0.0	0.5	47.6
691	B61R_100_050ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.5	47.6
692	B54R_100_050ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	342	1.0	0.0	0.676	47.6
693	B50R_100_050ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	1.0	48.2
694	R38Y_100_087ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	68	1.0	0.0	0.633	74.0
695	R30Y_100_075ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	65	1.0	0.0	0.583	74.0
696	R23Y_100_062ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	52	1.0	0.0	0.866	74.0
697	ROY_100_050ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	39	1.0	0.0	1.0	48.2
698	ROY_100_037ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.136	47.7
699	B68R_100_037ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	371	1.0	0.0	0.266	47.7
700	B61R_100_037ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	348	1.0	0.0	0.316	47.7
701	B55R_100_037ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	340	1.0	0.0	0.366	47.7
702	R16Y_100_087ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	0.473	63.8
703	R13Y_100_075ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	77	1.0	0.0	0.766	74.0
704	ROY_100_062ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	75	1.0	0.0	0.866	74.0
705	B68R_100_050ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	71	1.0	0.0	1.0	48.2
706	B61R_100_050ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	71	1.0	0.0	0.116	47.4
707	B55R_100_037ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	59	1.0	0.0	0.233	47.6
708	ROY_100_025ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	48	1.0	0.0	0.316	47.6
709	ROY_100_012ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.5	47.6
710	B50R_100_100ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.676	47.6
711	B43R_100_087ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	0.833	73.3
712	R85Y_100_075ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	82	1.0	0.0	0.866	73.3
713	R85Y_100_062ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	81	1.0	0.0	1.0	88.5
714	R81Y_100_062ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	82	1.0	0.0	0.116	47.6
715	R76Y_100_050ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	77	1.0	0.0	0.233	47.6
716	R68Y_100_037ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	71	1.0	0.0	0.316	47.6
717	ROY_100_025ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.5	47.6
718	ROY_100_012ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.676	47.6
719	ROY_100_012ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	330	1.0	0.0	0.833	73.3
720	YOOG_100_100ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	1.0	88.3
721	YOOG_100_087ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	1.0	88.3
722	YOOG_100_075ad	1.0	0.125	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.116	47.4
723	YOOG_100_062ad	1.0	0.25	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.233	47.6
724	YOOG_100_050ad	1.0	0.375	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.316	47.6
725	YOOG_100_037ad	1.0	0.5	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.5	47.6
726	YOOG_100_025ad	1.0	0.625	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.676	47.6
727	YOOG_100_012ad	1.0	0.75	1.0	0.0	0.0	0.0	0.0	89	1.0	0.0	0.833	73.3
728	NW_100ad	1.0	0.875	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	1.0	95.4

RI140-7N\_2833-F

grafico TUB-RI14; codice di tinte: H\*d=B00Rd  
 colori e la differenza, ΔE\*

immettere: rgb/cmyk -> rgbd  
 uscita: 3D-linearizzazione a cmyk\*dd

4-1032730-F0











RI1410L

TUB iscrizione: 20130201-RI14/RI14LOFP.PDF /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6\* (CMYK)

TUB materiale: code=rha4ta

http://130.149.60.45/~farbmetrik/RI14/RI14LOFP.PDF /.PS; 3D-linearizzazione  
F: 3D-linearizzazione RI14/RI14L30FP.DAT nel file (F), pagina 32/33

grafico TUB-RI14; codice di tinte: H\*\_d=B00Rd  
colori e la differenza, ΔE\*  
RI140-7N, 3233-F

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep,Fid	hsa,delta	rgb*delta	LabC*delta
972	NW_0000ad	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
973	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	0.00	0.00	95.4
974	NW_0250ad	0.25	0.25	0.25	0.00	17.7	0.00	0.00	0.00	95.4
975	NW_0375ad	0.375	0.375	0.375	0.00	17.7	0.00	0.00	0.00	95.4
976	NW_0500ad	0.5	0.5	0.5	0.00	17.7	0.00	0.00	0.00	95.4
977	NW_0625ad	0.625	0.625	0.625	0.00	17.7	0.00	0.00	0.00	95.4
978	NW_0750ad	0.75	0.75	0.75	0.00	17.7	0.00	0.00	0.00	95.4
979	NW_0875ad	0.875	0.875	0.875	0.00	17.7	0.00	0.00	0.00	95.4
980	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
981	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	0.00	0.00	95.4
982	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	0.00	0.00	95.4
983	NW_0250ad	0.25	0.25	0.25	0.00	17.7	0.00	0.00	0.00	95.4
984	NW_0375ad	0.375	0.375	0.375	0.00	17.7	0.00	0.00	0.00	95.4
985	NW_0500ad	0.5	0.5	0.5	0.00	17.7	0.00	0.00	0.00	95.4
986	NW_0625ad	0.625	0.625	0.625	0.00	17.7	0.00	0.00	0.00	95.4
987	NW_0750ad	0.75	0.75	0.75	0.00	17.7	0.00	0.00	0.00	95.4
988	NW_0875ad	0.875	0.875	0.875	0.00	17.7	0.00	0.00	0.00	95.4
989	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
990	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	0.00	0.00	95.4
991	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	0.00	0.00	95.4
992	NW_0250ad	0.25	0.25	0.25	0.00	17.7	0.00	0.00	0.00	95.4
993	NW_0375ad	0.375	0.375	0.375	0.00	17.7	0.00	0.00	0.00	95.4
994	NW_0500ad	0.5	0.5	0.5	0.00	17.7	0.00	0.00	0.00	95.4
995	NW_0625ad	0.625	0.625	0.625	0.00	17.7	0.00	0.00	0.00	95.4
996	NW_0750ad	0.75	0.75	0.75	0.00	17.7	0.00	0.00	0.00	95.4
997	NW_0875ad	0.875	0.875	0.875	0.00	17.7	0.00	0.00	0.00	95.4
998	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
999	NW_0000ad	0.00	0.00	0.00	0.00	17.7	0.00	0.00	0.00	95.4
1000	NW_0120ad	0.125	0.125	0.125	0.00	17.7	0.00	0.00	0.00	95.4
1001	NW_0250ad	0.25	0.25	0.25	0.00	17.7	0.00	0.00	0.00	95.4
1002	NW_0375ad	0.375	0.375	0.375	0.00	17.7	0.00	0.00	0.00	95.4
1003	NW_0500ad	0.5	0.5	0.5	0.00	17.7	0.00	0.00	0.00	95.4
1004	NW_0625ad	0.625	0.625	0.625	0.00	17.7	0.00	0.00	0.00	95.4
1005	NW_0750ad	0.75	0.75	0.75	0.00	17.7	0.00	0.00	0.00	95.4
1006	NW_0875ad	0.875	0.875	0.875	0.00	17.7	0.00	0.00	0.00	95.4
1007	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
1008	NW_0000ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1009	NW_0066ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1010	NW_0133ad	0.133	0.133	0.133	0.00	17.7	0.00	0.00	0.00	95.4
1011	NW_0200ad	0.2	0.2	0.2	0.00	17.7	0.00	0.00	0.00	95.4
1012	NW_0266ad	0.266	0.266	0.266	0.00	17.7	0.00	0.00	0.00	95.4
1013	NW_0333ad	0.333	0.333	0.333	0.00	17.7	0.00	0.00	0.00	95.4
1014	NW_0400ad	0.4	0.4	0.4	0.00	17.7	0.00	0.00	0.00	95.4
1015	NW_0466ad	0.466	0.466	0.466	0.00	17.7	0.00	0.00	0.00	95.4
1016	NW_0533ad	0.533	0.533	0.533	0.00	17.7	0.00	0.00	0.00	95.4
1017	NW_0600ad	0.6	0.6	0.6	0.00	17.7	0.00	0.00	0.00	95.4
1018	NW_0666ad	0.666	0.666	0.666	0.00	17.7	0.00	0.00	0.00	95.4
1019	NW_0734ad	0.734	0.734	0.734	0.00	17.7	0.00	0.00	0.00	95.4
1020	NW_0800ad	0.8	0.8	0.8	0.00	17.7	0.00	0.00	0.00	95.4
1021	NW_0866ad	0.866	0.866	0.866	0.00	17.7	0.00	0.00	0.00	95.4
1022	NW_0933ad	0.933	0.933	0.933	0.00	17.7	0.00	0.00	0.00	95.4
1023	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
1024	NW_0000ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1025	NW_0066ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1026	NW_0133ad	0.133	0.133	0.133	0.00	17.7	0.00	0.00	0.00	95.4
1027	NW_0200ad	0.2	0.2	0.2	0.00	17.7	0.00	0.00	0.00	95.4
1028	NW_0266ad	0.266	0.266	0.266	0.00	17.7	0.00	0.00	0.00	95.4
1029	NW_0333ad	0.333	0.333	0.333	0.00	17.7	0.00	0.00	0.00	95.4
1030	NW_0400ad	0.4	0.4	0.4	0.00	17.7	0.00	0.00	0.00	95.4
1031	NW_0466ad	0.466	0.466	0.466	0.00	17.7	0.00	0.00	0.00	95.4
1032	NW_0533ad	0.533	0.533	0.533	0.00	17.7	0.00	0.00	0.00	95.4
1033	NW_0600ad	0.6	0.6	0.6	0.00	17.7	0.00	0.00	0.00	95.4
1034	NW_0666ad	0.666	0.666	0.666	0.00	17.7	0.00	0.00	0.00	95.4
1035	NW_0734ad	0.734	0.734	0.734	0.00	17.7	0.00	0.00	0.00	95.4
1036	NW_0800ad	0.8	0.8	0.8	0.00	17.7	0.00	0.00	0.00	95.4
1037	NW_0866ad	0.866	0.866	0.866	0.00	17.7	0.00	0.00	0.00	95.4
1038	NW_0933ad	0.933	0.933	0.933	0.00	17.7	0.00	0.00	0.00	95.4
1039	NW_1000ad	1.0	1.0	1.0	0.00	17.7	0.00	0.00	0.00	95.4
1040	NW_0000ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1041	NW_0066ad	0.066	0.066	0.066	0.00	17.7	0.00	0.00	0.00	95.4
1042	NW_0133ad	0.133	0.133	0.133	0.00	17.7	0.00	0.00	0.00	95.4
1043	NW_0200ad	0.2	0.2	0.2	0.00	17.7	0.00	0.00	0.00	95.4
1044	NW_0266ad	0.266	0.266	0.266	0.00	17.7	0.00	0.00	0.00	95.4
1045	NW_0333ad	0.333	0.333	0.333	0.00	17.7	0.00	0.00	0.00	95.4
1046	NW_0400ad	0.4	0.4	0.4	0.00	17.7	0.00	0.00	0.00	95.4
1047	NW_0466ad	0.466	0.466	0.466	0.00	17.7	0.00	0.00	0.00	95.4
1048	NW_0533ad	0.533	0.533	0.533	0.00	17.7	0.00	0.00	0.00	95.4
1049	NW_0600ad	0.6	0.6	0.6	0.00	17.7	0.00	0.00	0.00	95.4
1050	NW_0666ad	0.666	0.666	0.666	0.00	17.7	0.00	0.00	0.00	95.4
1051	NW_0734ad	0.734	0.734	0.734	0.00	17.7	0.00	0.00	0.00	95.4
1052	NW_0800ad	0.8	0.8	0.8	0.00	17.7	0.00	0.00	0.00	95.4

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI14/RI14.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

