

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_ = B00R_$


Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$

codice di tonalità per i colori questa pagina:

$H^*_ = B00R_$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_ Ma	47.9	65.3	50.5	82.6
Y_ Ma	90.3	-10.2	91.7	92.3
G_ Ma	50.9	-62.8	34.9	71.9
C_ Ma	58.6	-30.3	-45.0	54.2
B_ Ma	25.7	31.0	-44.4	54.2
M_ Ma	48.1	75.2	-8.3	75.7
N_ Ma	18.0	0.0	0.0	0.0
W_ Ma	95.4	0.0	0.0	0.0
R_ CIE	39.9	58.7	27.9	65.0
Y_ CIE	81.2	-2.8	71.5	71.6
G_ CIE	52.2	-42.4	13.6	44.5
B_ CIE	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 27 25 -47 53 298

$HIC^*_{-,Ma}$: B00R_100_100_

$rgbic^*_{-,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
 la domanda per la misura uscita nella stampa di offset

TUB materiale: code=rh4ta

grafico TUB-RI18; codice di tinte: $H^*_ = B00R_$
 grafico conformemente a DIN 33872, 3D=0, de=1, cm_y0


immettere: $rgb/cmyk \rightarrow rgb/cmyk$
 uscita: nessun cambiamento

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$

$H^*_e = B00R_e$

Dati del dispositivo (d) o colori elementari (e):
 HIC^*_e

codice di tonalità per i colori questa pagina:
 $H^*_e = B00R_e$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e, Ma}: 40 \ 1 \ -40 \ 40 \ 271$



$HIC^*_{e, Ma}: B00R_100_100_e$

$rgbic^*_{e, Ma}: 0.0 \ 0.45 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$

$H^*_e = B00R_e$

Dati del dispositivo (d) o colori elementari (e):
 HIC^*_e

codice di tonalità per i colori questa pagina:
 $H^*_e = B00R_e$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{e, Ma}: 40 \ 1 \ -40 \ 40 \ 271$



$HIC^*_{e, Ma}: B00R_100_100_e$

$rgbic^*_{e, Ma}: 0.0 \ 0.45 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1




vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta

grafico TUB-RI18; codice di tinte: $H^*_e = B00R_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

immettere: $rgb/cmyk \rightarrow rgb_e$
uscita: trasferire a $cmy0_e$




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$

$H^*_e = B00R_e$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_e
codice di tonalità per i colori questa pagina:
 $H^*_e = B00R_e$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	90.4
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{e, Ma}: 40 \ 1 \ -40 \ 40 \ 271$



$HIC^*_{e, Ma}: B00R_100_100_e$

$rgbic^*_{e, Ma}: 0.0 \ 0.45 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	90.4
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$

$H^*_e = B00R_e$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_e
codice di tonalità per i colori questa pagina:
 $H^*_e = B00R_e$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e, Ma}: 40 \ 1 \ -40 \ 40 \ 271$



$HIC^*_{e, Ma}: B00R_100_100_e$

$rgbic^*_{e, Ma}: 0.0 \ 0.45 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)



H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352






vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta






Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$
 $rgb^*_e, LCH^*_e, LAB^*_e$
 $h_{ab,s}, rgb^*_s$
 $h_{ab,s} = atan [r^*_d cos(30) + g^*_d cos(150)] / [r^*_d sin(30) + g^*_d sin(150) + b^*_d sin(270)]$ (1)
 $h_{ab,s}$
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (2)
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (3)
 $h_{ab,e}$
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (4)
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (5)
 $h_{ab}, h_{ab,d}$
 rgb^*_e


vedere dei file simili: http://130.149.60.45/~farbmetrik/RI18/RI18.HTM
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta




Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh), r_{gb}^b, ddx361M, LAB*, ddx361M (x=LabCh), r_{gb}^c, dsx361M, LAB*, dsx361M (x=LabCh), r_{gb}^d, dex361M, LAB*, dex361M. Rows contain numerical data for various color points.




vedere dei file simili: http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF /.PS; informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rhatha




Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 25
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0	46.0 69.6 45.7 83.3 33
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0	51.1 57.9 52.5 78.1 42
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0	55.4 48.5 57.8 75.4 49
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0	60.3 38.3 63.5 74.1 58
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0	64.6 29.5 68.4 74.5 66
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0	62.6 -40.8 53.8 67.6 127
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0	58.4 -47.4 46.8 66.6 135
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0	54.6 -54.2 38.4 66.5 144
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0	51.2 -62.4 32.0 70.2 152
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151	50.7 -62.0 19.9 65.2 162
160.7	157.5	169.0	0.0 1.0 0.125	50.5 -62.8 21.9 66.5 160.7	0.0 1.0 0.261	51.3 -58.5 11.8 59.8 168
167.7	165.0	175.9	0.0 1.0 0.25	51.2 -58.9 12.7 60.3 167.7	0.0 1.0 0.364	52.0 -55.0 3.9 55.2 175
176.7	172.5	182.7	0.0 1.0 0.375	52.0 -54.5 3.1 54.6 176.7	0.0 1.0 0.43	52.5 -52.2 2.0 52.3 182
189.3	180.0	189.6	0.0 1.0 0.5	52.9 -48.6 -8.0 49.3 189.3	0.0 1.0 0.502	53.0 -48.5 -8.1 49.3 189
203.2	187.5	196.4	0.0 1.0 0.625	54.0 -42.3 -18.1 46.1 203.2	0.0 1.0 0.56	53.5 -45.9 -13.1 47.8 195
217.2	195.0	203.2	0.0 1.0 0.75	55.0 -36.0 -27.4 45.3 217.2	0.0 1.0 0.626	54.1 -42.3 -18.1 46.1 203
228.3	202.5	210.1	0.0 1.0 0.875	55.8 -30.7 -34.5 46.2 228.3	0.0 1.0 0.682	54.5 -39.6 -22.6 45.7 209
238.4	210.0	216.9	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238.4	0.0 1.0 0.747	55.0 -36.1 -27.2 45.3 216
242.9	217.5	223.8	0.0 0.875 1.0	54.1 -21.1 -41.3 46.4 242.9	0.0 1.0 0.819	55.5 -33.2 -31.3 45.8 223
249.3	225.0	230.6	0.0 0.75 1.0	50.4 -15.5 -41.1 43.9 249.3	0.0 1.0 0.904	56.1 -29.6 -36.1 46.8 230
256.9	232.5	237.5	0.0 0.625 1.0	46.5 -9.4 -40.8 41.9 256.9	0.0 1.0 0.983	56.7 -26.2 -40.5 48.4 237
268.2	240.0	244.3	0.0 0.5 1.0	41.7 -1.2 -40.6 40.6 268.2	0.0 0.847 1.0	53.3 -19.8 -41.3 45.9 244
278.6	247.5	251.2	0.0 0.375 1.0	37.3 6.1 -40.2 40.7 278.6	0.0 0.726 1.0	49.7 -14.3 -41.1 43.6 250
289.6	255.0	258.0	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289.6	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258
299.0	262.5	264.8	0.0 0.125 1.0	28.6 22.4 -40.2 46.1 299.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264
306.2	270.0	271.7	0.0 0.0 1.0	25.0 29.5 -40.4 50.0 306.2	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271
314.7	277.5	278.8	0.125 0.0 1.0	27.9 36.0 -36.4 51.2 314.7	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278
322.1	285.0	285.9	0.25 0.0 1.0	28.8 41.9 -32.5 53.1 322.1	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285
333.3	292.5	293.0	0.375 0.0 1.0	32.7 51.8 -26.0 58.0 333.3	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292
340.5	300.0	300.1	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340.5	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300
347.9	307.5	307.2	0.625 0.0 1.0	38.1 65.4 -14.0 66.9 347.9	0.0 0.009 0.0	25.3 30.1 -40.1 50.2 306
352.5	315.0	314.3	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352.5	0.0 0.12 0.0	27.8 35.8 -36.5 51.2 314
356.1	322.5	321.4	0.875 0.0 1.0	44.2 75.2 -5.0 75.3 356.1	0.0 0.231 0.0	28.7 41.1 -33.2 52.9 321
359.8	330.0	328.6	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359.8	0.0 0.322 0.0	31.1 47.8 -29.1 56.0 328
363.0	337.5	335.7	1.0 0.0 0.875	45.9 78.2 4.1 78.3 363.0	0.0 0.408 0.0	33.5 53.7 -24.7 59.1 335
366.4	345.0	342.8	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366.4	0.0 0.539 0.0	36.4 60.8 -18.7 63.7 342
371.1	352.5	349.9	1.0 0.0 0.625	46.0 75.6 14.8 77.0 371.1	0.0 0.667 0.0	39.3 67.4 -12.4 68.5 349
375.9	360.0	357.0	1.0 0.0 0.5	45.9 74.2 21.1 77.1 375.9	0.0 0.736 0.0	41.4 70.5 -9.7 71.1 352
381.2	367.5	364.1	1.0 0.0 0.375	45.8 72.9 28.3 78.3 381.2	0.0 0.81 0.0	46.1 79.3 -0.1 79.3 359
385.6	375.0	371.2	1.0 0.0 0.25	45.6 72.1 34.6 80.0 385.6	0.0 0.887 0.0	46.0 76.5 11.8 77.4 368
389.3	382.5	378.3	1.0 0.0 0.125	45.5 71.4 40.1 81.9 389.3	0.0 0.967 0.0	45.9 74.1 22.0 77.3 376
392.3	390.0	385.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 392.3	1.0 0.0 0.255	45.7 72.2 34.4 80.0 385



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI18/RI18.HTM
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rhata4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; D65 hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.0	0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0			
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5	71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0			
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5	71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0			
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0	45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0			
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0	46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0			
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0	47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0			
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0	47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0			
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0	48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0			
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0	48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0			
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0	49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0			
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0	49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0			
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0	50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0			
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0	51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0			
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0	51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0			
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0	52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0			
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0	52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0			
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0	53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0			
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0	53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0			
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0	54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0			
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0	54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0			
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0	55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0			
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0	55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0			
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0	56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0			
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0	57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0			
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0	57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0			
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0	58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0			
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0	58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0			
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0	59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0			
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0	59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0			
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0	60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0			
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0	60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0			
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0	61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0			
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0	62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0			
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0	62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0			
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0	63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0			
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0	63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0			
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0	64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0			
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0	64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0			
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0	65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0			
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0	66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0			
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0	66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0			
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0	67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0			
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0	67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0			
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0	68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0			
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0	69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0			
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0	69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0			

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB iscrizione: 20130201-RI18/RI18LONP.PDF / .PS
La domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta

4-013931-L0 RI180-71 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8. LAB*nw=24.4, 0.0, 0.0. 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 10/33

grafico TUB-RI18; codice di tinte: H*e=B00R_e
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgb_e
uscita: trasferire a cmy0_e



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	dex361Mi (x=LabCh)
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0	69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7 84.8 87	1.0 0.596 0.0	70.5 18.8 75.4 77.7 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9 78.0 76
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6 85.7 87	1.0 0.607 0.0	71.1 17.6 76.1 78.1 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6 78.4 77
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5 86.5 88	1.0 0.618 0.0	71.7 16.3 76.7 78.5 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4 78.9 78
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3 87.3 89	1.0 0.631 0.0	72.4 15.1 77.5 78.9 79	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5 79.7 80
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2 88.2 90	1.0 0.647 0.0	73.2 13.8 78.4 79.6 80	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5 80.5 81
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0 89.0 91	1.0 0.664 0.0	73.9 12.6 79.4 80.4 81	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5 81.3 82
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8 89.8 91	1.0 0.68 0.0	74.7 11.3 80.3 81.1 82	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5 82.0 83
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5 90.6 92	1.0 0.697 0.0	75.5 10.0 81.2 81.8 83	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4 82.8 84
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3 91.4 92	1.0 0.713 0.0	76.2 8.6 82.0 82.5 84	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4 83.6 85
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0 92.2 93	1.0 0.729 0.0	77.0 7.2 82.9 83.2 85	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4 84.6 86
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7 92.9 94	1.0 0.746 0.0	77.7 5.9 83.7 83.9 86	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7 85.7 87
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4 93.7 94	1.0 0.766 0.0	78.6 4.4 84.7 84.8 87	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9 86.9 88
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1 94.5 95	1.0 0.787 0.0	79.6 3.0 85.8 85.9 88	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1 88.1 90
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8 95.2 95	1.0 0.808 0.0	80.5 1.5 86.9 86.9 89	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2 89.3 91
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96	1.0 0.829 0.0	81.4 0.0 88.0 88.0 90	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4 90.5 92
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6 95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0 89.0 91	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0 92.2 93
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8 94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0 90.1 92	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6 93.9 94
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0 93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4 91.5 93	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1 95.6 95
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2 93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7 93.0 94	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6 94.3 96
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3 92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1 94.4 95	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9 91.8 98
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5 91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4 95.9 96	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4 89.6 99
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7 90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5 94.2 97	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2 87.7 100
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9 90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2 92.1 98	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0 85.7 101
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1 89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0 90.1 99	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3 84.4 102
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4 88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1 88.5 100	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8 83.2 103
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6 88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2 86.8 101	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2 82.0 105
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8 87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4 85.2 102	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6 80.8 106
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1 86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0 84.2 103	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0 79.6 107
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3 86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7 83.2 104	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3 78.4 108
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4 82.2 105	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7 77.3 109
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5 84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0 81.1 106	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0 76.1 110
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5 83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6 80.1 107	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3 74.9 112
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5 83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2 79.1 108	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7 73.7 113
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4 82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8 78.1 109	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1 72.6 114
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4 81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4 77.0 110	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8 71.9 115
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3 80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0 76.0 111	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5 71.2 116
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2 79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5 75.0 112	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2 70.5 117
108	113	119	0.616 1.0 0.0	75.0 -24.											

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dsx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)										
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0			
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0			
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.466	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.466	1.0	0.0			
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0			
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0			
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.416	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.416	1.0	0.0			
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0			
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0			
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.366	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.366	1.0	0.0			
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0			
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0			
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.316	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.316	1.0	0.0			
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0			
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.266	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.266	1.0	0.0			
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0			
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0			
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.216	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.216	1.0	0.0			
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0			
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0			
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.166	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.166	1.0	0.0			
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0			
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0			
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.116	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.116	1.0	0.0			
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0			
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.066	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.066	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.049	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.049	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.016	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.016	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G _d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G _s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G _e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7	9.7	58.6	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6	18.7	64.4	163	0.0	1.0	0.107	50.5	-63.1	23.0	67.2	160	0.0	1.0	0.167	0.0	1.0	0.3	51.5	-57.3	8.7	58.1	171	0.0	1.0	0.167
164	161	172	0.0	1.0	0.183	50.8	-61.1	17.4	63.6	164	0.0	1.0	0.129	50.6	-62.6	21.6	66.3	161	0.0	1.0	0.183	0.0	1.0	0.313								

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de												
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25	51.0	-58.9	12.7	60.3	167
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.218	51.1	-60.0	15.0	61.9	166	0.0	1.0	0.267	51.3	-58.4	11.3	59.5	168
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.236	51.2	-59.3	13.7	61.0	167	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.253	51.2	-58.8	12.5	60.2	168	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.267	51.3	-58.4	11.4	59.5	169	0.0	1.0	0.317	51.6	-56.8	7.4	57.3	172
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.281	51.4	-57.9	10.2	58.9	170	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.295	51.5	-57.5	9.1	58.3	171	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.367	51.9	-54.9	3.7	55.0	176
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.323	51.7	-56.5	6.9	57.0	173	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.337	51.8	-56.0	5.9	56.4	174	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.351	51.9	-55.5	4.9	55.8	175	0.0	1.0	0.417	52.3	-52.8	-0.8	52.9	180
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.365	52.0	-54.9	3.8	55.1	176	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.378	52.0	-54.4	2.9	54.6	177	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.388	52.1	-54.0	1.9	54.1	178	0.0	1.0	0.467	52.7	-50.4	-5.3	50.7	185
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.398	52.2	-53.6	0.9	53.7	179	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.417	52.4	-52.8	-0.8	52.9	181	0.0	1.0	0.517	53.1	-47.9	-9.5	48.9	191
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.427	52.4	-52.3	-1.7	52.5	182	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.437	52.5	-51.9	-2.6	52.0	183	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.447	52.6	-51.4	-3.5	51.6	184	0.0	1.0	0.567	53.5	-45.6	-13.7	47.6	196
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.467	52.7	-50.4	-5.2	50.8	186	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.617	53.9	-42.8	-17.5	46.3	202
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.486	52.9	-49.3	-6.8	49.9	188	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.496	53.0	-48.8	-7.6	49.5	189	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.506	53.0	-48.4	-8.4	49.2	190	0.0	1.0	0.667	54.3	-40.5	-21.4	45.8	207
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.515	53.1	-48.0	-9.2	49.0	191	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.524	53.2	-47.6	-10.0	48.7	192	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.533	53.3	-47.2	-10.8	48.5	193	0.0	1.0	0.717	54.7	-37.9	-25.1	45.5	213
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.542	53.3	-46.7	-11.6	48.3	194	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	196	0.0	1.0	0.767	55.1	-35.4	-28.4	45.4	218
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.569	53.6	-45.4	-13.8	47.6	197	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.578	53.6	-44.9	-14.5	47.3	198	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.587	53.7	-44.4	-15.2	47.1	199	0.0	1.0	0.817	55.4	-33.3	-31.3	45.7	223
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.596	53.8	-43.9	-15.9	46.9	200	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.605	53.9	-43.4	-16.6	46.6	201	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.867	55.8	-31.1	-34.0	46.1	227
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.623	54.0	-42.4	-17.9	46.2	203	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.632	54.1	-42.0	-18.6	46.1	204	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.641	54.2	-41.6	-19.3	46.0	205	0.0	1.0	0.917	56.1	-29.1	-36.9	47.0	231
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.65	54.2	-41.2	-20.0	46.0	206	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.659	54.3	-40.8	-20.7	45.9	207	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.668	54.4	-40.4	-21.4	45.8	208	0.0	1.0	0.967	56.5	-27.0	-39.7	48.0	235
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.676	54.5	-39.9	-22.1	45.8	209	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF /.PS; uscita di trasferimento
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rhata4


Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi
238	210	216	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238	0.0 1.0 0.685 54.5	-39.5 -22.8 45.7 210	0.0 1.0 1.0	0.0 1.0 0.747 55.0	-36.1 -27.2 45.3 216	0.0 1.0 1.0		
239	211	217	0.0 0.983 1.0	56.4 -24.9 -41.5 48.4 239	0.0 1.0 0.694 54.6	-39.0 -23.4 45.7 211	0.0 0.983 1.0	0.0 1.0 0.757 55.1	-35.7 -27.8 45.4 217	0.0 0.983 1.0		
239	212	218	0.0 0.966 1.0	56.1 -24.3 -41.5 48.1 239	0.0 1.0 0.703 54.7	-38.6 -24.1 45.6 212	0.0 0.967 1.0	0.0 1.0 0.767 55.2	-35.3 -28.4 45.4 218	0.0 0.967 1.0		
240	213	219	0.0 0.95 1.0	55.7 -23.7 -41.5 47.8 240	0.0 1.0 0.712 54.7	-38.1 -24.7 45.6 213	0.0 0.95 1.0	0.0 1.0 0.778 55.2	-34.9 -29.0 45.5 219	0.0 0.95 1.0		
240	214	220	0.0 0.933 1.0	55.4 -23.1 -41.5 47.5 240	0.0 1.0 0.721 54.8	-37.6 -25.3 45.5 214	0.0 0.933 1.0	0.0 1.0 0.788 55.3	-34.5 -29.6 45.6 220	0.0 0.933 1.0		
241	215	221	0.0 0.916 1.0	55.0 -22.5 -41.4 47.2 241	0.0 1.0 0.73 54.9	-37.1 -26.0 45.4 215	0.0 0.917 1.0	0.0 1.0 0.798 55.4	-34.1 -30.2 45.7 221	0.0 0.917 1.0		
242	216	222	0.0 0.9 1.0	54.6 -22.0 -41.4 46.9 242	0.0 1.0 0.739 55.0	-36.6 -26.6 45.4 216	0.0 0.9 1.0	0.0 1.0 0.808 55.4	-33.6 -30.8 45.7 222	0.0 0.9 1.0		
242	217	223	0.0 0.883 1.0	54.3 -21.4 -41.4 46.6 242	0.0 1.0 0.747 55.0	-36.1 -27.2 45.3 217	0.0 0.883 1.0	0.0 1.0 0.819 55.5	-33.2 -31.3 45.8 223	0.0 0.883 1.0		
243	218	224	0.0 0.866 1.0	53.9 -20.7 -41.3 46.3 243	0.0 1.0 0.758 55.1	-35.6 -27.8 45.4 218	0.0 0.867 1.0	0.0 1.0 0.829 55.6	-32.7 -31.9 45.9 224	0.0 0.867 1.0		
244	219	225	0.0 0.85 1.0	53.4 -20.0 -41.3 45.9 244	0.0 1.0 0.769 55.2	-35.2 -28.5 45.4 219	0.0 0.85 1.0	0.0 1.0 0.839 55.6	-32.3 -32.5 45.9 225	0.0 0.85 1.0		
245	220	226	0.0 0.833 1.0	52.9 -19.2 -41.3 45.6 245	0.0 1.0 0.781 55.3	-34.8 -29.2 45.5 220	0.0 0.833 1.0	0.0 1.0 0.85 55.7	-31.8 -33.1 46.0 226	0.0 0.833 1.0		
245	221	227	0.0 0.816 1.0	52.4 -18.5 -41.3 45.3 245	0.0 1.0 0.792 55.3	-34.3 -29.8 45.6 221	0.0 0.817 1.0	0.0 1.0 0.86 55.8	-31.3 -33.6 46.1 227	0.0 0.817 1.0		
246	222	227	0.0 0.8 1.0	51.9 -17.7 -41.3 44.9 246	0.0 1.0 0.803 55.4	-33.9 -30.5 45.7 222	0.0 0.8 1.0	0.0 1.0 0.87 55.8	-30.8 -34.2 46.2 227	0.0 0.8 1.0		
247	223	228	0.0 0.783 1.0	51.4 -17.0 -41.2 44.6 247	0.0 1.0 0.815 55.5	-33.4 -31.1 45.8 223	0.0 0.783 1.0	0.0 1.0 0.881 55.9	-30.4 -34.8 46.3 228	0.0 0.783 1.0		
248	224	229	0.0 0.766 1.0	50.9 -16.2 -41.2 44.2 248	0.0 1.0 0.826 55.6	-32.9 -31.7 45.8 224	0.0 0.767 1.0	0.0 1.0 0.893 56.0	-30.0 -35.4 46.6 229	0.0 0.767 1.0		
249	225	230	0.0 0.75 1.0	50.4 -15.5 -41.1 43.9 249	0.0 1.0 0.837 55.6	-32.4 -32.4 45.9 225	0.0 0.75 1.0	0.0 1.0 0.904 56.1	-29.6 -36.1 46.8 230	0.0 0.75 1.0		
250	226	231	0.0 0.733 1.0	49.9 -14.7 -41.1 43.6 250	0.0 1.0 0.849 55.7	-31.9 -33.0 46.0 226	0.0 0.733 1.0	0.0 1.0 0.915 56.2	-29.1 -36.7 47.0 231	0.0 0.733 1.0		
251	227	232	0.0 0.716 1.0	49.4 -13.8 -41.1 43.4 251	0.0 1.0 0.86 55.8	-31.3 -33.6 46.1 227	0.0 0.717 1.0	0.0 1.0 0.926 56.3	-28.7 -37.4 47.2 232	0.0 0.717 1.0		
252	228	233	0.0 0.7 1.0	48.8 -13.0 -41.1 43.1 252	0.0 1.0 0.871 55.9	-30.8 -34.2 46.2 228	0.0 0.7 1.0	0.0 1.0 0.938 56.3	-28.2 -38.0 47.5 233	0.0 0.7 1.0		
253	229	234	0.0 0.683 1.0	48.3 -12.2 -41.1 42.9 253	0.0 1.0 0.883 55.9	-30.3 -34.9 46.4 229	0.0 0.683 1.0	0.0 1.0 0.949 56.4	-27.7 -38.6 47.7 234	0.0 0.683 1.0		
254	230	235	0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254	0.0 1.0 0.896 56.0	-29.9 -35.6 46.6 230	0.0 0.667 1.0	0.0 1.0 0.96 56.5	-27.2 -39.3 47.9 235	0.0 0.667 1.0		
255	231	236	0.0 0.65 1.0	47.3 -10.6 -41.0 42.3 255	0.0 1.0 0.908 56.1	-29.4 -36.3 46.9 231	0.0 0.65 1.0	0.0 1.0 0.972 56.6	-26.7 -39.9 48.2 236	0.0 0.65 1.0		
256	232	237	0.0 0.633 1.0	46.8 -9.8 -40.9 42.1 256	0.0 1.0 0.92 56.2	-28.9 -37.0 47.1 232	0.0 0.633 1.0	0.0 1.0 0.983 56.7	-26.2 -40.5 48.4 237	0.0 0.633 1.0		
257	233	237	0.0 0.616 1.0	46.2 -8.9 -40.9 41.8 257	0.0 1.0 0.933 56.3	-28.4 -37.7 47.4 233	0.0 0.617 1.0	0.0 1.0 0.994 56.8	-25.7 -41.1 48.6 237	0.0 0.617 1.0		
259	234	238	0.0 0.6 1.0	45.5 -7.8 -40.9 41.7 259	0.0 1.0 0.945 56.4	-27.9 -38.4 47.6 234	0.0 0.6 1.0	0.0 0.988 1.0 56.6	-25.0 -41.4 48.5 238	0.0 0.6 1.0		
260	235	239	0.0 0.583 1.0	44.9 -6.6 -41.0 41.5 260	0.0 1.0 0.957 56.5	-27.4 -39.1 47.9 235	0.0 0.583 1.0	0.0 0.962 1.0 56.0	-24.1 -41.4 48.1 239	0.0 0.583 1.0		
262	236	240	0.0 0.566 1.0	44.2 -5.5 -40.9 41.3 262	0.0 1.0 0.97 56.6	-26.8 -39.8 48.1 236	0.0 0.567 1.0	0.0 0.937 1.0 55.5	-23.2 -41.4 47.6 240	0.0 0.567 1.0		
263	237	241	0.0 0.55 1.0	43.6 -4.4 -40.9 41.1 263	0.0 1.0 0.982 56.7	-26.2 -40.5 48.4 237	0.0 0.55 1.0	0.0 0.911 1.0 54.9	-22.3 -41.4 47.1 241	0.0 0.55 1.0		
265	238	242	0.0 0.533 1.0	43.0 -3.3 -40.8 41.0 265	0.0 1.0 0.994 56.8	-25.7 -41.1 48.6 238	0.0 0.533 1.0	0.0 0.885 1.0 54.4	-21.4 -41.3 46.7 242	0.0 0.533 1.0		
266	239	243	0.0 0.516 1.0	42.3 -2.3 -40.7 40.8 266	0.0 0.985 1.0 56.5	-24.9 -41.4 48.5 239	0.0 0.517 1.0	0.0 0.864 1.0 53.9	-20.6 -41.3 46.3 243	0.0 0.517 1.0		
268	240	244	0.0 0.5 1.0	41.7 -1.2 -40.6 40.6 268	0.0 0.956 1.0 55.9	-23.9 -41.4 48.0 240	0.0 0.5 1.0	0.0 0.847 1.0 53.3	-19.8 -41.3 45.9 244	0.0 0.5 1.0		
269	241	245	0.0 0.483 1.0	41.1 -0.2 -40.6 40.6 269	0.0 0.928 1.0 55.3	-22.9 -41.4 47.4 241	0.0 0.483 1.0	0.0 0.829 1.0 52.8	-19.0 -41.3 45.6 245	0.0 0.483 1.0		
271	242	246	0.0 0.466 1.0	40.5 0.7 -40.6 40.6 271	0.0 0.9 1.0 54.7	-21.9 -41.3 46.9 242	0.0 0.467 1.0	0.0 0.811 1.0 52.3	-18.1 -41.2 45.2 246	0.0 0.467 1.0		
272	243	247	0.0 0.45 1.0	39.9 1.7 -40.6 40.6 272	0.0 0.873 1.0 54.1	-21.0 -41.3 46.4 243	0.0 0.45 1.0	0.0 0.793 1.0 51.7	-17.3 -41.2 44.8 247	0.0 0.45 1.0		
273	244	248	0.0 0.433 1.0	39.3 2.7 -40.6 40.6 273	0.0 0.854 1.0 53.5	-20.1 -41.3 46.1 244	0.0 0.433 1.0	0.0 0.775 1.0 51.2	-16.6 -41.1 44.5 248	0.0 0.433 1.0		
275	245	248	0.0 0.416 1.0	38.8 3.6 -40.5 40.6 275	0.0 0.834 1.0 53.0	-19.2 -41.3 45.7 245	0.0 0.417 1.0	0.0 0.757 1.0 50.7	-15.8 -41.1 44.1 248	0.0 0.417 1.0		
276	246	249	0.0 0.4 1.0	38.2 4.6 -40.4 40.7 276	0.0 0.815 1.0 52.4	-18.3 -41.3 45.3 246	0.0 0.4 1.0	0.0 0.741 1.0 50.2	-15.0 -41.0 43.8 249	0.0 0.4 1.0		
277	247	250	0.0 0.383 1.0	37.6 5.6 -40.3 40.7 277	0.0 0.795 1.0 51.8	-17.4 -41.2 44.9 247	0.0 0.383 1.0	0.0 0.726 1.0 49.7	-14.3 -41.1 43.6 250	0.0 0.383 1.0		
279	248	251	0.0 0.366 1.0	37.0 6.6 -40.2 40.8 279	0.0 0.775 1.0 51.2	-16.6 -41.1 44.5 248	0.0 0.367 1.0	0.0 0.711 1.0 49.2	-13.5 -41.0 43.4 251	0.0 0.367 1.0		
280	249	252	0.0 0.35 1.0	36.4 7.7 -40.3 41.1 280	0.0 0.756 1.0 50.6	-15.7 -41.1 44.1 249	0.0 0.35 1.0	0.0 0.697 1.0 48.8	-12.8 -41.0 43.1 252	0.0 0.35 1.0		
282	250	253	0.0 0.333 1.0	35.8 8.8 -40.4 41.3 282	0.0 0.739 1.0 50.1	-14.9 -41.0 43.8 250	0.0 0.333 1.0	0.0 0.682 1.0 48.3	-12.1 -41.0 42.9 253	0.0 0.333 1.0		
283	251	254	0.0 0.316 1.0	35.2 9.9 -40.4 41.6 283	0.0 0.722 1.0 49.6	-14.1 -41.1 43.5 251	0.0 0.317 1.0	0.0 0.667 1.0 47.9	-11.4 -41.0 42.6 254	0.0 0.317 1.0		
285	252	255	0.0 0.3 1.0	34.6 11.0 -40.4 41.9 285	0.0 0.706 1.0 49.1	-13.3 -41.0 43.3 252	0.0 0.3 1.0	0.0 0.652 1.0 47.4	-10.7 -40.9 42.4 255	0.0 0.3 1.0		
286	253	256	0.0 0.283 1.0	34.0 12.1 -40.3 42.1 286	0.0 0.69 1.0 48.6	-12.5 -41.0 43.0 253	0.0 0.283 1.0	0.0 0.637 1.0 46.9	-9.9 -40.9 42.2 256	0.0 0.283 1.0		
288	254	257	0.0 0.266 1.0	33.4 13.2 -40.3 42.4 288	0.0 0.673 1.0 48.1	-11.7 -41.0 42.7 254	0.0 0.267 1.0	0.0 0.623 1.0 46.5	-9.2 -40.8 42.0 257	0.0 0.267 1.0		
289	255	258	0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289	0.0 0.657 1.0 47.5	-10.9 -40.9 42.5 255	0.0 0.25 1.0	0.0 0.613 1.0 46.1	-8.6 -40.8 41.9 258	0.0 0.25 1.0		

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF /.PS
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* de361Mi	LAB* de361Mi	rgb* de361Mi	LAB* de361Mi																			
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.641	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0		
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0		
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0		
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0		
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.591	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0		
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.581	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.151	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.151	1.0		
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0		
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.558	1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0		
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.547	1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0		
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.536	1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0		
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.525	1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0		
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.514	1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0		
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.503	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.481	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.033	1.0		
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469	1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0		
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.0	1.0	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	0.0	0.0	1.0		
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271	0.0	0.017	0.0	1.0	0.0	0.447	1.0	39.9	1.9	-40.5	40.7	272	0.0	0.017	0.0	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435	1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0		
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424	1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0		
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413	1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0		
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401	1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0		
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.391	1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0		
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0		
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367	1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0		
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357	1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0		
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346	1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0		
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335	1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0		
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324	1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0		
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313	1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0		
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.233	0.0	1.0		
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	0.25	0.0	1.0		
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.291	1.0	34.3	11.6	-40.3	42.0	286	0.267	0.0	1.0	0.0	0.281	1.0	34.0	12.3	-40.3	42.2	286	0.267	0.0	1.0		
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.28	1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	0.0	0.271	1.0	33.6	13.0	-40.2	42.4	287	0.283	0.0	1.0		
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.269	1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	0.0	0.26	1.0	33.2	13.7	-40.2	42.5	288	0.3	0.0	1.0		
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.257	1.0	33.1	13.9	-40.2	42.6	289	0.317	0.0	1.0	0.0	0.249	1.0	32.8	14.4	-40.1	42.7	289	0.317	0.0	1.0		
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.245	1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	0.0	0.236	1.0	32.4	15.2	-40.2	43.1	290	0.333	0.0	1.0		
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.232	1.0	32.2	15.5	-40.2	43.2	291	0.35	0.0	1.0	0.0	0.223	1.0	32.0	16.0	-40.3	43.4	291	0.35	0.0	1.0		
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.367	0.0	1.0	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	0.367	0.0	1.0		
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.205	1.0	31.4	17.2	-40.3	43.9	293	0.383	0.0	1.0	0.0	0.198	1.0	31.1	17.6	-40.3	44.1	293	0.383	0.0	1.0		
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.192	1.0	30.9	18.0	-40.3	44.3	294	0.4	0.0	1.0	0.0	0.186	1.0	30.7	18.4	-40.4	44.5	294	0.4	0.0	1.0		
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.179	1.0	30.5	18.9	-40.4	44.6	295	0.417	0.0	1.0	0.0	0.173	1.0	30.3	19.2	-40.4	44.8	295	0.417	0.0	1.0		
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.0	0.166																						

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6																								

http://130.149.60.45/~farbmetrik/RII18/RII18LONP.PDF /.PS; uscita di trasferimento N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 18/33

Table with columns: nif, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC0*Fe, LabC1*Fe, LabC2*Fe, rpb*Fe, DF*Fe, HAm*Fe, LabC3*Fe, rpb*Fe, LabC4*Fe, LabC5*Fe, LabC6*Fe, LabC7*Fe, LabC8*Fe, LabC9*Fe, LabC10*Fe, LabC11*Fe, LabC12*Fe, LabC13*Fe, LabC14*Fe, LabC15*Fe, LabC16*Fe, LabC17*Fe, LabC18*Fe, LabC19*Fe, LabC20*Fe, LabC21*Fe, LabC22*Fe, LabC23*Fe, LabC24*Fe, LabC25*Fe, LabC26*Fe, LabC27*Fe, LabC28*Fe, LabC29*Fe, LabC30*Fe, LabC31*Fe, LabC32*Fe, LabC33*Fe, LabC34*Fe, LabC35*Fe, LabC36*Fe, LabC37*Fe, LabC38*Fe, LabC39*Fe, LabC40*Fe, LabC41*Fe, LabC42*Fe, LabC43*Fe, LabC44*Fe, LabC45*Fe, LabC46*Fe, LabC47*Fe, LabC48*Fe, LabC49*Fe, LabC50*Fe, LabC51*Fe, LabC52*Fe, LabC53*Fe, LabC54*Fe, LabC55*Fe, LabC56*Fe, LabC57*Fe, LabC58*Fe, LabC59*Fe, LabC60*Fe, LabC61*Fe, LabC62*Fe, LabC63*Fe, LabC64*Fe, LabC65*Fe, LabC66*Fe, LabC67*Fe, LabC68*Fe, LabC69*Fe, LabC70*Fe, LabC71*Fe, LabC72*Fe, LabC73*Fe, LabC74*Fe, LabC75*Fe, LabC76*Fe, LabC77*Fe, LabC78*Fe, LabC79*Fe, LabC80*Fe, LabC81*Fe, LabC82*Fe, LabC83*Fe, LabC84*Fe, LabC85*Fe, LabC86*Fe, LabC87*Fe, LabC88*Fe, LabC89*Fe, LabC90*Fe, LabC91*Fe, LabC92*Fe, LabC93*Fe, LabC94*Fe, LabC95*Fe, LabC96*Fe, LabC97*Fe, LabC98*Fe, LabC99*Fe, LabC100*Fe. Includes a 'delta E*' = 20.9

vedere dei file simili: http://130.149.60.45/~farbmetrik/RII18/RII18.HTM informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

immettere: rgb/cmyk -> rgbe uscita: trasferire a cmy0e

grafico TUB-RII18; codice di tinte: H*_e=B00R_e colori e la differenza, ΔE*'

RII180-7N_18/33-F

4-0131731-F0

4-0131731-F0

RII801L

TUB iscrizione: 20130201-RII8/RII8LONP.PDF /.PS TUB materiale: code=rha4ta
 la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

nif	HC*Fe	RGB_Fc	icr_Fc	hs_Fc	rgb_Fc	LabCH*Fe	LabCH*Fe	rgb_Fc	DF*Fe	HaM*Fe	LabCH*Fe	rgb_Fc	LabCH*Fe	rgb_Fc	LabCH*Fe
0/648	ROXY_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	32.3	83.9	44.8	70.9	45.6	72.2	34.4
1/668	R25Y_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	37.5	55.5	51.9	50.6	59.2	34.4
2/684	R50Y_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	37.5	55.5	51.9	50.6	59.2	34.4
3/670	R75Y_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	67.1	11.6	63.4	77.9	60.2	38.2	63.4
4/720	Y00C_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	86.2	63.3	83.8	84.0	70.9	17.9	75.9
5/558	Y25C_100_100k	0.75	1.0	0.0	0.0	0.0	0.0	0.0	96.1	9.3	83.8	96.0	83.6	90.4	90.4
6/396	Y50C_100_100k	0.25	1.0	0.0	0.0	0.0	0.0	0.0	101.8	13.4	117.5	101.8	74.5	-25.0	78.4
7/234	Y75C_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	114.0	18.7	131.1	114.0	62.6	-40.9	67.6
8/72	CO0B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	135.3	13.0	144.4	135.3	54.1	-55.5	57.5
9/72	CO0B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	155.5	10.1	158.8	155.5	50.6	-62.1	19.9
10/76	G05B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	189.3	0.2	189.6	189.3	50.6	-62.1	19.9
11/80	G10B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	238.4	17.9	195.8	238.4	50.6	-36.2	-27.2
12/44	G15B_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	268.2	21.9	218.8	268.2	50.6	-41.3	45.9
13/8	B00M_100_100k	0.0	1.0	0.0	0.0	0.0	0.0	0.0	306.2	32.1	242.4	306.2	50.6	-40.2	1.2
14/332	B25R_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	340.5	40.9	242.4	340.5	50.6	-40.2	1.2
15/656	B50R_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	359.8	45.3	288.8	359.8	50.6	-40.2	1.2
16/652	B75R_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	371.1	31.5	352.0	371.1	50.6	-40.2	1.2
17/648	ROXY_100_100k	1.0	0.0	0.0	0.0	0.0	0.0	0.0	411.4	70.4	-9.8	411.4	50.6	-40.2	1.2
18/688	ROXY_100_100k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	438.8	35.3	375.5	438.8	50.6	-40.2	1.2
19/706	ROXY_100_100k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	453.8	13.3	375.5	453.8	50.6	-40.2	1.2
20/724	Y00C_100_100k	0.75	1.0	0.0	0.0	0.0	0.0	0.0	503.3	6.7	83.9	503.3	50.6	-40.2	1.2
21/400	G00B_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	541.0	14.0	195.8	541.0	50.6	-40.2	1.2
22/548	B00R_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	579.9	21.7	217.7	579.9	50.6	-40.2	1.2
23/568	B25R_100_100k	0.5	1.0	0.0	0.0	0.0	0.0	0.0	603.3	35.4	353.9	603.3	50.6	-40.2	1.2
24/692	B50R_100_100k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	633.3	17.3	288.8	633.3	50.6	-40.2	1.2
25/692	B75R_100_100k	1.0	0.5	0.5	0.5	0.5	0.5	0.5	680.0	41.5	43.8	680.0	50.6	-40.2	1.2
26/688	ROXY_100_100k	0.75	0.25	0.75	0.25	0.75	0.25	0.75	706.6	36.1	17.2	706.6	50.6	-40.2	1.2
27/506	ROXY_075_050k	0.75	0.25	0.75	0.25	0.75	0.25	0.75	728.8	36.1	17.2	728.8	50.6	-40.2	1.2
28/524	ROXY_075_050k	0.75	0.25	0.75	0.25	0.75	0.25	0.75	759.9	31.7	37.0	759.9	50.6	-40.2	1.2
29/542	Y00C_075_050k	0.75	0.25	0.75	0.25	0.75	0.25	0.75	802.4	45.2	45.2	802.4	50.6	-40.2	1.2
30/380	Y50C_075_050k	0.25	0.75	0.25	0.75	0.25	0.75	0.25	842.2	26.9	33.8	842.2	50.6	-40.2	1.2
31/218	G00B_075_050k	0.25	0.75	0.25	0.75	0.25	0.75	0.25	881.1	9.9	32.6	881.1	50.6	-40.2	1.2
32/222	G50B_075_050k	0.25	0.75	0.25	0.75	0.25	0.75	0.25	913.6	31.0	26.9	913.6	50.6	-40.2	1.2
33/186	B00R_075_050k	0.25	0.75	0.25	0.75	0.25	0.75	0.25	931.6	18.1	-13.6	931.6	50.6	-40.2	1.2
34/510	B50R_075_050k	0.25	0.75	0.25	0.75	0.25	0.75	0.25	950.1	6.6	-20.3	950.1	50.6	-40.2	1.2
35/506	ROXY_075_050k	0.75	0.25	0.75	0.25	0.75	0.25	0.75	952.8	23.8	-14.5	952.8	50.6	-40.2	1.2
36/324	ROXY_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	977.7	52.8	36.1	977.7	50.6	-40.2	1.2
37/342	ROXY_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	1017.2	40.0	17.2	1017.2	50.6	-40.2	1.2
38/360	Y00C_050_050k	0.25	0.5	0.5	0.5	0.5	0.5	0.5	1049.1	31.7	37.0	1049.1	50.6	-40.2	1.2
39/198	Y50C_050_050k	0.25	0.5	0.5	0.5	0.5	0.5	0.5	1081.8	45.2	45.2	1081.8	50.6	-40.2	1.2
40/36	G00B_050_050k	0.0	0.5	0.5	0.5	0.5	0.5	0.5	1119.9	26.9	32.6	1119.9	50.6	-40.2	1.2
41/40	G50B_050_050k	0.0	0.5	0.5	0.5	0.5	0.5	0.5	1158.1	9.9	32.6	1158.1	50.6	-40.2	1.2
42/4	B00R_050_050k	0.0	0.5	0.5	0.5	0.5	0.5	0.5	1197.2	18.1	-13.6	1197.2	50.6	-40.2	1.2
43/328	B50R_050_050k	0.0	0.5	0.5	0.5	0.5	0.5	0.5	1236.6	6.6	-20.3	1236.6	50.6	-40.2	1.2
44/324	ROXY_050_050k	0.5	0.0	0.5	0.5	0.5	0.5	0.5	1277.7	52.8	36.1	1277.7	50.6	-40.2	1.2
45/0	NW_00k	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1317.2	40.0	17.2	1317.2	50.6	-40.2	1.2
46/91	NW_01k	0.125	0.125	0.125	0.125	0.125	0.125	0.125	1352.0	0.0	0.0	1352.0	50.6	-40.2	1.2
47/182	NW_02k	0.25	0.25	0.25	0.25	0.25	0.25	0.25	1387.0	0.0	0.0	1387.0	50.6	-40.2	1.2
48/273	NW_03k	0.375	0.375	0.375	0.375	0.375	0.375	0.375	1422.0	0.0	0.0	1422.0	50.6	-40.2	1.2
49/364	NW_04k	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1457.0	0.0	0.0	1457.0	50.6	-40.2	1.2
50/455	NW_05k	0.625	0.625	0.625	0.625	0.625	0.625	0.625	1492.0	0.0	0.0	1492.0	50.6	-40.2	1.2
51/546	NW_06k	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1527.0	0.0	0.0	1527.0	50.6	-40.2	1.2
52/637	NW_08k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1562.0	0.0	0.0	1562.0	50.6	-40.2	1.2
53/728	NW_10k	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1597.0	0.0	0.0	1597.0	50.6	-40.2	1.2

delta E* = 13.3

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII8/RII8.HTM>
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

immettere: rgb/cmyk -> rgbe
 uscita: trasferire a cmy0e

grafico TUB-RII8; codice di tinte: H*_e=B00R_e
 colori e la differenza, ΔE*

RII801-7N_19/33-F

4-0131831-F0

RII801L

TUB iscrizione: 20130201-RII8/RII8LONP.PDF /PS TUB materiale: code=rha4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

n°	H#C#F	rgB#rc	iet#Fe	hs#Fa	rgB#Fe	LabC#Fe	LabC#F#e	rgB#Fe	rgB#Fe	LabC#F#e	DF#F#e	hs#Fa	rgB#Fe	LabC#F#e	rgB#Fe	LabC#F#e
1	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
2	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
3	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
4	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
5	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
6	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
7	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
8	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
9	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
10	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
11	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
12	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
13	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
14	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
15	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
16	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
17	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
18	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
19	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
20	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
21	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
22	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
23	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
24	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
25	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
26	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
27	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
28	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
29	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
30	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
31	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
32	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
33	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
34	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
35	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
36	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
37	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
38	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
39	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
40	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
41	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
42	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
43	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
44	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
45	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
46	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
47	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
48	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
49	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
50	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
51	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
52	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
53	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
54	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
55	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
56	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
57	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
58	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
59	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
60	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
61	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
62	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
63	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
64	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
65	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
66	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
67	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
68	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
69	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
70	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
71	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
72	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
73	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
74	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
75	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
76	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
77	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
78	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
79	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
80	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII8/RII8LONP.PDF> /PS; uscita di trasferimento
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

immettere: $rgB/cmyk \rightarrow rgbe$
uscita: trasferire a $cmy0e$

grafico TUB-RII8; codice di tinte: $H^*e=B00R^e$
colori e la differenza, ΔE^*

4-0131931-F0

RII8-78N_2033-F

delta E* = 10.9

RI1801L

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

TUB materiale: code=rha4ta

n	HHC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe
324	R00Y_050_050k	0.5	0.5	0.25	370	0.0	0.127	35.0	36.1	17.2	40.0	25.4
325	R00Y_050_050k	0.5	0.5	0.25	396	0.0	0.328	38.6	38.6	6.6	38.6	9.8
326	R00Y_050_050k	0.5	0.5	0.25	360	0.0	0.5	32.8	35.2	4.9	31.5	352.0
327	B61R_050_050k	0.5	0.5	0.25	344	0.0	0.5	30.2	35.9	-9.8	31.5	341.8
328	B40R_062_062k	0.5	0.5	0.25	330	0.0	0.5	27.7	23.8	-14.5	27.9	328.6
329	B40R_062_062k	0.5	0.5	0.25	319	0.0	0.625	26.8	24.2	-21.7	32.5	318.1
330	B34R_075_075k	0.5	0.5	0.25	310	0.0	0.75	25.9	24.7	-28.8	38.0	310.5
331	B34R_075_075k	0.5	0.5	0.25	305	0.0	0.875	25.5	24.4	-35.4	43.1	304.9
332	B28Y_100_100k	0.5	0.0	1.0	300	0.0	1.0	23.4	23.4	-40.3	46.7	300.1
333	B28Y_100_100k	0.5	0.0	1.0	300	0.0	1.0	23.4	23.4	-40.3	46.7	300.1
334	R18Y_050_037k	0.5	0.125	0.125	391	0.5	0.083	30.0	37.4	28.8	39.3	34.0
335	R18Y_050_037k	0.5	0.125	0.125	370	0.5	0.124	42.2	41.3	29.2	29.2	4.3
336	B6R_050_037k	0.5	0.125	0.125	349	0.351	0.124	43.5	38.8	24.1	-5.7	24.7
337	B6R_050_037k	0.5	0.125	0.125	330	0.245	0.124	35.5	17.9	-10.9	20.9	328.6
338	B38R_062_050k	0.5	0.125	0.125	316	0.192	0.125	6.25	18.2	-18.0	25.7	316.3
339	B38R_062_050k	0.5	0.125	0.125	307	0.13	0.125	7.75	33.8	18.7	-25.1	306.8
340	B28R_087_075k	0.5	0.125	0.125	295	0.00125	0.204	0.875	30.0	17.6	-30.2	35.0
341	R50Y_050_050k	0.5	0.25	0.0	300	0.0	0.199	0.0	38.4	16.8	-35.3	39.1
342	R50Y_050_050k	0.5	0.25	0.0	295	0.0	0.302	41.0	47.6	8.4	37.9	38.9
343	R31Y_050_037k	0.5	0.375	0.312	49	0.5	0.217	0.124	42.2	19.6	20.7	58.8
344	R00Y_050_025k	0.5	0.25	0.375	390	0.434	0.249	0.313	47.5	18.0	8.6	20.0
345	R00Y_050_025k	0.5	0.25	0.375	360	0.324	0.249	0.5	45.8	11.9	-7.2	13.9
346	B34R_062_037k	0.5	0.25	0.625	331	0.274	0.25	0.625	42.9	12.3	-14.4	19.0
347	B34R_062_037k	0.5	0.25	0.625	310	0.25	0.302	0.75	44.0	11.7	-8.5	20.1
348	B18R_100_075k	0.5	0.375	0.875	293	0.0	0.5	48.5	58.2	35.2	38.9	5.0
349	B18R_100_075k	0.5	0.375	0.875	289	0.0	0.43	48.5	10.8	-48.0	46.2	289.7
350	B18R_100_075k	0.5	0.375	0.875	289	0.0	0.43	48.5	10.8	-48.0	46.2	289.7
351	B6Y_050_050k	0.5	0.375	0.0	300	0.0	0.302	41.0	47.6	8.4	37.9	38.9
352	B6Y_050_050k	0.5	0.375	0.0	295	0.0	0.302	41.0	47.6	8.4	37.9	38.9
353	R00Y_050_012k	0.5	0.375	0.375	60	0.5	0.349	0.249	51.1	9.5	15.8	18.5
354	R00Y_050_012k	0.5	0.375	0.375	300	0.415	0.375	0.5	51.9	5.0	-3.6	6.9
355	B28R_062_012k	0.5	0.375	0.625	289	0.375	0.401	0.625	52.0	5.8	-10.0	11.6
356	B28R_062_012k	0.5	0.375	0.625	289	0.375	0.468	0.75	54.2	5.4	-15.0	16.0
357	B18R_075_037k	0.5	0.375	0.75	284	0.375	0.526	0.875	56.2	5.4	-20.2	20.9
358	B18R_075_037k	0.5	0.375	0.75	284	0.375	0.526	0.875	56.2	5.4	-20.2	20.9
359	B09R_100_062k	0.5	0.0	1.0	280	0.0	0.5	54.0	54.0	-25.2	28.2	28.1
360	Y00G_050_050k	0.5	0.5	0.25	90	0.5	0.439	0.0	54.0	-1.8	45.2	45.2
361	Y00G_050_050k	0.5	0.5	0.25	90	0.5	0.454	0.124	55.5	-1.3	33.9	33.9
362	Y00G_050_050k	0.5	0.5	0.25	90	0.5	0.469	0.249	57.0	-0.9	22.6	22.6
363	Y00G_050_012k	0.5	0.375	0.5	300	0.5	0.484	0.375	58.5	-0.4	11.3	9.2
364	NW_050k	0.5	0.5	0.5	360	0.5	0.5	60.0	0.0	0.0	0.0	0.0
365	B00R_062_012k	0.5	0.5	0.625	270	0.5	0.557	0.625	61.9	0.1	-5.0	5.0
366	B00R_075_025k	0.5	0.5	0.75	270	0.5	0.614	0.75	63.9	0.3	-10.1	10.1
367	B00R_087_037k	0.5	0.5	0.875	270	0.5	0.671	0.875	65.9	0.4	-15.2	15.2
368	B00R_100_050k	0.5	0.5	1.0	270	0.5	0.729	1.0	67.9	0.5	-17.0	17.0
369	Y18G_062_062k	0.5	0.625	0.625	104	0.424	0.625	0.0	57.6	0.625	0.0	57.6
370	Y23G_062_062k	0.5	0.625	0.625	104	0.427	0.625	0.125	58.3	-12.5	37.1	39.2
371	Y31G_062_037k	0.5	0.625	0.375	109	0.445	0.625	0.25	59.4	-11.2	24.7	27.2
372	Y30G_062_025k	0.5	0.625	0.375	120	0.455	0.625	0.375	60.6	-10.2	13.4	16.9
373	G00B_062_012k	0.5	0.625	0.625	150	0.5	0.625	0.518	63.2	0.2	8.1	16.2
374	G50B_062_012k	0.5	0.625	0.625	210	0.5	0.625	0.593	63.8	-4.5	-3.4	5.6
375	G75B_075_025k	0.5	0.625	0.75	251	0.5	0.711	0.75	67.2	-4.9	-10.3	11.4
376	G84B_087_037k	0.5	0.625	0.875	240	0.5	0.75	0.875	68.8	-4.5	-15.4	15.9
377	G88B_100_050k	0.5	0.625	1.0	210	0.5	0.801	1.0	70.6	-3.9	-20.4	20.8
378	Y31G_075_075k	0.5	0.75	0.375	109	0.383	0.75	0.125	60.0	-2.2	49.5	54.4
379	Y36G_075_062k	0.5	0.75	0.625	113	0.411	0.75	0.125	61.3	-20.4	26.9	33.8
380	Y36G_075_062k	0.5	0.75	0.625	130	0.444	0.75	0.375	63.5	-17.2	35.9	44.3
381	G00B_075_025k	0.5	0.75	0.375	109	0.383	0.75	0.125	60.0	-2.2	49.5	54.4
382	G00B_075_025k	0.5	0.75	0.375	109	0.383	0.75	0.125	60.0	-2.2	49.5	54.4
383	G25B_075_025k	0.5	0.75	0.625	180	0.5	0.75	0.537	65.5	-15.1	4.9	14.3
384	G50B_075_025k	0.5	0.75	0.625	180	0.5	0.75	0.625	67.1	-12.1	2.0	12.3
385	G50B_075_025k	0.5	0.75	0.625	210	0.5	0.75	0.686	67.6	-10.1	-6.8	11.3
386	G50B_087_037k	0.5	0.75	0.875	229	0.5	0.875	0.885	72.0	-10.4	-14.5	17.8
387	Y41G_087_087k	0.5	0.75	1.0	110	0.5	0.923	1.0	74.4	-9.0	-20.6	22.9
388	Y50G_087_062k	0.5	0.875	0.625	115	0.327	0.875	0.437	71.0	-3.1	51.0	59.7
389	Y61G_087_062k	0.5	0.875	0.625	120	0.366	0.875	0.125	61.9	-30.7	40.3	50.7
390	Y62G_087_050k	0.5	0.875	0.5	127	0.405	0.875	0.25	63.4	-29.6	29.2	41.6
391	G00B_087_037k	0.5	0.875	0.375	136	0.429	0.875	0.375	65.9	-27.7	18.7	33.5
392	G00B_087_037k	0.5	0.875	0.375	169	0.5	0.875	0.556	69.8	-23.2	7.4	24.4
393	G54B_087_037k	0.5	0.875	0.625	191	0.5	0.875	0.651	70.4	-20.0	0.0	17.9
394	G50B_087_037k	0.5	0.875	0.375	169	0.5	0.875	0.375	65.9	-27.7	18.7	33.5
395	G61B_100_050k	0.5	0.875	0.625	210	0.5	0.875	0.752	71.0	-16.5	-5.9	17.6
396	Y50G_100_050k	0.5	1.0	0.5	224	0.5	0.875	0.625	71.0	-10.0	-17.7	23.2
397	Y58G_100_087k	0.5	1.0	1.0	224	0.5	1.0	0.946	75.8	-15.0	-10.0	53.8
398	Y68G_100_075k	0.5	1.0	1.0	125	0.361	1.0	0.125	64.0	-39.9	42.7	58.5
399	Y81G_100_062k	0.5	1.0	1.0	125	0.361	1.0	0.125	64.0	-39.9	42.7	58.5
400	G00B_100_050k	0.5	1.0	0.375	130	0.418	1.0	0.25	66.2	-36.2	31.9	48.8
401	G11B_100_050k	0.5	1.0	0.5	164	0.5	1.0	0.375	73.1	-36.9	21.8	42.8
402	G25B_100_050k	0.5	1.0	0.625	180	0.5	1.0	0.575	73.7	-27.7	2.4	27.8
403	G38B_100_050k	0.5	1.0	0.75	180	0.5	1.0	0.675	74.3	-24.3	-4.1	24.6
404	G50B_100_050k	0.5	1.0	1.0	210	0.5	1.0	0.816	74.8	-17.1	9.4	23.0

RI1801L-78N_2433-F3

immettere: rgb/cmyk -> rgbe
uscita: trasferire a cmy0e

grafico TUB-RI18; codice di tinte: H*_e=B00R_e
colori e la differenza, ΔE*

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

4-0132331-F0

4-0132331-F0

RII801L

TUB iscrizione: 20130201-RII8/RII8LONP.PDF /.PS TUB materiale: code=rha4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

n	HHC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
486	ROYX_075_075a	0.75	0.0	0.125	0.0	0.191	40.3	0.75	0.0	36.3	69.4	0.75	0.0
487	R35Y_075_075a	0.75	0.0	0.125	0.0	0.384	54.1	0.75	0.0	59.2	11.6	0.0	0.254
488	R18Y_075_075a	0.75	0.0	0.125	0.0	0.62	40.5	0.75	0.0	40.7	16.8	1.0	0.0
489	ROYX_075_075a	0.75	0.0	0.125	0.0	0.62	40.5	0.75	0.0	40.7	16.8	1.0	0.0
490	B6SK_075_075a	0.75	0.0	0.125	0.0	0.75	37.1	0.75	0.0	61.2	25.5	1.0	0.0
491	B57K_075_075a	0.75	0.0	0.125	0.0	0.75	34.3	0.75	0.0	62.2	19.2	1.0	0.0
492	B50K_075_075a	0.75	0.0	0.125	0.0	0.75	34.7	0.75	0.0	61.1	28.4	1.0	0.0
493	B43K_087_087a	0.75	0.0	0.125	0.0	0.75	29.4	0.75	0.0	65.4	5.1	1.0	0.0
494	B38K_100_100a	0.75	0.0	0.125	0.0	0.75	29.4	0.75	0.0	65.4	5.1	1.0	0.0
495	R15Y_075_075a	0.75	0.0	0.125	0.0	0.75	0.81	0.75	0.0	41.8	71.0	0.0	0.068
496	ROYX_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	51.3	37.8	1.0	0.0
497	R31Y_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	50.6	34.5	1.0	0.0
498	R11Y_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	48.8	58.8	1.0	0.0
499	B69K_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	52.4	12.2	1.0	0.0
500	B59K_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	55.5	5.5	1.0	0.0
501	B50K_075_062a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	56.5	5.7	1.0	0.0
502	B42K_087_075a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	58.6	-5.6	1.0	0.0
503	B36K_100_087a	0.75	0.125	0.125	0.0	0.75	0.125	0.75	0.125	60.4	-10.4	1.0	0.0
504	R18Y_075_075a	0.75	0.25	0.125	0.0	0.75	0.184	0.75	0.25	39.7	46.7	1.0	0.0
505	R18Y_075_062a	0.75	0.25	0.125	0.0	0.75	0.197	0.75	0.25	39.8	39.4	1.0	0.0
506	ROYX_075_090a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
507	R26Y_075_090a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
508	ROYX_075_090a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
509	B01K_075_090a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
510	B30K_075_090a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
511	B34K_100_075a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
512	B34K_100_075a	0.75	0.25	0.375	0.0	0.75	0.25	0.75	0.25	39.9	31.9	1.0	0.0
513	R38Y_075_075a	0.75	0.375	0.125	0.0	0.75	0.298	0.0	0.75	47.1	48.9	1.0	0.0
514	R38Y_075_062a	0.75	0.375	0.125	0.0	0.75	0.313	0.125	0.75	44.2	52.8	1.0	0.0
515	R23Y_075_080a	0.75	0.375	0.25	0.0	0.75	0.333	0.25	0.75	45.2	45.9	1.0	0.0
516	ROYX_075_037a	0.75	0.375	0.375	0.0	0.75	0.375	0.375	0.75	29.0	26.5	1.0	0.0
517	R18Y_075_037a	0.75	0.375	0.375	0.0	0.75	0.375	0.375	0.75	31.7	84	1.0	0.0
518	B69K_075_037a	0.75	0.375	0.375	0.0	0.75	0.375	0.375	0.75	33.3	15	1.0	0.0
519	B59K_075_037a	0.75	0.375	0.375	0.0	0.75	0.375	0.375	0.75	35.6	-4.8	1.0	0.0
520	B30K_100_062a	0.75	0.375	0.375	0.0	0.75	0.375	0.375	0.75	36.8	-10.8	1.0	0.0
521	R68Y_075_037a	0.75	0.5	0.0	0.75	0.407	0.0	0.75	0.5	60.6	15.9	1.0	0.0
522	R61Y_075_062a	0.75	0.5	0.125	0.0	0.75	0.433	0.125	0.75	58.4	53.9	1.0	0.0
523	R31Y_075_050a	0.75	0.5	0.25	0.0	0.75	0.449	0.25	0.75	61.2	18.1	1.0	0.0
524	ROYX_075_050a	0.75	0.5	0.375	0.0	0.75	0.467	0.375	0.75	62.0	19.6	1.0	0.0
525	ROYX_075_037a	0.75	0.5	0.375	0.0	0.75	0.467	0.375	0.75	62.0	19.6	1.0	0.0
526	ROYX_075_025a	0.75	0.5	0.625	0.0	0.75	0.5	0.625	0.75	68.0	8.6	1.0	0.0
527	B50K_075_025a	0.75	0.5	0.625	0.0	0.75	0.5	0.625	0.75	68.0	8.6	1.0	0.0
528	B34K_087_037a	0.75	0.5	0.625	0.0	0.75	0.5	0.625	0.75	61.6	17.6	1.0	0.0
529	B34K_087_037a	0.75	0.5	0.625	0.0	0.75	0.5	0.625	0.75	61.6	17.6	1.0	0.0
530	B25K_100_050a	0.75	0.5	0.625	0.0	0.75	0.5	0.625	0.75	61.8	11.7	1.0	0.0
531	R85Y_075_037a	0.75	0.5	0.75	0.0	0.75	0.513	0.0	0.75	62.2	8.1	1.0	0.0
532	R18Y_075_062a	0.75	0.625	0.125	0.0	0.75	0.53	0.125	0.75	63.8	8.5	1.0	0.0
533	R67Y_075_037a	0.75	0.625	0.25	0.0	0.75	0.552	0.25	0.75	65.4	8.9	1.0	0.0
534	R68Y_075_037a	0.75	0.625	0.25	0.0	0.75	0.578	0.375	0.75	67.2	9.2	1.0	0.0
535	ROYX_075_025a	0.75	0.625	0.375	0.0	0.75	0.599	0.375	0.75	68.9	9.5	1.0	0.0
536	ROYX_075_025a	0.75	0.625	0.375	0.0	0.75	0.625	0.375	0.75	70.5	9.0	1.0	0.0
537	B50K_075_012a	0.75	0.625	0.375	0.0	0.75	0.625	0.375	0.75	69.7	5.9	1.0	0.0
538	B25K_100_037a	0.75	0.625	0.375	0.0	0.75	0.625	0.375	0.75	69.8	5.8	1.0	0.0
539	B13K_100_037a	0.75	0.625	0.375	0.0	0.75	0.625	0.375	0.75	72.0	5.4	1.0	0.0
540	Y06G_075_075a	0.75	0.75	0.0	0.75	0.659	0.0	0.75	0.75	67.8	67.8	1.0	0.0
541	Y06G_075_062a	0.75	0.75	0.125	0.0	0.75	0.674	0.125	0.75	68.3	68.3	1.0	0.0
542	Y06G_075_050a	0.75	0.75	0.25	0.0	0.75	0.689	0.25	0.75	68.5	68.5	1.0	0.0
543	Y06G_075_037a	0.75	0.75	0.375	0.0	0.75	0.719	0.375	0.75	71.3	71.3	1.0	0.0
544	Y06G_075_025a	0.75	0.75	0.625	0.0	0.75	0.734	0.625	0.75	74.3	74.3	1.0	0.0
545	Y06G_075_012a	0.75	0.75	0.625	0.0	0.75	0.734	0.625	0.75	74.3	74.3	1.0	0.0
546	ROYX_075_012a	0.75	0.75	0.625	0.0	0.75	0.75	0.625	0.75	77.8	0.0	1.0	0.0
547	B09K_087_012a	0.75	0.75	0.625	0.0	0.75	0.807	0.625	0.75	79.7	0.1	1.0	0.0
548	B09K_100_025a	0.75	0.75	0.625	0.0	0.75	0.864	0.0	0.75	81.7	0.1	1.0	0.0
549	Y13G_087_087a	0.75	0.75	0.0	0.75	0.875	0.0	0.75	0.875	77.9	77.9	1.0	0.0
550	Y18G_087_062a	0.75	0.75	0.125	0.0	0.75	0.875	0.125	0.75	78.4	78.4	1.0	0.0
551	Y18G_087_062a	0.75	0.75	0.125	0.0	0.75	0.875	0.125	0.75	78.4	78.4	1.0	0.0
552	Y23G_087_050a	0.75	0.75	0.25	0.0	0.75	0.875	0.25	0.75	81.2	81.2	1.0	0.0
553	Y31G_087_037a	0.75	0.75	0.375	0.0	0.75	0.875	0.375	0.75	81.2	81.2	1.0	0.0
554	Y50G_087_025a	0.75	0.75	0.625	0.0	0.75	0.875	0.625	0.75	81.2	81.2	1.0	0.0
555	G00B_087_012a	0.75	0.75	0.625	0.0	0.75	0.875	0.625	0.75	81.2	81.2	1.0	0.0
556	G50B_087_012a	0.75	0.75	0.625	0.0	0.75	0.875	0.625	0.75	81.2	81.2	1.0	0.0
557	G73B_100_025a	0.75	0.75	0.625	0.0	0.75	0.961	0.0	0.75	85.0	-4.5	1.0	0.0
558	Y23G_100_087a	0.75	0.75	0.0	0.75	0.605	0.0	0.75	0.605	1.0	0.0	1.0	0.0
559	Y26G_100_087a	0.75	0.75	0.125	0.0	0.75	0.615	0.125	0.75	74.5	-25.0	1.0	0.0
560	Y31G_100_075a	0.75	0.75	0.25	0.0	0.75	0.625	0.25	0.75	75.7	62.1	1.0	0.0
561	Y38G_100_062a	0.75	0.75	0.375	0.0	0.75	0.633	0.375	0.75	77.8	-22.2	1.0	0.0
562	Y60G_100_050a	0.75	0.75	0.5	0.0	0.75	0.661	0.5	0.75	79.1	-20.1	1.0	0.0
563	Y68G_100_037a	0.75	0.75	0.625	0.0	0.75	0.694	0.625	0.75	80.9	-19.4	1.0	0.0
564	G00B_100_025a	0.75	0.75	0.625	0.0	0.75	0.787	0.625	0.75	84.3	-15.5	1.0	0.0
565	G25B_100_025a	0.75	0.75	0.625	0.0	0.75	0.787	0.625	0.75	84.3	-15.5	1.0	0.0
566	G50B_100_025a	0.75	0.75	0.625	0.0	0.75	0.936	0.0	0.75	85.4	-9.0	1.0	0.0

RII801L-78N_2633-F

grafico TUB-RII8; codice di tinte: H*_e=B00R_e
colori e la differenza, ΔE*
immettere: rgb/cmyk -> rgbe
uscita: trasferire a cmy0_e

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RII8/RII8.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	LabCH*Fe	DF*Fe	Hs*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	LabCH*Fe	0.0	0.0	0.0	0.0
729	NV_100k	0.875	1.0	1.0	0.125	0.937	360	1.0	0.875	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
730	G50B_100.012k	0.75	1.0	1.0	0.025	0.875	360	1.0	0.75	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
731	G50B_100.025k	0.625	1.0	1.0	0.05	0.812	360	1.0	0.625	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
732	G50B_100.037k	0.5	1.0	1.0	0.075	0.75	360	1.0	0.5	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
733	G50B_100.050k	0.375	1.0	1.0	0.1	0.687	360	1.0	0.375	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
734	G50B_100.062k	0.25	1.0	1.0	0.125	0.625	360	1.0	0.25	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
735	G50B_100.075k	0.125	1.0	1.0	0.15	0.562	360	1.0	0.125	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
736	G50B_100.087k	0.0	1.0	1.0	0.175	0.5	360	1.0	0.0	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
737	G50B_100.101k	0.0	1.0	1.0	0.2	0.437	360	1.0	0.0	1.0	1.0	95.5	1.0	1.0	1.0	1.0	1.0	95.5
738	ROY_100.012k	0.875	0.875	0.875	0.125	0.937	390	1.0	0.875	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
739	NV_087k	0.875	0.875	0.875	0.025	0.875	360	1.0	0.875	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
740	G50B_087.012k	0.75	0.875	0.875	0.05	0.812	360	1.0	0.75	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
741	G50B_087.025k	0.625	0.875	0.875	0.075	0.75	360	1.0	0.625	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
742	G50B_087.037k	0.5	0.875	0.875	0.1	0.687	360	1.0	0.5	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
743	G50B_087.050k	0.375	0.875	0.875	0.125	0.625	360	1.0	0.375	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
744	G50B_087.062k	0.25	0.875	0.875	0.15	0.562	360	1.0	0.25	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
745	G50B_087.075k	0.125	0.875	0.875	0.175	0.5	360	1.0	0.125	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
746	G50B_087.087k	0.0	0.875	0.875	0.2	0.437	360	1.0	0.0	0.875	0.875	95.5	1.0	1.0	1.0	1.0	1.0	95.5
747	ROY_100.012k	0.875	0.75	0.75	0.125	0.875	390	1.0	0.875	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
748	ROY_100.025k	0.75	0.75	0.75	0.025	0.812	360	1.0	0.75	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
749	NV_075k	0.625	0.75	0.75	0.05	0.75	360	1.0	0.625	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
750	G50B_075.012k	0.5	0.75	0.75	0.075	0.687	360	1.0	0.5	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
751	G50B_075.025k	0.375	0.75	0.75	0.1	0.625	360	1.0	0.375	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
752	G50B_075.037k	0.25	0.75	0.75	0.125	0.562	360	1.0	0.25	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
753	G50B_075.050k	0.125	0.75	0.75	0.15	0.5	360	1.0	0.125	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
754	G50B_075.062k	0.0	0.75	0.75	0.175	0.437	360	1.0	0.0	0.75	0.75	95.5	1.0	1.0	1.0	1.0	1.0	95.5
755	ROY_100.037k	1.0	0.625	0.625	0.1	0.625	390	1.0	1.0	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
756	ROY_100.050k	0.875	0.625	0.625	0.025	0.562	360	1.0	0.875	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
757	ROY_100.062k	0.75	0.625	0.625	0.05	0.5	360	1.0	0.75	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
758	NV_062k	0.625	0.625	0.625	0.075	0.437	360	1.0	0.625	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
759	G50B_062.012k	0.5	0.625	0.625	0.1	0.375	360	1.0	0.5	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
760	G50B_062.025k	0.375	0.625	0.625	0.125	0.312	360	1.0	0.375	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
761	G50B_062.037k	0.25	0.625	0.625	0.15	0.25	360	1.0	0.25	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
762	G50B_062.050k	0.125	0.625	0.625	0.175	0.187	360	1.0	0.125	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
763	G50B_062.062k	0.0	0.625	0.625	0.2	0.125	360	1.0	0.0	0.625	0.625	95.5	1.0	1.0	1.0	1.0	1.0	95.5
764	ROY_100.050k	1.0	0.5	0.5	0.1	0.5	390	1.0	1.0	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
765	ROY_100.062k	0.875	0.5	0.5	0.025	0.437	360	1.0	0.875	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
766	ROY_100.075k	0.75	0.5	0.5	0.05	0.375	360	1.0	0.75	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
767	ROY_100.087k	0.625	0.5	0.5	0.075	0.312	360	1.0	0.625	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
768	NV_050k	0.625	0.5	0.5	0.1	0.25	360	1.0	0.625	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
769	G50B_050.012k	0.5	0.5	0.5	0.125	0.187	360	1.0	0.5	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
770	G50B_050.025k	0.375	0.5	0.5	0.15	0.125	360	1.0	0.375	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
771	G50B_050.037k	0.25	0.5	0.5	0.175	0.062	360	1.0	0.25	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
772	G50B_050.050k	0.125	0.5	0.5	0.2	0.0	360	1.0	0.125	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
773	G50B_050.062k	0.0	0.5	0.5	0.225	0.0	360	1.0	0.0	0.5	0.5	95.5	1.0	1.0	1.0	1.0	1.0	95.5
774	ROY_100.062k	1.0	0.375	0.375	0.1	0.375	390	1.0	1.0	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
775	ROY_100.075k	0.875	0.375	0.375	0.025	0.312	360	1.0	0.875	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
776	ROY_100.087k	0.75	0.375	0.375	0.05	0.25	360	1.0	0.75	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
777	ROY_100.090k	0.625	0.375	0.375	0.075	0.187	360	1.0	0.625	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
778	ROY_100.101k	0.5	0.375	0.375	0.1	0.125	360	1.0	0.5	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
779	NV_037k	0.375	0.375	0.375	0.125	0.062	360	1.0	0.375	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
780	G50B_037.012k	0.25	0.375	0.375	0.15	0.0	360	1.0	0.25	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
781	G50B_037.025k	0.125	0.375	0.375	0.175	0.0	360	1.0	0.125	0.375	0.375	95.5	1.0	1.0	1.0	1.0	1.0	95.5
782	ROY_100.075k	1.0	0.25	0.25	0.1	0.25	390	1.0	1.0	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
783	ROY_100.090k	0.875	0.25	0.25	0.025	0.187	360	1.0	0.875	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
784	ROY_100.101k	0.75	0.25	0.25	0.05	0.125	360	1.0	0.75	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
785	G50B_025.012k	0.625	0.25	0.25	0.075	0.062	360	1.0	0.625	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
786	G50B_025.025k	0.5	0.25	0.25	0.1	0.0	360	1.0	0.5	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
787	G50B_025.037k	0.375	0.25	0.25	0.125	0.0	360	1.0	0.375	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
788	ROY_080.012k	1.0	0.125	0.125	0.025	0.125	390	1.0	1.0	0.125	0.125	95.5	1.0	1.0	1.0	1.0	1.0	95.5
789	NV_025k	0.125	0.25	0.25	0.05	0.062	360	1.0	0.125	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
790	G50B_025.012k	0.0	0.25	0.25	0.075	0.0	360	1.0	0.0	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
791	G50B_025.025k	0.0	0.25	0.25	0.1	0.0	360	1.0	0.0	0.25	0.25	95.5	1.0	1.0	1.0	1.0	1.0	95.5
792	ROY_100.087k	1.0	0.125	0.125	0.025	0.125	390	1.0	1.0	0.125	0.125	95.5	1.0	1.0	1.0	1.0	1.0	95.5
793	ROY_100.101k	0.875	0.125	0.125	0.05	0.062	360	1.0	0.875	0.125	0.125	95.5	1.0	1.0	1.0	1.0	1.0	95.5
794	ROY_075.062k	0.75	0.125	0.125	0.075	0.0	360	1.0	0.75	0.125	0.125	95.5	1.0	1.0	1.0	1.0	1.0	95.5
795	ROY_062.050k	0.625	0.125	0.125	0.1	0.0	360	1.0	0.625	0.125	0.125	95.5	1.0	1.0	1.0	1.0	1.0	95.5
796	ROY_050.037k	0.5	0.125	0.125	0.125	0.0	360	1.0	0.5	0.125	0.125	95.5	1.0	1.0				

Table with 10 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabC*Fe, LabCh*Fe, DF*Fe, HaMe, rpb*Me, LabCh*Me, LabC*Me, and delta E*ab. It contains 890 rows of color calibration data.

immettere: rgb/cmyk -> rgbe uscita: trasferire a cmy0e

grafico TUB-RII8; codice di tinte: H*_e=B00R_e colori e la differenza, ΔE*

RII801L-7N, 3033-F

4-0132931-F0

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	rgb*Fe	LabCh*Fe	DF*Fe	rgb*Fe	LabCh*Fe	DF*Fe	rgb*Fe	LabCh*Fe	DF*Fe	rgb*Fe	LabCh*Fe	DF*Fe						
891	NW_100k	1.0	1.0	1.0	0.937	360	95.6	1.0	1.0	95.6	111.4	1.0	1.0	360	0.0	0.0	0.0	1.0	1.0	95.6	0.0	0.0	360			
892	NW_100k	1.0	0.875	1.0	0.125	0.937	95.6	1.0	0.875	1.0	348.2	1.0	0.875	1.0	0.0	0.0	0.0	1.0	0.875	1.0	95.6	0.0	0.0	360		
893	B50R_100.025k	1.0	0.75	1.0	0.25	0.875	330	0.915	1.0	87.5	5.9	0.0	0.0	6.9	328.6	0.0	0.0	0.0	1.0	0.75	1.0	90.7	0.0	0.0	360	
894	B50R_100.037k	1.0	0.625	1.0	0.375	0.812	330	0.845	1.0	79.5	11.9	0.0	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.625	1.0	84.2	0.0	0.0	360	
895	B50R_100.050k	1.0	0.5	1.0	0.5	0.75	330	0.765	1.0	71.9	17.9	0.0	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.5	1.0	78.5	0.0	0.0	360	
896	B50R_100.062k	1.0	0.375	1.0	0.625	0.687	330	0.66	1.0	63.3	23.8	0.0	0.0	27.9	328.6	0.0	0.0	0.0	1.0	0.375	1.0	70.6	0.0	0.0	360	
897	B50R_100.075k	1.0	0.25	1.0	0.75	0.625	330	0.576	1.0	55.3	29.8	0.0	0.0	34.9	328.6	0.0	0.0	0.0	1.0	0.25	1.0	63.5	0.0	0.0	360	
898	B50R_100.087k	1.0	0.125	1.0	0.875	0.562	330	0.491	1.0	47.2	35.8	0.0	0.0	41.9	328.6	0.0	0.0	0.0	1.0	0.125	1.0	58.1	0.0	0.0	360	
899	B50R_100.101k	1.0	0.0	1.0	1.0	0.5	330	0.406	1.0	39.1	41.8	0.0	0.0	48.9	328.6	0.0	0.0	0.0	1.0	0.0	1.0	50.3	0.0	0.0	360	
900	GOB1_100.012k	0.875	1.0	0.875	1.0	0.125	0.937	150	0.875	1.0	90.9	1.0	0.875	1.0	0.0	0.0	0.0	1.0	0.875	1.0	90.9	0.0	0.0	360		
901	NW_087k	0.875	0.875	0.875	0.875	0.875	360	0.779	0.875	86.7	5.9	0.0	0.0	6.9	328.6	0.0	0.0	0.0	1.0	0.875	0.875	86.7	0.0	0.0	360	
902	B50R_087.012k	0.875	0.75	0.875	0.875	0.125	0.812	330	0.705	0.625	87.5	70.5	11.9	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.75	0.875	80.1	0.0	0.0	360
903	B50R_087.025k	0.875	0.625	0.875	0.875	0.25	0.75	330	0.62	0.5	87.5	76.5	17.9	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.625	0.875	74.6	0.0	0.0	360
904	B50R_087.037k	0.875	0.5	0.875	0.875	0.375	0.687	330	0.535	0.375	87.5	84.4	23.8	0.0	27.9	328.6	0.0	0.0	0.0	1.0	0.5	0.875	76.5	0.0	0.0	360
905	B50R_087.050k	0.875	0.375	0.875	0.875	0.5	0.625	330	0.451	0.25	87.5	92.8	29.8	0.0	34.9	328.6	0.0	0.0	0.0	1.0	0.375	0.875	80.1	0.0	0.0	360
906	B50R_087.062k	0.875	0.25	0.875	0.875	0.625	0.562	330	0.366	0.125	87.5	100.8	35.8	0.0	41.9	328.6	0.0	0.0	0.0	1.0	0.25	0.875	80.1	0.0	0.0	360
907	B50R_087.075k	0.875	0.125	0.875	0.875	0.75	0.5	330	0.281	0.0	87.5	110.8	41.9	0.0	48.9	328.6	0.0	0.0	0.0	1.0	0.125	0.875	80.1	0.0	0.0	360
908	B50R_087.087k	0.875	0.0	0.875	0.875	0.875	0.437	330	0.2	0.0	87.5	120.8	41.9	0.0	48.9	328.6	0.0	0.0	0.0	1.0	0.0	0.875	80.1	0.0	0.0	360
909	GOB1_100.012k	0.75	1.0	0.75	1.0	0.25	0.812	150	0.75	1.0	85.6	1.0	0.75	1.0	0.0	0.0	0.0	1.0	0.75	1.0	85.6	0.0	0.0	360		
910	GOB1_100.025k	0.75	0.875	0.75	0.875	0.125	0.812	150	0.665	0.125	87.5	81.1	17.9	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.875	0.75	81.1	0.0	0.0	360
911	NW_075k	0.75	0.75	0.75	0.75	0.75	360	0.562	0.625	77.5	77.8	0.0	0.0	6.9	328.6	0.0	0.0	0.0	1.0	0.75	0.75	77.5	0.0	0.0	360	
912	B50R_075.012k	0.75	0.625	0.75	0.75	0.125	0.687	330	0.48	0.5	77.5	86.7	17.9	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.625	0.75	80.1	0.0	0.0	360
913	B50R_075.025k	0.75	0.5	0.75	0.75	0.25	0.625	330	0.395	0.375	77.5	95.6	23.8	0.0	17.9	328.6	0.0	0.0	0.0	1.0	0.5	0.75	80.1	0.0	0.0	360
914	B50R_075.037k	0.75	0.375	0.75	0.75	0.375	0.562	330	0.31	0.25	77.5	104.8	29.8	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.375	0.75	80.1	0.0	0.0	360
915	B50R_075.050k	0.75	0.25	0.75	0.75	0.5	0.5	330	0.226	0.125	77.5	114.8	35.8	0.0	27.9	328.6	0.0	0.0	0.0	1.0	0.25	0.75	80.1	0.0	0.0	360
916	B50R_075.062k	0.75	0.125	0.75	0.75	0.625	0.437	330	0.141	0.0	77.5	124.8	41.9	0.0	34.9	328.6	0.0	0.0	0.0	1.0	0.125	0.75	80.1	0.0	0.0	360
917	B50R_075.075k	0.75	0.0	0.75	0.75	0.75	0.375	330	0.056	0.0	77.5	134.8	41.9	0.0	41.9	328.6	0.0	0.0	0.0	1.0	0.0	0.75	80.1	0.0	0.0	360
918	GOB1_100.037k	0.625	1.0	0.625	1.0	0.375	0.812	150	0.625	1.0	68.1	78.7	23.8	0.0	24.4	328.6	0.0	0.0	0.0	1.0	0.625	1.0	68.1	0.0	0.0	360
919	GOB1_100.050k	0.625	0.875	0.625	0.875	0.25	0.75	150	0.539	0.625	68.2	75.4	29.8	0.0	16.3	328.6	0.0	0.0	0.0	1.0	0.875	0.625	70.0	0.0	0.0	360
920	GOB1_100.062k	0.625	0.75	0.625	0.875	0.125	0.687	150	0.454	0.5	68.2	84.4	35.8	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.75	0.625	70.0	0.0	0.0	360
921	NW_062k	0.625	0.625	0.625	0.625	0.625	360	0.366	0.625	62.5	68.9	0.0	0.0	6.9	328.6	0.0	0.0	0.0	1.0	0.625	0.625	62.5	0.0	0.0	360	
922	B50R_062.012k	0.625	0.5	0.625	0.625	0.125	0.562	330	0.281	0.5	62.5	77.8	17.9	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.5	0.625	62.5	0.0	0.0	360
923	B50R_062.025k	0.625	0.375	0.625	0.625	0.25	0.5	330	0.196	0.375	62.5	86.7	23.8	0.0	17.9	328.6	0.0	0.0	0.0	1.0	0.375	0.625	62.5	0.0	0.0	360
924	B50R_062.037k	0.625	0.25	0.625	0.625	0.375	0.437	330	0.111	0.25	62.5	95.6	29.8	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.25	0.625	62.5	0.0	0.0	360
925	B50R_062.050k	0.625	0.125	0.625	0.625	0.5	0.375	330	0.026	0.125	62.5	104.8	35.8	0.0	27.9	328.6	0.0	0.0	0.0	1.0	0.125	0.625	62.5	0.0	0.0	360
926	B50R_062.062k	0.625	0.0	0.625	0.625	0.625	0.312	330	0.001	0.0	62.5	114.8	41.9	0.0	34.9	328.6	0.0	0.0	0.0	1.0	0.0	0.625	62.5	0.0	0.0	360
927	GOB1_100.050k	0.5	1.0	0.5	1.0	0.5	0.75	150	0.5	1.0	57.5	73.1	31.0	0.0	32.6	328.6	0.0	0.0	0.0	1.0	0.5	1.0	57.5	0.0	0.0	360
928	GOB1_087.037k	0.5	0.875	0.5	0.875	0.375	0.687	150	0.485	0.556	68.2	75.4	35.8	0.0	24.4	328.6	0.0	0.0	0.0	1.0	0.875	0.5	70.0	0.0	0.0	360
929	GOB1_087.050k	0.5	0.75	0.5	0.75	0.25	0.625	150	0.399	0.375	66.5	82.9	41.9	0.0	16.3	328.6	0.0	0.0	0.0	1.0	0.75	0.5	70.0	0.0	0.0	360
930	NW_050k	0.5	0.5	0.5	0.5	0.5	360	0.312	0.5	60.0	0.0	0.0	0.0	6.9	328.6	0.0	0.0	0.0	1.0	0.5	0.5	60.0	0.0	0.0	360	
931	B50R_050.012k	0.5	0.375	0.5	0.5	0.125	0.437	330	0.226	0.375	51.0	51.9	17.9	0.0	13.9	328.6	0.0	0.0	0.0	1.0	0.375	0.5	51.9	0.0	0.0	360
932	B50R_050.025k	0.5	0.25	0.5	0.5	0.25	0.375	330	0.141	0.25	51.9	60.8	23.8	0.0	17.9	328.6	0.0	0.0	0.0	1.0	0.25	0.5	51.9	0.0	0.0	360
933	B50R_050.037k	0.5	0.125	0.5	0.5	0.375	0.312	330	0.056	0.125	51.9	70.8	29.8	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.125	0.5	51.9	0.0	0.0	360
934	B50R_050.050k	0.5	0.0	0.5	0.5	0.5	0.25	330	0.001	0.0	51.9	80.8	35.8	0.0	27.9	328.6	0.0	0.0	0.0	1.0	0.0	0.5	51.9	0.0	0.0	360
935	GOB1_100.050k	0.375	1.0	0.375	1.0	0.625	0.687	150	0.375	1.0	46.9	61.9	14.9	0.0	14.9	328.6	0.0	0.0	0.0	1.0	0.625	1.0	46.9	0.0	0.0	360
936	GOB1_100.062k	0.375	0.875	0.375	0.875	0.5	0.625	150	0.281	0.875	46.9	71.9	20.9	0.0	17.9	328.6	0.0	0.0	0.0	1.0	0.875	0.5	46.9	0.0	0.0	360
937	GOB1_100.075k	0.375	0.75	0.375	0.875	0.375	0.562	150	0.196	0.75	46.9	81.9	26.9	0.0	20.9	328.6	0.0	0.0	0.0	1.0	0.75	0.375	46.9	0.0	0.0	360
938	GOB1_100.087k	0.375	0.625	0.375	0.875	0.25	0.5	150	0.111	0.625	46.9	91.9	32.9	0.0	24.4	328.6	0.0	0.0	0.0	1.0	0.625	0.375	46.9	0.0	0.0	360
939	GOB1_100.101k	0.375	0.5	0.375	0.875	0.125	0.437	150	0.026	0.5	46.9	101.9	38.9	0.0	32.6	328.6	0.0	0.0	0.0	1.0	0.5					

RI1801L

TUB iscrizione: 20130201-RI18/RI18LONP.PDF /.PS

TUB materiale: code=rha4ta

la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 32/33

immettere: rgb/cmyk -> rgbe
uscita: trasferire a cmy0e

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabC*Fe	LabC*Fe	LabC*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabC*Fe	LabC*Fe
972	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	302.0	1.9	-6	1.0	1.0
973	NW_012a	0.125	0.125	0.125	0.0	0.0	23.1	28.1	26.4	10.1	360	1.0	1.0
974	NW_025a	0.25	0.25	0.25	0.0	0.0	0.125	0.125	46.4	10.1	360	1.0	1.0
975	NW_037a	0.375	0.375	0.375	0.0	0.0	0.25	0.25	85.5	15.9	360	1.0	1.0
976	NW_050a	0.5	0.5	0.5	0.0	0.0	0.375	0.375	129.6	21.5	360	1.0	1.0
977	NW_062a	0.625	0.625	0.625	0.0	0.0	0.5	0.5	173.7	27.1	360	1.0	1.0
978	NW_075a	0.75	0.75	0.75	0.0	0.0	0.625	0.625	217.8	32.7	360	1.0	1.0
979	NW_087a	0.875	0.875	0.875	0.0	0.0	0.75	0.75	261.9	38.3	360	1.0	1.0
980	NW_100a	1.0	1.0	1.0	0.0	0.0	0.875	0.875	306.0	43.9	360	1.0	1.0
981	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.7	0.1	360	1.0	1.0
982	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	272.2	2.0	360	1.0	1.0
983	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	418.4	3.4	360	1.0	1.0
984	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	564.6	4.8	360	1.0	1.0
985	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	710.8	6.2	360	1.0	1.0
986	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	857.0	7.6	360	1.0	1.0
987	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1003.2	9.0	360	1.0	1.0
988	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	1149.4	10.4	360	1.0	1.0
989	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	1295.6	11.8	360	1.0	1.0
990	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	339.9	3.6	360	1.0	1.0
991	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	507.9	1.6	360	1.0	1.0
992	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	759.8	3.0	360	1.0	1.0
993	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1011.7	4.4	360	1.0	1.0
994	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1263.6	5.8	360	1.0	1.0
995	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1515.5	7.2	360	1.0	1.0
996	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1767.4	8.6	360	1.0	1.0
997	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	2019.3	10.0	360	1.0	1.0
998	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2271.2	11.4	360	1.0	1.0
999	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	317.5	1.7	360	1.0	1.0
1000	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	491.1	2.8	360	1.0	1.0
1001	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	736.5	4.1	360	1.0	1.0
1002	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	981.9	5.4	360	1.0	1.0
1003	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1227.3	6.7	360	1.0	1.0
1004	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1472.7	8.0	360	1.0	1.0
1005	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1718.1	9.3	360	1.0	1.0
1006	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	1963.5	10.6	360	1.0	1.0
1007	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2208.9	11.9	360	1.0	1.0
1008	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	360	1.0	1.0
1009	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	542.4	4.6	360	1.0	1.0
1010	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	787.8	8.2	360	1.0	1.0
1011	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1033.2	11.7	360	1.0	1.0
1012	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1278.6	15.2	360	1.0	1.0
1013	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1524.0	18.7	360	1.0	1.0
1014	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1769.4	22.2	360	1.0	1.0
1015	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	2014.8	25.7	360	1.0	1.0
1016	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2260.2	29.2	360	1.0	1.0
1017	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	353.3	3.3	360	1.0	1.0
1018	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	527.7	5.2	360	1.0	1.0
1019	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	773.1	8.4	360	1.0	1.0
1020	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1018.5	11.6	360	1.0	1.0
1021	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1263.9	14.8	360	1.0	1.0
1022	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1509.3	18.0	360	1.0	1.0
1023	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1754.7	21.2	360	1.0	1.0
1024	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	1999.1	24.4	360	1.0	1.0
1025	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2244.5	27.6	360	1.0	1.0
1026	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	390.6	3.6	360	1.0	1.0
1027	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	576.0	6.1	360	1.0	1.0
1028	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	821.4	9.2	360	1.0	1.0
1029	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1066.8	12.3	360	1.0	1.0
1030	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1312.2	15.4	360	1.0	1.0
1031	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1557.6	18.5	360	1.0	1.0
1032	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1803.0	21.6	360	1.0	1.0
1033	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	2048.4	24.7	360	1.0	1.0
1034	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2293.8	27.8	360	1.0	1.0
1035	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	448.0	4.4	360	1.0	1.0
1036	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	640.8	5.5	360	1.0	1.0
1037	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	886.6	8.2	360	1.0	1.0
1038	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1132.4	10.7	360	1.0	1.0
1039	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1378.0	13.5	360	1.0	1.0
1040	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1623.6	16.3	360	1.0	1.0
1041	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1869.2	19.1	360	1.0	1.0
1042	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	2114.8	21.9	360	1.0	1.0
1043	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2360.4	24.7	360	1.0	1.0
1044	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	494.4	4.9	360	1.0	1.0
1045	NW_012a	0.125	0.125	0.125	0.0	0.0	0.125	0.125	680.8	5.8	360	1.0	1.0
1046	NW_025a	0.25	0.25	0.25	0.0	0.0	0.25	0.25	927.2	8.4	360	1.0	1.0
1047	NW_037a	0.375	0.375	0.375	0.0	0.0	0.375	0.375	1173.6	10.9	360	1.0	1.0
1048	NW_050a	0.5	0.5	0.5	0.0	0.0	0.5	0.5	1419.0	13.4	360	1.0	1.0
1049	NW_062a	0.625	0.625	0.625	0.0	0.0	0.625	0.625	1664.4	15.9	360	1.0	1.0
1050	NW_075a	0.75	0.75	0.75	0.0	0.0	0.75	0.75	1909.8	18.4	360	1.0	1.0
1051	NW_087a	0.875	0.875	0.875	0.0	0.0	0.875	0.875	2155.2	20.9	360	1.0	1.0
1052	NW_100a	1.0	1.0	1.0	0.0	0.0	1.0	1.0	2400.6	23.3	360	1.0	1.0

RI180-7N, 32/33-F

4-0133131-F0

grafico TUB-RI18; codice di tinte: H*_e=B00R_e
colori e la differenza, ΔE*

immettere: rgb/cmyk -> rgbe
uscita: trasferire a cmy0e

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI18/RI18.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HC*Fe	rgb*Fe	iet*Fe	hs*_Fe	rgb*Fe	LabCIP*Fe	LabCIP*Fe	DF*Fe	HaM*Fe	rgb*Me	LabCIP*Me	0.0
1053	NW_086e	0.866	0.866	0.866	0.866	86.0	86.1	3.7	69.9	3.7	69.9	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	90.8	90.8	1.2	71.6	1.5	71.6	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	95.6	95.6	0.4	1.5	1.5	1.5	0.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.1	114.3	0.1	114.3	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	29.0	29.0	0.7	308.5	0.7	308.5	0.0
1058	NW_013e	0.133	0.133	0.133	0.133	33.8	33.8	0.6	6.5	6.5	6.5	0.0
1059	NW_020e	0.2	0.2	0.2	0.2	38.6	38.6	0.5	9.0	22.4	10.6	0.0
1060	NW_026e	0.266	0.266	0.266	0.266	43.3	43.3	0.8	30.4	13.3	36.0	0.0
1061	NW_033e	0.333	0.333	0.333	0.333	48.1	48.1	0.7	44.7	14.0	36.0	0.0
1062	NW_040e	0.4	0.4	0.4	0.4	52.8	52.8	0.4	40.4	15.5	36.0	0.0
1063	NW_046e	0.466	0.466	0.466	0.466	57.5	57.5	0.4	48.4	14.5	36.0	0.0
1064	NW_053e	0.533	0.533	0.533	0.533	62.3	62.3	0.2	51.6	12.7	36.0	0.0
1065	NW_060e	0.6	0.6	0.6	0.6	67.1	67.1	0.6	56.7	11.5	36.0	0.0
1066	NW_066e	0.666	0.666	0.666	0.666	71.8	71.8	0.6	62.0	8.3	36.0	0.0
1067	NW_073e	0.734	0.734	0.734	0.734	76.6	76.6	0.8	69.4	3.6	36.0	0.0
1068	NW_080e	0.8	0.8	0.8	0.8	81.3	81.3	0.8	57.5	1.5	36.0	0.0
1069	NW_086e	0.866	0.866	0.866	0.866	86.0	86.0	0.8	71.7	1.5	36.0	0.0
1070	NW_093e	0.933	0.933	0.933	0.933	90.8	90.8	1.2	62.0	5.9	36.0	0.0
1071	NW_100e	1.0	1.0	1.0	1.0	95.6	95.6	0.4	71.7	1.5	36.0	0.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.4	0.1	36.0	0.0
1073	ROY_100_100e	1.0	1.0	1.0	1.0	24.3	24.3	0.0	299.2	2.9	36.0	0.0
1074	ROY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	138.7	0.0	36.0	0.0
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	45.6	45.6	0.0	32.8	11.2	37.5	0.0
1076	Y06C_100_100e	0.0	0.0	0.0	0.0	10.0	10.0	0.0	48.8	18.2	19.5	0.0
1077	B06L_100_100e	0.0	0.0	0.0	0.0	83.6	83.6	-41.8	36.0	8.8	8.5	0.0
1078	B08L_100_100e	0.0	0.0	0.0	0.0	40.2	40.2	-10.0	306.6	32.5	24.2	0.0
1079	B50B_100_100e	0.0	0.0	0.0	0.0	50.6	50.6	28.0	71.2	159.8	45.2	0.0
1079	B50B_100_100e	1.0	1.0	1.0	1.0	31.1	45.8	-0.2	79.2	0.0	31.1	0.0

delta E** = 10.3

http://130.149.60.45/~farbmetrik/RI18/RI18LONP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 33/33

immettere: rgb/cmyk -> rgbe
uscita: trasferire a cmy0e

grafico TUB-RI18; codice di tinte: H*_e=B00R_e
colori e la differenza, ΔE**

RI180-7N_33/33-F

4-013321-F0