


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 10/360 = 0.02$

$H^*_- = B75R_-$

Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_-
fargetonetekst for fargene på denne siden:
 $H^*_- = B75R_-$
trekantslyshet T^*



ORS18a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$: 48 69 12 70 10

$HIC^*_{-,Ma}$: B75R_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 0.5 1.0 1.0

trekantslyshet T^*

ORS20a; adapterte (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Omfang
 $u^*_{rel} = 92$
%Regularitet
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



se liggende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN42/RN42L0NA.TXT /.PS
anvendelse for måling av display output

TUB-material: code=rh4ta


Input og output: Fjernsyn-Lysfarge-System TLS00a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 352/360 = 0.97$

$H^*_e = B75R_e$

Data for ethvert apparat (d) eller elementærfarge (e):
 HIC^*_e

fargetonetekst for fargene på denne siden:
 $H^*_e = B75R_e$

trekantslyshet T^*



TLS00a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):
 $LabCh^*_{e, Ma}: 52\ 83\ -11\ 84\ 352$

$HIC^*_{e, Ma}: B75R_100_100_e$



$rgbic^*_{e, Ma}$:

1.0 0.0 0.61 1.0 1.0

trekantslyshet T^*

TLS00a; adapterte (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352


%Omfang
 $u^*_{rel} = 158$
%Regularitet
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



se liggende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN42/RN42L0NA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta




Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; seks fargetonevinkler til apparatfargene RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; seks fargetonevinkler til elementærfargene RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
 $LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$
 $LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$
 $LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



$O=R_d$
 $LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$


$M=M_d$
 $LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$
 $LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e
 $LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e
 $LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e
 $LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$



R_e
 $LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$


M_e
 $LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

B_e
 $LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

Y_s
 $LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s
 $LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

C_s
 $LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$



R_s
 $LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s
 $LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

B_s
 $LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$
 $rgb^* \ LCH^*, LAB^*$
 h_{ab}, rgb^*
 $h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)]$ (1)
 $h_{ab,s}$
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (2)
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (3)
 $h_{ab,e}$
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (4)
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (5)
 $h_{ab}, h_{ab,d}$
 rgb^*_{de}


se liggende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a_{dd64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^a_{dsx361M}, LAB*_{dsx361M} (x=LabCh). Rows contain numerical data for various color points.



se lignende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	40.0	102.9	136.0	196.4	306.3	328.2	rgb* dex361M	LAB* dex361M	25.5	92.3	162.2	217.7	271.7	328.6	rgb* dd	rgb* ds	rgb* de	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25				
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33				
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42			
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49			
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58			
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66			
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75			
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83			
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92			
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	1.0	0.0	0.967	0.0	90.6	-16.4	89.5	91.0	100			
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109				
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117				
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127				
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135				
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144			
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152			
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162			
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.0	0.778	85.5	-60.6	12.2	61.9	168			
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.0	0.847	85.9	-56.4	4.0	56.7	175			
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.0	0.9	86.2	-53.2	-2.0	53.3	182			
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.0	0.952	86.6	-49.8	-8.3	50.6	189			
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.0	0.997	86.9	-46.3	-13.2	48.3	195			
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203		
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209		
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216		
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223				
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230				
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237				
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244				
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250				
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258				
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271				
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278				
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285				
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292				
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300				
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306				
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314				
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321				
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	0.0	0.0	0.992	57.2	94.2	-57.4	110.3	328				
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	0.0	0.0	0.856	55.4	89.9	-41.4	99.0	335				
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342				
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349				
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352				
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359				
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368				
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376				
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385				

se liggende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for h_{ab,d}, h_{ab,s}, h_{ab,e}, r_gb^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), R_d, r_gb^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), R_s, r_gb^{*}dd361Mi, r_gb^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), R_e, r_gb^{*}dd361Mi, and r_gb^{*}dd361Mi. The table contains 82 rows of data.

se lignende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
anvendelse for måling av display output, ingen separasjon
TUB-material: code=rh4ta

Data til maksimumsfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; seks fargetonevinkler til apparatfargene RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; seks fargetonevinkler til elementærfargene RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb_{ab}^*	dd361Mi	LAB*	dx361Mi (x=LabCh)	rgb_{ab}^*	ds361Mi	LAB*	dsx361Mi (x=LabCh)	rgb_{ab}^*	dd361Mi	rgb_{ab}^*	de361Mi	LAB*	dex361Mi (x=LabCh)	rgb_{ab}^*	dd361Mi	rgb_{ab}^*	dd361Mi	rgb_{ab}^*	dd361Mi	rgb_{ab}^*	ds	rgb_{ab}^*	ds	rgb_{ab}^*	ds	rgb_{ab}^*	ds	
82	75	75	1.0	0.75	0.0	77.2 9.8 79.7 80.4 82	1.0	0.667	0.0	72.5 20.6 77.0 79.7 75	1.0	0.75	0.0	1.0	0.673	0.0	72.8 19.8 77.3 79.8 75	1.0	0.75	0.0	1.0	0.75	0.0								
84	76	76	1.0	0.766	0.0	78.2 7.8 80.6 81.0 84	1.0	0.677	0.0	73.1 19.3 77.4 79.8 76	1.0	0.767	0.0	1.0	0.685	0.0	73.5 18.3 77.7 79.9 76	1.0	0.767	0.0	1.0	0.767	0.0								
85	77	77	1.0	0.783	0.0	79.2 5.8 81.4 81.7 85	1.0	0.688	0.0	73.7 18.0 77.8 79.9 77	1.0	0.783	0.0	1.0	0.696	0.0	74.2 16.9 78.2 80.0 77	1.0	0.783	0.0	1.0	0.783	0.0								
87	78	78	1.0	0.8	0.0	80.2 3.8 82.2 82.3 87	1.0	0.698	0.0	74.3 16.6 78.2 80.0 78	1.0	0.8	0.0	1.0	0.708	0.0	74.8 15.3 78.6 80.1 78	1.0	0.8	0.0	1.0	0.8	0.0								
88	79	80	1.0	0.816	0.0	81.2 1.7 82.9 83.0 88	1.0	0.708	0.0	74.9 15.3 78.6 80.1 79	1.0	0.817	0.0	1.0	0.72	0.0	75.5 13.8 78.9 80.1 80	1.0	0.817	0.0	1.0	0.817	0.0								
90	80	81	1.0	0.833	0.0	82.2 -0.3 83.6 83.6 90	1.0	0.719	0.0	75.5 13.9 78.9 80.1 80	1.0	0.833	0.0	1.0	0.731	0.0	76.2 12.3 79.3 80.2 81	1.0	0.833	0.0	1.0	0.833	0.0								
91	81	82	1.0	0.85	0.0	83.3 -2.5 84.2 84.3 91	1.0	0.729	0.0	76.1 12.6 79.2 80.2 81	1.0	0.85	0.0	1.0	0.743	0.0	76.8 10.8 79.6 80.3 82	1.0	0.85	0.0	1.0	0.85	0.0								
93	82	83	1.0	0.866	0.0	84.3 -4.6 84.8 84.9 93	1.0	0.74	0.0	76.7 11.2 79.5 80.3 82	1.0	0.867	0.0	1.0	0.755	0.0	77.5 9.3 80.1 80.6 83	1.0	0.867	0.0	1.0	0.867	0.0								
94	83	84	1.0	0.883	0.0	85.3 -6.7 85.5 85.8 94	1.0	0.75	0.0	77.3 9.8 79.8 80.4 83	1.0	0.883	0.0	1.0	0.768	0.0	78.3 7.8 80.7 81.1 84	1.0	0.883	0.0	1.0	0.883	0.0								
95	84	85	1.0	0.9	0.0	86.3 -8.5 86.4 86.8 95	1.0	0.762	0.0	78.0 8.5 80.4 80.9 84	1.0	0.9	0.0	1.0	0.78	0.0	79.1 6.2 81.4 81.6 85	1.0	0.9	0.0	1.0	0.9	0.0								
96	85	86	1.0	0.916	0.0	87.4 -10.5 87.2 87.8 96	1.0	0.773	0.0	78.7 7.1 81.0 81.3 85	1.0	0.917	0.0	1.0	0.793	0.0	79.9 4.7 82.0 82.1 86	1.0	0.917	0.0	1.0	0.917	0.0								
98	86	87	1.0	0.933	0.0	88.4 -12.4 88.0 88.9 98	1.0	0.785	0.0	79.3 5.7 81.6 81.8 86	1.0	0.933	0.0	1.0	0.806	0.0	80.6 3.1 82.5 82.6 87	1.0	0.933	0.0	1.0	0.933	0.0								
99	87	88	1.0	0.95	0.0	89.5 -14.4 88.7 89.9 99	1.0	0.796	0.0	80.0 4.3 82.1 82.2 87	1.0	0.95	0.0	1.0	0.819	0.0	81.4 1.5 83.1 83.1 88	1.0	0.95	0.0	1.0	0.95	0.0								
100	88	90	1.0	0.966	0.0	90.5 -16.5 89.4 91.0 100	1.0	0.808	0.0	80.7 2.9 82.6 82.7 88	1.0	0.967	0.0	1.0	0.831	0.0	82.2 0.0 83.6 83.6 90	1.0	0.967	0.0	1.0	0.967	0.0								
101	89	91	1.0	0.983	0.0	91.6 -18.5 90.1 92.0 101	1.0	0.819	0.0	81.4 1.5 83.1 83.1 89	1.0	0.983	0.0	1.0	0.844	0.0	83.0 -1.7 84.1 84.1 91	1.0	0.983	0.0	1.0	0.983	0.0								
102	90	92	1.0	1.0	0.0	92.6 -20.7 90.7 93.0 102	Y_d 1.0	0.831	0.0	82.1 0.0 83.5 83.5 90	Y_s 1.0	1.0	0.0	1.0	0.857	0.0	83.7 -3.3 84.5 84.6 92	Y_e 1.0	1.0	0.0	1.0	1.0	0.0								
103	91	93	0.983	1.0	0.0	92.3 -22.3 90.5 93.2 103	1.0	0.842	0.0	82.8 -1.4 84.0 84.0 91	0.983	1.0	0.0	1.0	0.87	0.0	84.5 -5.1 84.9 85.1 93	0.983	1.0	0.0	1.0	0.983	1.0	0.0							
104	92	94	0.966	1.0	0.0	92.0 -24.0 90.2 93.3 104	1.0	0.853	0.0	83.5 -2.8 84.4 84.4 92	0.967	1.0	0.0	1.0	0.886	0.0	85.5 -6.9 85.7 85.9 94	0.967	1.0	0.0	1.0	0.967	1.0	0.0							
105	93	95	0.95	1.0	0.0	91.7 -25.6 89.9 93.5 105	1.0	0.865	0.0	84.2 -4.3 84.8 84.9 93	0.95	1.0	0.0	1.0	0.902	0.0	86.5 -8.7 86.5 87.0 95	0.95	1.0	0.0	1.0	0.95	1.0	0.0							
106	94	96	0.933	1.0	0.0	91.4 -27.3 89.5 93.6 106	1.0	0.877	0.0	84.9 -5.9 85.2 85.4 94	0.933	1.0	0.0	1.0	0.918	0.0	87.5 -10.6 87.3 88.0 96	0.933	1.0	0.0	1.0	0.933	1.0	0.0							
108	95	98	0.916	1.0	0.0	91.1 -28.9 89.1 93.7 108	1.0	0.891	0.0	85.8 -7.4 85.9 86.3 95	0.917	1.0	0.0	1.0	0.934	0.0	88.5 -12.5 88.1 89.0 98	0.917	1.0	0.0	1.0	0.917	1.0	0.0							
109	96	99	0.9	1.0	0.0	90.8 -30.6 88.7 93.9 109	1.0	0.904	0.0	86.7 -9.0 86.6 87.1 96	0.9	1.0	0.0	1.0	0.951	0.0	89.6 -14.4 88.8 90.0 99	0.9	1.0	0.0	1.0	0.9	1.0	0.0							
110	97	100	0.883	1.0	0.0	90.5 -32.2 88.3 94.0 110	1.0	0.918	0.0	87.5 -10.6 87.3 88.0 97	0.883	1.0	0.0	1.0	0.967	0.0	90.6 -16.4 89.5 91.0 100	0.883	1.0	0.0	1.0	0.883	1.0	0.0							
111	98	101	0.866	1.0	0.0	90.3 -33.8 88.0 94.3 111	1.0	0.932	0.0	88.4 -12.3 88.0 88.9 98	0.867	1.0	0.0	1.0	0.983	0.0	91.6 -18.5 90.1 92.0 101	0.867	1.0	0.0	1.0	0.867	1.0	0.0							
111	99	102	0.85	1.0	0.0	90.0 -35.4 87.7 94.6 111	1.0	0.946	0.0	89.3 -13.9 88.6 89.7 99	0.85	1.0	0.0	1.0	0.999	0.0	92.6 -20.5 90.7 93.0 102	0.85	1.0	0.0	1.0	0.85	1.0	0.0							
112	100	103	0.833	1.0	0.0	89.8 -37.0 87.5 95.0 112	1.0	0.96	0.0	90.2 -15.6 89.2 90.6 100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3 -22.4 90.5 93.2 103	0.833	1.0	0.0	1.0	0.833	1.0	0.0						
113	101	105	0.816	1.0	0.0	89.5 -38.6 87.2 95.4 113	1.0	0.974	0.0	91.0 -17.4 89.8 91.5 101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0 -24.3 90.2 93.4 105	0.817	1.0	0.0	1.0	0.817	1.0	0.0						
114	102	106	0.8	1.0	0.0	89.3 -40.1 86.9 95.7 114	1.0	0.988	0.0	91.9 -19.1 90.3 92.3 102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7 -26.1 89.8 93.6 106	0.8	1.0	0.0	1.0	0.8	1.0	0.0						
115	103	107	0.783	1.0	0.0	89.0 -41.7 86.6 96.1 115	0.998	1.0	0.0	92.6 -20.8 90.7 93.1 103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3 -28.0 89.4 93.7 107	0.783	1.0	0.0	1.0	0.783	1.0	0.0						
116	104	108	0.766	1.0	0.0	88.7 -43.3 86.2 96.5 116	0.981	1.0	0.0	92.3 -22.5 90.5 93.2 104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0 -29.9 89.0 93.9 108	0.767	1.0	0.0	1.0	0.767	1.0	0.0						
117	105	109	0.75	1.0	0.0	88.5 -44.9 85.8 96.8 117	0.965	1.0	0.0	92.0 -24.1 90.2 93.4 105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7 -31.7 88.5 94.0 109	0.75	1.0	0.0	1.0	0.75	1.0	0.0						
118	106	110	0.733	1.0	0.0	88.3 -46.3 85.6 97.4 118	0.949	1.0	0.0	91.8 -25.7 89.9 93.5 106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3 -33.6 88.0 94.3 110	0.733	1.0	0.0	1.0	0.733	1.0	0.0						
119	107	112	0.716	1.0	0.0	88.1 -47.8 85.4 97.9 119	0.933	1.0	0.0	91.5 -27.3 89.6 93.6 107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0 -35.6 87.8 94.7 112	0.717	1.0	0.0	1.0	0.717	1.0	0.0						
120	108	113	0.7	1.0	0.0	87.9 -49.2 85.2 98.4 120	0.917	1.0	0.0	91.2 -28.9 89.2 93.8 108	0.7	1.0	0.0	1.0	0.827	1.0	0.0	89.7 -37.5 87.4 95.2 113	0.7	1.0	0.0	1.0	0.7	1.0	0.0						
120	109	114	0.683	1.0	0.0	87.6 -50.7 84.9 98.9 120	0.901	1.0	0.0	90.9 -30.5 88.8 93.9 109	0.683	1.0	0.0	1.0	0.806	1.0	0.0	89.4 -39.5 87.1 95.7 114	0.683	1.0	0.0	1.0	0.683	1.0	0.0						
121	110	115	0.666	1.0	0.0	87.4 -52.1 84.7 99.4 121	0.884	1.0	0.0	90.6 -32.1 88.4 94.1 110	0.667	1.0	0.0	1.0	0.786	1.0	0.0	89.1 -41.5 86.7 96.1 115	0.667	1.0	0.0	1.0	0.667	1.0	0.0						
122	111	116	0.65	1.0	0.0	87.2 -53.6 84.4 100.0 122	0.868	1.0	0.0	90.3 -33.7 88.0 94.3 111	0.65	1.0	0.0	1.0	0.765	1.0	0.0	88.8 -43.4 86.2 96.6 116	0.65	1.0	0.0	1.0	0.65	1.0	0.0						
123	112	117	0.633	1.0	0.0	87.0 -55.0 84.1 100.5 123	0.85	1.0	0.0	90.1 -35.4 87.8 94.7 112	0.633	1.0	0.0	1.0	0.743	1.0	0.0	88.5 -45.4 85.8 97.1 117	0.633	1.0	0.0	1.0	0.633	1.0	0.0						
123	113	119	0.616	1.0	0.0	86.8 -56.4 83.8 101.0 123	0.832	1.0	0.0	89.8 -37.1 87.5 95.1 113	0.617	1.0	0.0	1.0	0.719	1.0	0.0	88.2 -47.5 85.5 97.9 119	0.617	1.0	0.0	1.0	0.617	1.0	0.0						
124	114	120	0.6	1.0	0.0	86.7 -57.6 83.7 101.6 124	0.814	1.0	0																						

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}																				
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.416	1.0	0.0	0.309	1.0	0.0	84.0	-75.6	80.9	110.8	133	0.416	1.0	0.0
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.366	1.0	0.0	0.1	1.0	0.0	83.7	-82.3	78.0	113.5	136	0.366	1.0	0.0
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.0	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.0	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.316	1.0	0.0	0.0	1.0	0.0	83.8	-80.0	67.0	104.5	140	0.316	1.0	0.0
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.0	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.0	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.266	1.0	0.0	0.0	1.0	0.0	84.0	-77.5	57.3	96.4	143	0.266	1.0	0.0
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.0	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.0	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.0	83.7	-82.1	76.6	112.3	137	0.216	1.0	0.0	0.0	1.0	0.0	84.2	-75.0	48.7	89.5	147	0.216	1.0	0.0
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.0	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.0	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.0	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.0	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.0	83.8	-80.1	67.3	104.7	140	0.166	1.0	0.0	0.0	1.0	0.0	84.5	-72.5	41.0	83.4	150	0.166	1.0	0.0
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.0	83.8	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.0	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.0	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.0	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.0	84.0	-77.9	58.8	97.7	143	0.116	1.0	0.0	0.0	1.0	0.0	84.7	-70.0	34.1	77.9	154	0.116	1.0	0.0
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.0	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.0	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.0	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.0	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.0	84.2	-75.9	51.3	91.7	146	0.066	1.0	0.0	0.0	1.0	0.0	84.9	-67.5	27.9	73.2	157	0.066	1.0	0.0
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.0	84.2	-75.1	48.8	89.7	147	0.049	1.0	0.0	0.0	1.0	0.0	85.0	-66.9	26.1	71.9	158	0.049	1.0	0.0
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.0	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.0	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.0	84.4	-73.5	44.2	85.9	149	0.016	1.0	0.0	0.0	1.0	0.0	85.1	-65.4	22.5	69.2	161	0.016	1.0	0.0
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	0.0	1.0	0.0	84.4	-72.9	42.1	84.3	150	0.0	1.0	0.0	0.0	1.0	0.0	85.2	-64.6	20.7	67.9	162	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.017	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.0	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.033	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.0	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.05	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.0	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.067	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.0	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.083	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.0	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.1	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.0	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.117	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.0	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.133	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.0	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.15	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.0	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15
137	160	171	0.0	1.0	0.166	83.7	-81.6	74.0	110.2	137	0.0	1.0	0.167	85.0	-66.1																	

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, LAB^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{dd}, r_{gb}^{ds}, r_{gb}^{de}. Rows 139-196.

se lignende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_e; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}												
301	255	258	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707 1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25 1.0	0.0	0.69 1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25 1.0
301	256	258	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702 1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233 1.0	0.0	0.685 1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233 1.0
302	257	259	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696 1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217 1.0	0.0	0.68 1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217 1.0
302	258	260	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691 1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2 1.0	0.0	0.675 1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2 1.0
303	259	261	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685 1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183 1.0	0.0	0.67 1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183 1.0
303	260	262	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679 1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167 1.0	0.0	0.665 1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167 1.0
304	261	263	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674 1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15 1.0	0.0	0.66 1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15 1.0
304	262	264	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668 1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133 1.0	0.0	0.655 1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133 1.0
304	263	265	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663 1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117 1.0	0.0	0.65 1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117 1.0
305	264	266	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657 1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1 1.0	0.0	0.645 1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1 1.0
305	265	267	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652 1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083 1.0	0.0	0.64 1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083 1.0
305	266	268	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646 1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067 1.0	0.0	0.635 1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067 1.0
305	267	269	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641 1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05 1.0	0.0	0.63 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05 1.0
305	268	269	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635 1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033 1.0	0.0	0.624 1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033 1.0
306	269	270	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017 1.0	0.0	0.617 1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017 1.0
306	270	271	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624 1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0 1.0	0.0	0.609 1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0 1.0
306	271	272	0.016	0.0 1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615 1.0	59.7	1.0	-55.7	55.9	271	0.0	0.017 0.0 1.0	0.0	0.602 1.0	58.7	2.7	-57.5	57.6	272	0.0	0.017 0.0 1.0
306	272	273	0.033	0.0 1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607 1.0	59.1	2.0	-56.8	56.9	272	0.033	0.0 1.0	0.0	0.594 1.0	58.2	3.7	-58.4	58.6	273	0.033	0.0 1.0
306	273	274	0.05	0.0 1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599 1.0	58.5	3.0	-57.8	58.0	273	0.05	0.0 1.0	0.0	0.586 1.0	57.7	4.8	-59.4	59.7	274	0.05	0.0 1.0
306	274	275	0.066	0.0 1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591 1.0	58.0	4.1	-58.8	59.0	274	0.067	0.0 1.0	0.0	0.578 1.0	57.1	5.8	-60.3	60.7	275	0.067	0.0 1.0
306	275	276	0.083	0.0 1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583 1.0	57.4	5.2	-59.8	60.1	275	0.083	0.0 1.0	0.0	0.57 1.0	56.6	7.0	-61.2	61.7	276	0.083	0.0 1.0
306	276	277	0.1	0.0 1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574 1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0 1.0	0.0	0.563 1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0 1.0
306	277	278	0.116	0.0 1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566 1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0 1.0	0.0	0.555 1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0 1.0
306	278	279	0.133	0.0 1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558 1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0 1.0	0.0	0.547 1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0 1.0
306	279	280	0.15	0.0 1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55 1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0 1.0	0.0	0.539 1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0 1.0
306	280	281	0.166	0.0 1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541 1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0 1.0	0.0	0.531 1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0 1.0
307	281	282	0.183	0.0 1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533 1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0 1.0	0.0	0.524 1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0 1.0
307	282	283	0.2	0.0 1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525 1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0 1.0	0.0	0.516 1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0 1.0
307	283	284	0.216	0.0 1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517 1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0 1.0	0.0	0.508 1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0 1.0
307	284	285	0.233	0.0 1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508 1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0 1.0	0.0	0.5 1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0 1.0
307	285	285	0.25	0.0 1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5 1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0 1.0	0.0	0.488 1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0 1.0
307	286	286	0.266	0.0 1.0	32.9	77.0	-99.2	125.6	307	0.0	0.488 1.0	51.0	20.0	-69.7	72.6	286	0.267	0.0 1.0	0.0	0.476 1.0	50.3	21.6	-71.0	74.3	286	0.267	0.0 1.0
308	287	287	0.283	0.0 1.0	33.2	77.1	-98.6	125.2	308	0.0	0.475 1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0 1.0	0.0	0.464 1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0 1.0
308	288	288	0.3	0.0 1.0	33.6	77.3	-98.1	124.9	308	0.0	0.462 1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0 1.0	0.0	0.452 1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0 1.0
308	289	289	0.316	0.0 1.0	33.9	77.4	-97.5	124.5	308	0.0	0.45 1.0	48.6	25.5	-74.0	78.3	289	0.317	0.0 1.0	0.0	0.44 1.0	48.0	26.9	-75.0	79.8	289	0.317	0.0 1.0
308	290	290	0.333	0.0 1.0	34.3	77.6	-96.9	124.1	308	0.0	0.437 1.0	47.8	27.4	-75.3	80.2	290	0.333	0.0 1.0	0.0	0.428 1.0	47.2	28.8	-76.2	81.6	290	0.333	0.0 1.0
308	291	291	0.35	0.0 1.0	34.6	77.7	-96.3	123.8	308	0.0	0.424 1.0	47.0	29.4	-76.6	82.1	291	0.35	0.0 1.0	0.0	0.416 1.0	46.5	30.7	-77.4	83.6	291	0.35	0.0 1.0
309	292	292	0.366	0.0 1.0	34.9	77.9	-95.7	123.4	309	0.0	0.412 1.0	46.2	31.5	-77.8	84.1	292	0.367	0.0 1.0	0.0	0.404 1.0	45.7	32.7	-78.5	85.2	292	0.367	0.0 1.0
309	293	293	0.383	0.0 1.0	35.3	78.1	-95.1	123.0	309	0.0	0.399 1.0	45.4	33.6	-79.0	86.0	293	0.383	0.0 1.0	0.0	0.392 1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0 1.0
309	294	294	0.4	0.0 1.0	35.8	78.3	-94.3	122.6	309	0.0	0.386 1.0	44.6	35.7	-80.2	87.9	294	0.4	0.0 1.0	0.0	0.38 1.0	44.2	36.8	-80.7	88.8	294	0.4	0.0 1.0
310	295	295	0.416	0.0 1.0	36.3	78.6	-93.5	122.2	310	0.0	0.373 1.0	43.7	38.0	-81.4	89.9	295	0.417	0.0 1.0	0.0	0.364 1.0	43.3	39.2	-82.2	91.2	295	0.417	0.0 1.0
310	296	296	0.433	0.0 1.0	36.7	78.9	-92.7	121.8	310	0.0	0.353 1.0	42.7	40.7	-83.3	92.8	296	0.433	0.0 1.0	0.0	0.345 1.0	42.3	41.7	-84.0	93.9	296	0.433	0.0 1.0
310	297	297	0.45	0.0 1.0	37.2	79.1	-92.0	121.3	310	0.0	0.333 1.0	41.6	43.5	-85.2	95.7	297	0.45	0.0 1.0	0.0	0.327 1.0	41.3	44.4	-85.8	96.7	297	0.45	0.0 1

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}																					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	305	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.287	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	99.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1</										

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 40 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}dd, r_{gb}^{*}ds, r_{gb}^{*}de. Rows 341-400.


se liggende filer: http://130.149.60.45/~farbmetrik/RN42/RN42.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
anvendelse for måling av display output, ingen separasjon
TUB-material: code=rh4ta



TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta




nrf	HC*Fe	rgb_Fe	icr_Fe	hs_Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	DF*Fe	hs*Me	rgb*Me	LabCH*Me	LabCH*Me	rgb*Me	DF*Me
0/648	R00Y_100_100%	1.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	0.0	0.0	0.0	0.0
1/657	R13Y_100_100%	1.0	0.0	0.5	37	1.0	0.0	0.156	50.9	92.9	33.2	1.0	0.0	0.0	0.0
2/666	R25Y_100_100%	1.0	0.0	0.5	37	1.0	0.0	0.156	50.9	92.9	33.2	1.0	0.0	0.0	0.0
3/675	R35Y_100_100%	1.0	0.0	0.5	42	1.0	0.0	0.102	51.3	74.4	64.8	51.3	0.102	0.0	0.0
4/684	R50Y_100_100%	1.0	0.0	0.5	52	1.0	0.358	0.0	57.6	56.9	67.8	57.6	0.358	0.0	0.0
5/693	R63Y_100_100%	1.0	0.0	0.5	68	1.0	0.489	0.0	63.1	42.7	70.8	63.1	0.489	0.0	0.0
6/702	R75Y_100_100%	1.0	0.0	0.5	83	1.0	0.684	0.0	73.5	18.3	77.7	73.5	0.684	0.0	0.0
7/711	R88Y_100_100%	1.0	0.0	0.5	83	1.0	0.767	0.0	78.3	7.7	80.7	78.3	0.767	0.0	0.0
8/720	Y00G_100_100%	1.0	1.0	0.0	90	1.0	0.856	0.0	83.7	-3.4	84.5	83.7	0.856	0.0	0.0
9/639	Y13C_100_100%	0.875	1.0	0.0	90	1.0	0.966	0.0	90.5	-16.5	89.4	90.5	0.966	0.0	0.0
10/558	Y25C_100_100%	0.75	1.0	0.0	104	0.906	1.0	0.0	88.9	-29.9	88.9	93.8	0.906	1.0	0.0
11/477	Y38C_100_100%	0.625	1.0	0.0	112	0.743	1.0	0.0	85.4	-45.5	85.4	97.1	0.743	1.0	0.0
12/396	Y50C_100_100%	0.5	1.0	0.0	120	0.528	1.0	0.0	80.8	-55.7	80.8	105.1	0.528	1.0	0.0
13/315	Y63C_100_100%	0.375	1.0	0.0	136	0.315	1.0	0.0	72.8	-65.2	72.8	118.1	0.315	1.0	0.0
14/234	Y75C_100_100%	0.25	1.0	0.0	143	0.25	1.0	0.0	64.8	-74.4	64.8	136.5	0.25	1.0	0.0
15/153	Y88C_100_100%	0.125	1.0	0.0	143	0.125	1.0	0.0	54.9	-80.7	54.9	154.0	0.125	1.0	0.0
16/72	G00C_100_100%	0.0	1.0	0.0	150	0.0	1.0	0.0	85.1	-64.7	85.1	162.2	0.0	1.0	0.0
17/73	G13C_100_100%	0.0	1.0	0.0	157	0.0	1.0	0.0	85.6	-60.6	85.6	162.2	0.0	1.0	0.0
18/74	G25C_100_100%	0.0	1.0	0.0	164	0.0	1.0	0.0	85.8	-57.1	85.8	162.2	0.0	1.0	0.0
19/75	G38C_100_100%	0.0	1.0	0.0	172	0.0	1.0	0.0	86.2	-52.1	86.2	162.2	0.0	1.0	0.0
20/76	G50C_100_100%	0.0	1.0	0.0	180	0.0	1.0	0.0	86.5	-49.9	86.5	162.2	0.0	1.0	0.0
21/77	G63C_100_100%	0.0	1.0	0.0	188	0.0	1.0	0.0	86.6	-45.9	86.6	162.2	0.0	1.0	0.0
22/78	G75C_100_100%	0.0	1.0	0.0	196	0.0	1.0	0.0	86.9	-42.0	86.9	162.2	0.0	1.0	0.0
23/79	G88C_100_100%	0.0	1.0	0.0	203	0.0	1.0	0.0	87.4	-38.3	87.4	162.2	0.0	1.0	0.0
24/80	C00B_100_100%	0.0	1.0	0.0	210	0.0	1.0	0.0	88.1	-34.2	88.1	162.2	0.0	1.0	0.0
25/71	C13B_100_100%	0.0	1.0	0.0	217	0.0	1.0	0.0	88.8	-30.8	88.8	162.2	0.0	1.0	0.0
26/62	C25B_100_100%	0.0	0.75	1.0	224	0.0	0.829	1.0	74.1	-27.7	74.1	217	0.829	1.0	0.0
27/53	C38B_100_100%	0.0	0.625	1.0	232	0.0	0.796	1.0	72.4	-23.6	72.4	217	0.796	1.0	0.0
28/44	C50B_100_100%	0.0	0.5	1.0	240	0.0	0.715	1.0	69.1	-19.0	69.1	217	0.715	1.0	0.0
29/35	C63B_100_100%	0.0	0.375	1.0	248	0.0	0.638	1.0	67.0	-14.5	67.0	217	0.638	1.0	0.0
30/26	C75B_100_100%	0.0	0.25	1.0	256	0.0	0.685	1.0	64.5	-9.4	64.5	217	0.685	1.0	0.0
31/17	C88B_100_100%	0.0	0.125	1.0	263	0.0	0.649	1.0	62.0	-4.2	62.0	217	0.649	1.0	0.0
32/8	B00M_100_100%	0.0	0.0	1.0	270	0.0	0.609	1.0	59.2	1.7	59.2	217	0.609	1.0	0.0
33/89	B13M_100_100%	0.125	0.0	1.0	277	0.0	0.554	1.0	55.5	9.2	55.5	217	0.554	1.0	0.0
34/170	B25M_100_100%	0.25	0.0	1.0	284	0.0	0.5	1.0	51.8	18.3	51.8	217	0.5	1.0	0.0
35/251	B38M_100_100%	0.375	0.0	1.0	292	0.0	0.404	1.0	45.7	32.7	45.7	217	0.404	1.0	0.0
36/332	B50M_100_100%	0.5	0.0	1.0	300	0.0	0.27	1.0	38.5	52.7	38.5	217	0.27	1.0	0.0
37/413	B63M_100_100%	0.625	0.0	1.0	308	0.0	0.263	1.0	32.8	76.9	32.8	217	0.263	1.0	0.0
38/494	B75M_100_100%	0.75	0.0	1.0	316	0.0	0.638	0.0	1.0	43.2	82.9	316	0.638	0.0	1.0
39/575	B88M_100_100%	0.875	0.0	1.0	323	0.0	0.837	0.0	1.0	50.7	88.7	323	0.837	0.0	1.0
40/656	M00R_100_100%	1.0	0.0	0.0	330	1.0	0.0	0.0	99.1	57.1	94.1	330	1.0	0.0	0.0
41/655	M13R_100_100%	1.0	0.0	0.0	337	1.0	0.0	0.0	85.5	55.4	89.9	330	1.0	0.0	0.0
42/654	M25R_100_100%	1.0	0.0	0.0	344	1.0	0.0	0.0	74.7	54.1	86.7	330	1.0	0.0	0.0
43/653	M38R_100_100%	1.0	0.0	0.0	352	1.0	0.0	0.0	65.2	53.2	84.5	330	1.0	0.0	0.0
44/652	M50R_100_100%	1.0	0.0	0.0	360	1.0	0.0	0.0	61.7	52.9	83.6	330	1.0	0.0	0.0
45/651	M63R_100_100%	1.0	0.0	0.0	368	1.0	0.0	0.0	52.1	52.2	81.8	330	1.0	0.0	0.0
46/650	M75R_100_100%	1.0	0.0	0.0	376	1.0	0.0	0.0	42.9	51.6	80.5	330	1.0	0.0	0.0
47/649	M88R_100_100%	1.0	0.0	0.0	383	1.0	0.0	0.0	34.8	51.2	78.7	330	1.0	0.0	0.0
48/648	R00Y_100_100%	1.0	0.0	0.0	390	1.0	0.0	0.0	26.3	50.9	78.3	330	1.0	0.0	0.0
49/0	NV_00%	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
50/91	NV_01%	0.125	0.0	0.0	360	0.125	0.125	0.0	0.0	0.0	0.0	360	0.125	0.0	0.0
51/182	NV_02%	0.25	0.0	0.0	360	0.25	0.25	0.0	0.0	0.0	0.0	360	0.25	0.0	0.0
52/273	NV_03%	0.375	0.0	0.0	360	0.375	0.375	0.0	0.0	0.0	0.0	360	0.375	0.0	0.0
53/364	NV_04%	0.5	0.0	0.0	360	0.5	0.5	0.0	0.0	0.0	0.0	360	0.5	0.0	0.0
54/455	NV_05%	0.625	0.0	0.0	360	0.625	0.625	0.0	0.0	0.0	0.0	360	0.625	0.0	0.0
55/546	NV_06%	0.75	0.0	0.0	360	0.75	0.75	0.0	0.0	0.0	0.0	360	0.75	0.0	0.0
56/637	NV_08%	0.875	0.0	0.0	360	0.875	0.875	0.0	0.0	0.0	0.0	360	0.875	0.0	0.0
57/728	NV_10%	1.0	0.0	0.0	360	1.0	1.0	0.0	0.0	0.0	0.0	360	1.0	0.0	0.0

input: rgb/cmlyk -> rgb
 output: overføring til rgb


TUB-prøveplanse RN42; farbetoneplan: H*_e=B75Re

RN420-7N_14/29-F

delta E*_{ab} = 26.3



se lignende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

nrf	HC*Fe	rgb_Fe	ict_Fe	hs_Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hs*Me	rgb*Me	LabCH*Me	DF*Me	hs*Me	rgb*Me	LabCH*Me	DF*Me	hs*Me
0/648	ROXY_100_100k	1.0	0.0	0.5	390	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_100k	0.0	0.0	0.5	44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100k	1.0	0.5	0.0	44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/670	R75Y_100_100k	1.0	0.5	0.0	76	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_100k	1.0	0.0	0.5	104	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_100k	0.75	1.0	0.0	104	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_100k	0.5	1.0	0.0	136	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_100k	0.25	1.0	0.0	150	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	CO0B_100_100k	0.0	1.0	0.0	150	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	CO0B_100_100k	0.0	1.0	0.0	150	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G25B_100_100k	0.0	1.0	0.5	180	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/440	G50B_100_100k	0.0	1.0	0.5	210	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/440	G75B_100_100k	0.0	1.0	0.5	240	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100k	0.0	1.0	0.0	270	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100k	0.5	0.0	1.0	300	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/652	B50R_100_100k	1.0	0.0	0.5	330	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100k	1.0	0.0	0.5	360	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	ROXY_100_100k	1.0	0.0	0.5	390	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	ROXY_100_050k	1.0	0.5	0.5	390	1.0	0.5	0.631	73.1	39.1	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
19/706	R50Y_075_050k	1.0	0.75	0.5	390	1.0	0.743	0.5	79.2	21.1	35.4	41.3	58.8	41.3	58.8	41.3	58.8	41.3
20/724	Y00C_100_050k	0.75	1.0	0.5	120	0.764	1.0	0.328	89.5	42.2	42.2	42.2	127.2	42.2	127.2	42.2	127.2	42.2
21/400	G50B_100_050k	0.5	1.0	0.5	150	0.5	0.445	0.0	80.7	31.5	41.4	52.0	102.0	41.4	52.0	102.0	41.4	52.0
22/400	G75B_100_050k	0.5	1.0	0.5	180	0.5	0.584	0.0	77.2	37.1	48.3	58.8	102.0	48.3	58.8	102.0	48.3	58.8
23/692	B50R_100_050k	1.0	0.5	0.5	330	1.0	0.5	0.995	76.3	47.0	28.7	55.1	328.6	47.0	28.7	55.1	328.6	47.0
24/688	ROXY_100_050k	1.0	0.5	0.5	390	1.0	0.5	0.631	73.1	39.1	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
27/506	ROXY_075_050k	0.75	0.25	0.5	390	0.75	0.25	0.381	49.3	39.1	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
28/524	R50Y_075_050k	0.75	0.25	0.5	390	0.75	0.25	0.493	55.4	21.3	35.4	41.3	58.8	41.3	58.8	41.3	58.8	41.3
29/542	Y00C_075_050k	0.75	0.25	0.5	90	0.75	0.678	0.25	65.7	11.7	42.2	42.2	127.2	42.2	127.2	42.2	127.2	42.2
30/380	Y50C_075_050k	0.25	0.75	0.5	120	0.514	0.75	0.25	66.8	31.5	41.4	52.0	102.0	41.4	52.0	102.0	41.4	52.0
31/218	CO0B_075_050k	0.25	0.75	0.5	150	0.25	0.75	0.603	66.4	32.3	41.4	52.0	102.0	41.4	52.0	102.0	41.4	52.0
32/222	G50B_075_050k	0.25	0.75	0.5	210	0.25	0.695	0.75	65.3	10.3	33.9	33.9	162.2	33.9	162.2	33.9	162.2	33.9
33/186	BO0R_075_050k	0.25	0.25	0.5	270	0.25	0.554	0.75	53.4	0.8	-28.3	28.3	271.7	28.3	271.7	28.3	271.7	28.3
34/510	B50R_075_050k	0.75	0.25	0.5	330	0.75	0.25	0.745	52.4	47.0	-28.7	55.1	328.6	47.0	-28.7	55.1	328.6	47.0
35/506	ROXY_075_050k	0.75	0.25	0.5	390	0.75	0.25	0.381	49.3	39.1	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
36/324	ROXY_050_050k	0.5	0.0	0.5	390	0.5	0.131	0.0	25.4	25.4	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
37/342	R50Y_050_050k	0.5	0.25	0.5	60	0.5	0.243	0.0	31.5	21.3	35.4	41.3	58.8	41.3	58.8	41.3	58.8	41.3
38/360	Y00C_050_050k	0.5	0.5	0.5	90	0.5	0.428	0.0	41.8	-11.7	42.2	42.2	127.2	42.2	127.2	42.2	127.2	42.2
39/198	Y50C_050_050k	0.25	0.5	0.5	120	0.264	0.5	0.428	0.0	42.9	-31.5	41.4	52.0	41.4	52.0	102.0	41.4	52.0
40/36	CO0B_050_050k	0.0	0.5	0.5	150	0.0	0.5	0.353	42.5	-32.3	41.4	52.0	102.0	41.4	52.0	102.0	41.4	52.0
41/40	G50B_050_050k	0.0	0.5	0.5	210	0.0	0.445	0.5	39.5	-17.1	-12.8	21.4	216.9	21.4	216.9	21.4	216.9	21.4
42/4	BO0R_050_050k	0.0	0.5	0.5	270	0.0	0.304	0.5	29.6	0.8	-28.3	28.3	271.7	28.3	271.7	28.3	271.7	28.3
43/328	B50R_050_050k	0.5	0.0	0.5	330	0.5	0.0	0.495	28.5	47.0	-28.7	55.1	328.6	47.0	-28.7	55.1	328.6	47.0
44/324	ROXY_050_050k	0.5	0.0	0.5	390	0.5	0.0	0.131	25.4	25.4	18.6	43.3	25.4	43.3	25.4	43.3	25.4	43.3
45/0	NW_00k	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_01k	0.125	0.125	0.125	360	0.125	0.125	0.125	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_02k	0.25	0.25	0.25	360	0.25	0.25	0.25	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_03k	0.375	0.375	0.375	360	0.375	0.375	0.375	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_05k	0.5	0.5	0.5	360	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_06k	0.625	0.625	0.625	360	0.625	0.625	0.625	59.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_08k	0.75	0.75	0.75	360	0.75	0.75	0.75	71.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_08k	0.875	0.875	0.875	360	0.875	0.875	0.875	84.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_10k	1.0	1.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

delta E** = 21.3

http://130.149.60.45/~farbmetrik/RN42/RN42LONA.TXT /.PS; overføring output
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 15/29

input: rgb/cmlyk -> rgb
 output: overføring til rgb

TUB-prøveplanse RN42; farbetoneplan: H*e=B75Re
 farger og fargeavstander, ΔE**

RN420-7N, 15/29-F

5-0131430-F0

se lignende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42LONA.TXT>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

n#	HC*Fe	rgb*Fe	ief*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	ief*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
0	NV.000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BOOR.012.012a	0.0	0.125	0.125	0.062	0.0	0.125	0.125	0.062	0.0	0.0	0.0	0.0	0.0
2	BOOR.025.025a	0.0	0.25	0.25	0.125	0.0	0.125	0.25	0.125	0.0	0.0	0.0	0.0	0.0
3	BOOR.037.037a	0.0	0.375	0.375	0.187	0.0	0.228	0.375	0.187	0.0	0.0	0.0	0.0	0.0
4	BOOR.050.050a	0.0	0.5	0.5	0.25	0.0	0.304	0.5	0.25	0.0	0.0	0.0	0.0	0.0
5	BOOR.062.062a	0.0	0.625	0.625	0.312	0.0	0.38	0.625	0.312	0.0	0.0	0.0	0.0	0.0
6	BOOR.075.075a	0.0	0.75	0.75	0.375	0.0	0.457	0.75	0.375	0.0	0.0	0.0	0.0	0.0
7	BOOR.087.087a	0.0	0.875	0.875	0.437	0.0	0.533	0.875	0.437	0.0	0.0	0.0	0.0	0.0
8	BOOR.100.100a	0.0	1.0	1.0	0.5	0.0	0.609	1.0	0.5	0.0	0.0	0.0	0.0	0.0
9	BOOR.112.012a	0.0	0.125	0.125	0.062	0.0	0.125	0.088	0.106	0.0	0.0	0.0	0.0	0.0
10	G75B.012.012a	0.0	0.125	0.125	0.062	0.0	0.111	0.125	0.062	0.0	0.0	0.0	0.0	0.0
11	G75B.025.025a	0.0	0.125	0.125	0.062	0.0	0.119	0.125	0.062	0.0	0.0	0.0	0.0	0.0
12	G88B.037.037a	0.0	0.125	0.375	0.187	0.0	0.246	0.375	0.187	0.0	0.0	0.0	0.0	0.0
13	G88B.050.050a	0.0	0.125	0.5	0.25	0.0	0.362	0.5	0.25	0.0	0.0	0.0	0.0	0.0
14	G93B.062.062a	0.0	0.125	0.625	0.312	0.0	0.418	0.625	0.312	0.0	0.0	0.0	0.0	0.0
15	G93B.075.075a	0.0	0.125	0.75	0.375	0.0	0.494	0.75	0.375	0.0	0.0	0.0	0.0	0.0
16	G93B.087.087a	0.0	0.125	0.875	0.437	0.0	0.573	0.875	0.437	0.0	0.0	0.0	0.0	0.0
17	G94B.100.100a	0.0	0.125	1.0	0.5	0.0	0.649	1.0	0.5	0.0	0.0	0.0	0.0	0.0
18	G94B.025.025a	0.0	0.25	0.25	0.125	0.0	0.25	0.176	0.121	0.0	0.0	0.0	0.0	0.0
19	G94B.037.037a	0.0	0.25	0.25	0.125	0.0	0.222	0.257	0.121	0.0	0.0	0.0	0.0	0.0
20	G94B.050.050a	0.0	0.25	0.375	0.187	0.0	0.303	0.375	0.187	0.0	0.0	0.0	0.0	0.0
21	G94B.062.062a	0.0	0.25	0.5	0.25	0.0	0.381	0.5	0.25	0.0	0.0	0.0	0.0	0.0
22	G94B.075.075a	0.0	0.25	0.625	0.312	0.0	0.456	0.625	0.312	0.0	0.0	0.0	0.0	0.0
23	G94B.087.087a	0.0	0.25	0.75	0.375	0.0	0.532	0.75	0.375	0.0	0.0	0.0	0.0	0.0
24	G94B.100.100a	0.0	0.25	0.875	0.437	0.0	0.608	0.875	0.437	0.0	0.0	0.0	0.0	0.0
25	G98B.100.100a	0.0	0.25	0.875	0.437	0.0	0.688	0.875	0.437	0.0	0.0	0.0	0.0	0.0
26	G98B.012.012a	0.0	0.375	0.125	0.062	0.0	0.375	0.125	0.062	0.0	0.0	0.0	0.0	0.0
27	G98B.037.037a	0.0	0.375	0.375	0.187	0.0	0.375	0.375	0.187	0.0	0.0	0.0	0.0	0.0
28	G98B.050.050a	0.0	0.375	0.5	0.25	0.0	0.368	0.375	0.21	0.0	0.0	0.0	0.0	0.0
29	G98B.062.062a	0.0	0.375	0.625	0.312	0.0	0.444	0.5	0.25	0.0	0.0	0.0	0.0	0.0
30	G98B.075.075a	0.0	0.375	0.75	0.375	0.0	0.495	0.625	0.312	0.0	0.0	0.0	0.0	0.0
31	G98B.087.087a	0.0	0.375	0.875	0.437	0.0	0.572	0.75	0.375	0.0	0.0	0.0	0.0	0.0
32	G98B.100.100a	0.0	0.375	1.0	0.5	0.0	0.648	0.875	0.437	0.0	0.0	0.0	0.0	0.0
33	G98B.012.012a	0.0	0.5	0.125	0.062	0.0	0.5	0.353	0.22	0.0	0.0	0.0	0.0	0.0
34	G98B.037.037a	0.0	0.5	0.25	0.125	0.0	0.419	0.25	0.125	0.0	0.0	0.0	0.0	0.0
35	G98B.050.050a	0.0	0.5	0.375	0.187	0.0	0.475	0.375	0.187	0.0	0.0	0.0	0.0	0.0
36	G98B.062.062a	0.0	0.5	0.5	0.25	0.0	0.526	0.5	0.25	0.0	0.0	0.0	0.0	0.0
37	G98B.075.075a	0.0	0.5	0.625	0.312	0.0	0.596	0.625	0.312	0.0	0.0	0.0	0.0	0.0
38	G98B.087.087a	0.0	0.5	0.75	0.375	0.0	0.676	0.75	0.375	0.0	0.0	0.0	0.0	0.0
39	G98B.100.100a	0.0	0.5	0.875	0.437	0.0	0.763	0.875	0.437	0.0	0.0	0.0	0.0	0.0
40	G98B.012.012a	0.0	0.625	0.125	0.062	0.0	0.625	0.125	0.062	0.0	0.0	0.0	0.0	0.0
41	G98B.037.037a	0.0	0.625	0.25	0.125	0.0	0.625	0.25	0.125	0.0	0.0	0.0	0.0	0.0
42	G98B.050.050a	0.0	0.625	0.375	0.187	0.0	0.589	0.375	0.187	0.0	0.0	0.0	0.0	0.0
43	G98B.062.062a	0.0	0.625	0.5	0.25	0.0	0.656	0.5	0.25	0.0	0.0	0.0	0.0	0.0
44	G98B.075.075a	0.0	0.625	0.625	0.312	0.0	0.737	0.625	0.312	0.0	0.0	0.0	0.0	0.0
45	G98B.087.087a	0.0	0.625	0.75	0.375	0.0	0.818	0.75	0.375	0.0	0.0	0.0	0.0	0.0
46	G98B.100.100a	0.0	0.625	0.875	0.437	0.0	0.906	0.875	0.437	0.0	0.0	0.0	0.0	0.0
47	G98B.012.012a	0.0	0.75	0.125	0.062	0.0	0.75	0.125	0.062	0.0	0.0	0.0	0.0	0.0
48	G98B.037.037a	0.0	0.75	0.25	0.125	0.0	0.75	0.25	0.125	0.0	0.0	0.0	0.0	0.0
49	G98B.050.050a	0.0	0.75	0.375	0.187	0.0	0.75	0.375	0.187	0.0	0.0	0.0	0.0	0.0
50	G98B.062.062a	0.0	0.75	0.5	0.25	0.0	0.75	0.5	0.25	0.0	0.0	0.0	0.0	0.0
51	G98B.075.075a	0.0	0.75	0.625	0.312	0.0	0.75	0.625	0.312	0.0	0.0	0.0	0.0	0.0
52	G98B.087.087a	0.0	0.75	0.75	0.375	0.0	0.75	0.75	0.375	0.0	0.0	0.0	0.0	0.0
53	G98B.100.100a	0.0	0.75	0.875	0.437	0.0	0.75	0.875	0.437	0.0	0.0	0.0	0.0	0.0
54	G98B.012.012a	0.0	0.875	0.125	0.062	0.0	0.875	0.125	0.062	0.0	0.0	0.0	0.0	0.0
55	G98B.037.037a	0.0	0.875	0.25	0.125	0.0	0.875	0.25	0.125	0.0	0.0	0.0	0.0	0.0
56	G98B.050.050a	0.0	0.875	0.375	0.187	0.0	0.875	0.375	0.187	0.0	0.0	0.0	0.0	0.0
57	G98B.062.062a	0.0	0.875	0.5	0.25	0.0	0.875	0.5	0.25	0.0	0.0	0.0	0.0	0.0
58	G98B.075.075a	0.0	0.875	0.625	0.312	0.0	0.875	0.625	0.312	0.0	0.0	0.0	0.0	0.0
59	G98B.087.087a	0.0	0.875	0.75	0.375	0.0	0.875	0.75	0.375	0.0	0.0	0.0	0.0	0.0
60	G98B.100.100a	0.0	0.875	0.875	0.437	0.0	0.875	0.875	0.437	0.0	0.0	0.0	0.0	0.0
61	G98B.012.012a	0.0	1.0	0.125	0.062	0.0	0.875	0.125	0.062	0.0	0.0	0.0	0.0	0.0
62	G98B.037.037a	0.0	1.0	0.25	0.125	0.0	0.875	0.25	0.125	0.0	0.0	0.0	0.0	0.0
63	G98B.050.050a	0.0	1.0	0.375	0.187	0.0	0.875	0.375	0.187	0.0	0.0	0.0	0.0	0.0
64	G98B.062.062a	0.0	1.0	0.5	0.25	0.0	0.875	0.5	0.25	0.0	0.0	0.0	0.0	0.0
65	G98B.075.075a	0.0	1.0	0.625	0.312	0.0	0.875	0.625	0.312	0.0	0.0	0.0	0.0	0.0
66	G98B.087.087a	0.0	1.0	0.75	0.375	0.0	0.875	0.75	0.375	0.0	0.0	0.0	0.0	0.0
67	G98B.100.100a	0.0	1.0	0.875	0.437	0.0	0.875	0.875	0.437	0.0	0.0	0.0	0.0	0.0
68	G98B.012.012a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
69	G98B.037.037a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
70	G98B.050.050a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
71	G98B.062.062a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
72	G98B.075.075a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
73	G98B.087.087a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
74	G98B.100.100a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
75	G98B.012.012a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
76	G98B.037.037a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
77	G98B.050.050a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
78	G98B.062.062a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
79	G98B.075.075a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0
80	G98B.087.087a	0.0	1.0	1.0	0.5	0.0	0.875	1.0	0.5	0.0	0.0	0.0	0.0	0.0

input: rgb/cmlyk -> rgb
 output: overføring til rgb

TUB-prøveplanse RN42; farbetoneplan: H*e=B75Re
 farger og fargeavstander, ΔE*

5-0131530-F0
 RN420-TN, 16/29-F

se lignende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>





Table with 32 columns: n, HHC%Fe, rpb%Fe, icr%Fe, hsa%Fe, rpb%Fe, LabCH%Fe, LabCH%Fe, rpb%Fe, LabCH%Fe, rpb%Fe, hsa%Fe, DF%Fe, hsa%Fe, rpb%Fe, LabCH%Fe, LabCH%Fe, rpb%Fe, hsa%Fe, rpb%Fe, LabCH%Fe, LabCH%Fe, rpb%Fe, hsa%Fe, DF%Fe, hsa%Fe, rpb%Fe, LabCH%Fe, LabCH%Fe, rpb%Fe, hsa%Fe. The table contains numerical data for various tube types and materials.



input: rgb/cmlyk -> rbg
output: overføring til rbg


input: rbg/cmlyk -> rbg
output: overføring til rbg

input: rbg/cmlyk -> rbg
output: overføring til rbg

input: rbg/cmlyk -> rbg
output: overføring til rbg


input: rbg/cmlyk -> rbg
output: overføring til rbg






TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta




n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	DF*Fe	hsa*Me	rgb*Me	LabCH*Me	LabCH*Me
324	R00Y_050_050k	0.5	0.0	0.131	25.4	43.3	18.6	39.1	58.2	35.7	58.2	37.8	18.5
325	R00Y_050_050k	0.5	0.0	0.214	25.8	40.8	7.0	40.8	20.3	46.0	20.3	46.0	14.9
326	R00Y_050_050k	0.5	0.0	0.308	27.0	41.8	-5.8	42.2	48.8	48.8	48.8	48.8	9.6
327	R00Y_050_050k	0.5	0.0	0.495	28.5	43.1	-14.1	45.6	-18.0	52.0	-18.0	52.0	34.4
328	B50R_062_050k	0.5	0.0	0.625	31.0	45.5	-28.7	51.5	-34.9	56.4	-34.9	56.4	57.4
329	B40R_062_050k	0.5	0.0	0.875	33.6	47.7	-47.7	71.5	-50.3	69.5	-50.3	69.5	85.3
330	B30R_087_050k	0.5	0.0	1.125	36.2	51.1	-69.1	101.1	-67.4	106.8	-67.4	106.8	102.2
331	B20R_087_050k	0.5	0.0	1.375	38.8	52.7	-87.7	104.9	-74.4	120.1	-74.4	120.1	127.4
332	B10R_100_050k	0.5	0.0	1.625	41.4	54.3	-106.2	109.0	-89.7	131.6	-89.7	131.6	149.9
333	R00Y_050_050k	0.5	0.0	0.25	44.0	56.9	32.4	49.3	38.3	54.1	38.3	54.1	64.8
334	R00Y_050_050k	0.5	0.0	0.375	31.2	39.0	2.2	30.5	4.3	41.4	4.3	41.4	6.1
335	R00Y_050_050k	0.5	0.0	0.500	31.4	40.4	7.6	32.9	34.6	41.4	7.6	32.9	8.1
336	B60R_087_050k	0.5	0.0	0.625	32.0	43.0	-7.6	32.9	34.6	41.4	-7.6	32.9	8.1
337	B60R_087_050k	0.5	0.0	0.750	33.2	44.9	-14.3	41.3	32.9	34.6	-14.3	41.3	8.1
338	B60R_087_050k	0.5	0.0	0.875	34.4	46.8	-21.5	41.3	32.9	34.6	-21.5	41.3	8.1
339	B60R_087_050k	0.5	0.0	1.000	35.6	48.7	-28.7	40.9	32.9	34.6	-28.7	40.9	8.1
340	B60R_087_050k	0.5	0.0	1.125	36.8	50.6	-35.9	36.8	31.4	32.9	-35.9	36.8	8.1
341	B60R_087_050k	0.5	0.0	1.250	38.0	52.5	-43.1	32.9	34.6	31.4	-43.1	32.9	8.1
342	R00Y_050_050k	0.5	0.0	0.25	44.0	56.9	32.4	49.3	38.3	54.1	38.3	54.1	64.8
343	R00Y_050_050k	0.5	0.0	0.375	31.2	39.0	2.2	30.5	4.3	41.4	4.3	41.4	6.1
344	R00Y_050_050k	0.5	0.0	0.500	31.4	40.4	7.6	32.9	34.6	41.4	7.6	32.9	8.1
345	R00Y_050_050k	0.5	0.0	0.625	32.0	43.0	-7.6	32.9	34.6	41.4	-7.6	32.9	8.1
346	B60R_087_050k	0.5	0.0	0.750	33.2	44.9	-14.3	41.3	32.9	34.6	-14.3	41.3	8.1
347	B60R_087_050k	0.5	0.0	0.875	34.4	46.8	-21.5	41.3	32.9	34.6	-21.5	41.3	8.1
348	B60R_087_050k	0.5	0.0	1.000	35.6	48.7	-28.7	40.9	32.9	34.6	-28.7	40.9	8.1
349	B60R_087_050k	0.5	0.0	1.125	36.8	50.6	-35.9	36.8	31.4	32.9	-35.9	36.8	8.1
350	B60R_087_050k	0.5	0.0	1.250	38.0	52.5	-43.1	32.9	34.6	31.4	-43.1	32.9	8.1
351	R00Y_050_050k	0.5	0.0	0.25	44.0	56.9	32.4	49.3	38.3	54.1	38.3	54.1	64.8
352	R00Y_050_050k	0.5	0.0	0.375	31.2	39.0	2.2	30.5	4.3	41.4	4.3	41.4	6.1
353	R00Y_050_050k	0.5	0.0	0.500	31.4	40.4	7.6	32.9	34.6	41.4	7.6	32.9	8.1
354	R00Y_050_050k	0.5	0.0	0.625	32.0	43.0	-7.6	32.9	34.6	41.4	-7.6	32.9	8.1
355	B60R_087_050k	0.5	0.0	0.750	33.2	44.9	-14.3	41.3	32.9	34.6	-14.3	41.3	8.1
356	B60R_087_050k	0.5	0.0	0.875	34.4	46.8	-21.5	41.3	32.9	34.6	-21.5	41.3	8.1
357	B60R_087_050k	0.5	0.0	1.000	35.6	48.7	-28.7	40.9	32.9	34.6	-28.7	40.9	8.1
358	B60R_087_050k	0.5	0.0	1.125	36.8	50.6	-35.9	36.8	31.4	32.9	-35.9	36.8	8.1
359	B60R_087_050k	0.5	0.0	1.250	38.0	52.5	-43.1	32.9	34.6	31.4	-43.1	32.9	8.1
360	Y00G_050_050k	0.5	0.5	0.25	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
361	Y00G_050_050k	0.5	0.5	0.375	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
362	Y00G_050_050k	0.5	0.5	0.500	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
363	Y00G_050_050k	0.5	0.5	0.625	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
364	Y00G_050_050k	0.5	0.5	0.750	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
365	Y00G_050_050k	0.5	0.5	0.875	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
366	Y00G_050_050k	0.5	0.5	1.000	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
367	Y00G_050_050k	0.5	0.5	1.125	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
368	Y00G_050_050k	0.5	0.5	1.250	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
369	Y00G_050_050k	0.5	0.5	1.375	90.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
370	Y23G_062_050k	0.5	0.625	0.25	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
371	Y31G_062_050k	0.5	0.625	0.375	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
372	Y50G_062_050k	0.5	0.625	0.500	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
373	G00B_062_050k	0.5	0.625	0.625	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
374	G50B_062_050k	0.5	0.625	0.750	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
375	G84B_087_050k	0.5	0.625	0.875	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
376	G88B_100_050k	0.5	0.625	1.000	104.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
377	Y31G_075_050k	0.5	0.75	0.25	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
378	Y38G_075_050k	0.5	0.75	0.375	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
379	Y46G_075_050k	0.5	0.75	0.500	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
380	Y54G_075_050k	0.5	0.75	0.625	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
381	Y62G_075_050k	0.5	0.75	0.750	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
382	G00B_075_050k	0.5	0.75	0.875	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
383	G28B_075_050k	0.5	0.75	0.9375	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
384	G50B_075_050k	0.5	0.75	1.000	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
385	G68B_087_050k	0.5	0.75	1.0625	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
386	G84B_087_050k	0.5	0.75	1.125	109.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
387	Y41G_087_050k	0.5	0.875	0.25	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
388	Y50G_087_050k	0.5	0.875	0.375	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
389	Y60G_087_050k	0.5	0.875	0.500	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
390	Y70G_087_050k	0.5	0.875	0.625	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
391	G00B_087_050k	0.5	0.875	0.750	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
392	G18B_087_050k	0.5	0.875	0.8125	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
393	G38B_087_050k	0.5	0.875	0.875	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
394	G50B_087_050k	0.5	0.875	0.9375	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
395	G61B_100_050k	0.5	0.875	1.000	115.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
396	Y50G_100_050k	0.5	1.0	0.25	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
397	Y58G_100_050k	0.5	1.0	0.375	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
398	Y68G_100_050k	0.5	1.0	0.500	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
399	Y81G_100_050k	0.5	1.0	0.625	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
400	G00B_100_050k	0.5	1.0	0.750	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
401	G11B_100_050k	0.5	1.0	0.8125	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
402	G38B_100_050k	0.5	1.0	0.875	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
403	G50B_100_050k	0.5	1.0	0.9375	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
404	G50B_100_050k	0.5	1.0	1.000	120.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0

delta E* = 18.8



se lignende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



input: rgb/cmlyk -> rgb
 output: overføring til rgb

TUB-prøveplanse RN42; farbetoneplan: H*e=B75Re
 farger og fargeavstander, ΔE*

5-0131930-F0
 5-0131930-F0

5-0131930-F0
 5-0131930-F0

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

n	HC*Fe	rgb*Fe	icr*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	hsa*Me	rgb*Me	LabCH*Me
648	ROXY_100_100k	1.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
649	R3XY_100_100k	1.0	0.0	0.0	0.0	0.348	51.9	78.3	37.3	86.7	25.4
650	R25Y_100_100k	1.0	0.0	0.0	0.0	0.429	52.6	80.8	14.0	81.7	9.8
651	R13Y_100_100k	1.0	0.0	0.0	0.0	0.521	51.2	81.8	1.3	81.8	9.8
652	ROXY_100_100k	1.0	0.0	0.0	0.0	0.617	52.9	83.6	-11.6	84.4	352.0
653	B68K_100_100k	1.0	0.0	0.0	0.0	0.65	53.2	84.5	-15.7	85.9	349.4
654	B61R_100_100k	1.0	0.0	0.0	0.0	0.747	54.1	86.7	-28.3	91.2	341.8
655	B55K_100_100k	1.0	0.0	0.0	0.0	0.855	55.4	89.9	-41.4	99.0	335.2
656	B50R_100_100k	1.0	0.0	0.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6
657	R11Y_100_100k	1.0	0.0	0.0	0.0	0.156	50.6	77.6	50.9	92.9	33.2
658	ROXY_100_100k	1.0	0.0	0.0	0.0	0.125	53.5	68.8	32.6	75.8	25.4
659	R36Y_100_087k	1.0	0.0	0.0	0.0	0.125	54.4	56.4	69.4	20.6	72.4
660	R23Y_100_087k	1.0	0.0	0.0	0.0	0.125	56.2	38.2	74.4	7.6	71.4
661	ROXY_100_087k	1.0	0.0	0.0	0.0	0.125	61.2	57.8	72.4	2.9	72.4
662	B70R_100_087k	1.0	0.0	0.0	0.0	0.125	65.7	59.1	75.5	-21.9	78.6
663	B63R_100_087k	1.0	0.0	0.0	0.0	0.125	67.3	58.5	33.6	85.6	336.1
664	B56R_100_087k	1.0	0.0	0.0	0.0	0.125	69.2	61.9	82.3	-50.2	96.5
665	B50R_100_087k	1.0	0.0	0.0	0.0	0.125	69.2	61.9	82.3	-50.2	96.5
666	R23Y_100_100k	1.0	0.0	0.0	0.0	0.102	54.0	51.3	74.4	64.8	98.7
667	R13Y_100_087k	1.0	0.0	0.0	0.0	0.125	24.7	56.2	67.7	46.4	82.1
668	ROXY_100_087k	1.0	0.0	0.0	0.0	0.25	44.7	62.0	58.7	27.9	65.0
669	R35Y_100_075k	1.0	0.0	0.0	0.0	0.25	53.9	62.3	59.4	16.4	61.6
670	R18Y_100_075k	1.0	0.0	0.0	0.0	0.25	61.1	63.8	60.8	4.0	4.0
671	B68K_100_075k	1.0	0.0	0.0	0.0	0.25	67.13	62.8	62.8	-8.7	63.3
672	B63R_100_075k	1.0	0.0	0.0	0.0	0.25	70.94	64.0	64.1	-13.2	65.9
673	B58R_100_075k	1.0	0.0	0.0	0.0	0.25	73.5	65.1	65.1	-18.2	67.4
674	B53R_100_075k	1.0	0.0	0.0	0.0	0.25	76.95	67.1	67.1	-22.7	69.1
675	R36Y_100_100k	1.0	0.0	0.0	0.0	0.375	50.6	57.6	56.9	67.8	49.3
676	R26Y_100_087k	1.0	0.0	0.0	0.0	0.375	50.6	57.6	56.9	67.8	49.3
677	R15Y_100_075k	1.0	0.0	0.0	0.0	0.375	58.3	58.3	58.3	49.3	49.3
678	ROXY_100_075k	1.0	0.0	0.0	0.0	0.375	63.2	61.8	57.9	41.3	71.1
679	R11Y_100_062k	1.0	0.0	0.0	0.0	0.375	63.2	61.8	57.9	41.3	71.1
680	R11Y_100_062k	1.0	0.0	0.0	0.0	0.375	63.2	61.8	57.9	41.3	71.1
681	B69R_100_062k	1.0	0.0	0.0	0.0	0.375	67.2	68.9	59.1	0.1	51.3
682	B62R_100_062k	1.0	0.0	0.0	0.0	0.375	67.2	68.9	59.1	0.1	51.3
683	B56R_100_062k	1.0	0.0	0.0	0.0	0.375	67.2	68.9	59.1	0.1	51.3
684	B50Y_100_100k	1.0	0.0	0.0	0.0	0.375	67.2	68.9	59.1	0.1	51.3
685	R41Y_100_087k	1.0	0.0	0.0	0.0	0.487	60.0	63.1	42.7	70.8	58.7
686	R34Y_100_075k	1.0	0.0	0.0	0.0	0.487	60.0	63.1	42.7	70.8	58.7
687	R18Y_100_062k	1.0	0.0	0.0	0.0	0.467	62.5	65.4	47.0	60.1	68.9
688	ROXY_100_050k	1.0	0.0	0.0	0.0	0.375	61.1	67.3	48.2	37.3	37.7
689	R26Y_100_050k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
690	B61R_100_050k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
691	B61R_100_050k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
692	B58R_100_050k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
693	B53R_100_050k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
694	R63Y_100_100k	1.0	0.0	0.0	0.0	0.5	63.1	71.3	39.1	18.6	43.3
695	R38Y_100_075k	1.0	0.0	0.0	0.0	0.612	62.5	72.2	34.2	42.5	51.0
696	R38Y_100_075k	1.0	0.0	0.0	0.0	0.612	62.5	72.2	34.2	42.5	51.0
697	R23Y_100_050k	1.0	0.0	0.0	0.0	0.551	65.1	73.3	37.2	32.4	49.3
698	ROXY_100_050k	1.0	0.0	0.0	0.0	0.625	62.5	72.2	34.2	42.5	51.0
699	B68R_100_037k	1.0	0.0	0.0	0.0	0.625	62.5	72.2	34.2	42.5	51.0
700	B50R_100_037k	1.0	0.0	0.0	0.0	0.625	62.5	72.2	34.2	42.5	51.0
701	B50R_100_037k	1.0	0.0	0.0	0.0	0.625	62.5	72.2	34.2	42.5	51.0
702	R16Y_100_100k	1.0	0.0	0.0	0.0	0.684	60.0	77.2	37.0	80.3	82.9
703	R33Y_100_087k	1.0	0.0	0.0	0.0	0.705	61.2	75.0	36.6	67.1	69.5
704	R33Y_100_087k	1.0	0.0	0.0	0.0	0.705	61.2	75.0	36.6	67.1	69.5
705	R33Y_100_087k	1.0	0.0	0.0	0.0	0.705	61.2	75.0	36.6	67.1	69.5
706	B50Y_100_087k	1.0	0.0	0.0	0.0	0.743	62.5	79.2	35.4	40.2	58.8
707	R31Y_100_037k	1.0	0.0	0.0	0.0	0.733	62.5	80.4	23.6	25.0	34.4
708	ROXY_100_025k	1.0	0.0	0.0	0.0	0.733	62.5	80.4	23.6	25.0	34.4
709	ROXY_100_025k	1.0	0.0	0.0	0.0	0.75	62.5	84.2	19.5	9.3	21.6
710	B50R_100_025k	1.0	0.0	0.0	0.0	0.75	62.5	84.2	19.5	9.3	21.6
711	R88Y_100_100k	1.0	0.0	0.0	0.0	0.767	60.0	84.7	20.9	21.1	35.2
712	R85Y_100_075k	1.0	0.0	0.0	0.0	0.785	60.0	84.7	20.9	21.1	35.2
713	R85Y_100_075k	1.0	0.0	0.0	0.0	0.785	60.0	84.7	20.9	21.1	35.2
714	R81Y_100_062k	1.0	0.0	0.0	0.0	0.824	62.5	81.4	8.0	59.7	60.2
715	R76Y_100_050k	1.0	0.0	0.0	0.0	0.842	62.5	84.4	9.1	38.8	59.0
716	R68Y_100_037k	1.0	0.0	0.0	0.0	0.859	62.5	85.9	9.6	28.1	29.7
717	R50Y_100_025k	1.0	0.0	0.0	0.0	0.871	62.5	87.3	6.0	17.7	20.6
718	ROXY_100_012k	1.0	0.0	0.0	0.0	0.875	62.5	89.8	9.7	4.6	10.8
719	Y00G_100_100k	1.0	0.0	0.0	0.0	0.856	60.0	83.7	-3.4	74.9	74.0
720	Y00G_100_087k	1.0	0.0	0.0	0.0	0.856	60.0	83.7	-3.4	74.9	74.0
721	Y00G_100_087k	1.0	0.0	0.0	0.0	0.856	60.0	83.7	-3.4	74.9	74.0
722	Y00G_100_075k	1.0	0.0	0.0	0.0	0.892	62.5	86.6	-2.5	63.8	63.4
723	Y00G_100_062k	1.0	0.0	0.0	0.0	0.91	62.5	88.1	-2.1	52.8	52.8
724	Y00G_100_050k	1.0	0.0	0.0	0.0	0.91	62.5	88.1	-2.1	52.8	52.8
725	Y00G_100_037k	1.0	0.0	0.0	0.0	0.946	62.5	91.0	-1.2	31.6	31.6
726	Y00G_100_025k	1.0	0.0	0.0	0.0	0.964	62.5	92.4	-0.8	21.1	21.1
727	Y00G_100_012k	1.0	0.0	0.0	0.0	0.982	62.5	93.9	-0.4	10.5	10.5
728	NW_100k	1.0	0.0	0.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0

RN420-7N, 24/29-F

TUB-prøveplanse RN42; farbetoneplan: H*e=B75Re
 farger og fargeavstander, ΔE*_{uv}*

input: rgb/cmlyk -> rgb
 output: overføring til rgb

delta E*_{uv} = 12.8

se lignende filer: <http://130.149.60.45/~farbmetrik/RN42/RN42.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN42/RN42LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

http://130.149.60.45/~farbmetrik/RN42/RN42LONA.TXT /.PS; overføring output
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 29/29

n	HC*Fe	rgb*Fe	ier*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
1053	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.866	83.9	0.0	325.2	1.3	360
1054	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.7	0.0	325.2	0.6	360
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0	360
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	6.2	0.066	0.066	4.4	0.0	326.3	1.8	360
1058	NW_013e	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.0	0.0	325.5	0.6	360
1059	NW_020e	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.7	0.0	325.4	1.6	360
1060	NW_026e	0.266	0.266	0.266	0.266	25.3	0.266	0.266	27.0	0.0	325.4	2.2	360
1061	NW_033e	0.333	0.333	0.333	0.333	31.7	0.333	0.333	34.0	0.0	325.3	2.2	360
1062	NW_040e	0.4	0.4	0.4	0.4	38.1	0.4	0.4	40.8	0.0	325.3	2.6	360
1063	NW_046e	0.466	0.466	0.466	0.466	44.4	0.466	0.466	47.3	0.0	325.4	2.8	360
1064	NW_053e	0.533	0.533	0.533	0.533	50.8	0.533	0.533	53.7	0.0	325.3	2.9	360
1065	NW_060e	0.6	0.6	0.6	0.6	57.2	0.6	0.6	60.0	0.0	325.2	2.6	360
1066	NW_066e	0.666	0.666	0.666	0.666	63.5	0.666	0.666	66.1	0.0	325.2	2.2	360
1067	NW_073e	0.734	0.734	0.734	0.734	70.0	0.734	0.734	72.3	0.0	325.2	1.8	360
1068	NW_080e	0.8	0.8	0.8	0.8	76.3	0.8	0.8	78.1	0.0	325.2	1.3	360
1069	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.866	85.9	0.0	325.2	0.6	360
1070	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.7	0.0	325.2	0.0	360
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0	360
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	ROX_100_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0	360
1074	ROX_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	Y06E_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06E_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B08E_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08E_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B508E_100_100e	1.0	0.0	1.0	0.0	94.1	0.991	0.991	94.1	0.0	0.991	0.0	330

delta E** = 9.3

RN420-TN_29/29-F

TUB-prøveplanse RN42; farbetoneplan: H*e=B75Re
 farger og fargeavstander, ΔE**

input: rgb/cmyk -> rgb
 output: overføring til rgb

5-0132830-F0

5-0132830-F0