


http://130.149.60.45/~farbmetrik/RN52/RN52L0FA.TXT /.PS; start output  
F: 3D-linearisering RN52/RN52LJ30FA.DAT i fil (F), side 1/29

se lignende filer: <http://130.149.60.45/~farbmetrik/RN52/RN52.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN52/RN52L0FA.TXT /.PS  
anvendelse for måling av display output

TUB-material: code=rh4ta





5-113030-L0 RN520-7N

rgb + cmy0 (A..j + k26..n27), 000n (k), w (l), nnn0 (m), www (n), 3D=1

TUB-prøveplansje RN52; 1080 standard farger  
prøveplansje infølge DIN 33872, 3D=1, de=1, sRGB\*

input: rgb/cmyk -> rgb/cmyk  
output: ingen endring







se lignende filer: <http://130.149.60.45/~farbmetrik/RN52/RN52.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN52/RN52L0FA.TXT /.PS  
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta



5-113130-L0 RN520-73

rgb(A\_n), 3D=1

TUB-prøveplansje RN52; 1080 standard farger  
prøveplansje infølge DIN 33872, 3D=1, de=1, sRGB\*

input: *rgb/cmyk* -> *rgb<sub>de</sub>*  
output: 3D-linearisering til *rgb\*<sub>de</sub>*

5-113130-F0

C M Y O L V



Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>:  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$   
 $LCH^*_d = 92.6 \ 93.0 \ 102.8$   
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$   
 $LCH^*_d = 83.6 \ 115.0 \ 136.0$   
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$   
 $LCH^*_d = 86.8 \ 48.1 \ 196.3$   
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$   
 $LCH^*_d = 50.4 \ 100.4 \ 40.0$   
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$   
 $LCH^*_d = 57.2 \ 110.9 \ 328.2$   
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$   
 $LCH^*_d = 30.3 \ 128.5 \ 306.2$   
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

$Y_s$   
 $LCH^*_s = 82.1 \ 83.5 \ 90.0$   
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$   
 $rgb^*_ds = 1.0 \ 0.83 \ 0.0$

$G_s$   
 $LCH^*_s = 84.4 \ 84.2 \ 150.0$   
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$   
 $rgb^*_ds = 0.0 \ 1.0 \ 0.523$

$C_s$   
 $LCH^*_s = 81.7 \ 44.6 \ 210.0$   
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$   
 $rgb^*_ds = 0.0 \ 0.927 \ 1.0$

$B_s$   
 $LCH^*_s = 60.2 \ 54.7 \ 270.0$   
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$   
 $rgb^*_ds = 0.0 \ 0.623 \ 1.0$

$R_s$   
 $LCH^*_s = 50.7 \ 90.1 \ 30.0$   
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$   
 $rgb^*_ds = 1.0 \ 0.0 \ 0.202$

$M_s$   
 $LCH^*_s = 56.7 \ 107.7 \ 330.0$   
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$   
 $rgb^*_ds = 1.0 \ 0.0 \ 0.962$

$Y_e$   
 $LCH^*_e = 83.7 \ 84.5 \ 92.3$   
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$   
 $rgb^*_de = 1.0 \ 0.856 \ 0.0$



$G_e$   
 $LCH^*_e = 85.1 \ 67.9 \ 162.2$   
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$   
 $rgb^*_de = 0.0 \ 1.0 \ 0.706$

$C_e$   
 $LCH^*_e = 79.0 \ 42.8 \ 216.9$   
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$   
 $rgb^*_de = 0.0 \ 0.89 \ 1.0$

$B_e$   
 $LCH^*_e = 59.2 \ 56.6 \ 271.7$   
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$   
 $rgb^*_de = 0.0 \ 0.609 \ 1.0$

$R_e$   
 $LCH^*_e = 50.9 \ 86.7 \ 25.4$   
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$   
 $rgb^*_de = 1.0 \ 0.0 \ 0.263$

$M_e$   
 $LCH^*_e = 57.1 \ 110.3 \ 328.6$   
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$   
 $rgb^*_de = 1.0 \ 0.0 \ 0.991$



$(a^*_d \ b^*_d), (a^*_s \ b^*_s), (a^*_e \ b^*_e)$   
 $rgb^*_e \ LCH^*_e \ LAB^*_e$   
 $h_{ab,s} \ rgb^*_s$   
 $h_{ab,s} = atan [ r^*_d \ cos(30) + g^*_d \ cos(150) ] / [ r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270) ]$  (1)  
 $h_{ab,s}$   
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$   
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (2)  
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (3)  
 $h_{ab,e}$   
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$   
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (4)  
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (5)  
 $h_{ab,d}$   
 $rgb^*_d$

se lignende filer: http://130.149.60.45/~farbmetrik/RN52/RN52.HTM  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-RN52/RN52L0FA.TXT /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimumsfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dxx361M	LAB* dxx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M																											
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	rgb <sub>dd</sub>	rgb <sub>ds</sub>	rgb <sub>de</sub>
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33			
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42			
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49			
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58			
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66			
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75			
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83			
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92			
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100			
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109			
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117			
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127			
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135			
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144			
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152			
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162			
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168			
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175			
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182			
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189			
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195			
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203			
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209			
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216			
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223			
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230			
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237			
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244			
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250			
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258			
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264			
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271			
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278			
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285			
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292		</	

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	40.0	102.9	136.0	196.4	306.3	328.2	rgb* dex361M	LAB* dex361M	rgb* dd	rgb* ds	rgb* de				
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33	
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	1.0	0.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175	
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182	
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189	
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195	
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258	
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292	
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306	
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	0.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	0.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342	
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349	
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352	
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359	
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368	
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376	
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385	

se liggende filer: <http://130.149.60.45/~farbmetrik/RN52/RN52.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-RN52/RN52L0FA.TXT /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta



Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)						
82	75	75	1.0	0.75 0.0	77.2	9.8 79.7	80.4	82	1.0	0.667 0.0	72.5	20.6 77.0	79.7	75	1.0	0.75 0.0	1.0	0.673 0.0	72.8	19.8 77.3	79.8	75	1.0	0.75 0.0
84	76	76	1.0	0.766 0.0	78.2	7.8 80.6	81.0	84	1.0	0.677 0.0	73.1	19.3 77.4	79.8	76	1.0	0.767 0.0	1.0	0.685 0.0	73.5	18.3 77.7	79.9	76	1.0	0.767 0.0
85	77	77	1.0	0.783 0.0	79.2	5.8 81.4	81.7	85	1.0	0.688 0.0	73.7	18.0 77.8	79.9	77	1.0	0.783 0.0	1.0	0.696 0.0	74.2	16.9 78.2	80.0	77	1.0	0.783 0.0
87	78	78	1.0	0.8 0.0	80.2	3.8 82.2	82.3	87	1.0	0.698 0.0	74.3	16.6 78.2	80.0	78	1.0	0.8 0.0	1.0	0.708 0.0	74.8	15.3 78.6	80.1	78	1.0	0.8 0.0
88	79	80	1.0	0.816 0.0	81.2	1.7 82.9	83.0	88	1.0	0.708 0.0	74.9	15.3 78.6	80.1	79	1.0	0.817 0.0	1.0	0.72 0.0	75.5	13.8 78.9	80.1	80	1.0	0.817 0.0
90	80	81	1.0	0.833 0.0	82.2	-0.3 83.6	83.6	90	1.0	0.719 0.0	75.5	13.9 78.9	80.1	80	1.0	0.833 0.0	1.0	0.731 0.0	76.2	12.3 79.3	80.2	81	1.0	0.833 0.0
91	81	82	1.0	0.85 0.0	83.3	-2.5 84.2	84.3	91	1.0	0.729 0.0	76.1	12.6 79.2	80.2	81	1.0	0.85 0.0	1.0	0.743 0.0	76.8	10.8 79.6	80.3	82	1.0	0.85 0.0
93	82	83	1.0	0.866 0.0	84.3	-4.6 84.8	84.9	93	1.0	0.74 0.0	76.7	11.2 79.5	80.3	82	1.0	0.867 0.0	1.0	0.755 0.0	77.5	9.3 80.1	80.6	83	1.0	0.867 0.0
94	83	84	1.0	0.883 0.0	85.3	-6.7 85.5	85.8	94	1.0	0.75 0.0	77.3	9.8 79.8	80.4	83	1.0	0.883 0.0	1.0	0.768 0.0	78.3	7.8 80.7	81.1	84	1.0	0.883 0.0
95	84	85	1.0	0.9 0.0	86.3	-8.5 86.4	86.8	95	1.0	0.762 0.0	78.0	8.5 80.4	80.9	84	1.0	0.9 0.0	1.0	0.78 0.0	79.1	6.2 81.4	81.6	85	1.0	0.9 0.0
96	85	86	1.0	0.916 0.0	87.4	-10.5 87.2	87.8	96	1.0	0.773 0.0	78.7	7.1 81.0	81.3	85	1.0	0.917 0.0	1.0	0.793 0.0	79.9	4.7 82.0	82.1	86	1.0	0.917 0.0
98	86	87	1.0	0.933 0.0	88.4	-12.4 88.0	88.9	98	1.0	0.785 0.0	79.3	5.7 81.6	81.8	86	1.0	0.933 0.0	1.0	0.806 0.0	80.6	3.1 82.5	82.6	87	1.0	0.933 0.0
99	87	88	1.0	0.95 0.0	89.5	-14.4 88.7	89.9	99	1.0	0.796 0.0	80.0	4.3 82.1	82.2	87	1.0	0.95 0.0	1.0	0.819 0.0	81.4	1.5 83.1	83.1	88	1.0	0.95 0.0
100	88	90	1.0	0.966 0.0	90.5	-16.5 89.4	91.0	100	1.0	0.808 0.0	80.7	2.9 82.6	82.7	88	1.0	0.967 0.0	1.0	0.831 0.0	82.2	0.0 83.6	83.6	90	1.0	0.967 0.0
101	89	91	1.0	0.983 0.0	91.6	-18.5 90.1	92.0	101	1.0	0.819 0.0	81.4	1.5 83.1	83.1	89	1.0	0.983 0.0	1.0	0.844 0.0	83.0	-1.7 84.1	84.1	91	1.0	0.983 0.0
102	90	92	1.0	1.0 0.0	92.6	-20.7 90.7	93.0	102	1.0	0.831 0.0	82.1	0.0 83.5	83.5	90	1.0	1.0 0.0	1.0	0.857 0.0	83.7	-3.3 84.5	84.6	92	1.0	1.0 0.0
103	91	93	0.983	1.0 0.0	92.3	-22.3 90.5	93.2	103	1.0	0.842 0.0	82.8	-1.4 84.0	84.0	91	0.983	1.0 0.0	1.0	0.87 0.0	84.5	-5.1 84.9	85.1	93	0.983	1.0 0.0
104	92	94	0.966	1.0 0.0	92.0	-24.0 90.2	93.3	104	1.0	0.853 0.0	83.5	-2.8 84.4	84.4	92	0.967	1.0 0.0	1.0	0.886 0.0	85.5	-6.9 85.7	85.9	94	0.967	1.0 0.0
105	93	95	0.95	1.0 0.0	91.7	-25.6 89.9	93.5	105	1.0	0.865 0.0	84.2	-4.3 84.8	84.9	93	0.95	1.0 0.0	1.0	0.902 0.0	86.5	-8.7 86.5	87.0	95	0.95	1.0 0.0
106	94	96	0.933	1.0 0.0	91.4	-27.3 89.5	93.6	106	1.0	0.877 0.0	84.9	-5.9 85.2	85.4	94	0.933	1.0 0.0	1.0	0.918 0.0	87.5	-10.6 87.3	88.0	96	0.933	1.0 0.0
108	95	98	0.916	1.0 0.0	91.1	-28.9 89.1	93.7	108	1.0	0.891 0.0	85.8	-7.4 85.9	86.3	95	0.917	1.0 0.0	1.0	0.934 0.0	88.5	-12.5 88.1	89.0	98	0.917	1.0 0.0
109	96	99	0.9	1.0 0.0	90.8	-30.6 88.7	93.9	109	1.0	0.904 0.0	86.7	-9.0 86.6	87.1	96	0.9	1.0 0.0	1.0	0.951 0.0	89.6	-14.4 88.8	90.0	99	0.9	1.0 0.0
110	97	100	0.883	1.0 0.0	90.5	-32.2 88.3	94.0	110	1.0	0.918 0.0	87.5	-10.6 87.3	88.0	97	0.883	1.0 0.0	1.0	0.967 0.0	90.6	-16.4 89.5	91.0	100	0.883	1.0 0.0
111	98	101	0.866	1.0 0.0	90.3	-33.8 88.0	94.3	111	1.0	0.932 0.0	88.4	-12.3 88.0	88.9	98	0.867	1.0 0.0	1.0	0.983 0.0	91.6	-18.5 90.1	92.0	101	0.867	1.0 0.0
111	99	102	0.85	1.0 0.0	90.0	-35.4 87.7	94.6	111	1.0	0.946 0.0	89.3	-13.9 88.6	89.7	99	0.85	1.0 0.0	1.0	0.999 0.0	92.6	-20.5 90.7	93.0	102	0.85	1.0 0.0
112	100	103	0.833	1.0 0.0	89.8	-37.0 87.5	95.0	112	1.0	0.96 0.0	90.2	-15.6 89.2	90.6	100	0.833	1.0 0.0	1.0	0.982 1.0 0.0	92.3	-22.4 90.5	93.2	103	0.833	1.0 0.0
113	101	105	0.816	1.0 0.0	89.5	-38.6 87.2	95.4	113	1.0	0.974 0.0	91.0	-17.4 89.8	91.5	101	0.817	1.0 0.0	1.0	0.963 1.0 0.0	92.0	-24.3 90.2	93.4	105	0.817	1.0 0.0
114	102	106	0.8	1.0 0.0	89.3	-40.1 86.9	95.7	114	1.0	0.988 0.0	91.9	-19.1 90.3	92.3	102	0.8	1.0 0.0	1.0	0.944 1.0 0.0	91.7	-26.1 89.8	93.6	106	0.8	1.0 0.0
115	103	107	0.783	1.0 0.0	89.0	-41.7 86.6	96.1	115	0.998	1.0 0.0	92.6	-20.8 90.7	93.1	103	0.783	1.0 0.0	1.0	0.926 1.0 0.0	91.3	-28.0 89.4	93.7	107	0.783	1.0 0.0
116	104	108	0.766	1.0 0.0	88.7	-43.3 86.2	96.5	116	0.981	1.0 0.0	92.3	-22.5 90.5	93.2	104	0.767	1.0 0.0	1.0	0.907 1.0 0.0	91.0	-29.9 89.0	93.9	108	0.767	1.0 0.0
117	105	109	0.75	1.0 0.0	88.5	-44.9 85.8	96.8	117	0.965	1.0 0.0	92.0	-24.1 90.2	93.4	105	0.75	1.0 0.0	1.0	0.888 1.0 0.0	90.7	-31.7 88.5	94.0	109	0.75	1.0 0.0
118	106	110	0.733	1.0 0.0	88.3	-46.3 85.6	97.4	118	0.949	1.0 0.0	91.8	-25.7 89.9	93.5	106	0.733	1.0 0.0	1.0	0.868 1.0 0.0	90.3	-33.6 88.0	94.3	110	0.733	1.0 0.0
119	107	112	0.716	1.0 0.0	88.1	-47.8 85.4	97.9	119	0.933	1.0 0.0	91.5	-27.3 89.6	93.6	107	0.717	1.0 0.0	1.0	0.848 1.0 0.0	90.0	-35.6 87.8	94.7	112	0.717	1.0 0.0
120	108	113	0.7	1.0 0.0	87.9	-49.2 85.2	98.4	120	0.917	1.0 0.0	91.2	-28.9 89.2	93.8	108	0.7	1.0 0.0	1.0	0.827 1.0 0.0	89.7	-37.5 87.4	95.2	113	0.7	1.0 0.0
120	109	114	0.683	1.0 0.0	87.6	-50.7 84.9	98.9	120	0.901	1.0 0.0	90.9	-30.5 88.8	93.9	109	0.683	1.0 0.0	1.0	0.806 1.0 0.0	89.4	-39.5 87.1	95.7	114	0.683	1.0 0.0
121	110	115	0.666	1.0 0.0	87.4	-52.1 84.7	99.4	121	0.884	1.0 0.0	90.6	-32.1 88.4	94.1	110	0.667	1.0 0.0	1.0	0.786 1.0 0.0	89.1	-41.5 86.7	96.1	115	0.667	1.0 0.0
122	111	116	0.65	1.0 0.0	87.2	-53.6 84.4	100.0	122	0.868	1.0 0.0	90.3	-33.7 88.0	94.3	111	0.65	1.0 0.0	1.0	0.765 1.0 0.0	88.8	-43.4 86.2	96.6	116	0.65	1.0 0.0
123	112	117	0.633	1.0 0.0	87.0	-55.0 84.1	100.5	123	0.85	1.0 0.0	90.1	-35.4 87.8	94.7	112	0.633	1.0 0.0	1.0	0.743 1.0 0.0	88.5	-45.4 85.8	97.1	117	0.633	1.0 0.0
123	113	119	0.616	1.0 0.0	86.8	-56.4 83.8	101.0	123	0.832	1.0 0.0	89.8	-37.1 87.5	95.1	113	0.617	1.0 0.0	1.0	0.719 1.0 0.0	88.2	-47.5 85.5	97.9	119	0.617	1.0 0.0
124	114	120	0.6	1.0 0.0	86.7	-57.6 83.7	101.6	124	0.814	1.0 0.0	89.5	-38.7 87.2	95.5	114	0.6	1.0 0.0	1.0	0.695 1.0 0.0	87.8	-49.6 85.2	98.6	120	0.6	1.0 0.0
125	115	121	0.583	1.0 0.0	86.5	-58.9 83.5	102.2	125	0.797	1.0 0.0	89.3	-40.4 86.9	95.9	115	0.583	1.0 0.0	1.0	0.67 1.0 0.0	87.5	-51.7 84.8	99.4	121	0.583	1.0 0.0
125	116	122	0.566	1.0 0.0	86.3	-60.1 83.3	102.8	125	0.779	1.0 0.0	89.0	-42.1 86.5	96.3	116	0.567	1.0 0.0	1.0	0.646 1.0 0.0	87.2	-53.9 84.4	100.1	122	0.567	1.0 0.0
126	117	123	0.55	1.0 0.0	86.2	-61.4 83.1	103.3	126	0.761	1.0 0.0	88.7	-43.8 86.1	96.6	117	0.55	1.0 0.0	1.0	0.621 1.0 0.0	86.9	-56.0 83.9	100.9	123	0.55	1.0 0.0
127	118	124	0.533	1.0 0.0	86.0	-62.7 82.9	103.9	127	0.742	1.0 0.0	88.4	-45.5 85.8	97.1	118	0.533	1.0 0.0	1.0	0.59 1.0 0.0	86.6	-58.3 83.6	102.0	124	0.533	1.0 0.0
127	119	126	0.516	1.0 0.0	85.8	-63.9 82.6	104.5	127	0.721	1.0 0.0	88.2	-47.3 85.5	97.8	119	0.517	1.0 0.0	1.0	0.56 1.0 0.0	86.3	-60.6 83.3	103.1	126	0.517	1.0 0.0
128	120	127	0.5	1.0 0.0	85.7	-65.2 82.4	105.																	

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi																				
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.467	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.467	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.0	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G <sub>d</sub>	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G <sub>s</sub>	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G <sub>e</sub>	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0			



Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi																							
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C <sub>d</sub>	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	C <sub>s</sub>	0.0	0.983	1.0	0.0	0.885	1.0	79.1	-34.2	-25.7	42.9	216	C <sub>e</sub>	0.0	0.983	1.0	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211		0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217		0.0	0.983	1.0	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212		0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218		0.0	0.967	1.0	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213		0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219		0.0	0.95	1.0	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214		0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220		0.0	0.933	1.0	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215		0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221		0.0	0.917	1.0	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216		0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222		0.0	0.9	1.0	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217		0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223		0.0	0.883	1.0	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218		0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224		0.0	0.867	1.0	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219		0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225		0.0	0.85	1.0	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220		0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226		0.0	0.833	1.0	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221		0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.817	1.0	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222		0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227		0.0	0.8	1.0	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223		0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228		0.0	0.783	1.0	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224		0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229		0.0	0.767	1.0	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225		0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230		0.0	0.75	1.0	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226		0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231		0.0	0.733	1.0	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232		0.0	0.717	1.0	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228		0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233		0.0	0.7	1.0	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229		0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234		0.0	0.683	1.0	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230		0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235		0.0	0.667	1.0	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231		0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236		0.0	0.65	1.0	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232		0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237		0.0	0.633	1.0	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233		0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237		0.0	0.617	1.0	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234		0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238		0.0	0.6	1.0	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235		0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239		0.0	0.583	1.0	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236		0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240		0.0	0.567	1.0	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237		0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241		0.0	0.55	1.0	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238		0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242		0.0	0.533	1.0	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239		0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243		0.0	0.517	1.0	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240		0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244		0.0	0.5	1.0	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241		0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245		0.0	0.483	1.0	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242		0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246		0.0	0.467	1.0	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243		0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247		0.0	0.45	1.0	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244		0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248		0.0	0.433	1.0	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245		0.0	0.417	1.0	0.0	0													

Data til maksimumsfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361M	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361M	LAB* de361Mi	rgb* de361M	LAB* dex361Mi (x=LabCh)	rgb* dd361M	LAB* de361Mi	rgb* de361M	LAB* dex361Mi (x=LabCh)										
301	255	258	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707 1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25 1.0	0.0	0.69 1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25 1.0
301	256	258	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702 1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233 1.0	0.0	0.685 1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233 1.0
302	257	259	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696 1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.216 1.0	0.0	0.68 1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.216 1.0
302	258	260	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691 1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2 1.0	0.0	0.675 1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2 1.0
303	259	261	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685 1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183 1.0	0.0	0.67 1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183 1.0
303	260	262	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679 1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.166 1.0	0.0	0.665 1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.166 1.0
304	261	263	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674 1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15 1.0	0.0	0.66 1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15 1.0
304	262	264	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668 1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133 1.0	0.0	0.655 1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133 1.0
304	263	265	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663 1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.116 1.0	0.0	0.65 1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.116 1.0
305	264	266	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657 1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1 1.0	0.0	0.645 1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1 1.0
305	265	267	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652 1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083 1.0	0.0	0.64 1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083 1.0
305	266	268	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646 1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.066 1.0	0.0	0.635 1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.066 1.0
305	267	269	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641 1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.049 1.0	0.0	0.63 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.049 1.0
305	268	269	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635 1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033 1.0	0.0	0.624 1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033 1.0
306	269	270	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63 1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.016 1.0	0.0	0.617 1.0	59.8	0.8	-55.6	55.7	270	0.0	0.016 1.0
306	270	271	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624 1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0 1.0	0.0	0.609 1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0 1.0
306	271	272	0.016	0.0 1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615 1.0	59.7	1.0	-55.7	55.9	271	0.016	0.0 1.0	0.0	0.602 1.0	58.7	2.7	-57.5	57.6	272	0.016	0.0 1.0
306	272	273	0.033	0.0 1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607 1.0	59.1	2.0	-56.8	56.9	272	0.033	0.0 1.0	0.0	0.594 1.0	58.2	3.7	-58.4	58.6	273	0.033	0.0 1.0
306	273	274	0.05	0.0 1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599 1.0	58.5	3.0	-57.8	58.0	273	0.05	0.0 1.0	0.0	0.586 1.0	57.7	4.8	-59.4	59.7	274	0.05	0.0 1.0
306	274	275	0.066	0.0 1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591 1.0	58.0	4.1	-58.8	59.0	274	0.066	0.0 1.0	0.0	0.578 1.0	57.1	5.8	-60.3	60.7	275	0.066	0.0 1.0
306	275	276	0.083	0.0 1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583 1.0	57.4	5.2	-59.8	60.1	275	0.083	0.0 1.0	0.0	0.57 1.0	56.6	7.0	-61.2	61.7	276	0.083	0.0 1.0
306	276	277	0.1	0.0 1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574 1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0 1.0	0.0	0.563 1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0 1.0
306	277	278	0.116	0.0 1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566 1.0	56.3	7.6	-61.7	62.2	277	0.116	0.0 1.0	0.0	0.555 1.0	55.5	9.3	-62.9	63.7	278	0.116	0.0 1.0
306	278	279	0.133	0.0 1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558 1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0 1.0	0.0	0.547 1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0 1.0
306	279	280	0.15	0.0 1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55 1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0 1.0	0.0	0.539 1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0 1.0
306	280	281	0.166	0.0 1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541 1.0	54.6	11.4	-64.3	65.4	280	0.166	0.0 1.0	0.0	0.531 1.0	53.9	13.0	-65.3	66.7	281	0.166	0.0 1.0
307	281	282	0.183	0.0 1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533 1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0 1.0	0.0	0.524 1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0 1.0
307	282	283	0.2	0.0 1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525 1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0 1.0	0.0	0.516 1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0 1.0
307	283	284	0.216	0.0 1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517 1.0	52.9	15.4	-66.7	68.6	283	0.216	0.0 1.0	0.0	0.508 1.0	52.3	16.9	-67.5	69.7	284	0.216	0.0 1.0
307	284	285	0.233	0.0 1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508 1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0 1.0	0.0	0.5 1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0 1.0
307	285	285	0.25	0.0 1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5 1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0 1.0	0.0	0.488 1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0 1.0
307	286	286	0.266	0.0 1.0	32.9	77.0	-99.2	125.6	307	0.0	0.488 1.0	51.0	20.0	-69.7	72.6	286	0.266	0.0 1.0	0.0	0.476 1.0	50.3	21.6	-71.0	74.3	286	0.266	0.0 1.0
308	287	287	0.283	0.0 1.0	33.2	77.1	-98.6	125.2	308	0.0	0.475 1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0 1.0	0.0	0.464 1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0 1.0
308	288	288	0.3	0.0 1.0	33.6	77.3	-98.1	124.9	308	0.0	0.462 1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0 1.0	0.0	0.452 1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0 1.0
308	289	289	0.316	0.0 1.0	33.9	77.4	-97.5	124.5	308	0.0	0.45 1.0	48.6	25.5	-74.0	78.3	289	0.316	0.0 1.0	0.0	0.44 1.0	48.0	26.9	-75.0	79.8	289	0.316	0.0 1.0
308	290	290	0.333	0.0 1.0	34.3	77.6	-96.9	124.1	308	0.0	0.437 1.0	47.8	27.4	-75.3	80.2	290	0.333	0.0 1.0	0.0	0.428 1.0	47.2	28.8	-76.2	81.6	290	0.333	0.0 1.0
308	291	291	0.35	0.0 1.0	34.9	77.7	-96.3	123.8	308	0.0	0.424 1.0	47.0	29.4	-76.6	82.1	291	0.35	0.0 1.0	0.0	0.416 1.0	46.5	30.7	-77.4	83.4	291	0.35	0.0 1.0
309	292	292	0.366	0.0 1.0	34.6	77.9	-95.7	123.4	309	0.0	0.412 1.0	46.2	31.5	-77.8	84.1	292	0.366	0.0 1.0	0.0	0.404 1.0	45.7	32.7	-78.5	85.2	292	0.366	0.0 1.0
309	293	293	0.383	0.0 1.0	35.3	78.1	-95.1	123.0	309	0.0	0.399 1.0	45.4	33.6	-79.0	86.0	293	0.383	0.0 1.0	0.0	0.392 1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0 1.0
309	294	294	0.4	0.0 1.0	35.8	78.3	-94.3	122.6	309	0.0	0.386 1.0	44.6	35.7	-80.2	87.9	294	0.4	0.0 1.0	0.0	0.38 1.0	44.2	36.8	-80.7	88.8	294	0.4	0.0 1.0
310	295	295	0.416	0.0 1.0	36.3	78.6	-93.5	122.2	310	0.0	0.373 1.0	43.7	38.0	-81.4	89.9	295	0.416	0.0 1.0	0.0	0.364 1.0	43.3	39.2	-82.2	91.2	295	0.416	0.0 1.0
310	296	296	0.433	0.0 1.0	36.7	78.9	-92.7	121.8	310	0.0	0.353 1.0	42.7	40.7	-83.3	92.8	296	0.433	0.0 1.0	0.0	0.345 1.0	42.3	41.7	-84.0	93.9	296	0.433	0.0 1.0
310	297	297	0.45	0.0 1.0	37.2	79.1	-92.0	121.3	310	0.0	0.333 1.0	41.6	43.5	-85.2	95.7	297	0.45	0.0 1.0	0.0	0.327 1.0	41.3	44.4	-85.8	96.7	297	0.45	0.0 1.0
311	298	298																									

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																			
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	305	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.287	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M <sub>d</sub>	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M <sub>s</sub>	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M <sub>e</sub>	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	99.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85														

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi												
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.4	84.7	-18.7	87.3	347	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.0	83.6	-15.6	86.0	349	1.0	0.0	0.633	53.0	83.6	-15.6	86.0	349
352	353	350	1.0	0.0	0.616	52.9	83.4	-11.4	84.3	352	1.0	0.0	0.617	52.9	83.5	-14.1	84.3	350	1.0	0.0	0.617	52.9	83.5	-14.1	84.3	350
353	354	351	1.0	0.0	0.6	52.8	83.6	-9.1	83.9	353	1.0	0.0	0.6	52.8	83.7	-12.6	85.7	351	1.0	0.0	0.6	52.8	83.7	-12.6	85.7	351
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.4	82.4	-1.3	82.4	359	1.0	0.0	0.517	52.4	82.4	-1.3	82.4	359
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	52.0	81.0	0.0	82.1	360	1.0	0.0	0.5	52.0	81.0	0.0	82.1	360
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.5	80.1	17.0	81.9	372	1.0	0.0	0.3	51.5	80.1	17.0	81.9	372
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390

5-1131230-L0 RN520-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 13/29

TUB-prøveplansje RN52; 1080 standard farger  
 48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>de</sub>  
 output: 3D-linearisering til rgb\*<sub>de</sub>

TUB registrering: 20130201-RN52/RN52L0FA.TXT /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta





















TUB registrering: 20130201-RN52/RN52LOFA.TXT /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCH*File	LabCH*File	rgb*File	DF*File	DF*File	LabCH*File	LabCH*File	rgb*File	rgb*File	LabCH*File	LabCH*File	rgb*File	rgb*File	LabCH*File	LabCH*File		
648	ROY1_100_100de	1.0	0.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	0.2	0.0	0.263	50.9	78.3	37.3	86.7	25.4	0.0	0.0	
649	R38Y_100_100de	1.0	0.0	0.0	0.0	0.348	51.2	79.3	35.2	83.2	17.6	0.3	0.0	0.348	51.2	79.3	35.2	83.2	17.6	0.0	0.0	
650	R26Y_100_100de	1.0	0.0	0.0	0.0	0.429	51.6	80.8	14.0	81.7	9.8	0.6	0.0	0.429	51.6	80.8	14.0	81.7	9.8	0.0	0.0	
651	R13Y_100_100de	1.0	0.0	0.0	0.0	0.521	52.2	81.8	1.3	81.8	0.7	0.3	0.0	0.521	52.2	81.8	1.3	81.8	0.7	0.0	0.0	
652	ROY1_100_100de	1.0	0.0	0.0	0.0	0.617	52.9	83.4	-11.6	84.4	34.0	0.1	0.0	0.617	52.9	83.4	-11.6	84.4	34.0	0.0	0.0	
653	B68R_100_100de	1.0	0.0	0.0	0.0	0.655	53.2	84.5	-15.7	85.9	34.9	0.3	0.0	0.655	53.2	84.5	-15.7	85.9	34.9	0.0	0.0	
654	B61R_100_100de	1.0	0.0	0.0	0.0	0.747	54.1	86.7	-28.3	91.2	34.1	0.1	0.0	0.747	54.1	86.7	-28.3	91.2	34.1	0.0	0.0	
655	B55R_100_100de	1.0	0.0	0.0	0.0	0.855	55.4	89.9	-41.4	99.0	33.5	0.2	0.0	0.855	55.4	89.9	-41.4	99.0	33.5	0.0	0.0	
656	B50R_100_100de	1.0	0.0	0.0	0.0	0.991	57.1	94.1	-57.4	110.3	32.8	0.1	0.0	0.991	57.1	94.1	-57.4	110.3	32.8	0.0	0.0	
657	R11Y_100_100de	1.0	0.0	0.0	0.0	1.156	50.6	77.6	50.9	92.9	33.2	0.4	0.0	1.156	50.6	77.6	50.9	92.9	33.2	0.0	0.0	
658	ROY1_100_087de	1.0	0.0	0.0	0.0	1.125	54.5	56.8	68.4	20.6	72.4	2.5	0.0	1.125	54.5	56.8	68.4	20.6	72.4	2.5	0.0	
659	R36Y_100_087de	1.0	0.0	0.0	0.0	1.125	56.2	38.2	71.4	-2.9	72.4	1.8	0.0	1.125	56.2	38.2	71.4	-2.9	72.4	1.8	0.0	
660	R23Y_100_087de	1.0	0.0	0.0	0.0	1.125	61.2	57.8	72.7	9.5	71.4	3.6	0.0	1.125	61.2	57.8	72.7	9.5	71.4	3.6	0.0	
661	R08Y_100_087de	1.0	0.0	0.0	0.0	1.125	65.2	37.4	10.8	73.8	34.3	1.1	0.0	1.125	65.2	37.4	10.8	73.8	34.3	1.1	0.0	
662	R08Y_100_087de	1.0	0.0	0.0	0.0	1.125	65.2	35.5	11.5	-21.9	78.6	34.3	1.1	0.0	1.125	65.2	35.5	11.5	-21.9	78.6	34.3	1.1
663	B63R_100_087de	1.0	0.0	0.0	0.0	1.125	65.2	34.6	10.8	73.8	34.3	1.1	0.0	1.125	65.2	34.6	10.8	73.8	34.3	1.1	0.0	
664	B63R_100_087de	1.0	0.0	0.0	0.0	1.125	65.2	33.8	11.0	-30.2	85.6	33.6	1.1	0.0	1.125	65.2	33.8	11.0	-30.2	85.6	33.6	1.1
665	B50R_100_087de	1.0	0.0	0.0	0.0	1.125	65.2	33.0	11.0	64.8	98.7	41.0	0.999	1.0	1.125	65.2	33.0	11.0	64.8	98.7	41.0	0.999
666	R23Y_100_100de	1.0	0.0	0.0	0.0	1.025	61.2	51.3	74.4	64.8	98.7	41.0	0.999	1.0	1.025	61.2	51.3	74.4	64.8	98.7	41.0	0.999
667	R13Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	56.2	37.7	46.4	82.1	34.3	1.0	1.025	61.2	56.2	37.7	46.4	82.1	34.3	1.0	1.0
668	ROY1_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	58.7	27.9	65.0	25.4	1.0	1.0	1.025	61.2	58.7	27.9	65.0	25.4	1.0	1.0	
669	R33Y_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	59.4	16.4	61.6	15.4	1.0	1.0	1.025	61.2	59.4	16.4	61.6	15.4	1.0	1.0	
670	R18Y_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	60.8	6.0	41.0	4.3	1.0	1.0	1.025	61.2	60.8	6.0	41.0	4.3	1.0	1.0	
671	B68R_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	62.7	-8.7	63.3	35.2	0.0	1.0	1.025	61.2	62.7	-8.7	63.3	35.2	0.0	1.0	
672	B63R_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	64.1	-13.2	69.6	34.6	0.0	1.0	1.025	61.2	64.1	-13.2	69.6	34.6	0.0	1.0	
673	B55R_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	65.1	-18.2	75.1	32.1	0.0	1.0	1.025	61.2	65.1	-18.2	75.1	32.1	0.0	1.0	
674	B50R_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	66.1	-23.0	81.6	32.1	0.0	1.0	1.025	61.2	66.1	-23.0	81.6	32.1	0.0	1.0	
675	R36Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	67.6	88.5	49.3	49.3	0.999	1.0	1.025	61.2	67.6	88.5	49.3	49.3	0.999	1.0	
676	R26Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	68.3	57.6	56.9	67.8	0.999	1.0	1.025	61.2	68.3	57.6	56.9	67.8	0.999	1.0	
677	R15Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	69.8	49.9	41.3	71.1	1.0	1.0	1.025	61.2	69.8	49.9	41.3	71.1	1.0	1.0	
678	ROY1_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	71.6	57.9	23.3	54.2	1.0	1.0	1.025	61.2	71.6	57.9	23.3	54.2	1.0	1.0	
679	R11Y_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	72.8	49.9	11.1	51.2	1.0	1.0	1.025	61.2	72.8	49.9	11.1	51.2	1.0	1.0	
680	R08Y_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.4	51.3	-0.1	51.3	1.0	1.0	1.025	61.2	73.4	51.3	-0.1	51.3	1.0	1.0	
681	B69R_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
682	B69R_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
683	B50Y_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
684	R50Y_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
685	R41Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
686	R31Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
687	R18Y_100_062de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
688	ROY1_100_050de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
689	R26Y_100_050de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
690	B61R_100_050de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
691	B61R_100_050de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
692	B50R_100_050de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
693	R63Y_100_100de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
694	R38Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
695	R38Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
696	R23Y_100_057de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
697	R18Y_100_057de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
698	ROY1_100_057de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
699	B68R_100_037de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
700	B68R_100_037de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
701	B50R_100_037de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
702	R16Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
703	R16Y_100_087de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
704	R13Y_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
705	R13Y_100_075de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	
706	B50Y_100_057de	1.0	0.0	0.0	0.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0	1.0	1.025	61.2	73.8	52.5	-8.8	59.0	1.0</		









