

Input og output: Fjernsyn-Lysfarge-System sRGB (TLS00a)

Data for ethvert apparat (d) eller elementærfarge (e):


$HIC^*_-$

fargetonetekst for fargene på denne siden:

$H^*_-$  = R00Y $_-$ , R25Y $_-$ , ..., B75R $_-$

ORS20a; adapterte (a) CIELAB data



$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Omfang  
 $u^*_{rel} = 158$   
 %Regularitet  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$

sRGB (TLS00a); adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R $_-,Ma$	50.5	76.9	64.5	100.4
Y $_-,Ma$	92.6	-20.7	90.7	93.0
G $_-,Ma$	83.6	-82.7	79.9	115.0
C $_-,Ma$	86.8	-46.1	-13.5	48.1
B $_-,Ma$	30.3	76.0	-103.6	128.5
M $_-,Ma$	57.3	94.3	-58.4	110.9
N $_-,Ma$	0.0	0.0	0.0	0.0
W $_-,Ma$	95.4	0.0	0.0	0.0
R $_-,CIE$	39.9	58.7	27.9	65.0
Y $_-,CIE$	81.2	-2.8	71.5	71.6
G $_-,CIE$	52.2	-42.4	13.6	44.5
B $_-,CIE$	30.5	1.4	-46.4	46.4



se lignende filer: <http://130.149.60.45/~farbmetrik/RN88/RN88.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN88/RN88L0FA.TXT /.PS  
 anvendelse for måling av display output


TUB-material: code=rh4ta

Input og output: Fjernsyn-Lysfarge-System sRGB (TLS00a)

Data for ethvert apparat (d) eller elementærfarge (e):  
 $HIC^*_d$   
fargetonetekst for fargene på denne siden:  
 $H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

sRGB (TLS00a); adapterte (a) CIELAB data



$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	50.4	76.9	64.5	100.4
R25Y_100_100_d	53.7	67.6	65.8	94.4
R50Y_100_100_d	63.6	41.3	71.0	82.2
R75Y_100_100_d	78.2	7.8	80.6	81.0
Y00G_100_100_d	92.6	-20.7	90.7	93.0
Y25G_100_100_d	88.7	-43.3	86.2	96.5
Y50G_100_100_d	85.7	-65.2	82.4	105.1
Y75G_100_100_d	84.0	-78.7	80.4	112.5
G00B_100_100_d	83.6	-82.7	79.8	115.0
G25B_100_100_d	84.3	-73.7	44.9	86.4
G50B_100_100_d	86.8	-46.1	-13.5	48.1
G75B_100_100_d	51.7	18.3	-68.3	70.7
B00R_100_100_d	30.3	76.0	-103.5	128.5
B25R_100_100_d	38.5	79.8	-89.7	120.0
B50R_100_100_d	57.2	94.3	-58.4	110.9
B75R_100_100_d	52.0	81.1	4.1	81.2



%Omfang  
 $u^*_{rel} = 158$   
%Regularitet  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$

sRGB (TLS00a); adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d, Ma}$	50.4	76.9	64.5	100.4
$Y_{d, Ma}$	92.6	-20.7	90.7	93.0
$G_{d, Ma}$	83.6	-82.7	79.8	115.0
$C_{d, Ma}$	86.8	-46.1	-13.5	48.1
$B_{d, Ma}$	30.3	76.0	-103.5	128.5
$M_{d, Ma}$	57.2	94.3	-58.4	110.9
$N_{d, Ma}$	0.0	0.0	0.0	0.0
$W_{d, Ma}$	95.4	0.0	0.0	0.0
$R_{d, CIE}$	39.9	58.7	27.9	65.0
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6
$G_{d, CIE}$	52.2	-42.4	13.6	44.5
$B_{d, CIE}$	30.5	1.4	-46.4	46.4



se lignende filer: <http://130.149.60.45/~farbmetrik/RN88/RN88L0FA.TXT> / .PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN88/RN88L0FA.TXT / .PS  
anvendelse for måling av display output, ingen separasjon rgb\* (RGB)  
TUB-material: code=rh4ta

Input og output: Fjernsyn-Lysfarge-System sRGB (TLS00a)

Data for ethvert apparat (d) eller elementærfarge (e):


$HIC^*_-$

fargetonetekst for fargene på denne siden:

$H^*_-$  = R00Y $_-$ , R25Y $_-$ , ..., B75R $_-$

ORS20a; adapterte (a) CIELAB data



$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Omfang  
 $u^*_{rel} = 158$   
 %Regularitet  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$

sRGB (TLS00a); adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R $_-,Ma$	50.5	76.9	64.5	100.4
Y $_-,Ma$	92.6	-20.7	90.7	93.0
G $_-,Ma$	83.6	-82.7	79.9	115.0
C $_-,Ma$	86.8	-46.1	-13.5	48.1
B $_-,Ma$	30.3	76.0	-103.6	128.5
M $_-,Ma$	57.3	94.3	-58.4	110.9
N $_-,Ma$	0.0	0.0	0.0	0.0
W $_-,Ma$	95.4	0.0	0.0	0.0
R $_-,CIE$	39.9	58.7	27.9	65.0
Y $_-,CIE$	81.2	-2.8	71.5	71.6
G $_-,CIE$	52.2	-42.4	13.6	44.5
B $_-,CIE$	30.5	1.4	-46.4	46.4



se lignende filer: <http://130.149.60.45/~farbmetrik/RN88/RN88.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN88/RN88L0FA.TXT /.PS  
 anvendelse for måling av display output


TUB-material: code=rh4ta

Input og output: Fjernsyn-Lysfarge-System sRGB (TLS00a)

Data for ethvert apparat (d) eller elementærfarge (e):  
 $HIC^*_e$   
fargetonetekst for fargene på denne siden:  
 $H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

sRGB (TLS00a); adapterte (a) CIELAB data



$H^*_e$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 <sub>e</sub>	50.9	78.3	37.3	86.7	25
R25Y_100_100 <sub>e</sub>	51.3	74.4	64.8	98.7	41
R50Y_100_100 <sub>e</sub>	63.1	42.7	70.8	82.7	58
R75Y_100_100 <sub>e</sub>	73.5	18.3	77.7	79.8	76
Y00G_100_100 <sub>e</sub>	83.7	-3.4	84.5	84.5	92
Y25G_100_100 <sub>e</sub>	91.0	-29.9	88.9	93.8	108
Y50G_100_100 <sub>e</sub>	85.9	-63.0	82.8	104.1	127
Y75G_100_100 <sub>e</sub>	84.1	-76.0	51.4	91.8	145
G00B_100_100 <sub>e</sub>	85.1	-64.6	20.7	67.9	162
G25B_100_100 <sub>e</sub>	86.5	-49.9	-8.4	50.6	189
G50B_100_100 <sub>e</sub>	79.0	-34.2	-25.7	42.8	216
G75B_100_100 <sub>e</sub>	70.0	-19.0	-39.6	43.9	244
B00R_100_100 <sub>e</sub>	59.2	1.7	-56.6	56.6	271
B25R_100_100 <sub>e</sub>	38.2	52.7	-90.7	104.9	300
B50R_100_100 <sub>e</sub>	57.1	94.1	-57.4	110.3	328
B75R_100_100 <sub>e</sub>	52.9	83.6	-11.6	84.4	352



%Omfang  
 $u^*_{rel} = 158$   
%Regularitet  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$

sRGB (TLS00a); adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>e, Ma</sub>	50.9	78.3	37.3	86.7	25
Y <sub>e, Ma</sub>	83.7	-3.4	84.5	84.5	92
G <sub>e, Ma</sub>	85.1	-64.6	20.7	67.9	162
C <sub>e, Ma</sub>	79.0	-34.2	-25.7	42.8	216
B <sub>e, Ma</sub>	59.2	1.7	-56.6	56.6	271
M <sub>e, Ma</sub>	57.1	94.1	-57.4	110.3	328
N <sub>e, Ma</sub>	0.0	0.0	0.0	0.0	0
W <sub>e, Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>e, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>e, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>e, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>e, CIE</sub>	30.5	1.4	-46.4	46.4	271



se lignende filer: <http://130.149.60.45/~farbmetrik/RN88/RN88L0FA.TXT> / .PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN88/RN88L0FA.TXT / .PS  
anvendelse for måling av display output, ingen separasjon rgb\* (RGB)  
TUB-material: code=rh4ta