

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_- = G75B_-$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_-

código de tono para los colores de esta página:

$H^*_- = G75B_-$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_-,Ma	47.9	65.3	50.5	82.6
Y_-,Ma	90.3	-10.2	91.7	92.3
G_-,Ma	50.9	-62.8	34.9	71.9
C_-,Ma	58.6	-30.3	-45.0	54.2
B_-,Ma	25.7	31.0	-44.4	54.2
M_-,Ma	48.1	75.2	-8.3	75.7
N_-,Ma	18.0	0.0	0.0	0.0
W_-,Ma	95.4	0.0	0.0	0.0
R_-,CIE	39.9	58.7	27.9	65.0
Y_-,CIE	81.2	-2.8	71.5	71.6
G_-,CIE	52.2	-42.4	13.6	44.5
B_-,CIE	30.5	1.4	-46.4	46.4

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 45 -5 -44 44 262

$HIC^*_{-,Ma}$: G75B_100_100_

$rgbic^*_{-,Ma}$:

0.0 0.5 1.0 1.0 1.0

triángulo claridad T^*

%Gama

$u^*_{rel} = 92$



%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS04/RS04L0NP.PDF /PS
 aplicación para la medida salida en la impresión offset


TUB material: code=rh4ta

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_d = G75B_d$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_d
código de tono para los colores
esta página:
 $H^*_d = G75B_d$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d, Ma}$	47.3	63.8	41.2	76.0
$Y_{d, Ma}$	88.3	-11.9	95.1	95.8
$G_{d, Ma}$	51.9	-68.8	28.1	74.3
$C_{d, Ma}$	58.3	-29.2	-43.7	52.6
$B_{d, Ma}$	25.3	23.5	-47.3	52.8
$M_{d, Ma}$	48.2	72.8	-8.5	73.3
$N_{d, Ma}$	17.7	0.0	0.0	0.0
$W_{d, Ma}$	95.4	0.0	0.0	0.0
$R_{d, CIE}$	39.9	58.7	27.9	65.0
$Y_{d, CIE}$	81.2	-2.8	71.5	71.6
$G_{d, CIE}$	52.2	-42.4	13.6	44.5
$B_{d, CIE}$	30.5	1.4	-46.4	46.4

Los datos de color máximo (Ma):

$LabCh^*_{d, Ma}$: 42 -6 -45 45 262



$HIC^*_{d, Ma}$: G75B_100_100d

$rgbic^*_{d, Ma}$:
0.0 0.5 1.0 1.0 1.0

triángulo claridad T^*

ORS20a; datos adaptados CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	47.3	63.8	41.2	76.0
$R25Y_{100_100d}$	55.3	45.8	52.2	69.5
$R50Y_{100_100d}$	67.2	22.6	67.6	71.2
$R75Y_{100_100d}$	79.9	1.0	83.9	83.9
$Y00G_{100_100d}$	88.3	-11.9	95.1	95.8
$Y25G_{100_100d}$	83.3	-19.2	83.7	85.9
$Y50G_{100_100d}$	72.7	-31.3	66.0	73.1
$Y75G_{100_100d}$	60.4	-48.8	46.7	67.6
$G00B_{100_100d}$	51.9	-68.8	28.1	74.3
$G25B_{100_100d}$	54.8	-51.0	-12.3	52.5
$G50B_{100_100d}$	58.3	-29.2	-43.7	52.6
$G75B_{100_100d}$	42.7	-6.0	-45.0	45.4
$B00R_{100_100d}$	25.3	23.5	-47.3	52.8
$B25R_{100_100d}$	37.8	53.8	-26.3	59.9
$B50R_{100_100d}$	48.2	72.8	-8.5	73.3
$B75R_{100_100d}$	47.7	67.7	14.0	69.1




vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS04/RS04LONP.PDF /PS
aplicación para la medida salida en la impresión offset, separación cmy6 (CMYK)
TUB material: code=rh4ta




gráfico TUB-RS04; código de tono: $H^*_d = G75B_d$
gráfico según a DIN 33872, 3D=0, de=0, cmyk






entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a $cmyk_d$





vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>







2-003330-L0 RS040-70

gráfico TUB-RS04; código de tono: $H^*_d=G75B_d$
gráfico según a DIN 33872, 3D=0, de=0, cmyk

entrada: *rgb/cmyk* -> *rgb_d*
salida: transfiera a *cmyk_d*




Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_d = G75B_d$

Datos del dispositivo (d) o elemental (e) color:

HIC^*_d
código de tono para los colores
esta página:
 $H^*_d = G75B_d$
triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

LabCh^{*}_{d,Ma}: 42 -6 -45 45 262

HIC^*_d, Ma : G75B_100_100_d



$rgbic^*_d, Ma$:

0.0 0.5 1.0 1.0 1.0

triángulo claridad T^*

ORS20a; datos adaptados CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11






vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy6 (CMYK)
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



(a*_d b*_d), (a*_s b*_s), (a*_e b*_e)
rgb*_e LCH*_s LAB*_s
h_{ab,s} rgb*_s
h_{ab,s} = atan [r*_d cos(30) + g*_d cos(150)] / [r*_d sin(30) + g*_d sin(150) + b*_d sin(270)] (1)

h_{ab,s}
s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)
h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (2)
h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (3)

h_{ab,e}
e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)
h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (4)
h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (5)


h_{ab,e} h_{ab,d}
rgb*_{de}

vea archivos semejantes: http://130.149.60.45/~farbmetrik/RS04/RS04.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy6 (CMYK)
TUB material: code=rh4ta



Data of maximum color M in colorimetric system Offset standard print; separation cmy6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h_ab,d, h_ab,s, h_ab,e, r_gb*dd64M, LAB*ddx64M (x=LabCh), r_gb*ddx361M, LAB*ddx361M (x=LabCh), r_gb*dsx361M, LAB*dsx361M (x=LabCh), r_gb*dex361M, LAB*dex361M (x=LabCh), r_gb*dd, r_gb*ds, r_gb*de. Rows contain numerical data for various color patches.




vea archivos semejantes: http://130.149.60.45/~farbmetrik/RS04/RS04.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-RS04/RS04LONP.PDF /PS
aplicación para la medida salida en la impresión offset, separación cmy6 (CMYK)
TUB material: code=rh4tra



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.0 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmy6 (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0				
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0				
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0				
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0				
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0				
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0				
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0				
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0				
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0				
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0				
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0				
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0				
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0				
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0				
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0				
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0				
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0				
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0				
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0				
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0				
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0				
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0				
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0				
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0				
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0				
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0				
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0				
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0				
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0				
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0				
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0				
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0				
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0				
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0				
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0				
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0				
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0				
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0				
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0				
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0				
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0				
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0				
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0				

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS04/RS04.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmyn6 (CMYK)
TUB material: code=rh4tra

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																		
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G _d 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G _s 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G _c 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.8																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	

vea archivos semejantes: http://130.149.60.45/~farbmetrik/RS04/RS04.HTM
información técnica: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS
aplicación para la medida salida en la impresión offset, separación cmyn6 (CMYK)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{ds361Mi}$																																							
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	1.0	0.983	1.0			
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	1.0	0.983	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	1.0	0.983	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	1.0	0.967	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	1.0	0.967	1.0		
237	213	219	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	1.0	0.95	1.0	0.0	1.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	1.0	0.95	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	1.0	0.933	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	1.0	0.933	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	1.0	0.917	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	1.0	0.917	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	1.0	0.9	1.0	0.0	1.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	1.0	0.9	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	1.0	0.883	1.0	0.0	1.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	1.0	0.883	1.0		
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	1.0	0.867	1.0		
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	1.0	0.85	1.0	0.0	1.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	1.0	0.85	1.0		
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	1.0	0.833	1.0		
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	1.0	0.817	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	1.0	0.817	1.0		
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	1.0	0.8	1.0	0.0	1.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	1.0	0.8	1.0		
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	1.0	0.783	1.0	0.0	1.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	1.0	0.783	1.0		
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	1.0	0.767	1.0	0.0	1.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	1.0	0.767	1.0		
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	1.0	0.75	1.0	0.0	1.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	1.0	0.75	1.0		
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	1.0	0.733	1.0	0.0	1.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	1.0	0.733	1.0		
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	1.0	0.717	1.0	0.0	1.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	1.0	0.717	1.0		
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	1.0	0.7	1.0	0.0	1.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	1.0	0.7	1.0		
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	1.0	0.683	1.0	0.0	1.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	1.0	0.683	1.0		
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	1.0	0.667	1.0	0.0	1.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	1.0	0.667	1.0		
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	1.0	0.65	1.0	0.0	1.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	1.0	0.65	1.0		
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	1.0	0.633	1.0	0.0	1.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	1.0	0.633	1.0
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	1.0	0.617	1.0	0.0	1.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	1.0	0.617	1.0
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	1.0	0.6	1.0	0.0	1.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	1.0	0.6	1.0
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	1.0	0.583	1.0	0.0	1.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	1.0	0.583	1.0
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.567	1.0	0.0	1.0															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{de361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}	rgb* _{ds361Mi}	rgb* _{de361Mi}																	
281	255	258	0.0	0.25 1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0
282	256	258	0.0	0.233 1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0
283	257	259	0.0	0.216 1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0
285	258	260	0.0	0.2 1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0
286	259	261	0.0	0.183 1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0
287	260	262	0.0	0.166 1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0
288	261	263	0.0	0.15 1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0
289	262	264	0.0	0.133 1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0
290	263	265	0.0	0.116 1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0
291	264	266	0.0	0.1 1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1	1.0
292	265	267	0.0	0.083 1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0
293	266	268	0.0	0.066 1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0
293	267	269	0.0	0.049 1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0
294	268	269	0.0	0.033 1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0
295	269	270	0.0	0.016 1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.7	-45.3	45.4	270	0.0	0.017	1.0
296	270	271	0.0	0.0 1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271	0.0	0.0	1.0
297	271	272	0.016	0.0 1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0	1.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0
299	272	273	0.033	0.0 1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0
300	273	274	0.05	0.0 1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0
301	274	275	0.066	0.0 1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0
303	275	276	0.083	0.0 1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0
304	276	277	0.1	0.0 1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0
306	277	278	0.116	0.0 1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0
307	278	279	0.133	0.0 1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0
307	279	280	0.15	0.0 1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0
308	280	281	0.166	0.0 1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0
309	281	282	0.183	0.0 1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0
310	282	283	0.2	0.0 1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0
311	283	284	0.216	0.0 1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0	0.0	0.215	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0
311	284	285	0.233	0.0 1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0
312	285	285	0.25	0.0 1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0
314	286	286	0.266	0.0 1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0
316	287	287	0.283	0.0 1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0
318	288	288	0.3	0.0 1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	0.0	0.147	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0
320	289	289	0.316	0.0 1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	0.0	0.134	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0
322	290	290	0.333	0.0 1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	0.0	0.118	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0
323	291	291	0.35	0.0 1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	0.0	0.098	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0
325	292	292	0.366	0.0 1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0
327	293	293	0.383	0.0 1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	0.0	0.059	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0
328	294	294	0.4	0.0 1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0	1.0	0.0	0.04	1.0	26.4	21.6	-47.2	52.0	294	0.4	0.0	1.0
329	295	295	0.416	0.0 1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295	0.417	0.0	1.0	0.0	0.02	1.0	25.9	22.5	-47.3	52.4	295			

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_d: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{dex361Mi (x=LabCh)}																		
333	300	300	0.5	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0	
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3	334	0.056	0.0	1.0	27.1	27.3	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6	335	0.068	0.0	1.0	27.5	28.1	-44.9	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0	336	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0
336	304	303	0.566	0.0	1.0	39.5	56.5	-24.0	61.4	336	0.092	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	303	0.567	0.0	1.0
337	305	304	0.583	0.0	1.0	39.9	57.2	-23.4	61.8	337	0.104	0.0	1.0	28.7	30.5	-43.4	53.1	305	0.583	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0
338	306	305	0.6	0.0	1.0	40.3	57.8	-22.8	62.2	338	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.6	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0
339	307	306	0.616	0.0	1.0	40.7	58.5	-22.1	62.5	339	0.13	0.0	1.0	29.4	32.0	-42.4	53.2	307	0.617	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0
340	308	307	0.633	0.0	1.0	41.1	59.3	-21.4	63.0	340	0.151	0.0	1.0	29.8	32.8	-41.8	53.2	308	0.633	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0
341	309	308	0.65	0.0	1.0	41.4	60.3	-20.5	63.7	341	0.172	0.0	1.0	30.2	33.5	-41.3	53.3	309	0.65	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0
342	310	309	0.666	0.0	1.0	41.7	61.3	-19.7	64.3	342	0.193	0.0	1.0	30.6	34.3	-40.7	53.3	310	0.667	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0
343	311	310	0.683	0.0	1.0	41.9	62.2	-18.8	65.0	343	0.214	0.0	1.0	30.9	35.0	-40.2	53.3	311	0.683	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0
344	312	311	0.7	0.0	1.0	42.2	63.2	-17.8	65.6	344	0.234	0.0	1.0	31.3	35.7	-39.6	53.4	312	0.7	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0
345	313	312	0.716	0.0	1.0	42.5	64.1	-16.9	66.3	345	0.252	0.0	1.0	31.6	36.5	-39.0	53.5	313	0.717	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0
346	314	313	0.733	0.0	1.0	42.8	65.0	-15.9	66.9	346	0.261	0.0	1.0	31.8	37.3	-38.5	53.7	314	0.733	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0
347	315	314	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347	0.27	0.0	1.0	31.9	38.2	-38.1	54.0	315	0.75	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0
347	316	315	0.766	0.0	1.0	43.5	66.4	-14.5	68.0	347	0.279	0.0	1.0	32.1	39.0	-37.6	54.2	316	0.767	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0
348	317	316	0.783	0.0	1.0	43.8	66.9	-14.1	68.4	348	0.288	0.0	1.0	32.3	39.8	-37.1	54.5	317	0.783	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0
348	318	317	0.8	0.0	1.0	44.2	67.3	-13.7	68.7	348	0.297	0.0	1.0	32.4	40.7	-36.5	54.7	318	0.8	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0
348	319	318	0.816	0.0	1.0	44.6	67.8	-13.3	69.1	348	0.306	0.0	1.0	32.6	41.5	-36.0	55.0	319	0.817	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0
349	320	319	0.833	0.0	1.0	45.0	68.3	-12.9	69.5	349	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.833	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0
349	321	320	0.85	0.0	1.0	45.3	68.8	-12.5	69.9	349	0.324	0.0	1.0	32.9	43.1	-34.8	55.5	321	0.85	0.0	1.0	0.315	0.0	1.0	32.7	42.4	-35.4	55.3	320	0.85	0.0	1.0
350	322	321	0.866	0.0	1.0	45.7	69.2	-12.1	70.3	350	0.333	0.0	1.0	33.1	43.9	-34.2	55.8	322	0.867	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0
350	323	321	0.883	0.0	1.0	46.1	69.7	-11.7	70.7	350	0.342	0.0	1.0	33.2	44.7	-33.6	56.0	323	0.883	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0
350	324	322	0.9	0.0	1.0	46.4	70.1	-11.2	71.0	350	0.351	0.0	1.0	33.4	45.5	-33.0	56.3	324	0.9	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0
351	325	323	0.916	0.0	1.0	46.7	70.6	-10.8	71.4	351	0.359	0.0	1.0	33.5	46.3	-32.3	56.5	325	0.917	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0
351	326	324	0.933	0.0	1.0	47.0	71.0	-10.3	71.8	351	0.368	0.0	1.0	33.7	47.1	-31.6	56.8	326	0.933	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0
352	327	325	0.95	0.0	1.0	47.3	71.5	-9.9	72.2	352	0.379	0.0	1.0	34.0	47.9	-31.0	57.1	327	0.95	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0
352	328	326	0.966	0.0	1.0	47.6	71.9	-9.4	72.5	352	0.397	0.0	1.0	34.5	48.7	-30.4	57.5	328	0.967	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0
352	329	327	0.983	0.0	1.0	47.9	72.4	-9.0	72.9	352	0.414	0.0	1.0	35.1	49.6	-29.7	57.9	329	0.983	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0
353	330	328	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353	0.432	0.0	1.0	35.7	50.5	-29.1	58.3	330	1.0	0.0	1.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	1.0	0.0	1.0
353	331	329	1.0	0.0	0.983	48.2	72.7	-7.9	73.1	353	0.449	0.0	1.0	36.2	51.4	-28.4	58.7	331	1.0	0.0	0.983	0.424	0.0	1.0	35.4	50.1	-29.4	58.1	329	1.0	0.0	0.983
354	332	330	1.0	0.0	0.966	48.2	72.5	-7.4	72.9	354	0.467	0.0	1.0	36.8	52.2	-27.7	59.1	332	1.0	0.0	0.967	0.441	0.0	1.0	35.9	50.9	-28.7	58.5	330	1.0	0.0	0.967
354	333	331	1.0	0.0	0.95	48.2	72.4	-6.8	72.7	354	0.484	0.0	1.0	37.4	53.1	-26.9	59.6	333	1.0	0.0	0.95	0.457	0.0	1.0	36.5	51.8	-28.1	58.9	331	1.0	0.0	0.95
355	334	332	1.0	0.0	0.933	48.2	72.2	-6.2	72.5	355	0.502	0.0	1.0	37.9	53.9	-26.2	60.0	334	1.0	0.0	0.933	0.474	0.0	1.0	37.0	52.6	-27.4	59.3	332	1.0	0.0	0.933
355	335	333	1.0	0.0	0.916	48.2	72.0	-5.7	72.3	355	0.524	0.0	1.0	38.5	54.8	-25.5	60.5	335	1.0	0.0	0.917	0.49	0.0	1.0	37.6	53.4	-26.7	59.7	333	1.0	0.0	0.917
355	336	334	1.0	0.0	0.9	48.2	71.9	-5.1	72.1	355	0.546	0.0	1.0	39.0	55.7	-24.7	61.0	336	1.0	0.0	0.9	0.508	0.0	1.0	38.1	54.2	-26.0	60.1	334	1.0	0.0	0.9
356	337	335	1.0	0.0	0.883	48.2	71.7	-4.6	71.8	356	0.567	0.0	1.0	39.6	56.6	-23.9	61.5	337	1.0	0.0	0.883	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	1.0	0.0	0.883
356	338	336	1.0	0.0	0.866	48.2	71.5	-4.0	71.7	356	0.589	0.0	1.0	40.1	57.5	-23.1	62.0	338	1.0	0.0	0.867	0.55	0.0	1.0	39.1	55.9	-24.6	61.1	336	1.0	0.0	0.867
357	339	337	1.0	0.0	0.85	48.2	71.4	-3.3	71.5	357	0.611	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.85	0.57	0.0	1.0	39.6	56.7	-23.8	61.5	337	1.0	0.0	0.85
357	340	338	1.0	0.0	0.833																											

RS0400L

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS

TUB material: code=rha4ta

aplicación para la medida salida en la impresión offset, separación cmykn6 (CMYK)

n	HHC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
81	BOY_012_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.4	7.9	5.1	9.5	32.8	0.125 0.0	22.6	8.7	6.1	8.4	46.2
82	BOY_012_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.5	9.1	-1.0	9.1	353.3	0.125 0.0	22.6	8.7	-2.1	9.1	346.0
83	B2SK_025_0254	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	22.7	13.4	-6.5	14.9	330.2	0.125 0.0	26.4	15.2	-8.9	17.6	329.7
84	B1SK_037_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	23.3	18.8	-19.8	26.6	311.9	0.125 0.0	37.5	19.5	-15.7	25.0	321.2
85	B1LK_050_0504	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	24.4	17.8	-25.6	33.2	309.5	0.125 0.0	46.2	24.0	-22.4	32.9	317.0
86	BOYR_062_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	25.6	24.5	-31.4	39.9	307.9	0.125 0.0	56.2	27.1	-28.7	39.1	312.7
87	BOYR_075_0754	0.125 0.0	0.75 0.0	0.75 0.0	0.75 0.0	28.0	28.1	-37.0	46.5	307.1	0.125 0.0	66.2	28.8	-33.9	44.5	310.3
88	BOYR_087_0874	0.125 0.0	0.875 0.0	0.875 0.0	0.875 0.0	29.0	31.2	-42.9	53.1	306.0	0.125 0.0	76.2	31.8	-38.8	49.9	308.9
89	BOYR_100_1004	0.125 0.0	1.0 0.0	1.0 0.0	1.0 0.0	29.0	31.2	-42.9	53.1	306.0	0.125 0.0	76.2	31.8	-38.8	49.9	308.9
90	YOOC_012_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	26.5	0.0	11.8	11.9	97.1	0.125 0.0	27.7	-3.1	9.7	10.2	108.1
91	YOOC_012_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	27.4	0.0	0.0	0.0	0.0	0.125 0.0	27.7	-3.1	9.7	10.2	108.1
92	BOYR_025_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	28.3	2.9	-5.9	6.6	296.4	0.125 0.0	31.9	3.7	-8.7	9.5	293.2
93	BOYR_037_0254	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	28.3	2.9	-5.9	6.6	296.4	0.125 0.0	31.9	3.7	-8.7	9.5	293.2
94	BOYR_050_0374	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	30.2	8.8	-11.7	13.2	296.4	0.125 0.0	33.8	7.7	-14.6	16.5	297.7
95	BOYR_062_0504	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	31.2	11.6	-23.6	26.4	296.4	0.125 0.0	33.6	18.6	-26.4	30.5	300.0
96	BOYR_075_0624	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.1	14.6	-35.5	39.6	296.4	0.125 0.0	33.6	18.6	-26.4	30.5	300.0
97	BOYR_087_0754	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	34.1	17.6	-48.4	46.2	296.4	0.125 0.0	33.6	23.8	-37.4	45.4	300.6
98	BOYR_100_0874	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	34.1	17.6	-48.4	46.2	296.4	0.125 0.0	33.6	23.8	-37.4	45.4	300.6
99	YOOC_025_0254	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	31.4	-7.8	16.5	18.2	157.7	0.125 0.0	36.5	-10.7	18.4	21.2	120.2
100	YOOC_025_0254	0.125 0.0	0.25 0.0	0.25 0.0	0.25 0.0	31.4	-7.8	16.5	18.2	157.7	0.125 0.0	36.5	-10.7	18.4	21.2	120.2
101	G5B_037_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	31.7	-8.6	3.5	5.4	236.1	0.125 0.0	37.7	-5.3	-7.4	9.1	234.0
102	G5B_037_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.5	-3.5	-5.4	6.5	236.1	0.125 0.0	37.7	-5.3	-7.4	9.1	234.0
103	G5B_050_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	33.6	-1.5	-11.2	11.3	266.3	0.125 0.0	42.5	-2.0	-12.9	15.8	260.8
104	G5B_062_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	34.2	1.9	-17.2	17.3	266.3	0.125 0.0	42.5	-2.0	-12.9	15.8	260.8
105	G5B_075_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	34.9	5.2	-23.1	23.7	266.3	0.125 0.0	42.5	-2.0	-12.9	15.8	260.8
106	G5B_100_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	35.6	8.3	-28.1	30.4	266.3	0.125 0.0	42.5	-2.0	-12.9	15.8	260.8
107	G5B_100_0124	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	35.6	8.3	-28.1	30.4	266.3	0.125 0.0	42.5	-2.0	-12.9	15.8	260.8
108	G5B_037_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	35.5	11.9	-35.1	43.1	289.9	0.125 0.0	43.3	15.3	-46.3	50.9	289.7
109	G5B_037_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	35.5	11.9	-35.1	43.1	289.9	0.125 0.0	43.3	15.3	-46.3	50.9	289.7
110	G5B_050_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	35.9	12.4	-40.1	48.5	289.9	0.125 0.0	43.3	15.3	-46.3	50.9	289.7
111	G5B_050_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	35.9	12.4	-40.1	48.5	289.9	0.125 0.0	43.3	15.3	-46.3	50.9	289.7
112	G5B_062_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	36.7	-12.7	-3.0	13.1	193.5	0.125 0.0	43.3	-8.9	-12.3	15.2	190.4
113	G5B_062_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	36.7	-12.7	-3.0	13.1	193.5	0.125 0.0	43.3	-8.9	-12.3	15.2	190.4
114	G5B_075_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	39.4	-6.2	-16.6	17.7	249.4	0.125 0.0	44.7	-6.8	-17.9	19.2	249.0
115	G5B_075_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	39.4	-6.2	-16.6	17.7	249.4	0.125 0.0	44.7	-6.8	-17.9	19.2	249.0
116	G5B_100_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	40.2	0.5	-28.4	28.4	247.0	0.125 0.0	44.7	-6.8	-17.9	19.2	249.0
117	G5B_100_0374	0.125 0.0	0.375 0.0	0.375 0.0	0.375 0.0	40.2	0.5	-28.4	28.4	247.0	0.125 0.0	44.7	-6.8	-17.9	19.2	249.0
118	Y76G_050_0504	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	41.6	7.3	-40.2	40.9	289.9	0.125 0.0	44.7	8.4	-39.6	40.0	281.9
119	Y76G_050_0504	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	41.6	7.3	-40.2	40.9	289.9	0.125 0.0	44.7	8.4	-39.6	40.0	281.9
120	G5B_050_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	39.0	-24.4	23.3	33.8	186.2	0.125 0.0	44.2	-26.4	27.6	38.2	133.7
121	G5B_050_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	39.0	-24.4	23.3	33.8	186.2	0.125 0.0	44.2	-26.4	27.6	38.2	133.7
122	G5B_062_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	40.2	-25.8	10.5	27.8	157.7	0.125 0.0	44.8	-24.5	15.9	29.2	147.0
123	G5B_062_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	40.2	-25.8	10.5	27.8	157.7	0.125 0.0	44.8	-24.5	15.9	29.2	147.0
124	G5B_075_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	41.8	-15.9	-9.8	18.7	211.7	0.125 0.0	45.9	-20.4	2.8	20.0	171.9
125	G5B_075_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	41.8	-15.9	-9.8	18.7	211.7	0.125 0.0	45.9	-20.4	2.8	20.0	171.9
126	G5B_100_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	42.6	-10.2	-22.0	24.3	236.1	0.125 0.0	47.7	-16.0	-9.1	18.4	209.5
127	G5B_100_074	0.125 0.0	0.5 0.0	0.5 0.0	0.5 0.0	42.6	-10.2	-22.0	24.3	236.1	0.125 0.0	47.7	-16.0	-9.1	18.4	209.5
128	Y81G_062_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	44.6	-10.2	-22.0	24.3	253.2	0.125 0.0	49.8	-10.6	-22.8	25.2	244.9
129	Y81G_062_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	44.6	-10.2	-22.0	24.3	253.2	0.125 0.0	49.8	-10.6	-22.8	25.2	244.9
130	G5B_062_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	46.2	-4.5	-33.7	34.0	262.3	0.125 0.0	49.6	-4.4	-34.1	34.0	262.3
131	G5B_062_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	46.2	-4.5	-33.7	34.0	262.3	0.125 0.0	49.6	-4.4	-34.1	34.0	262.3
132	G5B_075_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	48.9	1.0	-46.5	-39.7	247.0	0.125 0.0	50.5	1.0	-47.2	0.5	-38.8
133	G5B_075_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	48.9	1.0	-46.5	-39.7	247.0	0.125 0.0	50.5	1.0	-47.2	0.5	-38.8
134	G5B_100_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	44.5	-32.4	27.0	42.1	140.1	0.125 0.0	48.8	-34.1	31.3	46.3	137.6
135	G5B_100_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	44.5	-32.4	27.0	42.1	140.1	0.125 0.0	48.8	-34.1	31.3	46.3	137.6
136	G5B_062_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	45.1	-31.5	5.1	31.8	170.0	0.125 0.0	49.9	-28.9	8.0	29.5	162.0
137	G5B_062_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	45.1	-31.5	5.1	31.8	170.0	0.125 0.0	49.9	-28.9	8.0	29.5	162.0
138	G5B_075_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	46.0	-21.5	-15.8	24.9	191.6	0.125 0.0	52.0	-19.4	-14.8	24.4	189.6
139	G5B_075_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	46.0	-21.5	-15.8	24.9	191.6	0.125 0.0	52.0	-19.4	-14.8	24.4	189.6
140	G5B_100_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	47.7	-14.6	-21.8	26.3	236.1	0.125 0.0	52.0	-19.4	-14.8	24.4	189.6
141	G5B_100_0624	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	47.7	-14.6	-21.8	26.3	236.1	0.125 0.0	52.0	-19.4	-14.8	24.4	189.6
142	G5B_062_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	45.1	-31.5	5.1	31.8	170.0	0.125 0.0	49.9	-28.9	8.0	29.5	162.0
143	G5B_062_0504	0.125 0.0	0.625 0.0	0.625 0.0	0.625 0.0	45.1	-31.5	5.1	31.8	170.0	0.125 0.0	49.9	-28.9</			

RS0400L

TUB matrícula: 20130201-RS04/RS04LONP.PDF /.PS

TUB material: code=rha4ta

aplicación para la medida salida en la impresión offset, separación cmykn6 (CMYK)

n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	30.9	57.0	LabCH*Fd	rgb*Fd	DF*Fd	hsa*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	rgb*Fd
486	ROY_075_075d	0.75	0.0	0.75	0.75	0.0	39.9	57.0	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
487	R35Y_075_075d	0.75	0.0	0.125	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
488	R18Y_075_075d	0.75	0.0	0.25	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
489	ROY_075_075d	0.75	0.0	0.375	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
490	B6SK_075_075d	0.75	0.0	0.5	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
491	B57K_075_075d	0.75	0.0	0.625	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
492	B49K_075_075d	0.75	0.0	0.75	0.75	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
493	B43K_087_087d	0.75	0.0	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
494	B38K_100_100d	0.75	0.0	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
495	R15Y_075_075d	0.75	0.125	0.0	0.75	0.125	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
496	R15Y_075_062d	0.75	0.125	0.125	0.75	0.25	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
497	R15Y_075_062d	0.75	0.125	0.25	0.75	0.375	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
498	R15Y_075_062d	0.75	0.125	0.375	0.75	0.5	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
499	B69K_075_062d	0.75	0.125	0.5	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
500	B59K_075_062d	0.75	0.125	0.625	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
501	B59K_075_062d	0.75	0.125	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
502	B42K_087_075d	0.75	0.125	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
503	B36K_100_087d	0.75	0.125	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
504	R18Y_075_075d	0.75	0.25	0.0	0.75	0.25	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
505	R18Y_075_062d	0.75	0.25	0.125	0.75	0.375	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
506	R26Y_075_059d	0.75	0.25	0.375	0.75	0.5	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
507	R26Y_075_059d	0.75	0.25	0.5	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
508	ROY_075_059d	0.75	0.25	0.625	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
509	B01K_075_059d	0.75	0.25	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
510	B01K_075_059d	0.75	0.25	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
511	B34K_100_075d	0.75	0.25	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
512	B34K_100_075d	0.75	0.25	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
513	R38Y_075_075d	0.75	0.375	0.0	0.75	0.375	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
514	R38Y_075_062d	0.75	0.375	0.125	0.75	0.5	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
515	R38Y_075_062d	0.75	0.375	0.25	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
516	R38Y_075_062d	0.75	0.375	0.375	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
517	R18Y_075_037d	0.75	0.375	0.5	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
518	B69K_075_037d	0.75	0.375	0.625	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
519	B38K_087_037d	0.75	0.375	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
520	B38K_087_037d	0.75	0.375	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
521	R68Y_075_075d	0.75	0.5	0.0	0.75	0.5	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
522	R68Y_075_075d	0.75	0.5	0.125	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
523	R68Y_075_062d	0.75	0.5	0.25	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
524	R68Y_075_062d	0.75	0.5	0.375	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
525	R68Y_075_062d	0.75	0.5	0.5	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
526	ROY_075_025d	0.75	0.5	0.625	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
527	ROY_075_025d	0.75	0.5	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
528	B59K_075_025d	0.75	0.5	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
529	B34K_087_037d	0.75	0.5	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
530	B25K_100_059d	0.75	0.5	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
531	R88Y_075_075d	0.75	0.625	0.0	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
532	R88Y_075_062d	0.75	0.625	0.125	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
533	R76Y_075_059d	0.75	0.625	0.25	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
534	R68Y_075_059d	0.75	0.625	0.375	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
535	ROY_075_025d	0.75	0.625	0.5	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
536	ROY_075_025d	0.75	0.625	0.625	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
537	B59K_075_012d	0.75	0.625	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
538	B25K_100_059d	0.75	0.625	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
539	B18K_100_059d	0.75	0.625	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
540	Y06G_075_075d	0.75	0.75	0.0	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
541	Y06G_075_075d	0.75	0.75	0.125	0.75	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
542	Y06G_075_059d	0.75	0.75	0.25	0.75	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
543	Y06G_075_059d	0.75	0.75	0.375	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
544	Y06G_075_059d	0.75	0.75	0.5	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
545	Y06G_075_012d	0.75	0.75	0.625	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
546	Y06G_075_012d	0.75	0.75	0.75	0.75	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
547	B08K_087_012d	0.75	0.75	0.875	0.875	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
548	B08K_100_025d	0.75	0.75	1.0	1.0	0.0	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
549	Y13G_087_087d	0.75	0.875	0.0	0.875	0.875	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
550	Y18G_087_062d	0.75	0.875	0.125	0.875	0.75	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
551	Y18G_087_062d	0.75	0.875	0.25	0.875	0.625	40.4	51.6	0.0	0.0	3.4	38.9	0.0	0.0	0.0	47.3	63.8	41.2
552	Y23G_087_059d	0.75	0.875	0.375	0.875	0.5	40.4	51.6	0.0	0.0	3.4							

n	HC*Fd	rgb_Fd	icr_Fd	hls_Fd	rgb*Fd	LabC*H*Fd	LabCH*Fd	DF*Fd	hAm*Fd	rgb*Ma	LabCH*Ma	DF*Ma	hAm*Ma	rgb*Ma	LabCH*Ma	DF*Ma	hAm*Ma
729	NV_100a	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
730	GS0B_100.0124	0.875	1.0	1.0	0.125	0.937	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
731	GS0B_100.0254	0.75	1.0	1.0	0.25	0.875	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
732	GS0B_100.0374	0.625	1.0	1.0	0.375	0.812	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
733	GS0B_100.0504	0.5	1.0	1.0	0.5	0.75	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
734	GS0B_100.0624	0.375	1.0	1.0	0.625	0.687	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
735	GS0B_100.0754	0.25	1.0	1.0	0.75	0.625	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
736	GS0B_100.0874	0.125	1.0	1.0	0.875	0.562	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
737	GS0B_100.1004	0.0	1.0	1.0	1.0	0.5	95.4	0.0	0.0	1.0	1.0	1.0	360	1.0	1.0	1.0	360
738	ROY_100.0124	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
739	NV_087a	0.875	0.875	0.875	0.875	0.125	0.875	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
740	GS0B_087.0124	0.75	0.875	0.875	0.875	0.25	0.812	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
741	GS0B_087.0254	0.625	0.875	0.875	0.875	0.375	0.75	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
742	GS0B_087.0374	0.5	0.875	0.875	0.875	0.5	0.687	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
743	GS0B_087.0504	0.375	0.875	0.875	0.875	0.625	0.625	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
744	GS0B_087.0624	0.25	0.875	0.875	0.875	0.625	0.562	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
745	GS0B_087.0754	0.125	0.875	0.875	0.875	0.75	0.5	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
746	GS0B_087.0874	0.0	0.875	0.875	0.875	0.875	0.437	390	1.0	0.875	0.875	390	1.0	0.875	0.875	390	
747	ROY_100.0254	0.875	0.75	0.75	0.875	0.125	0.875	390	1.0	0.75	0.75	390	1.0	0.75	0.75	390	
748	ROY_100.0374	0.75	0.75	0.75	0.875	0.25	0.812	390	1.0	0.75	0.75	390	1.0	0.75	0.75	390	
749	ROY_100.0504	0.625	0.75	0.75	0.875	0.375	0.75	390	1.0	0.75	0.75	390	1.0	0.75	0.75	390	
750	GS0B_075.0124	0.625	0.75	0.75	0.75	0.125	0.687	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
751	GS0B_075.0254	0.5	0.75	0.75	0.75	0.25	0.625	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
752	GS0B_075.0374	0.375	0.75	0.75	0.75	0.375	0.562	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
753	GS0B_075.0504	0.25	0.75	0.75	0.75	0.5	0.5	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
754	GS0B_075.0624	0.125	0.75	0.75	0.75	0.625	0.437	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
755	GS0B_075.0754	0.0	0.75	0.75	0.75	0.75	0.375	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
756	ROY_100.0374	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.625	390	1.0	0.625	0.625	390	
757	ROY_100.0504	0.875	0.625	0.625	0.875	0.25	0.75	390	1.0	0.625	0.625	390	1.0	0.625	0.625	390	
758	ROY_100.0624	0.75	0.625	0.625	0.75	0.125	0.687	390	1.0	0.625	0.625	390	1.0	0.625	0.625	390	
759	ROY_100.0754	0.625	0.625	0.625	0.625	0.25	0.625	390	1.0	0.625	0.625	390	1.0	0.625	0.625	390	
760	GS0B_062.0124	0.625	0.625	0.625	0.625	0.125	0.562	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
761	GS0B_062.0254	0.5	0.625	0.625	0.625	0.25	0.5	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
762	GS0B_062.0374	0.375	0.625	0.625	0.625	0.375	0.437	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
763	GS0B_062.0504	0.25	0.625	0.625	0.625	0.5	0.375	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
764	GS0B_062.0624	0.125	0.625	0.625	0.625	0.625	0.312	210	1.0	0.625	0.625	210	1.0	0.625	0.625	210	
765	ROY_100.0504	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	390	1.0	0.5	0.5	390	
766	ROY_087.0574	0.875	0.5	0.5	0.875	0.375	0.687	390	1.0	0.5	0.5	390	1.0	0.5	0.5	390	
767	ROY_087.0704	0.75	0.5	0.5	0.75	0.25	0.625	390	1.0	0.5	0.5	390	1.0	0.5	0.5	390	
768	ROY_062.0124	0.625	0.5	0.5	0.625	0.125	0.562	390	1.0	0.5	0.5	390	1.0	0.5	0.5	390	
769	NV_050a	0.5	0.5	0.5	0.5	0.5	0.5	360	1.0	0.5	0.5	360	1.0	0.5	0.5	360	
770	GS0B_050.0124	0.375	0.5	0.5	0.5	0.125	0.437	210	1.0	0.5	0.5	210	1.0	0.5	0.5	210	
771	GS0B_050.0254	0.25	0.5	0.5	0.5	0.25	0.375	210	1.0	0.5	0.5	210	1.0	0.5	0.5	210	
772	GS0B_050.0374	0.125	0.5	0.5	0.5	0.375	0.312	210	1.0	0.5	0.5	210	1.0	0.5	0.5	210	
773	GS0B_050.0504	0.0	0.5	0.5	0.5	0.5	0.25	210	1.0	0.5	0.5	210	1.0	0.5	0.5	210	
774	ROY_100.0624	1.0	0.375	0.375	1.0	0.625	0.687	390	1.0	0.375	0.375	390	1.0	0.375	0.375	390	
775	ROY_087.0504	0.875	0.375	0.375	0.875	0.5	0.625	390	1.0	0.375	0.375	390	1.0	0.375	0.375	390	
776	ROY_087.0704	0.75	0.375	0.375	0.75	0.375	0.562	390	1.0	0.375	0.375	390	1.0	0.375	0.375	390	
777	ROY_062.0254	0.625	0.375	0.375	0.625	0.25	0.5	390	1.0	0.375	0.375	390	1.0	0.375	0.375	390	
778	ROY_050.0124	0.5	0.375	0.375	0.5	0.125	0.437	390	1.0	0.375	0.375	390	1.0	0.375	0.375	390	
779	NV_037a	0.375	0.375	0.375	0.375	0.375	0.375	360	1.0	0.375	0.375	360	1.0	0.375	0.375	360	
780	GS0B_037.0124	0.25	0.375	0.375	0.375	0.125	0.312	210	1.0	0.375	0.375	210	1.0	0.375	0.375	210	
781	GS0B_037.0254	0.125	0.375	0.375	0.375	0.25	0.25	210	1.0	0.375	0.375	210	1.0	0.375	0.375	210	
782	ROY_100.0374	1.0	0.375	0.375	1.0	0.375	0.187	210	1.0	0.375	0.375	210	1.0	0.375	0.375	210	
783	ROY_100.0504	0.875	0.25	0.25	0.875	0.625	0.362	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
784	ROY_087.0624	0.75	0.25	0.25	0.75	0.5	0.312	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
785	ROY_062.0374	0.625	0.25	0.25	0.625	0.375	0.25	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
786	ROY_050.0254	0.5	0.25	0.25	0.5	0.25	0.187	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
787	ROY_037.0124	0.375	0.25	0.25	0.375	0.125	0.187	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
788	ROY_025.0124	0.25	0.25	0.25	0.25	0.25	0.187	390	1.0	0.25	0.25	390	1.0	0.25	0.25	390	
789	GS0B_025.0124	0.125	0.25	0.25	0.25	0.125	0.187	210	1.0	0.25	0.25	210	1.0	0.25	0.25	210	
790	GS0B_025.0254	0.0	0.25	0.25	0.25	0.25	0.125	210	1.0	0.25	0.25	210	1.0	0.25	0.25	210	
791	ROY_100.0874	1.0	0.125	0.125	1.0	0.875	0.562	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
792	ROY_087.0754	0.875	0.125	0.125	0.875	0.75	0.5	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
793	ROY_062.0504	0.75	0.125	0.125	0.75	0.625	0.437	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
794	ROY_050.0374	0.625	0.125	0.125	0.625	0.5	0.375	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
795	ROY_037.0254	0.5	0.125	0.125	0.5	0.375	0.312	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
796	ROY_025.0124	0.375	0.125	0.125	0.375	0.25	0.25	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
797	ROY_025.0124	0.25	0.125	0.125	0.25	0.125	0.187	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
798	NV_0124	0.125	0.125	0.125	0.125	0.125	0.187	390	1.0	0.125	0.125	390	1.0	0.125	0.125	390	
799	GS0B_012.0124	0.125	0.125	0.125	0.125	0.125	0.187	210	1.0	0.125	0.125	210	1.0	0.125	0.125	210	
800	ROY_100.1004	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	390	1.0	0.0	0.0	390	
801	ROY_087.0874	0.875	0.0	0.0	0.875	0.875	0.437	390	1.0	0.0	0.0	390	1.0	0.0	0.0	390	
802	ROY_075.0754	0.75	0.0	0.0	0.75	0.75	0.375	3									

n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*H*Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*H*Fd	DF*Fd	HaM*Fd	rgb*Fd	LabC*H*Fd	0.0
891	NW_100k	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	95.4	0.0	360	1.0	1.0	0.0
892	NW_075k	1.0	0.875	1.0	1.0	82.5	1.0	1.0	1.0	90.7	6.1	342.7	1.0	1.0	0.0
893	B50R_100.025k	1.0	0.75	1.0	1.0	83.6	1.0	1.0	1.0	13.8	-3.6	345.3	1.0	1.0	0.0
894	B50R_100.050k	1.0	0.625	1.0	1.0	77.7	1.0	1.0	1.0	84.8	13.8	345.3	1.0	1.0	0.0
895	B50R_100.075k	1.0	0.5	1.0	1.0	71.8	1.0	1.0	1.0	79.2	21.3	346.8	1.0	1.0	0.0
896	B50R_100.100k	1.0	0.375	1.0	1.0	65.9	1.0	1.0	1.0	71.3	32.5	348.3	1.0	1.0	0.0
897	B50R_100.125k	1.0	0.25	1.0	1.0	60.0	1.0	1.0	1.0	64.8	42.4	350.0	1.0	1.0	0.0
898	B50R_100.150k	1.0	0.125	1.0	1.0	54.1	1.0	1.0	1.0	58.5	52.9	351.7	1.0	1.0	0.0
899	B50R_100.175k	1.0	0.0	1.0	1.0	48.2	1.0	1.0	1.0	51.7	64.8	353.3	1.0	1.0	0.0
900	NW_087k	1.0	1.0	1.0	1.0	90.0	1.0	1.0	1.0	46.6	74.0	355.3	1.0	1.0	0.0
901	B50R_087.012k	1.0	0.875	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
902	B50R_087.025k	1.0	0.75	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
903	B50R_087.037k	1.0	0.625	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
904	B50R_087.050k	1.0	0.5	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
905	B50R_087.062k	1.0	0.375	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
906	B50R_087.075k	1.0	0.25	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
907	B50R_087.100k	1.0	0.125	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
908	B50R_087.125k	1.0	0.0	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
909	B50R_087.150k	1.0	0.875	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
910	B50R_087.175k	1.0	0.75	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
911	B50R_075.012k	1.0	0.875	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
912	B50R_075.025k	1.0	0.75	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
913	B50R_075.037k	1.0	0.625	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
914	B50R_075.050k	1.0	0.5	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
915	B50R_075.062k	1.0	0.375	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
916	B50R_075.075k	1.0	0.25	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
917	B50R_075.100k	1.0	0.125	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
918	B50R_087.012k	1.0	0.875	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
919	B50R_087.025k	1.0	0.75	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
920	B50R_087.037k	1.0	0.625	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
921	B50R_087.050k	1.0	0.5	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
922	B50R_087.062k	1.0	0.375	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
923	B50R_087.075k	1.0	0.25	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
924	B50R_087.100k	1.0	0.125	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
925	B50R_087.125k	1.0	0.0	1.0	1.0	87.5	1.0	1.0	1.0	0.0	-0.1	277.1	1.0	1.0	0.0
926	B50R_100.050k	0.5	1.0	0.5	1.0	73.7	0.5	1.0	0.5	74.4	-25.5	352.2	1.0	1.0	0.0
927	B50R_100.075k	0.5	0.875	0.5	1.0	69.4	0.5	1.0	0.5	73.3	-19.7	352.2	1.0	1.0	0.0
928	B50R_100.100k	0.5	0.75	0.5	1.0	65.1	0.5	1.0	0.5	70.8	-12.8	352.2	1.0	1.0	0.0
929	B50R_100.125k	0.5	0.625	0.5	1.0	60.8	0.5	1.0	0.5	68.5	-6.8	352.2	1.0	1.0	0.0
930	NW_050k	0.5	0.5	0.5	1.0	56.5	0.5	1.0	0.5	65.5	-0.4	352.2	1.0	1.0	0.0
931	B50R_050.012k	0.5	0.375	0.5	1.0	54.6	0.5	1.0	0.5	63.5	-2.9	352.2	1.0	1.0	0.0
932	B50R_050.025k	0.5	0.25	0.5	1.0	50.7	0.5	1.0	0.5	61.5	0.0	352.2	1.0	1.0	0.0
933	B50R_050.037k	0.5	0.125	0.5	1.0	46.8	0.5	1.0	0.5	59.5	2.9	352.2	1.0	1.0	0.0
934	B50R_050.050k	0.5	0.0	0.5	1.0	42.9	0.5	1.0	0.5	57.5	5.8	352.2	1.0	1.0	0.0
935	B50R_050.075k	0.375	1.0	0.375	1.0	38.2	0.375	1.0	0.375	55.5	8.4	352.2	1.0	1.0	0.0
936	B50R_050.100k	0.375	0.875	0.375	1.0	34.3	0.375	1.0	0.375	53.5	11.2	352.2	1.0	1.0	0.0
937	B50R_050.125k	0.375	0.75	0.375	1.0	30.4	0.375	1.0	0.375	51.5	14.0	352.2	1.0	1.0	0.0
938	B50R_050.150k	0.375	0.625	0.375	1.0	26.5	0.375	1.0	0.375	49.5	16.8	352.2	1.0	1.0	0.0
939	B50R_050.175k	0.375	0.5	0.375	1.0	22.6	0.375	1.0	0.375	47.5	19.6	352.2	1.0	1.0	0.0
940	NW_037k	0.375	0.375	0.375	1.0	18.7	0.375	1.0	0.375	45.5	22.4	352.2	1.0	1.0	0.0
941	B50R_037.012k	0.375	0.375	0.375	1.0	18.7	0.375	1.0	0.375	45.5	22.4	352.2	1.0	1.0	0.0
942	B50R_037.025k	0.375	0.375	0.375	1.0	18.7	0.375	1.0	0.375	45.5	22.4	352.2	1.0	1.0	0.0
943	B50R_037.037k	0.375	0.375	0.375	1.0	18.7	0.375	1.0	0.375	45.5	22.4	352.2	1.0	1.0	0.0
944	B50R_037.050k	0.375	0.375	0.375	1.0	18.7	0.375	1.0	0.375	45.5	22.4	352.2	1.0	1.0	0.0
945	B50R_100.1075k	0.25	1.0	0.25	1.0	62.8	0.25	1.0	0.25	62.1	-45.3	350.4	1.0	1.0	0.0
946	B50R_100.105k	0.25	0.875	0.25	1.0	58.5	0.25	1.0	0.25	60.1	-37.2	350.4	1.0	1.0	0.0
947	B50R_100.1025k	0.25	0.75	0.25	1.0	54.2	0.25	1.0	0.25	58.1	-29.1	350.4	1.0	1.0	0.0
948	B50R_100.100k	0.25	0.625	0.25	1.0	50.0	0.25	1.0	0.25	56.0	-21.0	350.4	1.0	1.0	0.0
949	B50R_100.075k	0.25	0.5	0.25	1.0	45.8	0.25	1.0	0.25	53.9	-12.9	350.4	1.0	1.0	0.0
950	B50R_100.050k	0.25	0.375	0.25	1.0	41.6	0.25	1.0	0.25	51.8	-4.8	350.4	1.0	1.0	0.0
951	NW_025k	0.25	0.25	0.25	1.0	37.1	0.25	1.0	0.25	49.7	3.1	350.4	1.0	1.0	0.0
952	B50R_025.012k	0.25	0.25	0.25	1.0	37.1	0.25	1.0	0.25	49.7	3.1	350.4	1.0	1.0	0.0
953	B50R_025.025k	0.25	0.25	0.25	1.0	37.1	0.25	1.0	0.25	49.7	3.1	350.4	1.0	1.0	0.0
954	B50R_025.037k	0.25	0.25	0.25	1.0	37.1	0.25	1.0	0.25	49.7	3.1	350.4	1.0	1.0	0.0
955	B50R_025.050k	0.25	0.25	0.25	1.0	37.1	0.25	1.0	0.25	49.7	3.1	350.4	1.0	1.0	0.0
956	B50R_025.075k	0.125	1.0	0.125	1.0	57.3	0.125	1.0	0.125	56.0	-54.1	352.8	1.0	1.0	0.0
957	B50R_025.100k	0.125	0.875	0.125	1.0	53.4	0.125	1.0	0.125	54.1	-46.2	352.8	1.0	1.0	0.0
958	B50R_025.125k	0.125	0.75	0.125	1.0	49.5	0.125	1.0	0.125	51.7	-38.3	352.8	1.0	1.0	0.0
959	B50R_025.150k	0.125	0.625	0.125	1.0	45.6	0.125	1.0	0.125	48.8	-30.4	352.8	1.0	1.0	0.0
960	B50R_025.175k	0.125	0.5	0.125	1.0	41.7	0.125	1.0	0.125	46.0	-22.5	352.8	1.0	1.0	0.0
961	NW_012k	0.125	0.375	0.125	1.0	37.1	0.125	1.0	0.125	43.1	-14.6	352.8	1.0	1.0	0.0
962	B50R_012.012k	0.125	0.375	0.125	1.0	37.1	0.125	1.0	0.125	43.1	-14.6	352.8	1.0	1.0	0.0
963	B50R_012.025k	0.125	0.375	0.125	1.0	37.1	0.125	1.0	0.125	43.1	-14.6	352.8	1.0	1.0	0.0
964	B50R_012.037k	0.125	0.375	0.125	1.0	37.1	0.125	1.0	0.125	43.1	-14.6	352.8	1.0	1.0	0.0
965	B50R_012.050k	0.125	0.375	0.125	1.0	37.1	0.125	1.0	0.125	43.1	-14.6	352.8	1.0	1.0	0.0
966	B50R_012.075k	0.0	1.0	0.0	1.0	87.5	0.0	1.0	0.0	87.5	0.0	360	1.0	1.0	0.0
967	B50R_012.100k	0.0	0.875	0.0	1.0	87.5	0.0	1.0	0.0	87.5	0.0	360	1.0	1.0	0.0
968	B50R_012.125k	0.0	0.75	0.0	1.0	87.5	0.0	1.0	0.0	87.5	0.0	360	1.0	1.0	0.0
969	B50R_012.150k	0.0	0.625	0.0	1.0	87.5	0.0	1.0	0.0	87.5	0.0	360	1.0	1.0	0.0
970	B50R_012.175k	0.0	0.5	0.0	1.0	87.5	0.0	1.0	0.0	87.5	0.0	360	1.0	1.0	0.0
971	NW_000k	0.0	0.375												



n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabC*F_d	LabC*F_d	rgb*Fd	LabC*F_d	DF*Fd	hsa*Fd	rgb*Fd	LabC*F_d	LabC*F_d	LabC*F_d
972	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
974	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
975	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
976	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
977	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
978	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
979	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
980	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
981	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
983	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
984	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
985	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
986	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
987	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
988	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
989	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
990	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
992	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
993	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
994	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
995	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
996	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
997	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
998	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
999	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1001	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1002	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1003	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1004	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1005	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1006	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1007	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1008	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1010	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1011	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1012	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1013	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1014	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1015	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1016	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1017	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1018	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1019	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1020	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1021	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1022	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1023	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1024	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1025	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1026	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1027	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1028	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1029	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1030	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1031	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1032	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1033	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1034	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1035	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1036	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1037	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1038	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1039	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1040	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1041	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1042	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1043	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1044	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1045	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1046	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1047	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1048	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1049	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1050	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1051	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1052	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

delta E* = 5.5

entrada: rgb/cmyk -> rgbd
salida: transfiera a cmykd

RS040-TN_3233-F
gráfico TUB-RS04; código de tono: H*d=G75Bd
colores y diferencia en color, ΔE*

2-0033130-F0



http://130.149.60.45/~farbmetrik/RS04/RS04LONP.PDF /.PS; salida de transferencia N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 33/33

n	HC*Fd	rgb_Fd	icr_Fd	hsl_Fd	rgb*Fd	LabCH*Fd	hsl_Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsl_Fd	rgb*Fd	LabCH*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	85.0	0.866	0.866	89.4	-0.1	0.0	0.0	95.4
1054	NW_0933d	0.933	0.933	0.933	0.933	90.2	0.933	0.933	92.2	0.0	0.0	0.0	95.4
1055	NW_1000d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	0.0	0.0	95.4
1056	NW_0066d	0.066	0.066	0.066	0.066	22.8	0.066	0.066	22.3	0.0	0.0	0.0	95.4
1057	NW_0133d	0.133	0.133	0.133	0.133	28.0	0.133	0.133	28.3	-0.2	0.0	0.0	95.4
1058	NW_0200d	0.2	0.2	0.2	0.2	33.2	0.2	0.2	33.9	-0.4	0.0	0.0	95.4
1059	NW_0266d	0.266	0.266	0.266	0.266	38.3	0.266	0.266	38.9	-0.4	0.0	0.0	95.4
1060	NW_0333d	0.333	0.333	0.333	0.333	43.6	0.333	0.333	43.6	-0.4	0.0	0.0	95.4
1061	NW_0400d	0.4	0.4	0.4	0.4	48.8	0.4	0.4	48.8	-0.4	0.0	0.0	95.4
1062	NW_0466d	0.466	0.466	0.466	0.466	53.9	0.466	0.466	53.9	-0.4	0.0	0.0	95.4
1063	NW_0533d	0.533	0.533	0.533	0.533	59.1	0.533	0.533	59.1	-0.4	0.0	0.0	95.4
1064	NW_0600d	0.6	0.6	0.6	0.6	64.3	0.6	0.6	64.3	-0.4	0.0	0.0	95.4
1065	NW_0666d	0.666	0.666	0.666	0.666	69.5	0.666	0.666	69.5	-0.4	0.0	0.0	95.4
1066	NW_0734d	0.734	0.734	0.734	0.734	74.7	0.734	0.734	74.7	-0.4	0.0	0.0	95.4
1067	NW_0800d	0.8	0.8	0.8	0.8	79.9	0.8	0.8	80.9	-0.2	0.0	0.0	95.4
1068	NW_0866d	0.866	0.866	0.866	0.866	85.0	0.866	0.866	85.0	-0.1	0.0	0.0	95.4
1069	NW_0933d	0.933	0.933	0.933	0.933	90.2	0.933	0.933	92.2	0.0	0.0	0.0	95.4
1070	NW_1000d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	0.0	0.0	95.4
1071	ROX_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	0.0	0.0	95.4
1072	ROX_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	0.0	0.0	95.4
1073	ROX_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	0.0	0.0	95.4
1074	Y060_100_100d	0.0	0.0	1.0	0.5	39.0	0.0	0.0	44.8	66.8	-40.9	78.4	63.8
1075	Y060_100_100d	0.0	0.0	1.0	0.5	21.0	0.0	0.0	23.9	23.9	2.9	2.10	41.2
1076	Y060_100_100d	0.0	0.0	1.0	0.5	21.0	0.0	0.0	23.9	23.9	2.9	2.10	41.2
1077	Y060_100_100d	0.0	0.0	1.0	0.5	21.0	0.0	0.0	23.9	23.9	2.9	2.10	41.2
1078	Y060_100_100d	0.0	0.0	1.0	0.5	21.0	0.0	0.0	23.9	23.9	2.9	2.10	41.2
1079	Y060_100_100d	0.0	0.0	1.0	0.5	21.0	0.0	0.0	23.9	23.9	2.9	2.10	41.2

delta E* = 4.2



entrada: rgb/cmyk -> rgbd
salida: transfiera a cmykd

gráfico TUB-RS04; código de tono: H*_d=G75Bd
colores y diferencia en color, ΔE*'