

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2191$

$b_2 = -[1/Z_n]^{1/3} = -0.08376$

$n = D65$



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.218$

$b_2 = -[1/Z_n]^{1/3} = -0.09188$

$n = D50$



**CIE LAB 76**

Nom et la gamme spectrale

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Couleurs optimales (o),  $Y_w=100$

4 de la chroma maximum (m)  $C_{AB}$  pour  $D50$

dans le diagramme de CIE LAB ( $a^*, b^*$ )

$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2147$

$b_2 = -[1/Z_n]^{1/3} = -0.09964$

$n = P40$

**CIELAB 76**

Nom et la gamma spectra

$R_m$  565\_770  $Y_m$  495\_770


$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

Couleurs optimales (o),  $Y_w=100$

4 de la chroma maximum (m)  $C_{AB}$  pour P40

dans le diagramme de CIELAB ( $a^*, b^*$ )



$XYZ_w=109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2088$

$b_2 = -[1/Z_n]^{1/3} = -0.12161$

$n = A00$

**CIELAB 76**

**Nom et la gamme spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $A00/B_m$**

**dans le diagramme de CIELAB ( $a^*, b^*$ )**



$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $E00$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2168$

$b_2 = -[1/Z_n]^{1/3} = -0.08149$

$n = C00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $C=100$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2139$

$b_2 = -[1/Z_n]^{1/3} = -0.09242$

$n = P00$

**CIELAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $P0120$**

**dans le diagramme de CIELAB ( $a^*, b^*$ )**



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2169$

$b_2 = -[1/Z_n]^{1/3} = -0.08133$

$n = Q00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $Q000$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**



$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2191$

$b_2 = -[1/Z_n]^{1/3} = -0.08376$

$n = D65$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $D65$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.218$

$b_2 = -[1/Z_n]^{1/3} = -0.09188$

$n = D50$



**CIE LAB 76**

**Nom et la gamme spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $D50$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2147$

$b_2 = -[1/Z_n]^{1/3} = -0.09964$

$n = P40$

**CIELAB 76**

**Nom et la gamma spectra**

$R_m$  565\_770  $Y_m$  495\_770


$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour P40**

**dans le diagramme de CIELAB ( $a^*, b^*$ )**



$XYZ_w=109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2088$

$b_2 = -[1/Z_n]^{1/3} = -0.12161$

$n = A00$

**CIELAB 76**

**Nom et la gamme spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $A00/B_m$**

**dans le diagramme de CIELAB ( $a^*, b^*$ )**



$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2168$

$b_2 = -[1/Z_n]^{1/3} = -0.08149$

$n = C00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $C000$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2139$

$b_2 = -[1/Z_n]^{1/3} = -0.09242$

$n = P00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $P00$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**

$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2169$

$b_2 = -[1/Z_n]^{1/3} = -0.08133$

$n = Q00$



**CIE LAB 76**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

**Couleurs optimales (o),  $Y_w=100$**

**4 de la chroma maximum (m)  $C_{AB}$  pour  $Q000$**

**dans le diagramme de CIE LAB ( $a^*, b^*$ )**