

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$



Parameter: Y

CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per D65

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

Parameter:  $Y$



**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per D50

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08876$

$n = P40$

$b^*_{D65}$

Parameter: Y



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per P40

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=97.3152, 88.59, 31.52$

$b^*_{D65}$

Parameter: Y

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0827$

$n = A00$



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per A00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=88.5907, 88.59, 88.59$

$b^*_{D65}$

Parameter: Y

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per E00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=86.8818, 88.59, 104.73$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

Parameter: Y



**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per C00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per P00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

Parameter: Y



$XYZ_w=86.7591, 88.59, 105.38$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

Parameter: Y



**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per Q00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=83.9954, 88.59, 95.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

Parameter:  $Y$



**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per D65

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=85.6893, 88.59, 72.12$

$b^*_{D65}$

Parameter: Y

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per D50

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=90.1416, 88.59, 57.09$

$b^*_{D65}$

Parameter: Y

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per P40

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=98.468, 88.59, 31.18$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08375$

$n = A00$

$b^*_{D65}$

Parameter: Y



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per A00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=88.5818, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

Parameter: Y



CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per E00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=86.1862, 88.59, 102.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$



Parameter: Y

CIELAB D65

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per C00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=90.6941, 88.59, 71.98$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

$b^*_{D65}$

Parameter: Y



$XYZ_w=86.5081, 88.59, 104.91$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

Parameter:  $Y$



**CIELAB D65**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  495\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_495  $M_m$  573\_475

Colori ottimi (o),  $Y_w=88,6$

6 di massimo (m) chroma per Q00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )