

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2191$

$b_2 = -[1/Z_n]^{1/3} = -0.08376$

$n = D65$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per D65

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.218$

$b_2 = -[1/Z_n]^{1/3} = -0.09188$

$n = D50$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per D50

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2147$

$b_2 = -[1/Z_n]^{1/3} = -0.09964$

$n = P40$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per P40

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2088$

$b_2 = -[1/Z_n]^{1/3} = -0.1216$

$n = A00$

**CIELAB 76**

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per A00

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per E00

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2168$

$b_2 = -[1/Z_n]^{1/3} = -0.08149$

$n = C00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per C00

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$



$XYZ_w=102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2139$

$b_2 = -[1/Z_n]^{1/3} = -0.09242$

$n = P00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per P00

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2169$

$b_2 = -[1/Z_n]^{1/3} = -0.08133$

$n = Q00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$





$XYZ_w=94.8136, 100.0, 107.33$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2193$

$b_2 = -[1/Z_n]^{1/3} = -0.08416$

$n = D65$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per D65

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=96.7256, 100.0, 81.41$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2178$

$b_2 = -[1/Z_n]^{1/3} = -0.09229$

$n = D50$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per D50

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$



$XYZ_w=101.751, 100.0, 64.44$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2142$

$b_2 = -[1/Z_n]^{1/3} = -0.09976$

$n = P40$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per P40

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2079$

$b_2 = -[1/Z_n]^{1/3} = -0.12205$

$n = A00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770  $0.59$

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475  $1.03$

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per A00

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=99.9908, 99.9999, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per E00

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=97.2866, 100.0, 116.14$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2174$

$b_2 = -[1/Z_n]^{1/3} = -0.08198$

$n = C00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561


$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per C00

nel diagramma di CIELAB ( $a^*, b^*$ )



$XYZ_w=102.375, 100.0, 81.25$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2137$

$b_2 = -[1/Z_n]^{1/3} = -0.09235$

$n = P00$

CIELAB 76

Nome e la gamma spettrale

$R_m 561\_770$   $Y_m 520\_770$

$G_m 475\_573$   $C_m 380\_561$

$B_m 380\_520$   $M_m 573\_475$


$G_o 520\_570$   $M_o 570\_520$

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per P00

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$



$XYZ_w=97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2171$

$b_2 = -[1/Z_n]^{1/3} = -0.08145$

$n = Q00$

CIELAB 76

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=100$

8 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di CIELAB ( $a^*, b^*$ )

Parameter:  $c_{ab}$

