




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z


TN760-3, Figur C1Wd: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*




TN760-5, Figur C2Wd: Element B: 5 visuelle ekvidistante  $L^*$ -gråtrinn +  $N_0$  +  $W_1$ ; PS operator: *rgb/cmy0*




TN760-7, Figur C3Wd: Element C: 16 visuelle ekvidistante  $L^*$ -gråtrinn; PS operator: *rgb/cmy0*




TN761-1, Figur C4Wd: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*




TN761-3, Figur C5Wd: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*




TN761-5, Figur C6Wd: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z


TN760-3, Figur C1We: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*




TN760-5, Figur C2We: Element B: 5 visuelle ekvidistante  $L^*$ -gråtrinn +  $N_0$  +  $W_1$ ; PS operator: *rgb/cmy0*




TN760-7, Figur C3We: Element C: 16 visuelle ekvidistante  $L^*$ -gråtrinn; PS operator: *rgb/cmy0*




TN761-1, Figur C4We: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*




TN761-3, Figur C5We: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*




TN761-5, Figur C6We: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z


TN760-3, Figur C1Wdd: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*




TN760-5, Figur C2Wdd: Element B: 5 visuelle ekvidistante  $L^*$ -gråtrinn +  $N_0$  +  $W_I$ ; PS operator: *rgb/cmy0*




TN760-7, Figur C3Wdd: Element C: 16 visuelle ekvidistante  $L^*$ -gråtrinn; PS operator: *rgb/cmy0*




TN761-1, Figur C4Wdd: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*




TN761-3, Figur C5Wdd: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*




TN761-5, Figur C6Wdd: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z


TN760-3, Figur C1Wde: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*



TN760-5, Figur C2Wde: Element B: 5 visuelle ekvidistante  $L^*$ -gråtrinn +  $N_0$  +  $W_I$ ; PS operator: *rgb/cmy0*




TN760-7, Figur C3Wde: Element C: 16 visuelle ekvidistante  $L^*$ -gråtrinn; PS operator: *rgb/cmy0*



Landoltringer W-N


kode: omfelt-ring

TN761-1, Figur C4Wde: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*



rasterbredde i lpi

TN761-3, Figur C5Wde: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*



rasterbredde i lpi

TN761-5, Figur C6Wde: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*