







http://130.149.60.45/~farbmetrik/TN81/TN81L0FA.TXT /PS; start output
F: 3D-linearisering TN81/TN81LJ30FA.DAT i fil (F), side 1/18

se lignende filer: <http://130.149.60.45/~farbmetrik/TN81/TN81.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-TN81/TN81L0FA.TXT /PS
anvendelse for måling av display output

TUB-material: code=rh4ta




prøveplansje TN81; 4(ISO/IEC 15775 + ISO/IEC TR 24705) input: rgb/cmyk -> w/rgb/cmyk-
kromatisk prøveplansje RGB output: ingen endring


se lignende filer: <http://130.149.60.45/~farbmetrik/TN81/TN81.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-TN81/TN81L0FA.TXT /.PS
anvendelse for måling av display output, ingen separasjon


TUB-material: code=rh4ta




TN811-1, Picture D4Wdd: 16 equidistant steps $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




TN811-3, Picture D5Wdd: Script Landolt-rings N ; R_d ; G_d ; B_d ; Z ; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor




TN810-5, Picture D2Wdd: radial gratings $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor



TN811-5, Picture D6Wdd: Landolt-rings $W-R_d$; $W-G_d$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor



TN810-7, Picture D3Wdd: 14 CIE-test colours and 2 + 16 grey steps (sf); $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor



TN811-7, Picture D7Wdd: Landolt-rings $W-B_d$; $W-N$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor

se lignende filer: <http://130.149.60.45/~farbmetrik/TN81/TN81.LJ30FA.TXT>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

nj	HIC*Fda	rgb_Fda	icf_Fda	hsi_Fda	rgb*Fda	LabCh*Fda	rgb**Fda	LabCh**Fda	DE**Fda hsiMdd	rgb*Mdd	LabCh*Mdd
0/648	R00Y_100_100aa	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0
1/657	R13Y_100_100aa	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0
2/666	R25Y_100_100aa	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0
3/675	R38Y_100_100aa	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0
4/684	R50Y_100_100aa	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0
5/693	R63Y_100_100aa	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0
6/702	R75Y_100_100aa	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0
7/711	R88Y_100_100aa	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0
8/720	Y00G_100_100aa	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0
9/639	Y13G_100_100aa	0.875	1.0	0.0	1.0	1.0	0.5	97	0.883	1.0	0.0
10/558	Y25G_100_100aa	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0
11/477	Y38G_100_100aa	0.625	1.0	0.0	1.0	1.0	0.5	112	0.633	1.0	0.0
12/396	Y50G_100_100aa	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0
13/315	Y63G_100_100aa	0.375	1.0	0.0	1.0	1.0	0.5	128	0.366	1.0	0.0
14/234	Y75G_100_100aa	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0
15/153	Y88G_100_100aa	0.125	1.0	0.0	1.0	1.0	0.5	143	0.116	1.0	0.0
16/72	G00C_100_100aa	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0
17/73	G13C_100_100aa	0.0	1.0	0.125	1.0	1.0	0.5	157	0.0	1.0	0.116
18/74	G25C_100_100aa	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.233
19/75	G38C_100_100aa	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.366
20/76	G50C_100_100aa	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5
21/77	G63C_100_100aa	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.633
22/78	G75C_100_100aa	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.766
23/79	G88C_100_100aa	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.883
24/80	C00B_100_100aa	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0
25/71	C13B_100_100aa	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	0.883	1.0
26/62	C25B_100_100aa	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	0.766	1.0
27/53	C38B_100_100aa	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	0.633	1.0
28/44	C50B_100_100aa	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0
29/35	C63B_100_100aa	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.366	1.0
30/26	C75B_100_100aa	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.233	1.0
31/17	C88B_100_100aa	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.116	1.0
32/8	B00M_100_100aa	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0
33/89	B13M_100_100aa	0.125	0.0	1.0	1.0	1.0	0.5	277	0.116	0.0	1.0
34/170	B25M_100_100aa	0.25	0.0	1.0	1.0	1.0	0.5	284	0.233	0.0	1.0
35/251	B38M_100_100aa	0.375	0.0	1.0	1.0	1.0	0.5	292	0.366	0.0	1.0
36/332	B50M_100_100aa	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0
37/413	B63M_100_100aa	0.625	0.0	1.0	1.0	1.0	0.5	308	0.633	0.0	1.0
38/494	B75M_100_100aa	0.75	0.0	1.0	1.0	1.0	0.5	316	0.766	0.0	1.0
39/575	B88M_100_100aa	0.875	0.0	1.0	1.0	1.0	0.5	323	0.883	0.0	1.0
40/656	M00R_100_100aa	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0
41/655	M13R_100_100aa	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.883
42/654	M25R_100_100aa	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766
43/653	M38R_100_100aa	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633
44/652	M50R_100_100aa	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5
45/651	M63R_100_100aa	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366
46/650	M75R_100_100aa	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233
47/649	M88R_100_100aa	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116
48/648	R00Y_100_100aa	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0
49/0	NW_000aa	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0
50/91	NW_013aa	0.125	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125
51/182	NW_025aa	0.25	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25
52/273	NW_038aa	0.375	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375
53/364	NW_050aa	0.5	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5
54/455	NW_063aa	0.625	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625
55/546	NW_075aa	0.75	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75
56/637	NW_088aa	0.875	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875
57/728	NW_100aa	1.0	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0

delta E* = 0.1

TUB registrering: 20150701-TN81/TN81LOFA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rhata

http://130.149.60.45/~farbmetrik/TN81/TN81LOFA.TXT /.PS; 3D-linearisering
F: 3D-linearisering TN81/TN81LJ30FA.DAT i fil (F), side 11/18

Table with 30 columns: n, HIC*Fdd, rgb_Fdd, icf_Fdd, hsi_Fdd, rgb*Fdd, LabCh*Fdd, rgb**Fdd, LabCh**Fdd, DE*Fdd hsiMdd, rgb**Mdd, LabCh**Mdd. Rows 486-566.

se lignende filer: http://130.149.60.45/~farbmetrik/TN81/TN81LJ30FA.TXT
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-TN81/TN81LOFA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rhata

delta E* = 0.4

prøveplasje TN81; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
farger og fargeavstander, ΔE*, 3D=1, de=0, sRGB*

input: rgb/cmyk -> rgbd
output: 3D-linearisering til rgb*_dd

5-1031030-F0

TN810-7N, 11/18-F

5-1031030-F0

http://130.149.60.45/~farbmetrik/TN81/TN81LOFA.TXT /.PS; 3D-linearisering
F: 3D-linearisering TN81/TN81LJ30FA.DAT i fil (F), side 17/18

Table with columns: n, HIC*Fdd, rgb_Fdd, icf_Fdd, hsi_Fdd, rgb**Fdd, LabCh**Fdd, LabCh*Fdd, rgb**Mdd, LabCh**Mdd, LabCh*Mdd, DE**Fdd hsiMdd, rgb**Mdd, LabCh**Mdd. Rows list various color patches (e.g., NW_000da, NW_012da, etc.) and their corresponding colorimetric values.

se lignende filer: http://130.149.60.45/~farbmetrik/TN81/TN81.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik



TUB registrering: 20150701-TN81/TN81LOFA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rhata4ta

delta E** = 0.3

prøveplansje TN81; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
farger og fargeavstander, ΔE*, 3D=1, de=0, sRGB*

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearisering til rgb*_{dd}



se liggende filer: <http://130.149.60.45/~farbmetrik/TN81/TN81L0FA.TXT> / .PS
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

n	HIC*Fdd	rgb_Fdd	icf_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	rgb**Fdd	LabCh**Fdd	DE**Fdd hsiMdd	rgb*Mdd	LabCh*Mdd
1053	NW_086da	0.866 0.866 0.866	0.866 0.0 0.866	360	0.866 0.866 0.866	82.6 0.0 0.0	0.847 0.85 0.85	82.5 -0.1 0.0 0.1	209.2 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1054	NW_093da	0.933 0.933 0.933	0.933 0.0 0.933	360	0.933 0.933 0.933	89.0 0.0 0.0	0.921 0.924 0.924	88.9 -0.2 -0.1 0.2	207.0 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1055	NW_100da	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1056	NW_000da	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1057	NW_006da	0.066 0.066 0.066	0.066 0.0 0.066	360	0.066 0.066 0.066	6.2 0.0 0.0	0.068 0.07 0.07	4.7 -0.1 0.0 0.1	215.3 1.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1058	NW_013da	0.133 0.133 0.133	0.133 0.0 0.133	360	0.133 0.133 0.133	12.6 0.0 0.0	0.134 0.138 0.138	12.6 -0.5 -0.1 0.5	198.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1059	NW_020da	0.2 0.2 0.2	0.2 0.0 0.2	360	0.2 0.2 0.2	19.0 0.0 0.0	0.181 0.193 0.193	18.7 -1.1 -0.4 1.2	202.3 1.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1060	NW_026da	0.266 0.266 0.266	0.266 0.0 0.266	360	0.266 0.266 0.266	25.3 0.0 0.0	0.25 0.251 0.251	25.4 0.0 0.0 0.0	198.2 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1061	NW_033da	0.333 0.333 0.333	0.333 0.0 0.333	360	0.333 0.333 0.333	31.7 0.0 0.0	0.303 0.311 0.311	31.6 -0.7 -0.3 0.8	203.1 0.8 360	1.0 1.0 1.0	95.4 0.0 0.0
1062	NW_040da	0.4 0.4 0.4	0.4 0.0 0.4	360	0.4 0.4 0.4	38.1 0.0 0.0	0.374 0.374 0.374	38.2 0.0 0.0 0.0	217.7 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1063	NW_046da	0.466 0.466 0.466	0.466 0.0 0.466	360	0.466 0.466 0.466	44.4 0.0 0.0	0.431 0.437 0.437	44.4 -0.5 -0.2 0.5	203.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1064	NW_053da	0.533 0.533 0.533	0.533 0.0 0.533	360	0.533 0.533 0.533	50.8 0.0 0.0	0.503 0.504 0.504	51.0 0.0 0.0 0.0	222.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1065	NW_060da	0.6 0.6 0.6	0.6 0.0 0.6	360	0.6 0.6 0.6	57.2 0.0 0.0	0.564 0.569 0.569	57.1 -0.3 -0.1 0.4	204.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1066	NW_066da	0.666 0.666 0.666	0.666 0.0 0.666	360	0.666 0.666 0.666	63.5 0.0 0.0	0.634 0.635 0.635	63.3 -0.1 0.0 0.1	207.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1067	NW_073da	0.734 0.734 0.734	0.734 0.0 0.734	360	0.734 0.734 0.734	70.0 0.0 0.0	0.703 0.706 0.707	69.8 -0.3 -0.1 0.3	205.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1068	NW_080da	0.8 0.8 0.8	0.8 0.0 0.8	360	0.8 0.8 0.8	76.3 0.0 0.0	0.775 0.778 0.778	76.1 -0.1 0.0 0.2	206.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1069	NW_086da	0.866 0.866 0.866	0.866 0.0 0.866	360	0.866 0.866 0.866	82.6 0.0 0.0	0.847 0.85 0.85	82.5 -0.1 0.0 0.1	209.2 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1070	NW_093da	0.933 0.933 0.933	0.933 0.0 0.933	360	0.933 0.933 0.933	89.0 0.0 0.0	0.921 0.924 0.924	88.9 -0.2 -0.1 0.2	207.0 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1071	NW_100da	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1072	NW_000da	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1073	NW_100da	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1074	RO0Y_100_100da	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.0	50.4 76.9 64.5 100.4	39.9 0.0 389	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
1075	G50B_100_100da	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1	196.3 0.0 210	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
1076	Y00G_100_100da	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 1.0 0.0	92.6 -20.6 90.7 93.0	102.8 0.0 89	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8
1077	B00R_100_100da	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.0 1.0	30.3 76.0 -103.5 128.5	306.2 0.0 270	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2
1078	G00B_100_100da	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 0.999 0.0	83.6 -82.7 79.8 115.0	136.0 0.0 149	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0
1079	B50R_100_100da	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	1.0 0.0 1.0	57.2 94.3 -58.4 111.0	328.2 0.0 330	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2

delta E** = 0.2

TUB registrering: 20150701-TN81/TN81L0FA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

