


http://130.149.60.45/~farbmetrik/TN86/TN86L0FP.PDF /.PS; start output  
F: 3D-linearisering TN86/TN86LJ30FP.DAT i fil (F), side 1/2


se lignende filer: <http://130.149.60.45/~farbmetrik/TN86/TN86L0FP.PDF> / .PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>




TN860-3, Picture D1W-: and 2 + 16 grey steps (sf); ; PS operator: 4 colorimage





TN860-5, Picture D2W-: radial gratings W-R-; W-G-; W-B-; W-N; PS operator: rgb setrgbcolor




TN860-7, Picture D3W-: 14 CIE-test colours and 2 + 16 grey steps (sf); PS operator:rgb/cmy0 set(rgb/cmyk)color




prøveplansje TN86; 4(ISO/IEC 15775 + ISO/IEC TR 24705)input: *rgb/cmyk* -> *w/rgb/cmyk*-  
kromatisk prøveplansje *RGB* output: ingen ending




TN861-1, Picture D4W-: 16 equidistant steps W-R-; W-G-; W-B-; W-N; rgb/cmy0 set(rgb/cmyk)color



TN861-3, Picture D5W-: Script Landolt-rings N; R-; G-; B-; Z; PS operator:rgb->rgb\_ setrgbcolor



TN861-5, Picture D6W-: Landolt-rings W-R-; W-G-; PS operator:rgb setrgbcolor



TUB registrering: 20150701-TN86/TN86L0FP.PDF /.PS  
anvendelse for måling av offsettrykk output

TUB-material: code=rh4ta