


http://130.149.60.45/~farbmetrik/TN86/TN86L0NA.TXT /PS; start output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/2


se lignende filer: <http://130.149.60.45/~farbmetrik/TN86/TN86.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>




TN860-3, Picture D1W-: and 2 + 16 grey steps (sf); ; PS operator: 4 colorimage




TN860-5, Picture D2W-: radial gratings W-R-; W-G-; W-B-; W-N; PS operator: rgb setrgbcolor




TN860-7, Picture D3W-: 14 CIE-test colours and 2 + 16 grey steps (sf); PS operator:rgb/cmy0 set(rgb/cmyk)color




prøveplansje TN86; 4(ISO/IEC 15775 + ISO/IEC TR 24705)input: rgb/cmyk -> w/rgb/cmyk-
kromatisk prøveplansje RGB output: ingen ending




TN861-1, Picture D4W-: 16 equidistant steps W-R-; W-G-; W-B-; W-N; rgb/cmy0 set(rgb/cmyk)color



TN861-3, Picture D5W-: Script Landolt-rings N; R-; G-; B-; Z; PS operator: rgb->rgb_ setrgbcolor



TN861-5, Picture D6W-: Landolt-rings W-R-; W-G-; PS operator:rgb setrgbcolor



TN861-7, Picture D7W-: Landolt-rings W-B-; W-N; PS operator:rgb setrgbcolor

TUB registrering: 20150701-TN86/TN86L0NA.TXT /PS
anvendelse for måling av offsettrykk output

TUB-material: code=rh4ta