

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2191$

$b_2 = -[1/Z_n]^{1/3} = -0.08376$

$n = D65$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo D65

en el diagrama CIELAB ( $a^*, b^*$ )



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.218$

$b_2 = -[1/Z_n]^{1/3} = -0.09188$

$n = D50$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo D50

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )



$XYZ_w=89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2147$

$b_2 = -[1/Z_n]^{1/3} = -0.09964$

$n = P40$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770


$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo P40

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2088$

$b_2 = -[1/Z_n]^{1/3} = -0.12161$

$n = A00$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770


$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo A00

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$

Parameter:  $Y$



**CIE LAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo  $E00$

en el diagrama CIE LAB ( $a^*$ ,  $b^*$ )

$XYZ_w=86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2168$

$b_2 = -[1/Z_n]^{1/3} = -0.08149$

$n = C00$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770


$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo C00

en el diagrama CIELAB ( $a^*, b^*$ )



Parameter: Y

$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2139$

$b_2 = -[1/Z_n]^{1/3} = -0.09242$

$n = P00$

Parameter:  $Y$



**CIE LAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo P00

en el diagrama CIE LAB ( $a^*, b^*$ )

$XYZ_w=86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2169$

$b_2 = -[1/Z_n]^{1/3} = -0.08133$

$n = Q00$

Parameter:  $Y$



**CIE LAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo  $Q00$

en el diagrama CIE LAB ( $a^*, b^*$ )



$XYZ_w=83.9954, 88.59, 95.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2193$

$b_2 = -[1/Z_n]^{1/3} = -0.08416$

$n = D65$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo D65

en el diagrama CIELAB ( $a^*, b^*$ )



$XYZ_w=85.6893, 88.59, 72.12$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2178$

$b_2 = -[1/Z_n]^{1/3} = -0.09229$

$n = D50$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770


$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo D50

en el diagrama CIELAB ( $a^*, b^*$ )



$XYZ_w=90.1416, 88.59, 57.09$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2142$

$b_2 = -[1/Z_n]^{1/3} = -0.09976$

$n = P40$

**CIELAB 76**

**Nombre y gama espectral**

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo P40

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )



$XYZ_w=98.468, 88.59, 31.18$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2079$

$b_2 = -[1/Z_n]^{1/3} = -0.12205$

$n = A00$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770


$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo A00

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )



$XYZ_w=88.5818, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2154$

$b_2 = -[1/Z_n]^{1/3} = -0.08617$

$n = E00$

Parameter:  $Y$



**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo  $E00$

en el diagrama CIELAB ( $a^*$ ,  $b^*$ )

$XYZ_w=86.1862, 88.59, 102.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2174$

$b_2 = -[1/Z_n]^{1/3} = -0.08198$

$n = C00$

Parameter:  $Y$



**CIE LAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo C00

en el diagrama CIE LAB ( $a^*$ ,  $b^*$ )

$XYZ_w=90.6941, 88.59, 71.98$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$

$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2137$

$b_2 = -[1/Z_n]^{1/3} = -0.09235$

$n = P00$

**CIELAB 76**

Nombre y gama espectral

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo P00

en el diagrama CIELAB ( $a^*, b^*$ )



$XYZ_w=86.5081, 88.59, 104.91$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y]^{1/3}$


$b = b_2 [z/y]^{1/3}$

$a_2 = [1/X_n]^{1/3} = 0.2171$

$b_2 = -[1/Z_n]^{1/3} = -0.08145$

$n = Q00$

Parameter:  $Y$



**CIE LAB 76**

Nombre y gama espectral

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

Colores óptimos (o),  $Y_w=88,6$

6 de chroma máximo (m) bajo  $Q00$

en el diagrama CIE LAB ( $a^*, b^*$ )