

$\log [\Delta b \cdot L]$

Differenzschwelle

● $L_{\text{tra}} = 60 \text{ cd/m}^2$

WDN_BY 30 5s A; pot3


$$\Delta b \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.332$$

$$A_2 = 2.045 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.001$$



$\log [L(\Delta b \cdot L)]$

Empfindlichkeitsschwellen

WDN_BY 30 5s A; pots

● $L_{\text{max}} = 60 \text{ cd/m}^2$


$$\log[L/(\Delta b \cdot L)] = L [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.332$$

$$A_2 = 2.045 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.001$$



$L/(\Delta b \cdot L)$

• $L_{\text{res}} = 60 \text{ cd/m}^2$

Empfindlichkeitsschwellen

WDN_BY 30 5s A; pot3

$$L/(\Delta b \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.332$$

$$A_2 = 2.045 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.001$$

