

log ΔL Leuchtdichte-Differenzschwelle • $L_g = 6,3 \text{cd/m}^2$

02 0,1s Y 6,3cd/m²; pot3


$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.13$$

$$A_2 = 1.38 = t$$

$$A_3 = 0.07$$

$$\Delta = 0.004$$



log(L/ΔL) Leuchtdichte-Kontrast-Empfindlichkeitsschwelle
 $L_{gr} = 6,3 \text{ cd/m}^2$

02 0,1s Y 6,3cd/m²; pot3


$$\log(L/\Delta L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.13$$

$$A_2 = 1.38 = t$$

$$A_3 = 0.07$$

$$\Delta = 0.004$$



$L/\Delta L$ Leuchtdichte-Kontrast-
 Empfindlichkeitsschwelle $\bullet L_g = 6,3 \text{ cd/m}^2$

02 0,1s Y 6,3cd/m²; pot3


$$L/\Delta L = L / [A_1 + A_3 \cdot L]^t$$

$A_1 = 0.13$

$A_2 = 1.38 = t$

$A_3 = 0.07$

$\Delta = 0.004$



T^* Leuchtdichte-Differenzschwellensumme

02 0,1s Y 6,3cd/m²; pot3

$$T^* = [A_1 + A \cdot L]^t - 1$$

$$A_1 = 0.13$$

$$A_2 = 1.38 = t$$

$$A_3 = 0.07$$

$$\Delta = 0.004$$

$$\bullet L_g = 6,3 \text{cd/m}^2$$

