

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=96, colour difference pairs RS_EP096, xchart3=1, xchart4=0 %																									
Minimum, maximum and average colour difference value																									
STRESS constant F and STRESS value S																									
iai+1 = 96, d_CIELABmina = 1.38, d_CIELABmaxa = 94.6, d_CIELABavea = 16.71																									
iai+1 = 96, CIELAB_Fa = 4.19, CIELAB_STRESSa = 30.12																									
iai+1 = 96, d_CIELCHmina = 1.37, d_CIELCHmaxa = 92.92, d_CIELCHavea = 16.25																									
iai+1 = 96, CIELCHFa = 4.09, CIELCHSTRESSa = 29.21																									
iai+1 = 96, d_C94LCHmina = 1.35, d_C94LCHmaxa = 89.97, d_C94LCHavea = 11.06																									
iai+1 = 96, C94LCHFa = 2.87, C94LCHSTRESSa = 46.43																									
iai+1 = 96, d_CMCLCHmina = 1.24, d_CMCLCHmaxa = 52.15, d_CMCLCHavea = 10.98																									
iai+1 = 96, CMCLCHFa = 2.56, CMCLCHSTRESSa = 31.2																									
iai+1 = 96, d_C00LCHmina = 1.34, d_C00LCHmaxa = 46.93, d_C00LCHavea = 9.13																									
iai+1 = 96, C00LCHFa = 2.1, C00LCHSTRESSa = 32.7																									
iai+1 = 96, d_C85LCHmina = 7.4, d_C85LCHmaxa = 403.71, d_C85LCHavea = 63.63																									
iai+1 = 96, C85LCHFa = 15.05, C85LCHSTRESSa = 43.84																									


see similar files: <http://130.149.60.45/~farbmetrik/YE77/YE77L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE77/YE77L0NA.TXT /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/YE77/YE77L0NA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20140801-YE77/YE77L0NA.TXT /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %




```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %  
%CIELAB data for all colour (a) of experiment, iimp=96, colour difference pairs RS_EP096, xchart3=1, xchart4=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 96, d_CIELABmina = 1.38, d_CIELABmaxa = 94.6, d_CIELABavea = 16.71  
iai+1 = 96, CIELAB_Fa = 4.19, CIELAB_STRESSa = 30.12  
  
iai+1 = 96, d_CIELCHmina = 1.37, d_CIELCHmaxa = 92.92, d_CIELCHavea = 16.25  
iai+1 = 96, CIELCHFa = 4.09, CIELCHSTRESSa = 29.21  
  
iai+1 = 96, d_C94LCHmina = 1.35, d_C94LCHmaxa = 89.97, d_C94LCHavea = 11.06  
iai+1 = 96, C94LCHFa = 2.87, C94LCHSTRESSa = 46.43  
  
iai+1 = 96, d_CMCLCHmina = 1.24, d_CMCLCHmaxa = 52.15, d_CMCLCHavea = 10.98  
iai+1 = 96, CMCLCHFa = 2.56, CMCLCHSTRESSa = 31.2  
  
iai+1 = 96, d_C00LCHmina = 1.34, d_C00LCHmaxa = 46.93, d_C00LCHavea = 9.13  
iai+1 = 96, C00LCHFa = 2.1, C00LCHSTRESSa = 32.7  
  
iai+1 = 96, d_C85LCHmina = 7.4, d_C85LCHmaxa = 403.71, d_C85LCHavea = 63.63  
iai+1 = 96, C85LCHFa = 15.05, C85LCHSTRESSa = 43.84
```

see similar files: <http://130.149.60.45/~farbmetrik/YE77/YE77L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE77/YE77L0NA.TXT /.PS TUB material: code=rh4ta
application for measurement of display or printer output, no separation