


Equal 9 step grey scaling between $L^*_{0aN}=14.4$ and $L^*_{0aW}=125$, $Y_{0ref}=1.8$, normalisation: grey U
 $L^*_{0aN}=14.4$, $L^*_{0aU}=69.7$, $L^*_{0aW}=125.1$, $Y_{0aN}=1.8$, $Y_{0aU}=40.4$, $Y_{0aW}=180.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$
 $L^*_{iN}=21.7$, $L^*_{iU}=69.7$, $L^*_{iW}=123.5$, $Y_{iN}=3.4$, $Y_{iU}=40.4$, $Y_{iW}=174.0$, $C_{iAY}=Y_{iW}:Y_{iAN}=50.5$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$




$\Delta L^*_{ta}=13.8$ (i=1,2,...,9) normalisation: $Y_{taiU}=Y_{0aU} \frac{Y_{0ai}+Y_{0ref}}{Y_{0aU}+Y_{0ref}}$

eee10-3n

Equal 9 step grey scaling between $L^*_{0aN}=14.4$ and $L^*_{0aW}=125$, $Y_{0ref}=3.6$, normalisation: grey U
 $L^*_{0aN}=14.4$, $L^*_{0aU}=69.7$, $L^*_{0aW}=125.1$, $Y_{0aN}=1.8$, $Y_{0aU}=40.4$, $Y_{0aW}=180.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$
 $L^*_{iN}=26.6$, $L^*_{iU}=69.7$, $L^*_{iW}=122.0$, $Y_{iN}=4.9$, $Y_{iU}=40.4$, $Y_{iW}=168.5$, $C_{iAY}=Y_{iW}:Y_{iAN}=34.0$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$




$\Delta L^*_{ta}=13.8$ (i=1,2,...,9) normalisation: $Y_{taiU}=Y_{0aU} \frac{Y_{0ai}+Y_{0ref}}{Y_{0aU}+Y_{0ref}}$

eee10-7n

Equal 9 step grey scaling between $L^*_{0aN}=14.4$ and $L^*_{0aW}=125$, $Y_{0ref}=7.2$, normalisation: grey U
 $L^*_{0aN}=14.4$, $L^*_{0aU}=69.7$, $L^*_{0aW}=125.1$, $Y_{0aN}=1.8$, $Y_{0aU}=40.4$, $Y_{0aW}=180.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$
 $L^*_{iN}=33.2$, $L^*_{iU}=69.7$, $L^*_{iW}=119.3$, $Y_{iN}=7.6$, $Y_{iU}=40.4$, $Y_{iW}=158.8$, $C_{iAY}=Y_{iW}:Y_{iAN}=20.8$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$




$\Delta L^*_{ta}=13.8$ (i=1,2,...,9) normalisation: $Y_{taiU}=Y_{0aU} \frac{Y_{0ai}+Y_{0ref}}{Y_{0aU}+Y_{0ref}}$

eee11-3n

Equal 9 step grey scaling between $L^*_{0aN}=14.4$ and $L^*_{0aW}=125$, $Y_{0ref}=14.4$, normalisation: grey U
 $L^*_{0aN}=14.4$, $L^*_{0aU}=69.7$, $L^*_{0aW}=125.1$, $Y_{0aN}=1.8$, $Y_{0aU}=40.4$, $Y_{0aW}=180.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=100.0$
 $L^*_{iN}=41.1$, $L^*_{iU}=69.7$, $L^*_{iW}=114.8$, $Y_{iN}=11.9$, $Y_{iU}=40.4$, $Y_{iW}=143.3$, $C_{iAY}=Y_{iW}:Y_{iAN}=12.0$

regularity index according to ISO/IEC 15775:2022, Annex G for 5 and 9 steps
 $g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$



$\Delta L^*_{ta}=13.8$ (i=1,2,...,9) normalisation: $Y_{taiU}=Y_{0aU} \frac{Y_{0ai}+Y_{0ref}}{Y_{0aU}+Y_{0ref}}$

eee11-7n