

Equal 9 step grey scaling between $L^*_{0aN}=22.3$ and $L^*_{0aW}=95.9$, $Y_{0ref}=20.0$, normalisation white W

$L^*_{0aN}=22.3$, $L^*_{0aU}=59.1$, $L^*_{0aW}=96.0$, $Y_{0aN}=3.6$, $Y_{0aU}=27.2$, $Y_{0aW}=90.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=25.0$

$L^*_{taN}=51.0$, $L^*_{taU}=68.5$, $L^*_{taW}=96.0$, $Y_{taN}=19.3$, $Y_{taU}=38.6$, $Y_{taW}=90.0$, $C_{taY}=Y_{taW}:Y_{taN}=4.7$

Regularity index according to ISO/IEC 15775:2022, annex G for 5 and 9 steps

$g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$, $L^*_{CIE LAB} = 116 [Y/Y_n]^{1/3} - 16$ with $Y \geq 0.882$, $Y_n=100$

$g^*_5=99$, $g^*_9=99$

$g^*_5=47$, $g^*_9=40$

$g^*_5=96$, $g^*_9=87$

$L^*_{CIE LAB}$	n0. i	intended output				real output					linearized output	
		L^*_{0a}	L^*_{0r}	Y_{0a}	Y_{0r}	L^*_{ta}	ΔL^*_{ta}	L^*_{tr}	Y_{ta}	$(L^*_{tr})^{1/1.35}$	L^*_{la}	ΔL^*_{la}
100	○ 9	96.0	1.0	90.0	1.0	96.0		1.0	90.0	1.0	96.0	
	● 8	86.8	0.875	69.6	0.763	88.6	7.4	0.835	73.3	0.875	90.4	5.6
	● 7	77.6	0.75	52.5	0.566	81.5	7.1	0.677	59.3	0.749	84.7	5.7
75	● 6	68.4	0.625	38.5	0.403	74.7	6.7	0.527	47.8	0.622	79.0	5.7
	● 5	59.1	0.5	27.2	0.273	68.5	6.2	0.387	38.6	0.496	73.3	5.7
50	● 4	49.9	0.375	18.4	0.171	62.8	5.6	0.262	31.4	0.372	67.8	5.6
	● 3	40.7	0.25	11.7	0.094	58.0	4.9	0.154	25.9	0.251	62.3	5.4
	● 2	31.5	0.125	6.9	0.038	54.0	3.9	0.066	22.0	0.134	57.1	5.2
25	● 1	22.3	0.0	3.6	0.0	51.0	3.0	0.0	19.3	0.0	51.0	6.0

$\Delta L^*_{0a}=9.2$

(i=1,2,...,8)

normalisation: $Y_{taiW}=Y_{0aW} \frac{Y_{0ai}+Y_{0ref}}{Y_{0aW}+Y_{0ref}}$