


lin[sensitivity]  
 $\log g_o = -0,35[u_\lambda - u_{507}]^2$   
 $\log g_a = \log g_o + 0,00$   
 $[V_a, v_a]$



$\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log v_o = -0,35[u_\lambda - u_{457}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log v_a = \log v_o + 0,00$

$u_\lambda = (\lambda - 550)/50$

adaptation  
V&N: 507  
 $t_s=0.0$

507:  
 $V_o = -0,35$   $v_a = -0,35$   
 $g_o = -0,0$   $g_a = -0,35$   
 $v_o = -0,35$   $v_a = -0,35$

lin[saturation]  
 $\log g_o = -0,35[u_\lambda - u_{507}]^2$   
 $\log g_a = \log g_o + 0,00$   
 $[V_a/g_a, v_a/g_a]$



lin[sensitivity]  
 $\log g_o = -0,35[u_\lambda - u_{507}]^2$   
 $\log g_a = \log g_o - 0,35$


$[g_a, V_a, v_a]$



eex80-3n

$\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log v_o = -0,35[u_\lambda - u_{457}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log v_a = \log v_o + 0,00$

$[g_a/g_a, V_a/g_a, v_a/g_a]$



lin[saturation]  
 $\log g_o = -0,35[u_\lambda - u_{507}]^2$   
 $\log g_a = \log g_o - 0,35$   
 $[g_a, V_a/g_a, v_a/g_a]$

