



$\log[\text{sensitivity}]$   
 $\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log [V_a, L_a, M_a]$

$\log L_o = -0,35[u_\lambda - u_{570}]^2$   
 $\log M_o = -0,35[u_\lambda - u_{545}]^2$   
 $\log L_a = \log L_o - 0,19$   
 $\log M_a = \log M_o + 0,24$   
 $u_\lambda = (\lambda - 550)/50$




$\log[\text{saturation}]$   
 $\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$

$\log L_o = -0,35[u_\lambda - u_{570}]^2$   
 $\log M_o = -0,35[u_\lambda - u_{545}]^2$   
 $\log L_a = \log L_o - 0,19$   
 $\log M_a = \log M_o + 0,24$   
 saturation V



$\log[\text{sensitivity}]$   
 $\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log [V_a, L_a, M_a]$

$\log L_o = -0,35[u_\lambda - u_{570}]^2$   
 $\log M_o = -0,35[u_\lambda - u_{545}]^2$   
 $\log L_a = \log L_o + 0,07$   
 $\log M_a = \log M_o + 0,07$   
 $u_\lambda = (\lambda - 550)/50$



$\log[\text{saturation}]$   
 $\log V_o = -0,35[u_\lambda - u_{557}]^2$   
 $\log V_a = \log V_o + 0,00$   
 $\log [V_a/V_o, L_a/V_o, M_a/V_o]$

$\log L_o = -0,35[u_\lambda - u_{570}]^2$   
 $\log M_o = -0,35[u_\lambda - u_{545}]^2$   
 $\log L_a = \log L_o + 0,07$   
 $\log M_a = \log M_o + 0,07$   
 saturation V

