

$XYZ_W = 95.04, 100.0, 108.89$

$A_2 = 2.5 (a_2 - a_{2,n}) Y$

$B_2 = 2.5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0.4$

$x_c = 0.110, B_c = 0.800$

$C_{AB,2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}$ Y)

$Y = 18Y_r$

-74 Parameter:

Y & name

$Y_r = Y/18,$

$L' = L^* - 50$

$XYZ_W = 96.42, 100.0, 82.49$

$A_2 = 2.5 (a_2 - a_{2,n}) Y$

$B_2 = 2.5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0.4$

$x_c = 0.110, B_c = 1.000$

$C_{AB,2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}$ Y)

$Y = 18Y_r$

-74 Parameter:

Y & name

$Y_r = Y/18,$

$L' = L^* - 50$

fef01-1a

$XYZ_W = 100.93, 100.0, 64.68$

$A_2 = 2.5 (a_2 - a_{2,n}) Y$

$B_2 = 2.5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0.4$

$x_c = 0.110, B_c = 1.300$

$C_{AB,2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}$ Y)

$Y = 18Y_r$

-74 Parameter:

Y & name

$Y_r = Y/18,$

$L' = L^* - 50$

fef01-2a

$XYZ_W = 109.84, 99.99, 35.58$

$A_2 = 2.5 (a_2 - a_{2,n}) Y$

$B_2 = 2.5 (b_2 - b_{2,n}) Y$

$a_2 = a_{20} [(x - x_c) / y]$

$b_2 = b_{20} B_c [z / y]$

$a_{20} = 1, b_{20} = -0.4$

$x_c = 0.110, B_c = 2.500$

$C_{AB,2} = [A_2^2 + B_2^2]^{1/2}$

6 Ostwald colours (o), $C_{AB,2} = \text{const}$

colour space ($C_{AB,2}$ Y)

$Y = 18Y_r$

-74 Parameter:

Y & name

$Y_r = Y/18,$

$L' = L^* - 50$