

$x_3=s_0*0, y_3=s_0=6.67$


$xw:yw=3:2=28,0cm:18,7cm, s_0=2,8 cm, scale=1,0$

$x_2=s_0*10, y_2=s_0*6.67$


$x_3u=0+s_0/4, y_3u=s_0*6/67-s_0/4$

9 step series ...

$x_2u=s_0*10-s_0/4, y_2u=s_0*6.67-s_0/4$



9 step series ...



0,00

$c_1=0,12$

$c_2=0,25$

$c_3=0,37$

$c_4=0,50$

$c_5=0,62$

$c_6=0,75$

$c_7=0,87$

1,00

calculation with visual experimental (e) data adjusted above

$a_1=e_{08}, b_1=e_{04}*a_1, b_3=e_{48}(1-b_2)+b_2, c_2=b_1, c_4=b_2, c_6=b_3$

$c_1=e_{02}*b_1, c_3=e_{24}(b_2-b_2)+b_1, c_5=e_{46}(b_3-b_2)+b_2, c_7=e_{68}(1-b_3)+b_3$

save 7 data above as text

save 9 data below as text

+0,04 ◇

+0,04 ◇

+0,04 ◇

+0,04 ◇


+0,04 ◇

+0,04 ◇

+0,04 ◇

+0,04 ◇

-0,04 ◇



0,00

$c_1=0,12$

$c_2=0,25$

$c_3=0,37$

$c_4=0,50$


$c_5=0,62$

$c_6=0,75$

$c_7=0,87$

1,00

grey example
difference visible?



0,25 +0,06 ◇

0,25 +0,00 ◇

adjust threshold

no change

adjust and proof threshold of
the linearized output

restart with image 1

$x_0u=0+s_0/4, y_0u=s_0/4$

$x_1u=s_0*10-s_0/4, y_1u=s_0/4$

$x_0=s_0*0, y_0=s_0*0$

$x_1=s_0*10, y_1=s_0*0$