

Optimalfarben (o) *RYGCBM* von maximalem (m) C_{AB} ; D65, $Y_m=510_{770}$, $Y_{AB_{77}}$

<i>Code</i>	<i>Y</i>	<i>A</i>	<i>B</i>	c_{AB}	<i>a</i>	<i>b</i>	h_{AB}	i_d	λ^*_d	i_c	λ^*_c
R _{me} 570_770	33.13	21.25	14.25	25.59	1.592	-0.0052	33.8	38	592	16	484
Y _{me} 510_770	79.32	-6.03	33.56	34.09	0.8743	-0.0124	100.1	33	568	14	471
G _{me} 470_570	55.48	-33.6	14.57	36.63	0.3447	-0.1728	156.5	23	515	-1	515c
C _m 380_570	57.21	-21.25	-14.26	25.59	0.5789	-0.6848	213.8	16	484	38	592
B _{me} 380_510	11.02	6.04	-33.56	34.1	1.498	-3.4785	280.2	13	466	33	565
M _m 570_470	34.85	33.6	-14.57	36.62	1.9144	-0.8536	336.5	-1	504c	20	504
R _o 570_440	33.35	26.19	4.28	26.54	1.7358	-0.3072	9.2	-1	488c	17	488
G _o 520_570	46.53	-27.28	19.29	33.42	0.364	-0.0209	144.7	27	538	-1	538c
W ₁ 380_770	90.0	0.0	0.0	0.01	0.9504	-0.4355	353.4	38	591	16	484