

HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$D65: \Sigma \bar{s}_{10,1}(\lambda) = 22,56$$

$$x_{10,1} = 0,3126$$

$$y_{10,1} = 0,3289$$



Wellenlänge λ /nm

HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$D50: \Sigma \bar{s}_{10,1}(\lambda) = 17,12$$

$$x_{10,1} = 0,3456$$

$$y_{10,1} = 0,3584$$



Wellenlänge λ /nm

HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$P40: \Sigma \bar{s}_{10,1}(\lambda) = 13,79$$

$$x_{10,1} = 0,3799$$

$$y_{10,1} = 0,3764$$



HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$A00: \Sigma \bar{s}_{10,1}(\lambda) = 7,96$$

$$x_{10,1} = 0,4474$$

$$y_{10,1} = 0,4073$$



HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

$$B_{3j} \quad 0,000 \quad 0,000 \quad 1,000 \quad \lambda=440$$

$$E00: \Sigma \bar{s}_{10,1}(\lambda) = 21,37$$

$$x_{10,1} = 0,3332$$

$$y_{10,1} = 0,3332$$



HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$C00: \Sigma \bar{s}_{10,1}(\lambda) = 23,82$$

$$x_{10,1} = 0,3100$$

$$y_{10,1} = 0,3161$$



C00

Wellenlänge λ/nm

HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$


$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

B_{3j} 0,000 0,000 1,000 $\lambda=440$

$$P00: \Sigma \bar{s}_{10,1}(\lambda) = 17,48$$

$$x_{10,1} = 0,3604$$

$$y_{10,1} = 0,3531$$



P00

Wellenlänge λ /nm

HPE_CIE10-Zapfen-Empfindlichkeit $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_{10,1}(\lambda) = B_{31}\bar{x}_{10,1}(\lambda) + B_{32}\bar{y}_{10,1}(\lambda) + B_{33}\bar{z}_{10,1}(\lambda)$$

0,000 0,000 1,000 $\lambda=440$

$$Q00: \Sigma \bar{s}_{10,1}(\lambda) = 26,19$$

$$x_{10,1} = 0,3070$$

$$y_{10,1} = 0,3106$$

