


HPE_CIE02 GR-cone sensitivity


$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$



HPE_CIE02 GR-cone sensitivity


$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$

$$\lambda_{1,m,2}=504, 540, 579 \quad \text{D50: } \Sigma \bar{g}_{02,s}(\lambda)=100,03$$




HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$




HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$




HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$




HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$



HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$



HPE_CIE02 GR-cone sensitivity

$$\bar{g}_{02,n}(\lambda) = 2 \bar{m}_{02,n}(\lambda) - \bar{l}_{02,n}(\lambda)$$

