


HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,36$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 515, 565, 623 \quad D65: \Sigma \bar{I}_{02,s}(\lambda) = 97,36$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,50$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 518, 580, 626 \quad D50: \Sigma \bar{I}_{02,s}(\lambda) = 99,98$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,75$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 523, 580, 629 \quad P40: \Sigma \bar{I}_{02,s}(\lambda) = 103,14$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 5,19$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 532, 590, 634 \quad A00: \Sigma \bar{I}_{02,s}(\lambda) = 108,90$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,48$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 518, 575, 627 \quad E00: \Sigma \bar{I}_{02,s}(\lambda) = 100,00$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,58$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 519, 565, 622 \quad C00: \Sigma \bar{I}_{02,s}(\lambda) = 97,81$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$




HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,63$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 521, 580, 629 \quad P00: \Sigma \bar{I}_{02,s}(\lambda) = 102,29$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$



HPE_CIE02 YB- & GR-cone sensitivity

$$\bar{I}_{02,n}(\lambda) = [B_{11}\bar{x}_{02,s}(\lambda) + B_{12}\bar{y}_{02,s}(\lambda) + B_{13}\bar{z}_{02,s}(\lambda)] / 4,35$$

$$B_{1j} \quad 0,3897 \quad 0,6889 \quad -0,0786 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 515, 570, 624 \quad Q00: \Sigma \bar{I}_{02,s}(\lambda) = 97,73$$

$$\bar{g}_{02,n}(\lambda) = 4 \bar{I}_{02,n}(\lambda) [1 - \bar{I}_{02,n}(\lambda)]$$

