

HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,40$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 510, 555, 619 \quad D65: \Sigma \bar{I}_{F02_X,s}(\lambda) = 101,19$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,44$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 513, 565, 623 \quad D50: \Sigma \bar{I}_{F02_X,s}(\lambda) = 102,64$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,63$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 517, 575, 626 \quad P40: \Sigma \bar{I}_{F02_X,s}(\lambda) = 104,36$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,96$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 526, 590, 632 \quad A00: \Sigma \bar{I}_{F02_X,s}(\lambda) = 107,48$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,42$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 512, 570, 623 \quad E00: \Sigma \bar{I}_{F02_X,s}(\lambda) = 102,59$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,58$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 514, 565, 617 \quad C00: \Sigma \bar{I}_{F02_X,s}(\lambda) = 101,38$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity


$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)] / 4,51$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 515, 575, 626 \quad P00: \Sigma \bar{I}_{F02_X,s}(\lambda) = 103,86$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$



HPE_CIEF02_X YB- & GR-cone sensitivity

$$\bar{I}_{F02_X,n}(\lambda) = [B_{11}\bar{x}_{F02_X,s}(\lambda) + B_{12}\bar{y}_{F02_X,s}(\lambda) + B_{13}\bar{z}_{F02_X,s}(\lambda)]/4,32$$

$$B_{1j} \quad 0,2105 \quad 0,8550 \quad -0,0396 \quad (\lambda \sim 570)$$

$$\lambda_{1,m,2} = 510, 565, 620 \quad Q00: \Sigma \bar{I}_{F02_X,s}(\lambda) = 101,34$$

$$\bar{g}_{F02_X,n}(\lambda) = 4 \bar{I}_{F02_X,n}(\lambda) [1 - \bar{I}_{F02_X,n}(\lambda)]$$

$$\bar{I}_{F02_X,n}(\lambda_m) = 1$$

