






1 000y 1.0 0.0 0.0

IG30/IG300-7N, Prüfvorlage mit 57 Farben; digital gleichabständige 9stufige Button- und unbunte Reihen; Seite 1/57




2 013y 1.0 0.125 0.0



3 025y 1.0 0.25 0.0




4 038y 1.0 0.375 0.0




5 050y 1.0 0.5 0.0




6 0063y 1.0 0.625 0.0




7 075y 1.0 0.75 0.0




8 o88y 1.0 0.875 0.0




9 y00l 1.0 1.0 0.0




10 y13l 0.875 1.0 0.0




11 y25l 0.75 1.0 0.0




12 y38l 0.625 1.0 0.0




13 y50l 0.5 1.0 0.0




14 y063l 0.375 1.0 0.0




15 y75l 0.25 1.0 0.0




16 y88l 0.125 1.0 0.0




17 100c 0.0 1.0 0.0




18 113c 0.0 1.0 0.125




19 125c 0.0 1.0 0.25




20 138c 0.0 1.0 0.375




21 150c 0.0 1.0 0.5




22 1063c 0.0 1.0 0.625




23 175c 0.0 1.0 0.75




24 188c 0.0 1.0 0.875




25 c00v 0.0 1.0 1.0




26 c13v 0.0 0.875 1.0




27 c25v 0.0 0.75 1.0




28 c38v 0.0 0.625 1.0




29 c50v 0.0 0.5 1.0




30 c063v 0.0 0.375 1.0




31 c75v 0.0 0.25 1.0




32 c88v 0.0 0.125 1.0




33 v00m 0.0 0.0 1.0




34 v13m 0.125 0.0 1.0




35 v25m 0.25 0.0 1.0




36 v38m 0.375 0.0 1.0




37 v50m 0.5 0.0 1.0




38 v063m0.625 0.0 1.0




39 v75m 0.75 0.0 1.0




40 v88m 0.875 0.0 1.0




41 m00o 1.0 0.0 1.0




42 m13o 1.0 0.0 0.875




43 m25o 1.0 0.0 0.75




44 m38o 1.0 0.0 0.625




45 m50o 1.0 0.0 0.5



46 m063o1.0 0.0 0.375




47 m75o 1.0 0.0 0.25



48 m88o 1.0 0.0 0.125



49 n00w 0.0 0.0 0.0



50 n13w 0.125 0.125 0.125



51 n25w 0.25 0.25 0.25



52 n38w 0.375 0.375 0.375




53 n50w 0.5 0.5 0.5




54 n063w0.625 0.625 0.625



55 n75w 0.75 0.75 0.75



56 n88w 0.875 0.875 0.875



57 n99w 1.0 1.0 1.0