


see similar files: <http://130.149.60.45/~farbmetrik/RE66/RE66.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE66/RE66L0FA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE660-7N_RGB 1-103030-L0

TUB-test chart RE66; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

http://130.149.60.45/~farbmetrik/RE66/RE66L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE66/RE66LE30FA.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE66/RE66.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE66/RE66L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of laser printer output, separation cmyk* (CMYK)



RE660-72 1-103130-L0

TUB-test chart RE66; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, $3D=1$, $de=0$, $cmyk^*$


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103130-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE66/RE66.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE66/RE66L0FA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE660-7N_RGB 1-113030-L0



TUB-test chart RE66; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/RE66/RE66.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE66/RE66L0FA.TXT /.PS
application for measurement of laser printer output, separation cmyk* (CMYK)
TUB material: code=rha4ta



TUB-test chart RE66; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, $3D=1$, $de=1$, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

