

$XYZ_w=858.975, 908.216, 956.28$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$


$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D65$$



LABHNU1 79

Name der Gerütefarbe

R_d, RECS Y_d, RECS

G_d, RECS C_d, RECS

B_d, RECS M_d, RECS

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für D65

in Buntheitsdiagramm (A^* , B^*)

$XYZ_w=873.582, 908.569, 725.79$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=915.75, 908.886, 568.87$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für P40

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=999.329, 909.474, 313.97$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_W=100$

des offset-Farbenraums für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=904.435, 908.455, 876.56$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = E00$$

LABHNU1 79

Name der Gerütefarbe

R_d, RECS Y_d, RECS


G_d, RECS C_d, RECS

B_d, RECS M_d, RECS

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für E00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=885.915, 908.163, 1037.78$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$


$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$



LABHNU1 79

Name der Gerütefarbe

R_d, RECS Y_d, RECS

G_d, RECS C_d, RECS

B_d, RECS M_d, RECS

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für C00

in Buntheitsdiagramm (A^* , B^*)

$XYZ_w=924.802, 908.732, 711.34$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_W=100$

des offset-Farbenraums für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=884.055, 908.177, 1041.89$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = Q00$$

LABHNU1 79

Name der Gerütefarbe

R_d, RECS Y_d, RECS


G_d, RECS C_d, RECS

B_d, RECS M_d, RECS

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für Q00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=856.262, 907.063, 939.91$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D65$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für D65

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=875.822, 907.661, 714.26$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=922.693, 908.142, 565.08$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_W=100$

des offset-Farbenraums für P40

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=1010.78, 909.03, 309.7$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=903.609, 907.361, 873.97$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = E00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für E00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=878.194, 906.929, 1016.81$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für C00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=926.951, 907.82, 710.87$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$


$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_W=100$

des offset-Farbenraums für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=880.693, 906.911, 1034.1$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = Q00$$

LABHNU1 79

Name der Gerütefarbe

$$R_d, \text{RECS} \quad Y_d, \text{RECS}$$

$$G_d, \text{RECS} \quad C_d, \text{RECS}$$

$$B_d, \text{RECS} \quad M_d, \text{RECS}$$

Geräte- & Elementarfärbungen, $Y_w=100$

des offset-Farbenraums für Q00

in Buntheitsdiagramm (A^* , B^*)

